

Explanation

- JPL Shallow Monitoring Wells
- JPL Deep Multi-Port Monitoring Wells
- Municipal Production Wells
- City of Pasadena Monitoring Well
- JPL Thrust Fault
- JPL Property Line

Perchlorate Plume

- Concentrations Between Detection Limit (4.0 µg/L) and IAL (18.0 µg/L)
- Concentrations 18.0 to 100.0 µg/L
- Concentrations 100.0 to 500.0 µg/L
- Extraction Well
- Infiltration Well (500 gpm)
- Approximate zone of capture [Groundwater within the limits of this countour is captured by the extraction well(s)]

Note: Infiltration was simulated with model layer 1 only.
Note: Wells E-4 and E-5 extract 2000 gpm from layers 2 and 3.
Note: Distinctions between concentration (color) contours may become less clear in black and white photocopies. Refer to the original color figure for best resolution.

600 300 0 600
SCALE IN FEET

Source: USGS, 7.5 Minute Topographic Map Pasadena, CA 1966, Revised 1988, 1994.

FIGURE 4-22
CAPTURE ZONE FOR GROUNDWATER MODEL SIMULATION OF ALTERNATIVE 4: PERCHLORATE PLUME REMEDIATION WITH OFF-SITE PUMPING (AQUIFER LAYER 3, MARCH)
Jet Propulsion Laboratory
Pasadena, California
FOSTER WHEELER ENVIRONMENTAL CORPORATION

I:\1572-JPL\DWG\OU1-OU3\FS\12-99\FIG4-22.DWG
PLOT/UPDATE: DEC 16 1999 13:05:04

Jet Propulsion Laboratory

I-1
I-2
I-3
I-4
I-5
I-6
I-7
I-8

E-1
E-4
E-5

PROPOSED TREATMENT PLANT

SEWER CONNECTION POINT

CITY OF PASADENA ARROYO WELL

CITY OF PASADENA WELL 52

CITY OF PASADENA VENTURA WELL

LINCOLN AVENUE WELL #3

VIRO RD

OAK GROVE DR

Oak Grove Ranger Station

Spreading Grounds

SITAS AVE

Explanation

- Municipal Production Wells
- Proposed Infiltration Wells
- Proposed Extraction Wells
- Groundwater Extracted From Well
- Treated Water
- Water to be discharged to sewer

N

400 200 0 400

SCALE IN FEET

Source: USGS, 7.5 Minute Topographic Map Pasadena, CA 1966, Revised 1988, 1994.

FIGURE 4-23

PROPOSED LAYOUT FOR ALTERNATIVE 5: PLUME REMEDIATION WITH OFF-SITE PUMPING AND ON-SITE SOURCE REDUCTION

Jet Propulsion Laboratory Pasadena, California

FOSTER WHEELER ENVIRONMENTAL CORPORATION

I: \1572-JPL\DWG\OU1-OU3\FS\10-99\FIG4-23.DWG
PLOT/UPDATE: OCT 08 1999 13:52:09



Explanation

- JPL Shallow Monitoring Wells
- JPL Deep Multi-Port Monitoring Wells
- Municipal Production Wells
- City of Pasadena Monitoring Well
- JPL Thrust Fault
- JPL Property Line
- Concentrations Between Detection Limit (4.0 µg/L) and IAL (18.0 µg/L)
- Concentrations 18.0 to 100.0 µg/L
- Concentrations 100.0 to 500.0 µg/L
- Concentrations Above 500.0 µg/L
- Extraction well
- Extraction well not screened in aquifer layer shown. *(See notes.)*
- Infiltration Well (660 gpm)
- Approximate zone of capture [Groundwater within the limits of this countour is captured by *the extraction well(s)*]

Note: Infiltration was simulated with model layer 1 only.

Note: Well E-1 extracts 1250 gpm from layer 1 and 2; wells E-4 and E-5 extract 2000 gpm from layers 2 and 3.

Note: Distinctions between concentration (color) contours may become less clear in black and white photocopies. Refer to the original color figure for best resolution.

N

600 300 0 600

SCALE IN FEET

Source: USGS, 7.5 Minute Topographic Map Pasadena, CA 1966, Revised 1988, 1994.

FIGURE 4-24

CAPTURE ZONE FOR GROUNDWATER MODEL SIMULATION OF ALTERNATIVE 5: PLUME REMEDIATION WITH OFF-SITE PUMPING AND ON-SITE SOURCE REDUCTION (AQUIFER LAYER 1, SEPTEMBER)

Jet Propulsion Laboratory
Pasadena, California

FOSTER WHEELER ENVIRONMENTAL CORPORATION

I:\1572-JPL\DWG\OU1-OU3\FS\12-99\FIG4-24.DWG
PLOT/UPDATE: DEC 17 1999 08:20:55

Jet Propulsion Laboratory

MW-1
MW-15
MW-9
MW-16
MW-7
MW-24
MW-11
MW-8
MW-12
E-1
MW-6
MW-22
MW-13
I-5
I-3
I-1
I-7
I-4
I-8
I-2
MW-14
MW-2
I-6
MW-23
MW-4
MW-3
MH-01
MW-18
E-4
City of Pasadena Arroyo Well
MW-10
MW-5
E-5
City of Pasadena Well 52
Lincoln Ave. Water Co. Well #3
MW-17
Oak Grove Ranger Station
Spreading Grounds
MW-21
City of Pasadena Ventura Well
Lincoln Ave. Water Co. Well #5
City of Pasadena Windsor Well
MW-19
MW-20
Oak Grove Park
Devil's Gate

Explanation

- JPL Shallow Monitoring Wells
- JPL Deep Multi-Port Monitoring Wells
- Municipal Production Wells
- City of Pasadena Monitoring Well
- JPL Thrust Fault
- JPL Property Line

Perchlorate Plume

- Concentrations Between Detection Limit (4.0 µg/L) and IAL (18.0 µg/L)
- Concentrations 18.0 to 100.0 µg/L
- Concentrations 100.0 to 500.0 µg/L
- Extraction Well
- Infiltration Well (660 gpm)
- Approximate zone of capture [Groundwater within the limits of this countour is captured by the extraction well(s)]

Note: Infiltration was simulated with model layer 1 only.

Note: Well E-1 extracts 1250 gpm from layer 1 and 2; wells E-4 and E-5 extract 2000 gpm from layers 2 and 3.

Note: Distinctions between concentration (color) contours may become less clear in black and white photocopies. Refer to the original color figure for best resolution.

N

600 300 0 600

SCALE IN FEET

Source: USGS, 7.5 Minute Topographic Map Pasadena, CA 1966, Revised 1988, 1994.

FIGURE 4-25

CAPTURE ZONE FOR GROUNDWATER MODEL SIMULATION OF ALTERNATIVE 5: PERCHLORATE PLUME REDUCTION WITH OFF-SITE PUMPING AND ON-SITE SOURCE REDUCTION (AQUIFER LAYER 2, SEPTEMBER)

Jet Propulsion Laboratory
Pasadena, California

FOSTER WHEELER ENVIRONMENTAL CORPORATION

I:\1572-JPL\DWG\OU1-OU3\FS\10-99\LY2SI149.DWG
PLOT/UPDATE: OCT 08 1999 14:30:20

Continue



Explanation

- JPL Shallow Monitoring Wells
- JPL Deep Multi-Port Monitoring Wells
- Municipal Production Wells
- City of Pasadena Monitoring Well
- JPL Thrust Fault
- JPL Property Line

Perchlorate Plume

- Concentrations Between Detection Limit (4.0 µg/L) and IAL (18.0 µg/L)
- Concentrations 18.0 to 100.0 µg/L
- Concentrations 100.0 to 500.0 µg/L
- Extraction Well
- Infiltration Well (660 gpm)
- Approximate zone of capture [Groundwater within the limits of this countour is captured by the extraction well(s)]

Note: Infiltration was simulated with model layer 1 only.

Note: Well E-1 extracts 1250 gpm from layer 1 and 2; wells E-4 and E-5 extract 2000 gpm from layers 2 and 3.

Note: Distinctions between concentration (color) contours may become less clear in black and white photocopies. Refer to the original color figure for best resolution.

600 300 0 300

SCALE IN FEET

Source: USGS, 7.5 Minute Topographic Map Pasadena, CA 1966, Revised 1988, 1994.

FIGURE 4-26

CAPTURE ZONE FOR GROUNDWATER MODEL SIMULATION OF ALTERNATIVE 5: PERCHLORATE PLUME REMEDIATION WITH OFF-SITE PUMPING AND ON-SITE SOURCE REDUCTION (AQUIFER LAYER 3, SEPTEMBER)

Jet Propulsion Laboratory
Pasadena, California

FOSTER WHEELER ENVIRONMENTAL CORPORATION

I:\1572-JPL\DWG\OU1-OU3\FS\12-99\FIG4-26.DWG
PLOT/UPDATE: DEC 16 1999 13:09:48