Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-24-3
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/26/01 12:20:00 PM
Lab ID:	052557-015A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816A** BatchID: **5433**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	5.3	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DO - Surrogate Diluted Out

S - Spike/Surrogate outside of limits due to matrix interference.

H - Samples exceeding analytical holding time

E - Value above quantitation range

M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories 3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-24-3D
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/26/01 12:20:00 PM
Lab ID:	052557-016A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816A** BatchID: **5433**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-24-2
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/26/01 1:05:00 PM
Lab ID:	052557-017A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816A** BatchID: **5433**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

U23

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories 3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-24-1
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/26/01 1:57:00 PM
Lab ID:	052557-018A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816A** BatchID: **5433**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	FIELD BLANK
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/26/01 12:25:00 PM
Lab ID:	052557-019A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816A** BatchID: **5433**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

031

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

20

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	ER-4
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/27/01 10:21:00 AM
Lab ID:	052557-020A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816A** BatchID: **5433**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-4-5
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/27/01 10:12:00 AM
Lab ID:	052557-021A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B**	BatchID: **5434**			PrepDate: **8/16/01**		Analyst: **NS**
Chromium	12	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DO - Surrogate Diluted Out

S - Spike/Surrogate outside of limits due to matrix interference.

H - Samples exceeding analytical holding time

E - Value above quantitation range

M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-4-4
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/27/01 10:30:00 AM
Lab ID:	052557-022A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	5.2	5.0		µg/L	1.0	8/16/01

034

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-4-3
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/27/01 10:57:00 AM
Lab ID:	052557-023A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories 3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-4-2
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/27/01 11:18:00 AM
Lab ID:	052557-024A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	8.6	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories 3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-4-1
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/27/01 11:40:00 AM
Lab ID:	052557-025A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	ER-14
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/30/01 11:20:00 AM
Lab ID:	052557-026A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-14-4
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/30/01 12:12:00 PM
Lab ID:	052557-027A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

039

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories 3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-14-3
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/30/01 12:41:00 PM
Lab ID:	052557-028A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-14-2
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/30/01 1:22:00 PM
Lab ID:	052557-029A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

041

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-14-2D
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/30/01 1:22:00 PM
Lab ID:	052557-030A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories 3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-14-1
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/30/01 2:09:00 PM
Lab ID:	052557-031A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	ER-23
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/31/01 8:25:00 AM
Lab ID:	052557-032A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B**	BatchID: **5434**			PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

144

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories
3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-23-4
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/31/01 9:17:00 AM
Lab ID:	052557-033A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-23-3
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/31/01 9:46:00 AM
Lab ID:	052557-034A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-23-2
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/31/01 10:06:00 AM
Lab ID:	052557-035A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-23-1
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/31/01 10:31:00 AM
Lab ID:	052557-036A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816B** BatchID: **5434**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

048

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-8
Lab Order:	052557		
Project:	JPL	**Collection Date:**	7/19/01 1:40:00 PM
Lab ID:	052557-004A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816A** BatchID: **5433**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

5 of 16

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-16-D
Lab Order:	052555		
Project:	JPL	**Collection Date:**	7/12/01 2:50:00 PM
Lab ID:	052555-017A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816C** BatchID: **5430**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	99	50		µg/L	10	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DO - Surrogate Diluted Out

S - Spike/Surrogate outside of limits due to matrix interference.

H - Samples exceeding analytical holding time

E - Value above quantitation range

M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-16
Lab Order:	052555		
Project:	JPL	**Collection Date:**	7/12/01 2:50:00 PM
Lab ID:	052555-016A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816C** BatchID: **5430**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	130	50		µg/L	10	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

128

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-5-D
Lab Order:	052555		
Project:	JPL	**Collection Date:**	7/12/01 1:35:00 PM
Lab ID:	052555-015A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816C** BatchID: **5430**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time.
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-5
Lab Order:	052555		
Project:	JPL	**Collection Date:**	7/12/01 1:35:00 PM
Lab ID:	052555-014A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816C** BatchID: **5430**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	ND	5.0		µg/L	1.0	8/16/01

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

026

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-6
Lab Order:	052555		
Project:	JPL	**Collection Date:**	7/11/01 4:10:00 PM
Lab ID:	052555-013A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816D** BatchID: **5432**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	21	20		µg/L	4.0	8/16/01

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- DO - Surrogate Diluted Out
- S - Spike/Surrogate outside of limits due to matrix interference.
- H - Samples exceeding analytical holding time
- E - Value above quantitation range
- M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories 3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-13
Lab Order:	052555		
Project:	JPL	**Collection Date:**	7/11/01 2:35:00 PM
Lab ID:	052555-012A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816C** BatchID: **5430**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	14	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DO - Surrogate Diluted Out

S - Spike/Surrogate outside of limits due to matrix interference.

H - Samples exceeding analytical holding time

E - Value above quantitation range

M - Not Monitored. Highly Reactive

Initials: RA

024

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-10
Lab Order:	052555		
Project:	JPL	**Collection Date:**	7/11/01 12:07:00 PM
Lab ID:	052555-009A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816C** BatchID: **5430**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	16	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

DO - Surrogate Diluted Out

S - Spike/Surrogate outside of limits due to matrix interference.

H - Samples exceeding analytical holding time

E - Value above quantitation range

M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*

Advanced Technology Laboratories

Print Date: *8/20/01*

CLIENT:	Applied P & Ch Laboratories	**Client Sample ID:**	MW-10-D
Lab Order:	052555		
Project:	JPL	**Collection Date:**	7/11/01 12:07:00 PM
Lab ID:	052555-010A	**Matrix:**	Water

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP-MS METALS			**EPA 200.8**			
RunID: **ICP4_010816C** BatchID: **5430**				PrepDate: **8/16/01**		Analyst: **NS**
Chromium	20	5.0		µg/L	1.0	8/16/01

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
DO - Surrogate Diluted Out
S - Spike/Surrogate outside of limits due to matrix interference.
H - Samples exceeding analytical holding time
E - Value above quantitation range
M - Not Monitored. Highly Reactive

Initials: RA

Advanced Technology Laboratories *3275 Walnut Avenue Signal Hill, CA 90807 Tel: 562 989-4045 Fax: 562 989-4040*