APCL

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel. (909) 590-1828 Fax (909) 590-1498

November 21, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-5592 and your project is 00HW019 JPL. Enclosed please find:

(1) One original report.
(2) One original Chain of Custody.
(3) One diskette containing EDD Deliverable.
(4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-025592B
Collected by: MES/TAM/DJL
Collected on: 10/21/02
Received: 10/21/02
Extracted: N/A
Tested: 10/24/02
Reported: 11/05/02
Sample Description: Water from Pasadena, CA.
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result ER-19 02-05592-1	MW-19-1 02-05592-2	MW-19-2 02-05592-3	MW-19-3 02-05592-4
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	0.6	0.5J
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	0.7	1.3
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	1.1	0.6
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result MW-19-4 02-05592-5	MW-19-5 02-05592-6	MW-19-5D 02-05592-7	TB-19 02-05592-8
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	2.1	0.4J	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	-	-	-	0.7J
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	4.0	2.2	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	0.4J	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit
N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.
J: Reported between PQL and MDL.
Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr, Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-025592A
Collected by: MES/TAM/DJL
Collected on: 10/21/02

Received: 10/21/02
Extracted: N/A
Tested: 10/24/02
Reported: 11/05/02

Sample Description: Water from Pasadena, CA.
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result ER-19 02-05592-1	MW-19-1 02-05592-2	MW-19-2 02-05592-3	MW-19-3 02-05592-4
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	0.6	0.5J
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2 DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2 DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result ER-19 02-05592-1	MW-19-1 02-05592-2	MW-19-2 02-05592-3	MW-19-3 02-05592-4
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3 DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS 1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	<1	<1
METHYL-T BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2 TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	0.7	1.3
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2 TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	1.1	0.6
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQI	Analysis Result MW-19-4 02-05592-5	MW-19-5 02-05592-6	MW-19-5D 02-05592-7	TB-19 02-05592-8
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	< 4	< 4	< 4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOFORM	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
BROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CHLOROFORM	524.2	µg/L	0.5	2.1	0.4J	< 0.5	< 0.5
CHLOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
DIBROMOMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
ETHYLBENZENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-19-4 02-05592-5	MW-19-5 02-05592-6	MW-19-5D 02-05592-7	TB-19 02-05592-8
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	<1	0.7J
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	4.0	2.2	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	0.4J	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-5592

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Case Narrative

Project: JPL/Pasadena, CA./00HW019

For SOTA Environmental

APCL Service No: 02-5592

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-19	02-05592-8
MW-19-5	02-05592-6
MW-19-5D	02-05592-7
MW-19-4	02-05592-5
MW-19-3	02-05592-4
MW-19-2	02-05592-3
MW-19-1	02-05592-2
ER-19	02-05592-1

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),
314.0 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None

6. Anomaly

None

0 4000

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory

APCL

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 1

Client: SOTA Env. Tech. Inc. Contact: Mike Sayre Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. Bernardo Dr. #212 City: San Diego State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job #00HW019 P.O. #

Project Address Pasadena, CA APCL Quotation #

Due Date: ☑ Regular ☐ rush: ___ days ___ hours Sampled by: MES/TAM/DSL

Analysis Items

White – With report
Yellow – Lab copy
Pink – Originator

Field Sample ID No.	Sample Description	Date Collected	Time Collected	Sample Matrix	Preservation	# of Containers	VOCs (5243)	Perchlorate (314.0)	Remarks
TB-19	Trip Blank	10/21/02	1213	Water	HCl	2	X		EPA Level III
MW-19-5	MW-19-5		1022		HCl	3	X		QA/QC
MW-19-5D	Duplicate MW-19-5				HCl	3	X		
MW-19-5	MW-19-5				—	1		X	
MW-19-5D	Duplicate MW-19-5				—	1		X	
MW-19-4	MW-19-4		1115		HCl	3 DSL 9	X		MS/MSD
MW-19-4	MW-19-4		1115		—	1 DSL 2		X	MS/MSD
MW-19-3	MW-19-3		1142		HCl	3	X		
MW-19-3	MW-19-3		1142		—	1		X	
MW-19-2	MW-19-2		1207		HCl	3	X		
MW-19-2	MW-19-2		1207		—	1		X	
MW-19-1	MW-19-1		1241		HCl	3	X		
MW-19-1	MW-19-1		1241		—	1		X	
EA-19	Equipment Rinsate		1221		HCl	3	X		
ER-19	Equipment Rinsate		1221		—	1		X	

5592

QC Requirement: ☐ Regular; ☐ QA/QC Report; ☐ WIP; ☐ Raw Data; ☐ Extended Raw Data ☐ CLP; ☐ ACE ☐ AFCEE ☐ NEESA ___ (E, C or D); ☐ Other _____ (Please specify)

Sample Disposal: ☐ Return ☐ Disposal by APCL ☐ Hold for _____ days after receiving date. **If not specified, samples will be discarded 45 days after samples are received.**

Sample Conditions: ☐ Intact; ☐ Broken. Cooler Seal: ☐ Intact; ☐ Broken; ☐ None . Tag # _____ Temperature: ☐ Room ☐ Cold (_____ °C).

Relinquished by [signature] Date/Time 10/21/02 1447 Received by [signature] Date/Time [illegible]

Relinquished by [signature] Date/Time 10/21/02 1540 Received by [signature] Date/Time 10/21/02 1540

APCL USE ONLY Service # Note:

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Applied P & Ch Laboratory
13760 Magnolia Ave., Chino CA 91710
Tel (909) 590-1828 Fax: (909) 590-1498

Sample Receiving Checklist

APCL ServiceID: 5592 Client Name/Project: Soto Environmental

1. Sample Arrival

Date/Time Received 10/21/02 1540 Date/Time Opened 10/21/02 1540 By (name): Kream Chan

Custody Transfer: ☐ Client ☐ Golden State ☐ UPS ☐ US Mail ☐ FedEx ☑ APCL Empl: Richard

2. Chain-of-Custody (CoC)

☑ With Samples? ☐ Faxed? ☑ Client has Copy? ☑ Signed, dated? By: _____

☐ Project ID? ☑ Analyses Clear? ☐ Hold Samples? #on Hold _____ # Received 8

☑ CoC/Docs Zip-Locked under lid? ☐ Compos #: _ ☑ #Samples OK? _____

☐ Discrepancies? ☐ Client notified? ☐ Response (attach docs): _____

3. Shipping Container/Cooler

☑ Cooler Used? # of 1 Cooled by: ☑ Ice ☐ Blue Ice ☐ Dry Ice ☐ None

Temp °C 4.0 _____ _____ _____ _____ _____

(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).

Cooler Custody Seal? ☐ Absent ☐ Intact ☐ Tampered?

4. Sample Preservation

☐ pH <2 ☐ pH >12

If Not, pH = _____ Preserved by: ☐ Client ☐ APCL ☐ Third Party _____

5. Holding-time Requirements

☐ pH 24hr ☐ BACT 6/24hr ☐ Cr^{VI} 24hr ☐ NO_3^- 48hr ☐ BOD 48hr

☐ Cl_2 ASAP ☐ Turbidity 48hr ☐ DO ASAP ☐ Fe(II) ASAP

☐ HT Expired? ☐ Client notified?

6. Sample Container Condition

☑ Intact? ☐ Broken? ☐ Documented? Number: _____

Type: ☐ plastic ☑ glass ☐ Tube: brass/SS ☐ Tedlar Bag

☑ Quantity OK? ☐ Leaking? ☐ Anomaly?

☑ Caps tight? ☐ Air Bubbles? ☐ Anomaly?

Labels: ☑ Unique ID? ☑ Date/Time ☐ Preserved?

7. Turn Around Time

☐ RUSH TAT: _____ ☑ Std (7-10 days) ☐ Not Marked

8. Sample Matrix

☐ Drinking H_2O ☑ Other Liq ☐ Soil ☐ Wipe ☐ Polymer ☐ Air ☐ Other: _____

☐ Ground H_2O ☐ Sludge ☐ Filter ☐ Oil/Petro ☐ Paint ☐ W. Water ☐ Extract ☐ Unknown

9. Pre-Login Check List Completed & OK?

☑ ALL OK? (if not, attach docs) ☐ Client Contact? (Name:_____)Date/Time:_____

Received/Checked by: _____ Date: 21 Oct 2002 Time: 9:41 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-05592 (1288_ 401) (4858100_ 401)

10/21/02

Part 1: General Information

☐ Company Information	Name:	*SOTA Environmental*
	Address:	*16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127*
☐ Project Information	Project Description:	*JPL*
	Project #:	*00HW019*
☐ Billing Information	P.O. #:	
	Bill Address:	*16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127*
	Lab Project ID:	*2002_0002*
	Client Database #:	*01*
☐ Receiving Information	Who Received Sample?	*Kenny Chan*
	Receiving Date/Time:	*10/21/02 1540*
	COC No.	
☐ Shipping Information	Shipping Company	*AFCL pick up*
	Packing Information:	*Cooler/Ice Chester*
	Cooler Temperature:	*4.0 °C*
☐ Container Information	Container Provider:	*Client*
☐ Sampling Information	Sampling Person:	
	Sampling Company:	*Client*
☐ Turn Around Time Option:		*Rush 5 working day(s)*
☐ QC Option:		*NEESA D*
☐ Disposal Option:		*Not specify*

0 4393

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont-tainer	Preser-vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days	
1	TB-19	VOC	02-05592-8	W	V	C	40	2	G	102102	N	0	6	☐
2	MW-19-5	VOC	02-05592-6-α	W	V	C	40	3	G	102102	N	0	6	☐
	MW-19-5	Perchl	02-05592-6-β	W	P		500	1	G	102102	N	0	6	☐
3	MW-19-5D	VOC	02-05592-7-α	W	V	C	40	3	G	102102	N	0	6	☐
	MW-19-5D	Perchl	02-05592-7-β	W	P		500	1	G	102102	N	0	6	☐
4	MW-19-4	VOC	02-05592-5-α	W	V	C	40	9	G	102102	N	0	6	☐
	MW-19-4	Perchl	02-05592-5-β	W	P		500	2	G	102102	N	0	6	☐
5	MW-19-3	VOC	02-05592-4-α	W	V	C	40	3	G	102102	N	0	6	☐
	MW-19-3	Perchl	02-05592-4-β	W	P		500	1	G	102102	N	0	6	☐
6	MW-19-2	VOC	02-05592-3-α	W	V	C	40	3	G	102102	N	0	6	☐
	MW-19-2	Perchl	02-05592-3-β	W	P		500	1	G	102102	N	0	6	☐
7	MW-19-1	VOC	02-05592-2-α	W	V	C	40	3	G	102102	N	0	6	☐
	MW-19-1	Perchl	02-05592-2-β	W	P		500	1	G	102102	N	0	6	☐
8	ER-19	VOC	02-05592-1-α	W	V	C	40	3	G	102102	N	0	6	☐
	ER-19	Perchl	02-05592-1-β	W	P		500	1	G	102102	N	0	6	☐

Part 3: Analysis Information

Test Items:

☐	*524.2*	Volatile Organic Compounds
☐	*7196*	Chromium (VI)
☑	*300.0*	Perchlorate, low level
☐	*200.7/6010*	Sodium, Na, by ICP
☐	*200.7/6010*	Potassium, K, by ICP
☐	*200.7/6010*	Calcium, Ca, by ICP
☐	*200.7/6010*	Magnesium, Mg, by ICP
☐	*200.7/6010*	Iron, Fe, by ICP
☐	*300.0*	Sulfate (SO_4^{--}), by IC
☐	*300.0/SM4500NO3E*	Nitrate (NO_3^-) as N by IC
☐	*300.0*	Chloride Cl^- by IC
☐	*SM2320B*	Carbonate
☐	*SM2320B*	Bicarbonate
☐	*9040/150.1*	pH
☐	*160.1*	Solids, Total Dissolved (TDS)
☐	*206.2/7060*	Arsenic, As, by GFAA
☐	*310.1*	Alkalinity

0 4004

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-025555A
Collected by: MES/TAM/DJL
Collected on: 10/17/02

Received: 10/17/02
Extracted: N/A
Tested: 10/18-24/02
Reported: 10/28/02

Sample Description: Water from Pasadena, CA.
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result ER-20 02-05555-1	MW-20-1 02-05555-2	MW-20-2 02-05555-3
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BROMODICHLOROMETHANE	524.2	µg/L	0.5	-	-	0.5J
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	0.6	2.9
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2TRICHLORO-1,2,2TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result MW-20-3 02-05555-4	MW-20-4 02-05555-5	MW-20-5 02-05555-6	TB-20 02-05555-7
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	-
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	58.5	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	-	-	-	0.7J
STYRENE	524.2	µg/L	0.5	-	-	0.6	-
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-20-3 02-05555-4	MW-20-4 02-05555-5	MW-20-5 02-05555-6	TB-20 02-05555-7
112TRICHLORO-122TRIFLUOROETHANE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit
N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.
J: Reported between PQL and MDL.
Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-025555
Collected by: MES/TAM/DJL
Collected on: 10/17/02

Received: 10/17/02
Extracted: N/A
Tested: 10/18-24/02
Reported: 10/28/02

Sample Description: Water from Pasadena, CA.
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result ER-20 02-05555-1	MW-20-1 02-05555-2	MW-20-2 02-05555-3
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	0.5J
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	0.6	2.9
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result ER-20 02-05555-1	MW-20-1 02-05555-2	MW-20-2 02-05555-3
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	<1
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-20-3 02-05555-4	MW-20-4 02-05555-5	MW-20-5 02-05555-6	TB-20 02-05555-7
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	-
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	58.5	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2 DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2 DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3 DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2 DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1 DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-20-3 02-05555-4	MW-20-4 02-05555-5	MW-20-5 02-05555-6	TB-20 02-05555-7
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	<1	0.7J
METHYL-T BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	0.6	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-5555

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Case Narrative

Project: JPL/00HW019

For SOTA Environmental

APCL Service No: 02-5555

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-20	02-05555-7
MW-20-5	02-05555-6
MW-20-4	02-05555-5
MW-20-3	02-05555-4
MW-20-2	02-05555-3
MW-20-1	02-05555-2
ER-20	02-05555-1

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),
7196 (Chromium (VI)),
314 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None

6. Anomaly

None

0 4 00

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory

APCL

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 2

Client: SOTA Env. Tech. Inc. Contact: Mike Sayer Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. Bernardo Dr. #212 City: San Diego State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job # 00HW019 P.O. #

Project Address Pasadena, CA APCL Quotation #

Due Date: ☑ regular ☐ rush: ___ days ___ hours Sampled by: MES/TAM/DJL

Field Sample ID No.	Sample Description	Date Collected	Time Collected	Sample Matrix	Preservation	# of Containers	VOCs (5242)	Tot Cr (200.8)	Cr VI (7196)	Perchlorate (314.0)	Remarks
TB-20	Trip Blank	10/17/02	0900	Water	HCl	2	X				EPA Level IV QA/QC
MW-20-5	MW-20-5		0917		HCl	3	X				
					HNO3	1		X			
					—	1			X	X	
MW-20-4	MW-20-4		0959		HCl	3	X				
					HNO3	1		X			
					—	1			X	X	
MW-20-3	MW-20-3		1037		HCl	3	X				
					HNO3	1		X			
					—	1			X	X	
MW-20-32 DJL	MW-20-32 DJL		1106		HCl	3	X				
					HNO3	1		X			
					—	1			X	X	

White – With report
Yellow – Lab copy
Pink – Originator

5555

QC Requirement: ☐ Regular; ☐ QA/QC Report; ☐ WIP; ☐ Raw Data; ☐ Extended Raw Data ☐ CLP; ☐ ACE ☐ AFCEE ☐ NEESA ___ (E, C or D); ☐ Other _____ (Please specify)

Sample Disposal: ☐ Return ☐ Disposal by APCL ☐ Hold for _____ days after receiving date. **If not specified, samples will be discarded 45 days after samples are received.**

Sample Conditions: ☐ Intact; ☐ Broken. Cooler Seal: ☐ Intact; ☐ Broken; ☐ None. Tag # _____ Temperature: ☐ Room ☐ Cold (_____ °C).

Relinquished by Paul Cobb Date/Time 10/17/02 1720 Received by Roy Aguilera Date/Time 10/17/02 17:20

Relinquished by Roy Aguilera Date/Time 10/17/02 1830 Received by [signature] Date/Time 10/17/02 1830

APCL USE ONLY Service # Note:

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Applied P & Ch Laboratory

APCL

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 2 of 2

Client: SOTA Env. Tech Inc. Contact: Mike Sayer Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. Bernardo Dr. #212 City: San Diego State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job #00HW019 P.O. #

Project Address Pasadena, CA APCL Quotation #

Due Date: ☑ regular ☐ rush: ___ days ___ hours Sampled by: MES/TAM/DJL

Field Sample ID No.	Sample Description	Date Collected	Time Collected	Sample Matrix	Preservation	# of Containers
MW-20-1	MW-20-1	10/17/02	1132	Water	HCl	3
					HNO_3	1
					—	1
ER-20	ER-20 Equip. Rinsate		1038		HCl	3
					HNO_3	1
					—	1

Analysis Items: VOCs (5242), Tot Cr (200.8), Cr VI (7196), Perchlorate (314.0)

White – With report
Yellow – Lab copy
Pink – Originator

Remarks: EPA Level III; QA/QC

QC Requirement: ☐ Regular; ☐ QA/QC Report; ☐ WIP; ☐ Raw Data; ☐ Extended Raw Data ☐ CLP; ☐ ACE ☐ AFCEE ☐ NEESA ___ (E, C or D); ☐ Other _____ (Please specify)

Sample Disposal: ☐ Return ☐ Disposal by APCL ☐ Hold for _____ days after receiving date. **If not specified, samples will be discarded 45 days after samples are received.**

Sample Conditions: ☐ Intact; ☐ Broken. Cooler Seal: ☐ Intact; ☐ Broken; ☐ None. Tag # _____ Temperature: ☐ Room ☐ Cold (_____ °C).

Relinquished by [signature] Date/Time 10/17/02 17:20 Received by [signature] Date/Time 10/17/02 17:20

Relinquished by [signature] Date/Time 10/17/02 1830 Received by [signature] Date/Time 10/17/02 1830

APCL USE ONLY Service # Note:

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Applied P & Ch Laboratory
13760 Magnolia Ave., Chino CA 91710
Tel: (909) 590-1828 Fax: (9[illegible]590[illegible]8

5555 Sample Receiving Checklist

APCL ServiceID: _____ **Client Name/Project:** Sota Environmental

1. Sample Arrival

Date/Time Received 10/17/02 1830 Date/Time Opened 10/17/02 1830 By (name): Kenny Chan

Custody Transfer: ☐ Client ☐ Golden State ☐ UPS ☐ US Mail ☐ FedEx ☑ APCL Empl: Roy A.

2. Chain-of-Custody (CoC)

☑ With Samples? ☐ Faxed? ☐ Client has Copy? ☐ Signed, dated? By: _____

☐ Project ID? ☑ Analyses Clear? ☐ Hold Samples? #on Hold _____ # Received 7

☑ CoC/Docs Zip-Locked under lid? ☐ Compos.#: _ ☑ #Samples OK? _____

☐ Discrepancies? ☐ Client notified? ☐ Response (attach docs): _____

3. Shipping Container/Cooler

☑ Cooler Used? # of 1 Cooled by: ☑ Ice ☐ Blue Ice ☐ Dry Ice ☐ None

Temp °C 3.9 _____ _____ _____ _____ _____

(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).

Cooler Custody Seal? ☐ Absent ☐ Intact ☐ Tampered?

4. Sample Preservation

☐ **pH <2** ☐ pH >12

If Not, pH = _____ Preserved by: ☐ Client ☐ APCL ☐ Third Party _____

5. Holding-time Requirements

☐ pH 24hr ☐ BACT 6/24hr ☑ Cr^{VI} 24hr ☐ NO_3^- 48hr ☐ BOD 48hr

☐ Cl_2 ASAP ☐ Turbidity 48hr ☐ DO ASAP ☐ Fe(II) ASAP

☐ HT Expired? ☐ Client notified?

6. Sample Container Condition

☑ Intact? ☐ Broken? ☐ Documented? Number: _____

Type: ☑ plastic ☑ glass ☐ Tube: brass/SS ☐ Tedlar Bag

☑ Quantity OK? ☐ Leaking? ☐ Anomaly?

☑ Caps tight? ☐ Air Bubbles? ☐ Anomaly?

Labels: ☑ Unique ID? ☑ Date/Time ☐ Preserved?

7. Turn Around Time

☐ RUSH TAT: _____ ☑ Std (7-10 days) ☐ Not Marked

8. Sample Matrix

☐ Drinking H_2O ☑ Other Liq ☐ Soil ☐ Wipe ☐ Polymer ☐ Air ☐ Other: _____

☐ Ground H_2O ☐ Sludge ☐ Filter ☐ Oil/Petro ☐ Paint ☐ W. Water ☐ Extract ☐ Unknown

9. Pre-Login Check List Completed & OK?

☑ ALL OK? (if not, attach docs) ☐ Client Contact? (Name:_____)Date/Time:_____

Received/Checked by: [signature] Date: 17 Oct 2002 Time: 8:42 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

DocumentFile: [neal.texfiles]smprcl.tex.

0 4 02

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-05555 (1288_ 399) (4858100_ 399)

10/18/02

Part 1: General Information

☐	Company Information	Name:	*SOTA Environmental*
		Address:	*16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127*
☐	Project Information	Project Description:	*JPL*
		Project #:	*00HW019*
☐	Billing Information	P.O. #:	
		Bill Address:	*16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127*
		Lab Project ID:	*2002_0002*
		Client Database #:	*01*
☐	Receiving Information	Who Received Sample?	*Kenny Chan*
		Receiving Date/Time:	*10/17/02 1830*
		COC No.	
☐	Shipping Information	Shipping Company	*APCL pick up*
		Packing Information:	*Cooler/Ice Chester*
		Cooler Temperature:	*3.9 °C*
☐	Container Information	Container Provider:	*Client*
☐	Sampling Information	Sampling Person:	
		Sampling Company:	*Client*
☐	Turn-Around-Time Option:		*Rush 5 working day(s)*
☐	QC Option:		*NEESA D*
☐	Disposal Option:		*Not specify*

0 4 03

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont-tainer	Preser-vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days	
1	TB-20	VOC	02-05555-7	W	V	C	40	2	G	101702	N	0	7	☐
2	MW-20-5	VOC	02-05555-6-α	W	V	C	40	3	G	101702	N	0	7	☐
	MW-20-5	CRVI/Perch	02-05555-6-β	W	P		500	1	G	101702	N	0	7	☐
3	MW-20-4	VOC	02-05555-5-α	W	V	C	40	3	G	101702	N	0	7	☐
	MW-20-4	CRVI/Perch	02-05555-5-β	W	P		500	1	G	101702	N	0	7	☐
4	MW-20-3	VOC	02-05555-4-α	W	V	C	40	3	G	101702	N	0	7	☐
	MW-20-3	CRVI/Perch	02-05555-4-β	W	P		500	1	G	101702	N	0	7	☐
5	MW-20-2	VOC	02-05555-3-α	W	V	C	40	3	G	101702	N	0	7	☐
	MW-20-2	CRVI/Perch	02-05555-3-β	W	P		500	1	G	101702	N	0	7	☐
6	MW-20-1	VOC	02-05555-2-α	W	V	C	40	3	G	101702	N	0	7	☐
	MW-20-1	CRVI/Perch	02-05555-2-β	W	P		500	1	G	101702	N	0	7	☐
7	ER-20	VOC	02-05555-1-α	W	V	C	40	3	G	101702	N	0	7	☐
	ER-20	CRVI/Perch	02-05555-1-β	W	P		500	1	G	101702	N	0	7	☐

Part 3: Analysis Information

Test Items:

☐ *524.2*	Volatile Organic Compounds
☐ *7196*	Chromium (VI)
☐ *300.0*	Perchlorate, low level
☐ *200.7/6010*	Sodium, Na, by ICP
☐ *200.7/6010*	Potassium, K, by ICP
☐ *200.7/6010*	Calcium, Ca, by ICP
☐ *200.7/6010*	Magnesium, Mg, by ICP
☐ *200.7/6010*	Iron, Fe, by ICP
☐ *300.0*	Sulfate (SO_4^{--}), by IC
☐ *300.0/SM4500NO3*	Nitrate (NO_3^-) as N by IC
☐ *300.0*	Chloride Cl^- by IC
☐ *SM2320B*	Carbonate
☐ *SM2320B*	Bicarbonate
☐ *9040/150.1*	pH
☐ *160.1*	Solids, Total Dissolved (TDS)
☐ *206.2/7060*	Arsenic, As, by GFAA
☐ *310.1*	Alkalinity
☐ *PAH-SIM*	PAH (NOAA)

APCL

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel. (909) 590-1828 Fax (909) 590-1498

November 21, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-5558 and your project is 00HW019 JPL. Enclosed please find:

(1) One original report.
(2) One original Chain of Custody.
(3) One diskette containing EDD Deliverable.
(4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-025558B
Collected by: MES/TAM/DJL
Collected on: 10/18/02

Received: 10/18/02
Extracted: N/A
Tested: 10/21-31/02
Reported: 11/05/02

Sample Description: Water from Pasadena, CA.
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result ER-21 02-05558-1	MW-21-1 02-05558-2	MW-21-2 02-05558-3
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	1.4	0.4J
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	0.4J	1.6
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	11.3	0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Component Analyzed	Method	Unit	PQL	Analysis Result MW-21-3 02-05558-4	MW-21-4 02-05558-5	MW-21-5 02-05558-6	TB-21 02-05558-7
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	0.4J	0.3J	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	1	1.8	2.2	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	-	1.1	2.1	-
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	1.8	-	-	-
METHYLENE CHLORIDE	524.2	µg/L	1	-	-	-	0.6J
TETRACHLOROETHENE	524.2	µg/L	0.5	1.8	5.6	10.9	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	1	0.4J	0.6	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit
N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.
J: Reported between PQL and MDL.
Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Tait
Laboratory Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-025558A
Collected by: MES/TAM/DJL
Collected on: 10/18/02

Received: 10/18/02
Extracted: N/A
Tested: 10/21-31/02
Reported: 11/05/02

Sample Description: Water from Pasadena, CA.
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result ER-21 02-05558-1	MW-21-1 02-05558-2	MW-21-2 02-05558-3
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	1.4	0.4J
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result ER-21 02-05558-1	MW-21-1 02-05558-2	MW-21-2 02-05558-3
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3 DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS 1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	<1
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	0.4J	1.6
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	11.3	0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-21-3 02-05558-4	MW-21-4 02-05558-5	MW-21-5 02-05558-6	TB-21 02-05558-7
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	0.4J	0.3J	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	1	1.8	2.2	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2 DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1 DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	1.1	2.1	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	1.8	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-21-3 02-05558-4	MW-21-4 02-05558-5	MW-21-5 02-05558-6	TB-21 02-05558-7
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	<1	0.6J
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	1.8	5.6	10.9	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	1	0.4J	0.6	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit
N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.
J: Reported between PQL and MDL.
Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-5558

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Case Narrative

Project: JPL/00HW019

For SOTA Environmental

APCL Service No: 02-5558

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
TB-21	02-05558-7
MW-21-5	02-05558-6
MW-21-4	02-05558-5
MW-21-3	02-05558-4
MW-21-2	02-05558-3
MW-21-1	02-05558-2
ER-21	02-05558-1

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),

314.0 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & Ch Laboratory

0 4561

Applied P & Ch Laboratory

APCL

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 1

Client: SOTA Env. Tech. Inc. Contact: Mike Sayre Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. Bernardo Dr. #212 City: San Diego State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job #00HW019 P.O. #

Project Address Pasadena, CA APCL Quotation #

Due Date: ☑ regular ☐ rush: ___ days ___ hours Sampled by: MES/TAM/DJL

Field Sample ID No.	Sample Description	Date Collected	Time Collected	Sample Matrix	Preservation	# of Containers	VOCs (524.2)	Perchlorate (314.0)	Remarks
TB-21	Trip Blank	10-18-02	0727	Water	HCl	2	X		EPA Level IV
~~TB-MW-21-5~~	MW-21-5		0739		HCl	3	X		QA/QC
MW-21-5	MW-21-5		0739		—	1	X	X	
MW-21-4	MW-21-4		0801		HCl	3	X		
MW-21-4	MW-21-4		0801		—	1	X	X	
MW-21-3	MW-21-3		0820		HCl	3	X		
MW-21-3	MW-21-3		0820		—	1	X	X	
MW-21-2	MW-21-2		0843		HCl	3	X		
MW-21-2	MW-21-2		0843		—	1	X	X	
MW-21-1	MW-21-1		0907		HCl	3	X		
MW-21-1	MW-21-1		0907		—	1	X	X	
ER-21	Equip. Rinsate		0830		HCl	3	X		
ER-21	Equip. Rinsate		0830		—	1		X	

5558

White – With report
Yellow – Lab copy
Pink – Originator

QC Requirement: ☐ Regular; ☐ QA/QC Report; ☐ WIP; ☐ Raw Data; ☐ Extended Raw Data ☐ CLP; ☐ ACE ☐ AFCEE ☐ NEESA ___ (E, C or D); ☐ Other _____ (Please specify)

Sample Disposal: ☐ Return ☐ Disposal by APCL ☐ Hold for _____ days after receiving date. **If not specified, samples will be discarded 45 days after samples are received.**

Sample Conditions: ☐ Intact; ☐ Broken. Cooler Seal: ☐ Intact; ☐ Broken; ☐ None. Tag # _____ Temperature: ☐ Room ☐ Cold (_____ °C).

Relinquished by Paul Cohn Date/Time 10/18/02 11:17 Received by [signature] Date/Time 10/18/02 1117

Relinquished by Date/Time / Received by Date/Time /

APCL USE ONLY Service # Note:

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Applied P & Ch Laboratory
13760 Magnolia Ave., Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Receiving Checklist

APCL ServiceID 5558 Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received 10/18/02 1117 Date/Time Opened 10/18/02 1117 By (name): Kenny Chan

Custody Transfer: ☑ Client ☐ Golden State ☐ UPS ☐ US Mail ☐ FedEx ☐ APCL Empl: _____

2. Chain-of-Custody (CoC)

☑ With Samples? ☐ Faxed? ☑ Client has Copy? ☐ Signed, dated? By: _____
☑ Project ID? ☑ Analyses Clear? ☐ Hold Samples? #on Hold _____ # Received 7
☑ CoC/Docs Zip-Locked under lid? ☐ Compos.#: __ ☑ #Samples OK? _____
☐ Discrepancies? ☐ Client notified? ☐ Response (attach docs): _____

3. Shipping Container/Cooler

☑ Cooler Used? # of 1 Cooled by: ☑ Ice ☐ Blue Ice ☐ Dry Ice ☐ None
Temp °C 3.7 _____ _____ _____ _____ _____
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? ☐ Absent ☐ Intact ☐ Tampered?

4. Sample Preservation

☐ **pH <2** ☐ pH >12
If Not, pH = _____ Preserved by: ☐ Client ☐ APCL ☐ Third Party _____

5. Holding-time Requirements

☐ pH 24hr ☐ BACT 6/24hr ☐ Cr^{VI} 24hr ☐ NO_3^- 48hr ☐ BOD 48hr
☐ Cl_2 ASAP ☐ Turbidity 48hr ☐ DO ASAP ☐ Fe(II) ASAP
☐ HT Expired? ☐ Client notified?

6. Sample Container Condition

☑ Intact? ☐ Broken? ☐ Documented? Number: _____
Type: ☑ plastic ☑ glass ☐ Tube: brass/SS ☐ Tedlar Bag
☑ Quantity OK? ☐ Leaking? ☐ Anomaly?
☑ Caps tight? ☐ Air Bubbles? ☐ Anomaly?
Labels: ☑ Unique ID? ☑ Date/Time ☐ Preserved?

7. Turn Around Time

☐ RUSH TAT: _____ ☑ Std (7-10 days) ☐ Not Marked

8. Sample Matrix

☐ Drinking H_2O ☑ Other Liq ☐ Soil ☐ Wipe ☐ Polymer ☐ Air ☐ Other: _____
☐ Ground H_2O ☐ Sludge ☐ Filter ☐ Oil/Petro ☐ Paint ☐ W. Water ☐ Extract ☐ Unknown

9. Pre-Login Check List Completed & OK?

☑ ALL OK? (if not, attach docs) ☐ Client Contact? (Name: _____)Date/Time: _____

Received/Checked by: _____ Date: 18 Oct 2002 Time: 9:33 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous

Document File: [neal.texfiles]smprcl.tex.

0 4502

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-05558 (1288_ 400) (4858100_ 400)

10/18/02

Part 1: General Information

☐	Company Information	Name:	*SOTA Environmental*
		Address:	*16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127*
☐	Project Information	Project Description:	*JPL*
		Project #:	*00HW019*
☐	Billing Information	P.O. #:	
		Bill Address:	*16835 W. Bernardo Dr. Ste. 212 ,San Diego ,CA 92127*
		Lab Project ID:	*2002_0002*
		Client Database #:	*01*
☐	Receiving Information	Who Received Sample?	*Kenny Chan*
		Receiving Date/Time:	*10/18/02 1117*
		COC No.	
☐	Shipping Information	Shipping Company	*by Client*
		Packing Information:	*Cooler/Ice Chester*
		Cooler Temperature:	*3.7 °C*
☐	Container Information	Container Provider:	*Client*
☐	Sampling Information	Sampling Person:	
		Sampling Company:	*Client*
☐	Turn-Around-Time Option:		*Rush 5 working day(s)*
☐	QC Option:		*NEESA D*
☐	Disposal Option:		*Not specify*

0 4503

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont-tainer	Preser-vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days	
1	TB-21	VOC	02-05558-7	W	V	C	40	2	G	101802	N	0	7	☐
2	MW-21-5	VOC	02-05558-6-α	W	V	C	40	3	G	101802	N	0	7	☐
	MW-21-5	Perch	02-05558-6-β	W	P		500	1	G	101802	N	0	7	☐
3	MW-21-4	VOC	02-05558-5-α	W	V	C	40	3	G	101802	N	0	7	☐
	MW-21-4	Perch	02-05558-5-β	W	P		500	1	G	101802	N	0	7	☐
4	MW-21-3	VOC	02-05558-4-α	W	V	C	40	3	G	101802	N	0	7	☐
	MW-21-3	Perch	02-05558-4-β	W	P		500	1	G	101802	N	0	7	☐
5	MW-21-2	VOC	02-05558-3-α	W	V	C	40	3	G	101802	N	0	7	☐
	MW-21-2	Perch	02-05558-3-β	W	P		500	1	G	101802	N	0	7	☐
6	MW-21-1	VOC	02-05558-2-α	W	V	C	40	3	G	101802	N	0	7	☐
	MW-21-1	Perch	02-05558-2-β	W	P		500	1	G	101802	N	0	7	☐
7	ER-21	VOC	02-05558-1-α	W	V	C	40	3	G	101802	N	0	7	☐
	ER-21	Perch	02-05558-1-β	W	P		500	1	G	101802	N	0	7	☐

Part 3: Analysis Information

Test Items:

☐	*524.2*	Volatile Organic Compounds
☐	*7196*	Chromium (VI)
☐	*300.0*	Perchlorate, low level
☐	*200.7/6010*	Sodium, Na, by ICP
☐	*200.7/6010*	Potassium, K, by ICP
☐	*200.7/6010*	Calcium, Ca, by ICP
☐	*200.7/6010*	Magnesium, Mg, by ICP
☐	*200.7/6010*	Iron, Fe, by ICP
☐	*300.0*	Sulfate (SO_4^{--}), by IC
☐	*300.0/SM4500NO3C*	Nitrate (NO_3^-) as N by IC
☐	*300.0*	Chloride Cl^- by IC
☐	*SM2320B*	Carbonate
☐	*SM2320B*	Bicarbonate
☐	*9040/150.1*	pH
☐	*160.1*	Solids, Total Dissolved (TDS)
☐	*206.2/7060*	Arsenic, As, by GFAA
☐	*310.1*	Alkalinity
☐	*PAH-SIM*	PAH (NOAA)

0 4[illegible]4

APCL

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel. (909) 590-1828 Fax (909) 590-1498

December 09, 2002

SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Suite 212
San Diego CA 92127

Dear Yu,

This package contains samples in our Service ID 02-5667 and your project is 00HW019 JPL. Enclosed please find:

(1) One original report.
(2) One original Chain of Custody.
(3) One diskette containing EDD Deliverable.
(4) One original of Level D Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-025667B
Collected by: MES/TAM/DJL
Collected on: 10/23/02
Received: 10/23/02
Extracted: N/A
Tested: 10/24-31/02
Reported: 11/05/02
Sample Description: Water from Pasadena, CA.
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result ER-22 02-05667-1	MW-22-1 02-05667-3
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01
Dilution Factor				1	1
PERCHLORATE	314.0	µg/L	4	<4	<4

Component Analyzed	Method	Unit	PQL	Analysis Result MW-22-2 02-05667-4	MW-22-3 02-05667-5	MW-22-4 02-05667-6
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	-	-
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4

Component Analyzed	Method	Unit	PQL	Analysis Result ER-22 02-05667-1	FB-22 02-05667-2	MW-22-1 02-05667-3
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	0.4J
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	0.4J
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	2.2
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-22-2 02-05667-4	MW-22-3 02-05667-5	TB-22 02-05667-7
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	-	-	1
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit CRDL: Contract Required Detection Limit
N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.
J: Reported between PQL and MDL.
Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
SOTA Environmental
Attention: Yu Zeng
16835 W. Bernardo Dr. Ste. 212
San Diego CA 92127
Tel: (858)485-8100 Fax: (858)485-0812

Service ID #: 801-025667A
Collected by: MES/TAM/DJL
Collected on: 10/23/02
Received: 10/23/02
Extracted: N/A
Tested: 10/24-31/02
Reported: 11/05/02
Sample Description: Water from Pasadena, CA.
Project Description: 00HW019 JPL

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result ER-22 02-05667-1	MW-22-1 02-05667-3
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01
Dilution Factor				1	1
PERCHLORATE	314.0	µg/L	4	<4	<4

Component Analyzed	Method	Unit	PQL	Analysis Result MW-22-2 02-05667-4	MW-22-3 02-05667-5	MW-22-4 02-05667-6
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	-	-
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4

Component Analyzed	Method	Unit	PQL	Analysis Result ER-22 02-05667-1	FB-22 02-05667-2	MW-22-1 02-05667-3
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	0.4J
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result ER-22 02-05667-1	FB-22 02-05667-2	MW-22-1 02-05667-3
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	0.4J
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	<1
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	2.2
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-22-2 02-05667-4	MW-22-3 02-05667-5	TB-22 02-05667-7
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-22-2 02-05667-4	MW-22-3 02-05667-5	TB-22 02-05667-7
METHYLENE CHLORIDE	524.2	µg/L	1	<1	<1	1
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & Ch Laboratory

Level D Data Package Deliverables

General Information

Project: 00HW019 JPL

APCL Service ID: 02-5667

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino, CA 91710
Telephone (909)590-1828
Fax (909)590-1498

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Case Narrative

Project: JPL/00HW019

For SOTA Environmental

APCL Service No: 02-5667

1. Sample Identification

The sample identifications are listed in the following table:

SOTA Environmental Sample ID	APCL Sample ID
MW-22-4	02-05667-6
MW-22-3	02-05667-5
MW-22-2	02-05667-4
MW-22-1	02-05667-3
TB-22	02-05667-7
FB-22	02-05667-2
ER-22	02-05667-1

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),
7196 (Chromium (VI)),
314.0 (Perchlorate, low level),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None

6. Anomaly

None

016000

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & Ch Laboratory

016001

Applied P & Ch Laboratory

APCL

13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Chain of Custody

Please Print in pen Page 1 of 1

Client: SOTA Envir. Tech. Inc. Contact: Mike Sayre Tel #: 858-485-8100 Fax #: 858-485-0812

Address: 16835 W. Bernardo Dr. #212 City: San Diego State: CA Zip code: 92127

Bill to: SOTA

Project Name/Code JPL Job #00HW019 P.O. #

Project Address Pasadena, CA APCL Quotation #

Due Date: ☐regular ☐rush: ___ days ___ hours Sampled by: MES/TAM/DJL

Field Sample ID No.	Sample Description	Date Collected	Time	Sample Matrix	Preservation	# of Containers	VOCs (524.2)	Tot. Cr (200.8)	Cr VI (7196)	Perchlorate (314.0)
MW-22-4	MW-22-4	10-23-02	1050	Water	—	1				X
MW-22-3	MW-22-3		1114		HCl	3	X			
MW-22-3	MW-22-3		1114		—	1				X
MW-22-2	MW-22-2		1148		HCl	3	X			
"	"		1148		HNO3	1		X		
"	"		1148		—	1			X	X
MW-22-1	MW-22-1		1220		HCl	3	X			
"	"		1220		HNO3	1		X		
"	"		1220		—	1			X	X
TB-22	Trip Blank		1041		HCl	2	X			
FB-22	Field Blank		1114		HCl	2	X			
ER-22	Equip. Rinsate		1210		HCl	3	X			
"	"		1210		HNO3	1		X		
"	"		1210		—	1			X	X

Analysis Items

White – With report
Yellow – Lab copy
Pink – Originator

Remarks

EPA Level IV
QA/QC

5667

DJL

QC Requirement: ☐Regular; ☐QA/QC Report; ☐WIP; ☐Raw Data; ☐Extended Raw Data ☐CLP; ☐ACE ☐AFCEE ☐NEESA ___ (E, C or D); ☐Other _____ (Please specify)

Sample Disposal: ☐Return ☐Disposal by APCL ☐Hold for _____ days after receiving date. **If not specified, samples will be discarded 45 days after samples are received.**

Sample Conditions: ☐Intact; ☐Broken. Cooler Seal: ☐Intact; ☐Broken; ☐None. Tag # _____ Temperature: ☐Room ☐Cold (_____ °C).

Relinquished by Paul Eb Date/Time 10/23/02 1550 Received by Richard Stewart Date/Time 10-23-02 1550

Relinquished by _____ Date/Time _____ Received by _____ Date/Time 10/23/02 1650

APCL USE ONLY Service # Note:

Clients understand that all terms described in the proposals, quotations for this project, and/or the general terms provided in the current APCL price schedules will be followed. APCL reserves the right to terminate its service or withhold delivery of any reports, if in APCL's sole discretion the terms of the project have been broken.

Applied P & Ch Laboratory
13760 Magnolia Ave., Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Receiving Checklist

APCL ServiceID: 5667 Client Name/Project: Sota Environmental

1. Sample Arrival

Date/Time Received 10/23/02 1650 Date/Time Opened 10/23/02 1650 By (name): Kenny Chan
Custody Transfer: ☐ Client ☐ Golden State ☐ UPS ☐ US Mail ☐ FedEx ☑ APCL Empl: Richard Stinson

2. Chain-of-Custody (CoC)

☑ With Samples? ☐ Faxed? ☑ Client has Copy? ☐ Signed, dated? By: _____
☑ Project ID? ☑ Analyses Clear? ☐ Hold Samples? #on Hold _____ # Received 7
☑ CoC/Docs Zip-Locked under lid? ☐ Compos.#: _ ☑ #Samples OK? _____
☐ Discrepancies? ☐ Client notified? ☐ Response (attach docs): _____

3. Shipping Container/Cooler

☑ Cooler Used? # of 1 Cooled by: ☑ Ice ☐ Blue Ice ☐ Dry Ice ☐ None
Temp °C 3.8 _____ _____ _____ _____ _____
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? ☐ Absent ☐ Intact ☐ Tampered?

4. Sample Preservation

☐ **pH <2** ☐ pH >12
If Not, pH = _____ Preserved by: ☐ Client ☐ APCL ☐ Third Party _____

5. Holding-time Requirements

☐ pH 24hr ☐ BACT 6/24hr ☑ Cr^{VI} 24hr ☐ NO_3^- 48hr ☐ BOD 48hr
☐ Cl_2 ASAP ☐ Turbidity 48hr ☐ DO ASAP ☐ Fe(II) ASAP
☐ HT Expired? ☐ Client notified?

6. Sample Container Condition

☑ Intact? ☐ Broken? ☐ Documented? Number: _____
Type: ☑ plastic ☑ glass ☐ Tube: brass/SS ☐ Tedlar Bag
☑ Quantity OK? ☐ Leaking? ☐ Anomaly?
☑ Caps tight? ☐ Air Bubbles? ☐ Anomaly?
Labels: ☑ Unique ID? ☑ Date/Time ☐ Preserved?

7. Turn Around Time

☐ RUSH TAT: _____ ☑ Std (7-10 days) ☐ Not Marked

8. Sample Matrix

☐ Drinking H_2O ☑ Other Liq ☐ Soil ☐ Wipe ☐ Polymer ☐ Air ☐ Other: _____
☐ Ground H_2O ☐ Sludge ☐ Filter ☐ Oil/Petro ☐ Paint ☐ W. Water ☐ Extract ☐ Unknown

9. Pre-Login Check List Completed & OK?

☑ ALL OK? (if not, attach docs) ☐ Client Contact? (Name:_____)Date/Time:_____
Received/Checked by: Kenny Chan Date: 23 Oct 2002 Time: 8:50 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

DocumentFile: [neal.texfiles]smprcl.tex.

016002

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

02-05667 (1288_ 404) (4858100_ 404)

10/24/02

Part 1: General Information

☐ Company Information	Name:	*SOTA Environmental*
	Address:	*16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127*
☐ Project Information	Project Description:	*JPL*
	Project #:	*00HW019*
☐ Billing Information	P.O. #:	
	Bill Address:	*16835 W. Bernardo Dr, Ste. 212 ,San Diego ,CA 92127*
	Lab Project ID:	*2002_0002*
	Client Database #:	*01*
☐ Receiving Information	Who Received Sample?	*Kenny Chan*
	Receiving Date/Time:	*10/23/02 1650*
	COC No.	
☐ Shipping Information	Shipping Company	*APCL pick up*
	Packing Information:	*Cooler/Ice Chester*
	Cooler Temperature:	*3.8 °C*
☐ Container Information	Container Provider:	*Client*
☐ Sampling Information	Sampling Person:	
	Sampling Company:	*Client*
☐ Turn-Around-Time Option:		*Rush 5 working day(s)*
☐ QC Option:		*NEESA D*
☐ Disposal Option:		*Not specify*

016093

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont-tainer	Preser-vative	Vol, ml Am g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days	
1	MW-22-4	Perchl	02-05667-6	W	P		500	1	G	102302	N	0	7	☐
2	MW-22-3	VOC	02-05667-5-α	W	V	C	40	3	G	102302	N	0	7	☐
	MW-22-3	Perchl	02-05667-5-β	W	P		500	1	G	102302	N	0	7	☐
3	MW-22-2	VOC	02-05667-4-α	W	V	C	40	3	G	102302	N	0	7	☐
	MW-22-2	CRVI/Perch	02-05667-4-β	W	P		500	1	G	102302	N	0	7	☐
4	MW-22-1	VOC	02-05667-3-α	W	V	C	40	3	G	102302	N	0	7	☐
	MW-22-1	CRVI/Perch	02-05667-3-β	W	P		500	1	G	102302	N	0	7	☐
5	TB-22	VOC	02-05667-7	W	V	C	40	2	G	102302	N	0	7	☐
6	FB-22	VOC	02-05667-2	W	V	C	40	2	G	102302	N	0	7	☐
7	ER-22	VOC	02-05667-1-α	W	V	C	40	3	G	102302	N	0	7	☐
	ER-22	CRVI/Perch	02-05667-1-β	W	P		500	1	G	102302	N	0	7	☐

Part 3: Analysis Information

Test Items:

☒	*524.2*	Volatile Organic Compounds
☒	*7196*	Chromium (VI)
☒	*300.0*	Perchlorate, low level
☐	*200.7/6010*	Sodium, Na, by ICP
☐	*200.7/6010*	Potassium, K, by ICP
☐	*200.7/6010*	Calcium, Ca, by ICP
☐	*200.7/6010*	Magnesium, Mg, by ICP
☐	*200.7/6010*	Iron, Fe, by ICP
☐	*300.0*	Sulfate (SO_4^{--}), by IC
☐	*300.0/SM4500NO3C*	Nitrate (NO_3^-) as N by IC
☐	*300.0*	Chloride Cl^- by IC
☐	*SM2320B*	Carbonate
☐	*SM2320B*	Bicarbonate
☐	*9040/150.1*	pH
☐	*160.1*	Solids, Total Dissolved (TDS)
☐	*206.2/7060*	Arsenic, As, by GFAA
☐	*310.1*	Alkalinity
☐	*PAH-SIM*	PAH (NOAA)

Seq. #	Client"s Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCHL	NA	K	CA	MG	FE

016004