FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
3	6/10/03	1245	15.0	5.8	6.5	14.5									10.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
3	6/10/03	0715	29	29	30	45	52	52	51	50	50	52	62	57
3	6/10/03	1035	29	29	30	45	52	52	51	50	50	52	62	57

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
3	6/11/03	0630	ABC	29	29	30	45	7615	3270	520	2950	3440	252	383
3	6/11/03	1000	ABC	29	29	30	45	8060	3515	550	3050	3470	252	383

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
3	6/11/03	1200	13.0		7.0	12.0									8.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
3	6/11/03	0635	29	29	30	45	51	51	50	48	49	51	61	56
3	6/11/03	1005	29	29	30	45	51	51	50	48	49	51	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
3	6/12/03	0630	ABC	28	28	29	45	7610	3170	495	3050	3380	252	383
3	6/12/03	1000	ABC	28	28	29	45	8215	3760	510	3220	3690	252	383

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
3	6/12/03	1145	14.5	6.0	5.5	11.0									9.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
3	6/12/03	0635	28	28	29	45	51	51	50	48	50	52	61	56
3	6/12/03	1005	28	28	29	45	51	51	50	48	49	51	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
4	6/16/03	0910	ABC	28	28	29	45	7515	3260	510	3320	3410	252	383
4	6/16/03	1100	ABC	28	28	29	45	7920	3615	515	3560	3520	252	383

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
4	6/16/03	1200	14.0	6.5	5.0	13.5									8.5

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
4	6/16/03	0915	28	28	29	45	51	51	50	48	50	52	61	56
4	6/16/03	1105	28	28	29	45	51	51	50	48	49	51	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
4	6/17/03	0700	ABC	28	28	29	45	7960	4190	565	3500	3450	252	383
							~~48~~							~~382~~
4	6/17/03	1000	ABC	28	27	27	48	8925	4690	585	3520	3450	252	382

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
4	6-17-03	1100	12	5.5	7.5	9.5									8

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
4	6/17/03	0705	28	26	29	45	50	50	50	48	49	50	60	55
4	6/17/03	1005	28	27	27	48	50	50	50	49	49	50	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN ABC	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
4	6-18-03	0700	ABC	28	26	27	45	8165	4300	615	3220	3250	252	383
4	6-18-03	0950	ABC	28	26	27	45	8250	4280	575	3050	3430	252	383

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
4	6-18-03	1000	13	4.8	8	9.5									8.5

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
4	6-18-03	0700	28	26	27	45	50	50	50	48	47	50	60	55
4	6-18-03	0950	28	26	27	45	50	50	50	47	46	50	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
4	6-19-03	0800	ABC	28	26	28	45	7600	3980	505	3150	3260	245	383
4	6-19-03	1000	ABC	27	26	26	45	8140	4285	480	3375	3530	245	383