FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
4	6-19-03	1010	10.0	4.5	5.5	8.5									8.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
4	6-19-03	0800	28	26	28	45	50	50	49	47	48	50	60	54
4	6-19-03	1000	27	26	26	45	50	50	50	48	48	50	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
								ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
				VE-04-A	VE-04-B	VE-04-C	Total Influent	A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
5	6-23-03	0650	ABC	26	26	26	45	7950	4240	525	3300	3620	252	384
5	6-23-03	0935	ABC	27	26	28	45	8260	4300	505	3425	3670	252	383

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
5	6-23-03	0940	10.5	5.5	12.0	10.0	—	—	—	—	—	—	—	—	9.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
5	6-23-03	0650	26	26	26	~~50~~ 45	50	50	50	48	48	50	60	55
5	6-23-03	0935	27	26	28	45	50	50	50	48	48	50	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
								ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
				VE-04-A	VE-04-B	VE-04-C	Total Influent	A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
5	6-24-03	0710	ABC	27	26	26	45	8285	4300	510	3250	3300	260	385
5	6-24-03	0940	ABC	28	26	26	45	8445	4540	525	3975	4200	255	384

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
5	6-24-03	0940	12.5	6.5	17.0	10.5	—	—	—	—	—	—	—	—	10.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
5	6-24-03	0710	27	26	26	45	50	50	49	48	48	50	60	55
5	6-24-03	0940	26	26	26	45	50	50	49	48	48	50	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
								ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
				VE-04-A	VE-04-B	VE-04-C	Total Influent	A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
5	6/25/03	0705	ABC	27	26	26	44	7845	4255	530	3595	3170	250	384
			✓											
5	6/25/03	1030	ABC	28	26	27	45	9100	5125	535	4330	4275	250	384

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
5	6-25-03	1030	13.0	7.5	20.0	10.5	–	–	–	–	–	–	–	–	9.5

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
5	6-25-03	0705	27	26	26	44	50	50	50	48	49	50	60	55
5	6-25-03	1030	28	26	27	45	50	50	50	48	47	50	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
								ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
				VE-04-A	VE-04-B	VE-04-C	Total Influent	A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
5	6/26/03	0740	ABC	27	26	26	45	8500	4510	550	3330	3520	245	384
								9380	5210	530	3680	3710	245	
5	6/26/03	1000	ABC	29	27	26	45	↓	↓	↓	↓	↓	↓	383

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
5	6/26/03	1000	15.0	9.5	25.0	13.0	–	–	–	–	–	–	–	–	11.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
5	6/26/03	0740	27	26	26	45	50	50	49	47	47	50	60	55
5	6/26/03	1000	29	27	26	45	50	50	49	47	47	49	60	55

MONITORING WELL DATA
VAPOR EXTRACTION WELL VE-04

WEEK	DATE	TIME	WELL SCREEN	VACUUM				FLOWRATE						
				VE-04-A	VE-04-B	VE-04-C	Total Influent	ANEMOMETER FLOWRATE					FLOWMETER	LCD Reading
								A	B	C	Influent	Effluent	Influent	Influent
				in. H_2O	*in. H_2O*	*in. H_2O*	*in. H_2O*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*ft/m*	*SCFM*	*CFM*
6	6/30/03	0730	ABC	27	26	27	45	8530	4450	575	3510	3760	240	384
6	6/30/03	1000	ABC	28	27	27	45	9750	5465	585	4520	4540	252	384

FID DATA

FID READINGS															
WEEK	DATE	TIME	INFLUENT (A) *PPM*	INFLUENT (B) *PPM*	INFLUENT (C) *PPM*	INFLUENT (ABC) *PPM*	P1 INFLUENT *PPM*	P1 EFFLUENT *PPM*	P2 INFLUENT *PPM*	P2 EFFLUENT *PPM*	S1 INFLUENT *PPM*	S1 EFFLUENT *PPM*	S2 INFLUENT *PPM*	S2 EFFLUENT *PPM*	EFFLUENT (Total) *PPM*
6	6/30/03	1205	35.5	20.0	64.0	42.0									30.0

PRESSURE DATA

PRESSURE READINGS														
WEEK	DATE	TIME	INFLUENT (A) (Inches H_2O)	INFLUENT (B) (Inches H_2O)	INFLUENT (C) (Inches H_2O)	INFLUENT (ABC) (Inches H_2O)	P1 INFLUENT (Inches H_2O)	P1 EFFLUENT (Inches H_2O)	P2 INFLUENT (Inches H_2O)	P2 EFFLUENT (Inches H_2O)	S1 INFLUENT (Inches H_2O)	S1 EFFLUENT (Inches H_2O)	S2 INFLUENT (Inches H_2O)	S2 EFFLUENT (Inches H_2O)
6	6/30/03	0735	27	26	27	45	50	49	49	47	47	49	60	55
6	6/30/03	1005	28	27	27	45	50	49	49	47	47	49	59	54