


## **APPENDIX D**

---

### **DATA VALIDATION REPORTS**



**LABORATORY DATA CONSULTANTS, INC.**

7750 El Camino Real, Suite 2L Carlsbad, CA 92009 Phone: 760/634-0437 Fax: 760/634-0439

Geofon, Inc.  
22632 Golden Springs Drive, Suite 270  
Diamond Bar, CA 91765  
ATTN: Mr. Scott Brehmer

December 22, 2004

SUBJECT: NASA JPL, DO #12, Data Validation

Dear Mr. Brehmer,

Enclosed are the final validation reports for the fractions listed below. These SDGs were received on December 9, 2004. Attachment 1 is a summary of the samples that were reviewed for each analysis.

**LDC Project # 12878:**

<b><u>SDG #</u></b>	<b><u>Fraction</u></b>
04-5216, 04-5234, 04-5250, 04-5268, 04-5293, 04-5340, 04-5365	Volatiles, Chromium, Lead, Wet Chemistry

The data validation was performed under EPA Level III and Level IV guidelines. The analyses were validated using the following documents, as applicable to each method:

- USEPA, Contract Laboratory Program National Functional Guidelines for Organic Data Review, October 1999
- USEPA, Contract Laboratory Program National Functional Guidelines for Inorganic Data Review, February 1994
- EPA SW 846, Third Edition, Test Methods for Evaluating Solid Waste, update 1, July 1992; update IIA, August 1993; update II, September 1994; update IIB, January 1995; update III, December 1996; update IIIA, April 1998

Please feel free to contact us if you have any questions.

Sincerely,

Erlinda T. Rauto  
Operations Manager/Senior Chemist

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** October 29, 2004  
**LDC Report Date:** December 20, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5216

**Sample Identification**

EB-1-10/29/04  
MW-21-1  
MW-21-2  
MW-21-3  
MW-21-4  
MW-21-5  
TB-1-10/29/04  
MW-21-4MS  
MW-21-4MSD

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. GC/MS Instrument Performance Check**

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## **III. Initial Calibration**

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## **IV. Continuing Calibration**

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% .

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## **VI. Surrogate Spikes**

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

### **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

### **IX. Regional Quality Assurance and Quality Control**

Not applicable.

### **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

### **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

### **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

### **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

### **XIV. System Performance**

Raw data were not reviewed for this SDG.

### **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

### **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

### **XVII. Field Blanks**

Sample TB-1-10/29/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-1-10/29/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5216**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5216**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 1, 2004  
**LDC Report Date:** December 20, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5234

**Sample Identification**

EB-2-11/1/04  
MW-18-1  
MW-18-2  
MW-18-3  
MW-18-4  
MW-18-5  
TB-2-11/1/04

## Introduction

This data review covers 7 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. GC/MS Instrument Performance Check**

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## **III. Initial Calibration**

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## **IV. Continuing Calibration**

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% .

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## **VI. Surrogate Spikes**

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

### **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

### **IX. Regional Quality Assurance and Quality Control**

Not applicable.

### **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

### **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

### **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

### **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

### **XIV. System Performance**

Raw data were not reviewed for this SDG.

### **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

### **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

### **XVII. Field Blanks**

Sample TB-2-11/1/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-2-11/1/04 was identified as an equipment blank. No volatile contaminants were found in this blank with the following exceptions:

Equipment Blank ID	Compound	Concentration (ug/L)
EB-2-11/1/04	m,p-Xylenes	0.4

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5234**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5234**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 2, 2004  
**LDC Report Date:** December 20, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5250

**Sample Identification**

DUPE-1-4Q04  
EB-3-11/2/04  
MW-3-1\*\*  
MW-3-2  
MW-3-3  
MW-3-4  
MW-3-5  
MW-17-1  
MW-17-2  
MW-17-3  
MW-17-4  
MW-17-5  
TB-3-11/2/04

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 13 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/10/04	Methyl-tert-butyl ether 2,2-Dichloropropane Carbon tetrachloride	42.74 37.05 53.91	MW-3-1** MW-3-2 MW-3-3 MW-3-4 MW-17-1 MW-17-2 MW-17-3 MW-17-4 MW-17-5 TB-3-11/2/04 04G3980MB01	J (all detects) UJ (all non-detects)	P
11/11/04	2,2-Dichloropropane Carbon tetrachloride	39.43 39.67	MW-3-5 04G4028MB01	J (all detects) UJ (all non-detects) J (all detects) UJ (all non-detects)	P

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## **VI. Surrogate Spikes**

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

All target compound identifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XII. Compound Quantitation and CRQLs**

All compound quantitation and CRQLs were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XIII. Tentatively Identified Compounds (TICs)**

Tentatively identified compounds were not reported by the laboratory.

#### **XIV. System Performance**

The system performance was within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

#### **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

#### **XVI. Field Duplicates**

Samples DUPE-1-4Q04 and MW-3-1\*\* were identified as field duplicates. No volatiles were detected in any of the samples.

#### **XVII. Field Blanks**

Sample TB-3-11/2/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-3-11/2/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5250**

SDG	Sample	Compound	Flag	A or P	Reason
04-5250	MW-3-1** MW-3-2 MW-3-3 MW-3-4 MW-17-1 MW-17-2 MW-17-3 MW-17-4 MW-17-5 TB-3-11/2/04	Methyl-tert-butyl ether 2,2-Dichloropropane Carbon tetrachloride	J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)
04-5250	MW-3-5	2,2-Dichloropropane  Carbon tetrachloride	J (all detects) UJ (all non-detects) J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5250**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 3, 2004  
**LDC Report Date:** December 20, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5268

**Sample Identification**

EB-4-11/3/04  
MW-19-1  
MW-19-2  
MW-19-3  
MW-19-4  
MW-19-5  
TB-4-11/3/04  
MW-19-5MS  
MW-19-5MSD

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/10/04	Methyl-tert-butyl ether 2,2-Dichloropropane Carbon tetrachloride	42.74 37.05 53.91	All samples in SDG 04-5268	J (all detects) UJ (all non-detects)	P

## V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## VI. Surrogate Spikes

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

## **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

## **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

## **XIV. System Performance**

Raw data were not reviewed for this SDG.

## **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

## **XVII. Field Blanks**

Sample TB-4-11/3/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-4-11/3/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL  
Volatiles - Data Qualification Summary - SDG 04-5268**

SDG	Sample	Compound	Flag	A or P	Reason
04-5268	EB-4-11/3/04 MW-19-1 MW-19-2 MW-19-3 MW-19-4 MW-19-5 TB-4-11/3/04	Methyl-tert-butyl ether 2,2-Dichloropropane Carbon tetrachloride	J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)

**NASA JPL  
Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5268**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 4, 2004  
**LDC Report Date:** December 20, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 04-5293

**Sample Identification**

EB-5-11/4/04  
MW-20-1  
MW-20-2  
MW-20-3  
MW-20-4  
MW-20-5  
TB-5-11/4/04  
MW-20-2MS  
MW-20-2MSD

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/11/04	2,2-Dichloropropane	39.43	All samples in SDG 04-5293	J (all detects)	P
	Carbon tetrachloride	39.67		UJ (all non-detects)	
				J (all detects)	
				UJ (all non-detects)	

## V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## VI. Surrogate Spikes

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

## **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

## **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

## **XIV. System Performance**

Raw data were not reviewed for this SDG.

## **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

## **XVII. Field Blanks**

Sample TB-5-11/4/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-5-11/4/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL  
Volatiles - Data Qualification Summary - SDG 04-5293**

SDG	Sample	Compound	Flag	A or P	Reason
04-5293	EB-5-11/4/04 MW-20-1 MW-20-2 MW-20-3 MW-20-4 MW-20-5 TB-5-11/4/04	2,2-Dichloropropane  Carbon tetrachloride	J (all detects) UJ (all non-detects) J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)

**NASA JPL  
Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5293**

No Sample Data Qualified in this SDG

## Laboratory Data Consultants, Inc. Data Validation Report

**Project/Site Name:** NASA JPL  
**Collection Date:** November 4, 2004  
**LDC Report Date:** December 20, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 04-5340

### Sample Identification

DUPE-2-4Q04  
EB-6-11/8/04  
MW-14-1  
MW-14-2  
MW-14-3\*\*  
MW-14-4  
MW-14-5  
TB-6-11/8/04

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/11/04	2,2-Dichloropropane	39.43	DUPE-2-4Q04 EB-6-11/8/04	J (all detects) UJ (all non-detects)	A
	Carbon tetrachloride	39.67	MW-14-1 MW-14-2 MW-14-3** TB-6-11/8/04 04G4026MB01	J (all detects) UJ (all non-detects)	

## V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks with the following exceptions:

Method Blank ID	Analysis Date	Compound TIC (RT in minutes)	Concentration	Associated Samples
04G4056MB01	11/17/04	n-Propylbenzene	0.4 ug/L	MW-14-4 MW-14-5

Sample concentrations were compared to concentrations detected in the method blanks. The sample concentrations were either not detected or were significantly greater (>10X for common contaminants, >5X for other contaminants) than the concentrations found in the associated method blanks.

## VI. Surrogate Spikes

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits with the following exceptions:

Sample	Surrogate	%R (Limits)	Compound	Flag	A or P
MW-14-2	Dibromofluoromethane	123 (70-122)	All TCL compounds	J (all detects)	P
MW-14-3**	Dibromofluoromethane	127 (70-122)	All TCL compounds	J (all detects)	P

## VII. Matrix Spike/Matrix Spike Duplicates

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## IX. Regional Quality Assurance and Quality Control

Not applicable.

## X. Internal Standards

All internal standard areas and retention times were within QC limits.

## XI. Target Compound Identifications

All target compound identifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XII. Compound Quantitation and CRQLs**

All compound quantitation and CRQLs were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XIII. Tentatively Identified Compounds (TICs)**

Tentatively identified compounds were not reported by the laboratory.

## **XIV. System Performance**

The system performance was within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

Samples DUPE-2-4Q04 and MW-14-5 were identified as field duplicates. No volatiles were detected in any of the samples with the following exceptions:

Compound	Concentration (ug/L)		RPD
	DUPE-2-4Q04	MW-14-5	
Ethylbenzene	1.3	1.5	14
Toluene	0.7	0.9	25
o-Xylene	1.1	1.2	9
m,p-Xylenes	5.7	6.6	15

## **XVII. Field Blanks**

Sample TB-6-11/8/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-6-11/8/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5340**

SDG	Sample	Compound	Flag	A or P	Reason
04-5340	DUPE-2-4Q04 EB-6-11/8/04 MW-14-1 MW-14-2 MW-14-3** TB-6-11/8/04	2,2-Dichloropropane  Carbon tetrachloride	J (all detects) UJ (all non-detects) J (all detects) UJ (all non-detects)	A	Continuing calibration (%D)
04-5340	MW-14-2 MW-14-3**	All TCL compounds	J (all detects)	P	Surrogate spikes (%R)

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5340**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 9, 2004  
**LDC Report Date:** December 20, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5365

**Sample Identification**

EB-7-11/9/04  
MW-22-1  
MW-22-2  
MW-22-3  
MW-22-4  
MW-22-5  
TB-7-11/9/04  
MW-22-3MS  
MW-22-3MSD

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/12/04	2,2-Dichloropropane	36.33	All samples in SDG 04-5365	J (all detects)	P
	Carbon tetrachloride	37.18		UJ (all non-detects)	
				J (all detects)	
				UJ (all non-detects)	

## V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## VI. Surrogate Spikes

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

## **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

## **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

## **XIV. System Performance**

Raw data were not reviewed for this SDG.

## **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

## **XVII. Field Blanks**

Sample TB-7-11/9/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-7-11/9/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5365**

SDG	Sample	Compound	Flag	A or P	Reason
04-5365	EB-7-11/9/04 MW-22-1 MW-22-2 MW-22-3 MW-22-4 MW-22-5 TB-7-11/9/04	2,2-Dichloropropane  Carbon tetrachloride	J (all detects) UJ (all non-detects) J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5365**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** October 29, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5216

**Sample Identification**

EB-1-10/29/04  
MW-21-1  
MW-21-2  
MW-21-3  
MW-21-4  
MW-21-5  
MW-21-4MS  
MW-21-4MSD  
MW-21-4DUP

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.101 µg/L	All samples in SDG 04-5216

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks.

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

Internal standards were not reviewed in this SDG.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-21-4L	Chromium	10.9 ( $\leq 10$ )	All samples in SDG 04-5216	J (all detects)	A

## XI. Sample Result Verification

Raw data were not reviewed for this SDG.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

No field duplicates were identified in this SDG.

## XIV. Field Blanks

Sample EB-1-10/29/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration (ug/L)
EB-1-10/29/04	Chromium	0.56

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5216**

<b>SDG</b>	<b>Sample</b>	<b>Analyte</b>	<b>Flag</b>	<b>A or P</b>	<b>Reason</b>
04-5216	EB-1-10/29/04 MW-21-1 MW-21-2 MW-21-3 MW-21-4 MW-21-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5216**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 1, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 04-5234

**Sample Identification**

EB-2-11/1/04  
MW-18-1  
MW-18-2  
MW-18-3  
MW-18-4  
MW-18-5

## Introduction

This data review covers 6 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.101 ug/L	All samples in SDG 04-5234

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Analyte	Reported Concentration	Modified Final Concentration
EB-2-11/1/04	Chromium	0.25 ug/L	0.25U ug/L

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

Internal standards were not reviewed in this SDG.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-21-4L	Chromium	10.9 ( $\leq 10$ )	All samples in SDG 04-5234	J (all detects)	A

## XI. Sample Result Verification

Raw data were not reviewed for this SDG.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

No field duplicates were identified in this SDG.

## XIV. Field Blanks

Sample EB-2-11/1/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration (ug/L)
EB-2-11/1/04	Chromium	0.25

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5234**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5234	EB-2-11/1/04 MW-18-1 MW-18-2 MW-18-3 MW-18-4 MW-18-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5234**

SDG	Sample	Analyte	Modified Final Concentration	A or P
04-5234	EB-2-11/1/04	Chromium	0.25U ug/L	A

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 2, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 04-5250

**Sample Identification**

DUPE-1-4Q04  
EB-3-11/2/04  
MW-3-1\*\*  
MW-3-2  
MW-3-3  
MW-3-4  
MW-3-5  
MW-17-1  
MW-17-2  
MW-17-3  
MW-17-4  
MW-17-5

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 12 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.101 ug/L	All samples in SDG 04-5250

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks.

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

All internal standard percent recoveries (%R) were within QC limits for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met.

## XI. Sample Result Verification

All sample result verifications met validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

Samples DUPE-1-4Q04 and MW-3-1\*\* were identified as field duplicates. No chromium was detected in any of the samples with the following exceptions:

Analyte	Concentration (ug/L)		RPD
	DUPE-1-4Q04	MW-3-1**	
Chromium	13.0	12.9	1

## XIV. Field Blanks

Sample EB-3-11/2/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration (ug/L)
EB-3-11/2/04	Chromium	0.64

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5250**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5250	DUPE-1-4Q04 EB-3-11/2/04 MW-3-1** MW-3-2 MW-3-3 MW-3-4 MW-3-5 MW-17-1 MW-17-2 MW-17-3 MW-17-4 MW-17-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5250**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 3, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5268

**Sample Identification**

EB-4-11/3/04  
MW-19-1  
MW-19-2  
MW-19-3  
MW-19-4  
MW-19-5  
MW-19-5MS  
MW-19-5MSD  
MW-19-5DUP

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.101 ug/L	All samples in SDG 04-5268

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Analyte	Reported Concentration	Modified Final Concentration
EB-4-11/3/04	Chromium	0.47 ug/L	0.47U ug/L
MW-19-1 (1.25x)	Chromium	0.24 ug/L	0.24U ug/L

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## **V. Matrix Spike Analysis**

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VI. Duplicate Sample Analysis**

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## **VII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Internal Standards**

Internal standards were not reviewed in this SDG.

## **IX. Furnace Atomic Absorption QC**

Graphite furnace atomic absorption was not utilized in this SDG.

## **X. ICP Serial Dilution**

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met.

## **XI. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **XII. Overall Assessment of Data**

Data flags have been summarized at the end of this report.

## **XIII. Field Duplicates**

No field duplicates were identified in this SDG.

## **XIV. Field Blanks**

Sample EB-4-11/3/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

<b>Equipment Blank ID</b>	<b>Analyte</b>	<b>Concentration (ug/L)</b>
EB-4-11/3/04	Chromium	0.47

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5268**

No Sample Data Qualified in this SDG

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5268**

<b>SDG</b>	<b>Sample</b>	<b>Analyte</b>	<b>Modified Final Concentration</b>	<b>A or P</b>
04-5268	EB-4-11/3/04	Chromium	0.47U ug/L	A
04-5268	MW-19-1 (1.25x)	Chromium	0.24U ug/L	A

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 4, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Chromium & Lead  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5293

**Sample Identification**

EB-5-11/4/04  
MW-20-1  
MW-20-2  
MW-20-3  
MW-20-4  
MW-20-5  
MW-20-2MS  
MW-20-2MSD  
MW-20-2DUP

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium & Lead.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium Lead	0.060 ug/L 0.010 ug/L	All samples in SDG 04-5293

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Analyte	Reported Concentration	Modified Final Concentration
EB-5-11/4/04	Chromium Lead	0.21 ug/L 0.033 ug/L	0.21U ug/L 0.033U ug/L
MW-20-1	Lead	0.016 ug/L	0.016U ug/L
MW-20-4	Lead	0.018 ug/L	0.018U ug/L
MW-20-5	Lead	0.014 ug/L	0.014U ug/L

#### IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

#### V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

#### VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

#### VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

#### VIII. Internal Standards

Internal standards were not reviewed in this SDG.

#### IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

#### X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-20-2L	Chromium	20.6 ( $\leq 10$ )	All samples in SDG 04-5293	J (all detects)	A

#### XI. Sample Result Verification

Raw data were not reviewed for this SDG.

#### XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

### XIII. Field Duplicates

No field duplicates were identified in this SDG.

### XIV. Field Blanks

Sample EB-5-11/4/04 was identified as an equipment blank. No chromium or lead was found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration (ug/L)
EB-5-11/4/04	Chromium Lead	0.21 0.033

**NASA JPL  
Chromium & Lead - Data Qualification Summary - SDG 04-5293**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5293	EB-5-11/4/04 MW-20-1 MW-20-2 MW-20-3 MW-20-4 MW-20-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium & Lead - Laboratory Blank Data Qualification Summary - SDG 04-5293**

SDG	Sample	Analyte	Modified Final Concentration	A or P
04-5293	EB-5-11/4/04	Chromium Lead	0.21U ug/L 0.033U ug/L	A
04-5293	MW-20-1	Lead	0.016U ug/L	A
04-5293	MW-20-4	Lead	0.018U ug/L	A
04-5293	MW-20-5	Lead	0.014U ug/L	A

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 8, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5340

**Sample Identification**

DUPE-2-4Q04  
EB-6-11/8/04  
MW-14-1  
MW-14-2  
MW-14-3\*\*  
MW-14-4  
MW-14-5

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 7 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.060 ug/L	All samples in SDG 04-5340

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks.

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

All internal standard percent recoveries (%R) were within QC limits for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-20-2L	Chromium	20.6 ( $\leq 10$ )	All samples in SDG 04-5340	J (all detects)	A

## XI. Sample Result Verification

All sample result verifications met validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

Samples DUPE-2-4Q04 and MW-14-5 were identified as field duplicates. No chromium was detected in any of the samples with the following exceptions:

Analyte	Concentration (ug/L)		RPD
	DUPE-2-4Q04	MW-14-5	
Chromium	6.3	4.5	33

#### XIV. Field Blanks

Sample EB-6-11/8/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration (ug/L)
EB-6-11/8/04	Chromium	0.53

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5340**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5340	DUPE-2-4Q04 EB-6-11/8/04 MW-14-1 MW-14-2 MW-14-3** MW-14-4 MW-14-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5340**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 9, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5365

**Sample Identification**

EB-7-11/9/04  
MW-22-1  
MW-22-2  
MW-22-3  
MW-22-4  
MW-22-5  
MW-22-3MS  
MW-22-3MSD  
MW-22-3DUP

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.195 ug/L	All samples in SDG 04-5365

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Analyte	Reported Concentration	Modified Final Concentration
EB-7-11/9/04	Chromium	0.43 ug/L	0.43U ug/L

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

Internal standards were not reviewed in this SDG.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-22-3L	Chromium	10.6 ( $\leq 10$ )	All samples in SDG 04-5365	J (all detects)	A

## XI. Sample Result Verification

Raw data were not reviewed for this SDG.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

No field duplicates were identified in this SDG.

## XIV. Field Blanks

Sample EB-7-11/9/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

<b>Equipment Blank ID</b>	<b>Analyte</b>	<b>Concentration (ug/L)</b>
EB-7-11/9/04	Chromium	0.43

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5365**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5365	EB-7-11/9/04 MW-22-1 MW-22-2 MW-22-3 MW-22-4 MW-22-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5365**

SDG	Sample	Analyte	Modified Final Concentration	A or P
04-5365	EB-7-11/9/04	Chromium	0.43U ug/L	A

**Laboratory Data Consultants, Inc.**  
**Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** October 29, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5216

**Sample Identification**

EB-1-10/29/04  
MW-21-1  
MW-21-2  
MW-21-3  
MW-21-4  
MW-21-5  
MW-21-4MS  
MW-21-4MSD

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Field Blanks**

Sample EB-1-10/29/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5216**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5216**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 1, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5234

**Sample Identification**

EB-2-11/1/04  
MW-18-1  
MW-18-2  
MW-18-3  
MW-18-4  
MW-18-5  
MW-18-1MS  
MW-18-1MSD

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Field Blanks**

Sample EB-2-11/1/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5234**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5234**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 2, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5250

**Sample Identification**

DUPE-1-4Q04  
EB-3-11/2/04  
MW-3-1\*\*  
MW-3-2  
MW-3-3  
MW-3-4  
MW-3-5  
MW-17-1  
MW-17-2  
MW-17-3  
MW-17-4  
MW-17-5  
MW-17-5MS  
MW-17-5MSD

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 14 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

All sample result verifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

### **IX. Field Duplicates**

Samples DUPE-1-4Q04 and MW-3-1\*\* were identified as field duplicates. No contaminant concentrations were detected in any of the samples.

### **X. Field Blanks**

Sample EB-3-11/2/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5250**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5250**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.**  
**Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 3, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5268

**Sample Identification**

EB-4-11/3/04  
MW-19-1  
MW-19-2  
MW-19-3  
MW-19-4  
MW-19-5  
MW-19-5MS  
MW-19-5MSD

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Field Blanks**

Sample EB-4-11/3/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5268**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5268**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.**  
**Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 4, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5293

**Sample Identification**

EB-5-11/4/04  
MW-20-1  
MW-20-2  
MW-20-3  
MW-20-4  
MW-20-5  
MW-20-5MS  
MW-20-5MSD

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Field Blanks**

Sample EB-5-11/4/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5293**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5293**

No Sample Data Qualified in this SDG

## Laboratory Data Consultants, Inc. Data Validation Report

**Project/Site Name:** NASA JPL  
**Collection Date:** November 8, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5340

### Sample Identification

DUPE-2-4Q04  
EB-6-11/8/04  
MW-14-1  
MW-14-2  
MW-14-3\*\*  
MW-14-4  
MW-14-5  
MW-14-5MS  
MW-14-5MSD

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

All sample result verifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

### **IX. Field Duplicates**

Samples DUPE-2-4Q04 and MW-14-5 were identified as field duplicates. No contaminant concentrations were detected in any of the samples.

### **X. Field Blanks**

Sample EB-6-11/8/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5340**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5340**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.**  
**Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 9, 2004  
**LDC Report Date:** December 13, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 04-5365

**Sample Identification**

EB-7-11/9/04  
MW-22-1  
MW-22-2  
MW-22-3  
MW-22-4  
MW-22-5  
MW-22-3MS  
MW-22-3MSD

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Field Blanks**


Sample EB-7-11/9/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5365**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5365**

No Sample Data Qualified in this SDG



**LABORATORY DATA CONSULTANTS, INC.**

7750 El Camino Real, Suite 2L Carlsbad, CA 92009 Phone: 760/634-0437 Fax: 760/634-0439

Geofon, Inc.  
22632 Golden Springs Drive, Suite 270  
Diamond Bar, CA 91765  
ATTN: Mr. Scott Brehmer

December 29, 2004

SUBJECT: NASA JPL, DO #12, Data Validation

Dear Mr. Brehmer,

Enclosed are the final validation reports for the fractions listed below. These SDGs were received on December 20, 2004. Attachment 1 is a summary of the samples that were reviewed for each analysis.

**LDC Project # 12919:**

<b><u>SDG #</u></b>	<b><u>Fraction</u></b>
04-5373, 04-5395, 04-5412, 04-5424, 07-5443, 04-5466, 04-5489	Volatiles, Chromium, Lead, Wet Chemistry

The data validation was performed under EPA Level III and Level IV guidelines. The analyses were validated using the following documents, as applicable to each method:

- USEPA, Contract Laboratory Program National Functional Guidelines for Organic Data Review, October 1999
- USEPA, Contract Laboratory Program National Functional Guidelines for Inorganic Data Review, February 1994
- EPA SW 846, Third Edition, Test Methods for Evaluating Solid Waste, update 1, July 1992; update IIA, August 1993; update II, September 1994; update IIB, January 1995; update III, December 1996; update IIIA, April 1998

Please feel free to contact us if you have any questions.

Sincerely,

Erlinda T. Rauto  
Operations Manager/Senior Chemist

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 10, 2004  
**LDC Report Date:** December 23, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5373

**Sample Identification**

DUPE-3-4Q04  
EB-8-11/10/04  
MW-4-1  
MW-4-2\*\*  
MW-4-3  
MW-4-4  
MW-4-5  
TB-8-11/10/04  
MW-4-1MS  
MW-4-1MSD

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 10 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. GC/MS Instrument Performance Check**

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## **III. Initial Calibration**

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## **IV. Continuing Calibration**

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% .

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## **VI. Surrogate Spikes**

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

### **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

### **IX. Regional Quality Assurance and Quality Control**

Not applicable.

### **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

### **XI. Target Compound Identifications**

All target compound identifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### **XII. Compound Quantitation and CRQLs**

All compound quantitation and CRQLs were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### **XIII. Tentatively Identified Compounds (TICs)**

Tentatively identified compounds were not reported by the laboratory.

### **XIV. System Performance**

The system performance was within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

### **XVI. Field Duplicates**

Samples DUPE-3-4Q04 and MW-4-2\*\* were identified as field duplicates. No volatiles were detected in any of the samples with the following exceptions:

Compound	Concentration (ug/L)		RPD
	DUPE-3-4Q04	MW-4-2**	
Chloroform	0.3	0.5U	200
1,1-Dichloroethane	0.4	0.4	0
Tetrachloroethene	0.7	0.6	15
Trichloroethene	1.0	0.9	11

## XVII. Field Blanks

Sample TB-8-11/10/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-8-11/10/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5373**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5373**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 11, 2004  
**LDC Report Date:** \_\_\_\_\_ December 23, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5395

**Sample Identification**

DUPE-4-4Q04  
EB-9-11/11/04  
MW-12-1  
MW-12-2  
MW-12-3  
MW-12-4\*\*  
MW-12-5  
TB-9-11/11/04

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% .

## V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks with the following exceptions:

Method Blank ID	Analysis Date	Compound TIC (RT in minutes)	Concentration	Associated Samples
04G4077-MB-01	11/18/04	Bromomethane	0.5 ug/L	MW-12-5 TB-9-11/11/04

Sample concentrations were compared to concentrations detected in the method blanks. The sample concentrations were either not detected or were significantly greater (>10X for common contaminants, >5X for other contaminants) than the concentrations found in the associated method blanks.

## **VI. Surrogate Spikes**

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

All target compound identifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XII. Compound Quantitation and CRQLs**

All compound quantitation and CRQLs were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XIII. Tentatively Identified Compounds (TICs)**

Tentatively identified compounds were not reported by the laboratory.

## **XIV. System Performance**

The system performance was within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## XV. Overall Assessment of Data

Data flags have been summarized at the end of the report.

## XVI. Field Duplicates

Samples DUPE-4-4Q04 and MW-12-4\*\* were identified as field duplicates. No volatiles were detected in any of the samples with the following exceptions:

Compound	Concentration (ug/L)		RPD
	DUPE-4-4Q04	MW-12-4**	
Carbon tetrachloride	1.0	0.7	35
Chloroform	0.9	0.8	12
Trichloroethene	0.5U	0.4	200

## XVII. Field Blanks

Sample TB-9-11/11/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-9-11/11/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5395**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5395**

No Sample Data Qualified in this SDG

## Laboratory Data Consultants, Inc. Data Validation Report

**Project/Site Name:** NASA JPL  
**Collection Date:** November 12, 2004  
**LDC Report Date:** December 23, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5412

### Sample Identification

DUPE-5-4Q04  
EB-10-11/12/04  
MW-11-1  
MW-11-2  
MW-11-3\*\*  
MW-11-4  
MW-11-5  
TB-10-11/12/04

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/18/04	2-Butanone	38.3	MW-11-5 04G4089-MB-01	J (all detects) UJ (all non-detects)	P

## V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks with the following exceptions:

Method Blank ID	Analysis Date	Compound TIC (RT in minutes)	Concentration	Associated Samples
04G4077-MB-01	11/18/04	Bromomethane	0.5 ug/L	DUPE-5-4Q04 EB-10-11/12/04 MW-11-1 MW-11-2 MW-11-3** MW-11-4 TB-10-11/12/04

Sample concentrations were compared to concentrations detected in the method blanks. The sample concentrations were either not detected or were significantly greater (>10X for common contaminants, >5X for other contaminants) than the concentrations found in the associated method blanks.

## VI. Surrogate Spikes

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## VII. Matrix Spike/Matrix Spike Duplicates

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## IX. Regional Quality Assurance and Quality Control

Not applicable.

## X. Internal Standards

All internal standard areas and retention times were within QC limits.

## XI. Target Compound Identifications

All target compound identifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XII. Compound Quantitation and CRQLs**

All compound quantitation and CRQLs were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XIII. Tentatively Identified Compounds (TICs)**

Tentatively identified compounds were not reported by the laboratory.

## **XIV. System Performance**

The system performance was within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

Samples DUPE-5-4Q04 and MW-11-3\*\* were identified as field duplicates. No volatiles were detected in any of the samples.

## **XVII. Field Blanks**

Sample TB-10-11/12/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-10-11/12/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5412**

<b>SDG</b>	<b>Sample</b>	<b>Compound</b>	<b>Flag</b>	<b>A or P</b>	<b>Reason</b>
04-5412	MW-11-5	2-Butanone	J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5412**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 15, 2004  
**LDC Report Date:** December 23, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5424

**Sample Identification**

EB-11-11/15/04  
MW-23-1  
MW-23-2  
MW-23-3  
MW-23-4  
MW-23-5  
TB-11-11/15/04  
MW-23-2MS  
MW-23-2MSD

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/18/04	2-Butanone	38.3	EB-11-11/15/04 MW-23-1 MW-23-3 MW-23-4 MW-23-5 TB-11-11/15/04 04G4089-MB-01	J (all detects) UJ (all non-detects)	P

## V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks with the following exceptions:

Method Blank ID	Analysis Date	Compound TIC (RT in minutes)	Concentration	Associated Samples
04G4077-MB-01	11/18/04	Bromomethane	0.5 ug/L	MW-23-2

Sample concentrations were compared to concentrations detected in the method blanks. The sample concentrations were either not detected or were significantly greater (>10X for common contaminants, >5X for other contaminants) than the concentrations found in the associated method blanks.

## VI. Surrogate Spikes

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## VII. Matrix Spike/Matrix Spike Duplicates

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## IX. Regional Quality Assurance and Quality Control

Not applicable.

## X. Internal Standards

All internal standard areas and retention times were within QC limits.

## XI. Target Compound Identifications

Raw data were not reviewed for this SDG.

## XII. Compound Quantitation and CRQLs

Raw data were not reviewed for this SDG.

## XIII. Tentatively Identified Compounds (TICs)

Raw data were not reviewed for this SDG.

#### **XIV. System Performance**

Raw data were not reviewed for this SDG.

#### **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

#### **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

#### **XVII. Field Blanks**

Sample TB-11-11/15/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-11-11/15/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5424**

SDG	Sample	Compound	Flag	A or P	Reason
04-5424	EB-11-11/15/04 MW-23-1 MW-23-3 MW-23-4 MW-23-5 TB-11-11/15/04	2-Butanone	J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5424**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 16, 2004  
**LDC Report Date:** December 23, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5443

**Sample Identification**

EB-12-11/16/04  
MW-24-1  
MW-24-2  
MW-24-3  
MW-24-4  
MW-24-5  
TB-12-11/16/04  
MW-24-1MS  
MW-24-1MSD

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/18/04	2-Butanone	38.3	All samples in SDG 04-5443	J (all detects) UJ (all non-detects)	P

## V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## VI. Surrogate Spikes

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

## **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

## **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

## **XIV. System Performance**

Raw data were not reviewed for this SDG.

## **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

## **XVII. Field Blanks**

Sample TB-12-11/16/04 was identified as a trip blank. No volatile contaminants were found in this blank.

Sample EB-12-11/16/04 was identified as an equipment blank. No volatile contaminants were found in this blank.

**NASA JPL  
Volatiles - Data Qualification Summary - SDG 04-5443**

SDG	Sample	Compound	Flag	A or P	Reason
04-5443	EB-12-11/16/04 MW-24-1 MW-24-2 MW-24-3 MW-24-4 MW-24-5 TB-12-11/16/04	2-Butanone	J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)

**NASA JPL  
Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5443**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 17, 2004  
**LDC Report Date:** December 28, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5466

**Sample Identification**

MW-5  
MW-6  
MW-16  
TB-13-11/17/04  
MW-5MS  
MW-5MSD

## Introduction

This data review covers 6 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/30/04	Chloroethane	41.9	MW-5 MW-5MS MW-5MSD 04G4158-MB-01	J (all detects) UJ (all non-detects)	P
11/18/04	2-Butanone	38.3	MW-6 MW-16 TB-13-11/17/04 04G4089-MB-01	J (all detects) UJ (all non-detects)	P

The percent difference (%D) of the second source calibration standard were less than or equal to 30.0% for all compounds with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/29/04	Bromomethane	32.31	MW-5 MW-5MS MW-5MSD O4G4156-MB-01	J (all detects) UJ (all non-detects)	P

## V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## VI. Surrogate Spikes

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## VII. Matrix Spike/Matrix Spike Duplicates

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## IX. Regional Quality Assurance and Quality Control

Not applicable.

## X. Internal Standards

All internal standard areas and retention times were within QC limits.

## XI. Target Compound Identifications

Raw data were not reviewed for this SDG.

## XII. Compound Quantitation and CRQLs

Raw data were not reviewed for this SDG.

## XIII. Tentatively Identified Compounds (TICs)

Raw data were not reviewed for this SDG.

#### **XIV. System Performance**

Raw data were not reviewed for this SDG.

#### **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

#### **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

#### **XVII. Field Blanks**

Sample TB-13-11/17/04 was identified as a trip blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5466**

SDG	Sample	Compound	Flag	A or P	Reason
04-5466	MW-5	Chloroethane	J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)
04-5466	MW-6 MW-16 TB-13-11/17/04	2-Butanone	J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)
04-5466	MW-5	Bromomethane	J (all detects) UJ (all non-detects)	P	Continuing calibration (ICV %D)

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5466**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 18, 2004  
**LDC Report Date:** December 23, 2004  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5489

**Sample Identification**

DUP-6-11/18/04  
MW-7  
MW-8  
MW-10  
MW-13\*\*  
TB-14-11/18/04  
MW-8MS  
MW-8MSD

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/30/04	Chloroethane	41.9	All samples in SDG 04-5489	J (all detects) UJ (all non-detects)	P

Initial calibration verification (ICV) percent differences (%D) were less than or equal to 30.0% for all compounds with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/29/04	Bromomethane	32.31	All samples in SDG 04-5489	J (all detects) UJ (all non-detects)	P

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## **VI. Surrogate Spikes**

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

All target compound identifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XII. Compound Quantitation and CRQLs**

All compound quantitation and CRQLs were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XIII. Tentatively Identified Compounds (TICs)**

Tentatively identified compounds were not reported by the laboratory.

#### **XIV. System Performance**

The system performance was within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

#### **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

#### **XVI. Field Duplicates**

Samples DUP-6-11/18/04 and MW-10 were identified as field duplicates. No volatiles were detected in any of the samples with the following exceptions:

Compound	Concentration (ug/L)		RPD
	DUP-6-11/18/04	MW-10	
Chloroform	0.9	1.0	11
1,1-Dichloroethane	0.9	1.0	11
Tetrachloroethene	2.2	2.2	0
Toluene	0.4	0.4	0
Trichloroethene	4.5	4.8	6

#### **XVII. Field Blanks**

Sample TB-14-11/18/04 was identified as a trip blank. No volatile contaminants were found in this blank.

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 04-5489**

SDG	Sample	Compound	Flag	A or P	Reason
04-5489	DUP-6-11/18/04 MW-7 MW-8 MW-10 MW-13** TB-14-11/18/04	Chloroethane	J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)
04-5489	DUP-6-11/18/04 MW-7 MW-8 MW-10 MW-13** TB-14-11/18/04	Bromomethane	J (all detects) UJ (all non-detects)	P	Continuing calibration (ICV %D)

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5489**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 10, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5373

**Sample Identification**

DUPE-3-4Q04  
EB-8-11/10/04  
MW-4-1  
MW-4-2\*\*  
MW-4-3  
MW-4-4  
MW-4-5  
DUPE-3-4Q04MS  
DUPE-3-4Q04MSD

---

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UU Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

All sample result verifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

### **IX. Field Duplicates**

Samples DUPE-3-4Q04 and MW-4-2\*\* were identified as field duplicates. No contaminant concentrations were detected in any of the samples.

### **X. Field Blanks**

Sample EB-8-11/10/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5373**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5373**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 11, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5395

**Sample Identification**

DUPE-4-4Q04  
EB-9-11/11/04  
MW-12-1  
MW-12-2  
MW-12-3  
MW-12-4\*\*  
MW-12-5  
MW-12-5MS  
MW-12-5MSD

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

All sample result verifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### VIII. Overall Assessment of Data

Data flags are summarized at the end of this report.

### IX. Field Duplicates

Samples DUPE-4-4Q04 and MW-12-4\*\* were identified as field duplicates. No contaminant concentrations were detected in any of the samples with the following exceptions:

Analyte	Concentration (ug/L)		RPD
	DUPE-4-4Q04	MW-12-4**	
Perchlorate	4U	5.6	200

### X. Field Blanks

Sample EB-9-11/11/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5395**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5395**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 12, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5412

**Sample Identification**

DUPE-5-4Q04  
EB-10-11/12/04  
MW-11-1  
MW-11-2  
MW-11-3\*\*  
MW-11-4  
MW-11-5  
MW-11-1MS  
MW-11-1MSD

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

All sample result verifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

### **IX. Field Duplicates**

Samples DUPE-5-4Q04 and MW-11-3\*\* were identified as field duplicates. No contaminant concentrations were detected in any of the samples.

### **X. Field Blanks**

Sample EB-10-11/12/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5412**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5412**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.**  
**Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 15, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5424

**Sample Identification**

EB-11-11/15/04  
MW-23-1  
MW-23-2  
MW-23-3  
MW-23-4  
MW-23-5  
MW-23-2MS  
MW-23-2MSD

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Field Blanks**

Sample EB-11-11/15/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL  
Wet Chemistry - Data Qualification Summary - SDG 04-5424**

No Sample Data Qualified in this SDG

**NASA JPL  
Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5424**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.**  
**Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 16, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5443

**Sample Identification**

EB-12-11/16/04  
MW-24-1  
MW-24-2  
MW-24-3  
MW-24-4  
MW-24-5  
MW-24-1MS  
MW-24-1MSD

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Field Blanks**

Sample EB-12-11/16/04 was identified as an equipment blank. No contaminant concentrations were found in this blank.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5443**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5443**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.**  
**Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 17, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 04-5466

**Sample Identification**

MW-5  
MW-6  
MW-16  
MW-5MS  
MW-5MSD

## Introduction

This data review covers 5 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Field Blanks**

No field blanks were identified in this SDG.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5466**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5466**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 18, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5489

**Sample Identification**

DUP-6-11/18/04  
MW-7  
MW-8  
MW-10  
MW-13\*\*  
MW-8MS  
MW-8MSD

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 7 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

All sample result verifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### VIII. Overall Assessment of Data

Data flags are summarized at the end of this report.

### IX. Field Duplicates

Samples DUP-6-11/18/04 and MW-10 were identified as field duplicates. No contaminant concentrations were detected in any of the samples with the following exceptions:

Analyte	Concentration (mg/L)		RPD
	DUP-6-11/18/04	MW-10	
Hexavalent chromium	0.01U	0.004	200

### X. Field Blanks

No field blanks were identified in this SDG.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5489**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5489**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 10, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5373

**Sample Identification**

DUPE-3-4Q04  
EB-8-11/10/04  
MW-4-1  
MW-4-2\*\*  
MW-4-3  
MW-4-4  
MW-4-5

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 7 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UU Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.213 ug/L	All samples in SDG 04-5373

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Analyte	Reported Concentration	Modified Final Concentration
EB-8-11/10/04	Chromium	0.56 ug/L	0.56U ug/L
MW-4-3 (1.25X)	Chromium	0.57 ug/L	0.57U ug/L

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

All internal standard percent recoveries (%R) were within QC limits for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-22-3L	Chromium	10.6 ( $\leq 10$ )	All samples in SDG 04-5373	J (all detects)	A

## XI. Sample Result Verification

All sample result verifications met validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

### XIII. Field Duplicates

Samples DUPE-3-4Q04 and MW-4-2\*\* were identified as field duplicates. No chromium was detected in any of the samples with the following exceptions:

Analyte	Concentration (ug/L)		RPD
	DUPE-3-4Q04	MW-4-2**	
Chromium	13.5	15.6	14

### XIV. Field Blanks

Sample EB-8-11/10/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration (ug/L)
EB-8-11/10/04	Chromium	0.56

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5373**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5373	DUPE-3-4Q04 EB-8-11/10/04 MW-4-1 MW-4-2** MW-4-3 MW-4-4 MW-4-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5373**

SDG	Sample	Analyte	Modified Final Concentration	A or P
04-5373	EB-8-11/10/04	Chromium	0.56U ug/L	A
04-5373	MW-4-3 (1.25X)	Chromium	0.57U ug/L	A

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 11, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5395

**Sample Identification**

DUPE-4-4Q04  
EB-9-11/11/04  
MW-12-1  
MW-12-2  
MW-12-3  
MW-12-4\*\*  
MW-12-5

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 7 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.213 ug/L	All samples in SDG 04-5395

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Analyte	Reported Concentration	Modified Final Concentration
EB-9-11/11/04	Chromium	0.76 ug/L	0.76U ug/L

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

All internal standard percent recoveries (%R) were within QC limits for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-22-3L	Chromium	10.6 ( $\leq 10$ )	All samples in SDG 04-5395	J (all detects)	A

## XI. Sample Result Verification

All sample result verifications met validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

Samples DUPE-4-4Q04 and MW-12-4\*\* were identified as field duplicates. No chromium was detected in any of the samples with the following exceptions:

Analyte	Concentration (ug/L)		RPD
	DUPE-4-4Q04	MW-12-4**	
Chromium	12.8	12.1	6

#### XIV. Field Blanks

Sample EB-9-11/11/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration (ug/L)
EB-9-11/11/04	Chromium	0.76

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5395**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5395	DUPE-4-4Q04 EB-9-11/11/04 MW-12-1 MW-12-2 MW-12-3 MW-12-4** MW-12-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5395**

SDG	Sample	Analyte	Modified Final Concentration	A or P
04-5395	EB-9-11/11/04	Chromium	0.76U ug/L	A

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 12, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5412

**Sample Identification**

DUPE-5-4Q04  
EB-10-11/12/04  
MW-11-1  
MW-11-2  
MW-11-3\*\*  
MW-11-4  
MW-11-5

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 7 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.080 ug/L	All samples in SDG 04-5412

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Analyte	Reported Concentration	Modified Final Concentration
EB-10-11/12/04	Chromium	0.33 ug/L	0.33U ug/L

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

All internal standard percent recoveries (%R) were within QC limits for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-23-2L	Chromium	26.6 ( $\leq 10$ )	All samples in SDG 04-5412	J (all detects)	A

## XI. Sample Result Verification

All sample result verifications met validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

Samples DUPE-5-4Q04 and MW-11-3\*\* were identified as field duplicates. No chromium was detected in any of the samples with the following exceptions:

Analyte	Concentration (ug/L)		RPD
	DUPE-5-4Q04	MW-11-3**	
Chromium	1.9	9.1	131

#### XIV. Field Blanks

Sample EB-10-11/12/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration (ug/L)
EB-10-11/12/04	Chromium	0.33

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5412**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5412	DUPE-5-4Q04 EB-10-11/12/04 MW-11-1 MW-11-2 MW-11-3** MW-11-4 MW-11-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5412**

SDG	Sample	Analyte	Modified Final Concentration	A or P
04-5412	EB-10-11/12/04	Chromium	0.33U ug/L	A

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 15, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 04-5424

**Sample Identification**

EB-11-11/15/04  
MW-23-1  
MW-23-2  
MW-23-3  
MW-23-4  
MW-23-5  
MW-23-2MS  
MW-23-2MSD  
MW-23-2DUP

## Introduction

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.080 ug/L	All samples in SDG 04-5424

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Analyte	Reported Concentration	Modified Final Concentration
EB-11-11/15/04	Chromium	0.20 ug/L	0.20U ug/L

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

Internal standards were not reviewed in this SDG.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-23-2L	Chromium	26.8 ( $\leq 10$ )	All samples in SDG 04-5424	J (all detects)	A

## XI. Sample Result Verification

Raw data were not reviewed for this SDG.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

No field duplicates were identified in this SDG.

## XIV. Field Blanks

Sample EB-11-11/15/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration (ug/L)
EB-11-11/15/04	Chromium	0.20

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5424**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5424	EB-11-11/15/04 MW-23-1 MW-23-2 MW-23-3 MW-23-4 MW-23-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5424**

SDG	Sample	Analyte	Modified Final Concentration	A or P
04-5424	EB-11-11/15/04	Chromium	0.20U ug/L	A

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 16, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5443

**Sample Identification**

EB-12-11/16/04  
MW-24-1  
MW-24-2  
MW-24-3  
MW-24-4  
MW-24-5  
MW-24-1MS  
MW-24-1MSD

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.080 ug/L	All samples in SDG 04-5443

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Analyte	Reported Concentration	Modified Final Concentration
EB-12-11/16/04	Chromium	0.090 ug/L	0.090U ug/L

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

Internal standards were not reviewed in this SDG.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-8L	Chromium	21.8 ( $\leq 10$ )	All samples in SDG 04-5443	J (all detects)	A

## XI. Sample Result Verification

Raw data were not reviewed for this SDG.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

No field duplicates were identified in this SDG.

## XIV. Field Blanks

Sample EB-12-11/16/04 was identified as an equipment blank. No chromium was found in this blank with the following exceptions:

<b>Equipment Blank ID</b>	<b>Analyte</b>	<b>Concentration (ug/L)</b>
EB-12-11/16/04	Chromium	0.090

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5443**

SDG	Sample	Analyte	Flag	A or P	Reason
04-5443	EB-12-11/16/04 MW-24-1 MW-24-2 MW-24-3 MW-24-4 MW-24-5	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5443**

SDG	Sample	Analyte	Modified Final Concentration	A or P
04-5443	EB-12-11/16/04	Chromium	0.090U ug/L	A

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 17, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5466

**Sample Identification**

MW-5  
MW-6  
MW-16  
MW-5MS  
MW-5MSD

## Introduction

This data review covers 5 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UU Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.060 ug/L	All samples in SDG 04-5466

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater ( >5X blank contaminants) than the concentrations found in the associated method blanks.

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

Internal standards were not reviewed in this SDG.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-23-2L	Chromium	26.8 ( $\leq 10$ )	All samples in SDG 04-5466	J (all detects)	A

## XI. Sample Result Verification

Raw data were not reviewed for this SDG.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

No field duplicates were identified in this SDG.

## XIV. Field Blanks

No field blanks were identified in this SDG.

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5466**

<b>SDG</b>	<b>Sample</b>	<b>Analyte</b>	<b>Flag</b>	<b>A or P</b>	<b>Reason</b>
04-5466	MW-5 MW-6 MW-16	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5466**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 18, 2004  
**LDC Report Date:** December 22, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5489

**Sample Identification**

DUP-6-11/18/04  
MW-7  
MW-8  
MW-10  
MW-13\*\*  
MW-8MS  
MW-8MSD  
MW-8DUP

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
ICB/CCB	Chromium	0.080 ug/L	All samples in SDG 04-5489

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks.

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

Matrix spike (MS) and matrix spike duplicate (MSD) samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VI. Duplicate Sample Analysis

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

All internal standard percent recoveries (%R) were within QC limits for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

Although ICP serial dilution analysis was not required by the method, it was performed by the laboratory. The analysis criteria were met with the following exceptions:

Diluted Sample	Analyte	%D (Limits)	Associated Samples	Flag	A or P
MW-8L	Chromium	21.8 ( $\leq 10$ )	All samples in SDG 04-5489	J (all detects)	A

## XI. Sample Result Verification

All sample result verifications met validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

Samples DUP-6-11/18/04 and MW-10 were identified as field duplicates. No chromium was detected in any of the samples with the following exceptions:

Analyte	Concentration (ug/L)		RPD
	DUP-6-11/18/04	MW-10	
Chromium	16.7	17.0	2

#### **XIV. Field Blanks**


No field blanks were identified in this SDG.

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5489**

<b>SDG</b>	<b>Sample</b>	<b>Analyte</b>	<b>Flag</b>	<b>A or P</b>	<b>Reason</b>
04-5489	DUP-6-11/18/04 MW-7 MW-8 MW-10 MW-13**	Chromium	J (all detects)	A	ICP serial dilution (%D)

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5489**

No Sample Data Qualified in this SDG



**LABORATORY DATA CONSULTANTS, INC.**

7750 El Camino Real, Suite 2L Carlsbad, CA 92009 Phone: 760/634-0437 Fax: 760/634-0439

Geofon, Inc.  
22632 Golden Springs Drive, Suite 270  
Diamond Bar, CA 91765  
ATTN: Mr. Scott Brehmer

January 12, 2005

SUBJECT: NASA JPL, DO #12, Data Validation

Dear Mr. Brehmer,

Enclosed are the final validation reports for the fractions listed below. This SDG was received on December 27, 2004. Attachment 1 is a summary of the samples that were reviewed for each analysis.

**LDC Project # 12938:**

<b><u>SDG #</u></b>	<b><u>Fraction</u></b>
04-5517	Volatiles, Chromium, Wet Chemistry

The data validation was performed under EPA Level III and Level IV guidelines. The analyses were validated using the following documents, as applicable to each method:

- USEPA, Contract Laboratory Program National Functional Guidelines for Organic Data Review, October 1999
- USEPA, Contract Laboratory Program National Functional Guidelines for Inorganic Data Review, February 1994
- EPA SW 846, Third Edition, Test Methods for Evaluating Solid Waste, update 1, July 1992; update IIA, August 1993; update II, September 1994; update IIB, January 1995; update III, December 1996; update IIIA, April 1998

Please feel free to contact us if you have any questions.

Sincerely,

Erlinda T. Rauto  
Operations Manager/Senior Chemist

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 22, 2004  
**LDC Report Date:** January 10, 2005  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 04-5517

**Sample Identification**

DUPE-7-11/22/04  
MW-1  
MW-9\*\*  
MW-15  
TB-15-11/22/04

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 5 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

### I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

### II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

### III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

### IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/30/04	Chloroethane	41.9	All samples in SDG 04-5517	J (all detects) UJ (all non-detects)	P

Initial calibration verification (ICV) percent differences (%D) were less than or equal to 30.0% for all compounds with the following exceptions:

Date	Compound	%D	Associated Samples	Flag	A or P
11/29/04	Bromomethane	32.31	All samples in SDG 04-5517	J (all detects) UJ (all non-detects)	P

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

## **VI. Surrogate Spikes**

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

All target compound identifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XII. Compound Quantitation and CRQLs**

All compound quantitation and CRQLs were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## **XIII. Tentatively Identified Compounds (TICs)**

Tentatively identified compounds were not reported by the laboratory.

#### **XIV. System Performance**

The system performance was within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

#### **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

#### **XVI. Field Duplicates**

Samples DUPE-7-11/22/04 and MW-1 were identified as field duplicates. No volatiles were detected in any of the samples.

#### **XVII. Field Blanks**

Sample TB-15-11/22/04 was identified as a trip blank. No volatile contaminants were found in this blank.

**NASA JPL  
Volatiles - Data Qualification Summary - SDG 04-5517**

SDG	Sample	Compound	Flag	A or P	Reason
04-5517	DUPE-7-11/22/04 MW-1 MW-9** MW-15 TB-15-11/22/04	Chloroethane	J (all detects) UJ (all non-detects)	P	Continuing calibration (%D)
04-5517	DUPE-7-11/22/04 MW-1 MW-9** MW-15 TB-15-11/22/04	Bromomethane	J (all detects) UJ (all non-detects)	P	Continuing calibration (ICV %D)

**NASA JPL  
Volatiles - Laboratory Blank Data Qualification Summary - SDG 04-5517**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 22, 2004  
**LDC Report Date:** December 29, 2004  
**Matrix:** Water  
**Parameters:** Chromium  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5517

**Sample Identification**

DUPE-7-11/22/04  
MW-1  
MW-9\*\*  
MW-15

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 4 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 200.8 for Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the method stated above.

A table summarizing all data qualification flags is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from specified protocols or is of technical advisory nature.

Blanks are summarized in Section III.

Field duplicates are summarized in Section XIII.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UU Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## II. Calibration

An initial calibration was performed.

The frequency and analysis criteria of the initial calibration verification (ICV) and continuing calibration verification (CCV) were met.

## III. Blanks

Method blanks were reviewed for each matrix as applicable.

Data qualification by the initial, continuing and preparation blanks (ICB/CCB/PBs) was based on the maximum contaminant concentration in the ICB/CCB/PBs in the analysis of each analyte. No contaminant concentrations were found in the initial, continuing and preparation blanks with the following exceptions:

Method Blank ID	Analyte	Maximum Concentration	Associated Samples
PB (prep blank)	Chromium	0.062 ug/L	All samples in SDG 04-5517
ICB/CCB	Chromium	0.162 ug/L	All samples in SDG 04-5517

Sample concentrations were compared to the maximum contaminant concentrations detected in the ICB/CCB/PBs. The sample concentrations were either not detected or were significantly greater (>5X blank contaminants) than the concentrations found in the associated method blanks.

## IV. ICP Interference Check Sample (ICS) Analysis

ICP interference check sample analysis was not required.

## V. Matrix Spike Analysis

The laboratory has indicated that there were no matrix spike (MS) analyses specified for the samples in this SDG, and therefore matrix spike analyses were not performed for this SDG.

## VI. Duplicate Sample Analysis

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## VII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## VIII. Internal Standards

All internal standard percent recoveries (%R) were within QC limits for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## IX. Furnace Atomic Absorption QC

Graphite furnace atomic absorption was not utilized in this SDG.

## X. ICP Serial Dilution

ICP serial dilution was not required by the method.

## XI. Sample Result Verification

All sample result verifications met validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

## XII. Overall Assessment of Data

Data flags have been summarized at the end of this report.

## XIII. Field Duplicates

Samples DUPE-7-11/22/04 and MW-1 were identified as field duplicates. No chromium was detected in any of the samples with the following exceptions:

Analyte	Concentration (ug/L)		RPD
	DUPE-7-11/22/04	MW-1	
Chromium	12.0	13.9	15

#### **XIV. Field Blanks**

No field blanks were identified in this SDG.

**NASA JPL  
Chromium - Data Qualification Summary - SDG 04-5517**

No Sample Data Qualified in this SDG

**NASA JPL  
Chromium - Laboratory Blank Data Qualification Summary - SDG 04-5517**

No Sample Data Qualified in this SDG

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** November 22, 2004  
**LDC Report Date:** December 29, 2004  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III & IV  
**Laboratory:** Applied P & Ch Laboratory

**Sample Delivery Group (SDG):** 04-5517

**Sample Identification**

DUPE-7-11/22/04  
MW-1  
MW-9\*\*  
MW-15  
DUPE-7-11/22/04MS  
DUPE-7-11/22/04MSD

\*\*Indicates sample underwent EPA Level IV review

## Introduction

This data review covers 6 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 314.0 for Perchlorate and EPA SW 846 Method 7196 for Hexavalent Chromium.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Samples indicated by a double asterisk on the front cover underwent a EPA Level IV review. A EPA Level III review was performed on all of the other samples. Raw data were not evaluated for the samples reviewed by Level III criteria since this review is based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UU Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

The laboratory has indicated that there were no duplicate (DUP) analyses specified for the samples in this SDG, and therefore duplicate analyses were not performed for this SDG.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

All sample result verifications were within validation criteria for samples on which a EPA Level IV review was performed. Raw data were not evaluated for the samples reviewed by Level III criteria.

### **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

### **IX. Field Duplicates**

Samples DUPE-7-11/22/04 and MW-1 were identified as field duplicates. No contaminant concentrations were detected in any of the samples.

### **X. Field Blanks**

No field blanks were identified in this SDG.

**NASA JPL**  
**Wet Chemistry - Data Qualification Summary - SDG 04-5517**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 04-5517**

No Sample Data Qualified in this SDG