Attachment 7: TABLES 1A, 2A AND 3A

This attachment presents historical perchlorate, VOC and metals concentrations from 1996 to present.

TABLE 1A

SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE DETECTED

DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-1	Aug/Sep 1996	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	Oct/Nov 1996	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	Feb/Mar 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	June/July 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-1	June/July 1997	MW-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-1	Sep/Oct 1997	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Toluene**	**1.3** **1.2**
MW-1	Jan/Feb 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jul/Aug 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 1998	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Feb/Mar 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	May/Jun 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Nov/Dec 1999	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jul/Aug 2000	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jan/Feb 2001	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Benzene**	**0.5 J**
MW-1	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Benzene**	**0.8**
MW-1	Jan/Feb 2002	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-1	Apr/May 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**2.0 J**
MW-1	Oct/Nov 2003	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2004	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2005	DUPE-2-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2005	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	May/Jun 2006	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Dec 2006	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Jun/Jul 2007	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Jun/Jul 2007	DUPE-7-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Dec 2007	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Apr/May 2008	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-1	Oct/Nov 2008	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2009	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Nov/Dec 2009	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2010	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-1	Apr/May 2010	DUPE-8-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Oct/Nov 2010	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2011	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2011	DUPE-5-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Nov/Dec 2011	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Apr/May 2012	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-1	Nov 2012	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2013	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2013	DUP-8-2Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct/Nov 2013	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2014	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Apr/May 2014	DUP-6-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	Oct 2014	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	April/May 2015	MW-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-1	April/May 2015	Dup-8-2Q15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Aug/Sep 1996	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	NA		
MW-3 Screen 1	Oct/Nov 1996	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**	NA	**Bromodichloromethane**	**0.9**
MW-3 Screen 1	Feb/Mar 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 1	June/July 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 1	June/July 1997	MW-3-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 1	Sep/Oct 1997	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6 U		
MW-3 Screen 1	Jan/Feb 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Jul/Aug 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct/Nov 1998	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Feb/Mar 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	May/Jun 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Nov/Dec 1999	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Jul/Aug 2000	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Jan/Feb 2001	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.4 J**
MW-3 Screen 1	Jan/Feb 2002	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0**
MW-3 Screen 1	Apr/May 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**4.0 J**
MW-3 Screen 1	Oct/Nov 2003	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 2004	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 1	Apr/May 2004	DUPE-1-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 1	Oct/Nov 2004	MW-3-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct/Nov 2004	DUPE-1-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Jul/Sep 2005	MW-3-1	NA	NA	NA	NA	NA	NA	NA	NA	NA	**NDMA** NDPA	**0.0 J** 0.0 U

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 1	Oct/Nov 2005	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	May/Jun 2006	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 1	Oct/Dec 2006	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 1	Jun/Jul 2007	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**2.8 J**
MW-3 Screen 1	Oct/Dec 2007	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.7**		
MW-3 Screen 1	Apr/May 2008	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-3 Screen 1	Oct/Nov 2008	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Oct/Nov 2008	DUPE-04-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2009	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov/Dec 2009	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov/Dec 2009	DUPE-02-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2010	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Oct/Nov 2010	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Oct/Nov 2010	DUPE-04-4Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2011	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov/Dec 2011	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2012	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Apr/May 2012	DUPE-4-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 1	Nov 2012	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 2013	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct/Nov 2013	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 2014	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Oct 2014	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 1	Apr/May 2015	MW-3-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Aug/Sep 1996	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	NA	**Bromodichloromethane**	**1.4**
MW-3 Screen 2	Oct/Nov 1996	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	NA	**Bromodichloromethane**	**1.1**
MW-3 Screen 2	Feb/Mar 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	NA	**Bromodichloromethane**	**0.7**
MW-3 Screen 2	June/July 1997	MW-3-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 2	June/July 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**1.2**	NA		
MW-3 Screen 2	Sep/Oct 1997	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-3 Screen 2	Jan/Feb 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Apr/May 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jul/Aug 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Oct/Nov 1998	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Feb/Mar 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	May/Jun 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Aug 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Nov/Dec 1999	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Mar/Apr 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jul/Aug 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Sep/Oct 2000	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 2	Jan/Feb 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-3 Screen 2	Apr 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-3 Screen 2	Jul 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Oct 2001	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.7 J**
MW-3 Screen 2	Jan/Feb 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**4.2**
MW-3 Screen 2	Apr/May 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-3 Screen 2	Jul 2002	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Oct/Nov 2002	MW-3-2	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.9 B**	**Methylene chloride**	**0.3 J**
MW-3 Screen 2	Jan/Feb 2003	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Apr/May 2003	MW-3-2	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**4-Methyl-2-pentanone**	**3.0 J**
MW-3 Screen 2	Apr/May 2003	DUPE-5-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**4-Methyl-2-pentanone**	**3.0 J**
MW-3 Screen 2	Jul/Aug 2003	MW-3-2	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.9 J**		
MW-3 Screen 2	Oct/Nov 2003	MW-3-2	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6 J**		
MW-3 Screen 2	Feb 2004	MW-3-2	**1.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**10.3**		
MW-3 Screen 2	Feb 2004	DUPE-1-1Q04	**1.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**10.4**		
MW-3 Screen 2	Apr/May 2004	MW-3-2	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.5 J**		
MW-3 Screen 2	Jul/Aug 2004	MW-3-2	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.5**		
MW-3 Screen 2	Oct/Nov 2004	MW-3-2	**1.7 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**46.6**		
MW-3 Screen 2	Jan/Feb 2005	MW-3-2	**4.3**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**139.0**		
MW-3 Screen 2	Apr/May 2005	MW-3-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**89.3**		
MW-3 Screen 2	Jul/Sep 2005	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**32.2**	**m,p-Xylene** **NDMA** NDPA	**0.4 J** **0.0** 0.0 U
MW-3 Screen 2	Oct/Nov 2005	MW-3-2	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**44.1**		
MW-3 Screen 2	Mar/Apr 2006	MW-3-2	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**34.0**		
MW-3 Screen 2	Mar/Apr 2006	DUPE-4-1Q06	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**35.0**		
MW-3 Screen 2	May/Jun 2006	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**24.0**		
MW-3 Screen 2	Aug/Sep 2006	MW-3-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.0**		
MW-3 Screen 2	Oct/Dec 2006	MW-3-2	**1.4**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**78.0 J**		
MW-3 Screen 2	Mar/Apr 2007	MW-3-2	**1.3**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**45.0**		
MW-3 Screen 2	Jun/Jul 2007	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**78.0**	**Methylene chloride**	**2.2 J**
MW-3 Screen 2	Jun/Jul 2007	DUPE-4-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**71.0**	**Methylene chloride**	**3.4 J**
MW-3 Screen 2	Aug/Sep 2007	MW-3-2	**3.3**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**49.0**		
MW-3 Screen 2	Oct/Dec 2007	MW-3-2	**4.1**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**80.0**		
MW-3 Screen 2	Jan/Feb 2008	MW-3-2	**0.9**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**240.0**		
MW-3 Screen 2	Apr/May 2008	MW-3-2	**0.8**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**270.0**		
MW-3 Screen 2	Jul/Aug 2008	MW-3-2	**0.9**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**206.0**		
MW-3 Screen 2	Oct/Nov 2008	MW-3-2	**2.4**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**114.0**		
MW-3 Screen 2	Jan/Feb 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**98.7**	**Bromodichloromethane** **Dibromochloromethane**	**1.0** **1.1**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 2	Apr/May 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**121.0**	**Bromodichloromethane** **Dibromochloromethane**	**0.8** **0.9**
MW-3 Screen 2	Jul/Aug 2009	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**219.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.2** **0.6** **1.2**
MW-3 Screen 2	Nov/Dec 2009	MW-3-2	**4.4**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**109.0**		
MW-3 Screen 2	Feb 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**184.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**2.2** **0.6** **1.2**
MW-3 Screen 2	Apr/May 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**173.0**	**Bromodichloromethane**	**1.2**
MW-3 Screen 2	Apr/May 2010	DUPE-05-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**175.0**	**Bromodichloromethane**	**1.3**
MW-3 Screen 2	Jul/Aug 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**164.0**	**Bromodichloromethane**	**1.0**
MW-3 Screen 2	Oct/Nov 2010	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**180.0**	**Bromodichloromethane**	**0.7**
MW-3 Screen 2	Feb/Mar 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**45.8**		
MW-3 Screen 2	Apr/May 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.9**		
MW-3 Screen 2	Aug/Sep 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-3 Screen 2	Nov/Dec 2011	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 2	Jan/Feb 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 2	Apr/May 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-3 Screen 2	Aug/Sep 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Nov 2012	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jan/Feb 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-3 Screen 2	Apr/May 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jul 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jul 2013	DUPE-5-3Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Oct/Nov 2013	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 2	Jan/Feb 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9 J**		
MW-3 Screen 2	Apr/May 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**25.0**	**Bromodichloromethane**	**0.2 J**
MW-3 Screen 2	Jul/Aug 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**31.0**	**Bromodichloromethane**	**0.4 J**
MW-3 Screen 2	Oct 2014	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**32.0**	**Bromodichloromethane**	**0.5**
MW-3 Screen 2	Jan/Feb 2015	MW-3-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**12.0**		
MW-3 Screen 2	April/May 2015	MW-3-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**33.0**	**Bromodichloromethane**	**0.4 J**
MW-3 Screen 3	Aug/Sep 1996	MW-3-3	**0.6**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	NA		
MW-3 Screen 3	Oct/Nov 1996	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	NA		
MW-3 Screen 3	Feb/Mar 1997	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	NA		
MW-3 Screen 3	June/July 1997	MW-3-3	NA	NA	NA	NA	NA	NA	NA	NA	**21.0**		
MW-3 Screen 3	June/July 1997	MW-3-3	**1.2**	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	**2.8**	**1.8**	NA		
MW-3 Screen 3	Sep/Oct 1997	MW-3-3	**1.2**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**13.0**		
MW-3 Screen 3	Jan/Feb 1998	MW-3-3	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**6.5**		
MW-3 Screen 3	Apr/May 1998	MW-3-3	**3.6**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	**6.2**		
MW-3 Screen 3	Jul/Aug 1998	MW-3-3	**2.4**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**10.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 3	Oct/Nov 1998	MW-3-3	**5.8**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.0**	4.0 U		
MW-3 Screen 3	Feb/Mar 1999	MW-3-3	**4.5**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**42.0**	4.0 U		
MW-3 Screen 3	May/Jun 1999	MW-3-3	**42.0**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**26.0**	**8.9**		
MW-3 Screen 3	Aug 1999	MW-3-3	**15.0**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**37.0**	4.0 U		
MW-3 Screen 3	Nov/Dec 1999	MW-3-3	**26.0**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**43.0**	**5.2**		
MW-3 Screen 3	Mar/Apr 2000	MW-3-3	**42.0**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**32.0**	**19.4**		
MW-3 Screen 3	Jul/Aug 2000	MW-3-3	**8.6**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**37.0**	4.0 U		
MW-3 Screen 3	Sep/Oct 2000	MW-3-3	**22.0**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**25.0**	**25.0**		
MW-3 Screen 3	Jan/Feb 2001	MW-3-3	**2.6**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**32.9**	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.6 J**
MW-3 Screen 3	Apr 2001	MW-3-3	**8.0**	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	NA	**17.0**	**13.0**	**Methylene chloride**	**0.4 J**
MW-3 Screen 3	Jul 2001	MW-3-3	**7.7**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**26.4**	**8.4**	**Xylenes**	**0.4 J**
MW-3 Screen 3	Oct 2001	MW-3-3	**15.3**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**24.5**	**15.4**	**Methyl-tert-butyl ether (MTBE)**	**1.7**
MW-3 Screen 3	Jan/Feb 2002	MW-3-3	**11.9**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**22.7**	**4.6**		
MW-3 Screen 3	Apr/May 2002	MW-3-3	0.5 U	**0.7**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	4.0 U	**Methylene chloride**	**0.5 J**
MW-3 Screen 3	Jul 2002	MW-3-3	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U		
MW-3 Screen 3	Oct/Nov 2002	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**Methylene chloride**	**0.3 J**
MW-3 Screen 3	Dec 2002	MW-3-3	NA	NA	NA	NA	NA	NA	NA	NA	NA	**1,4-Dioxane**	**0.6 J**
MW-3 Screen 3	Jan/Feb 2003	MW-3-3	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**NDMA**	**0.0 J**
MW-3 Screen 3	Apr/May 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-3 Screen 3	Jul/Aug 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Oct/Nov 2003	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-3 Screen 3	Feb 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-3 Screen 3	Apr/May 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 3	Jul/Aug 2004	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.6** **0.4 J** **0.3 J**
MW-3 Screen 3	Jul/Aug 2004	DUPE-4-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.7** **0.3 J** **0.4 J**
MW-3 Screen 3	Oct/Nov 2004	MW-3-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jan/Feb 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Apr/May 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jul/Sep 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** NDMA NDPA	**0.4 J** 0.0 U 0.0 U
MW-3 Screen 3	Oct/Nov 2005	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Mar/Apr 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	May/Jun 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Aug/Sep 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Oct/Dec 2006	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 3	Oct/Dec 2006	DUPE-2-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Mar/Apr 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Jun/Jul 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**
MW-3 Screen 3	Aug/Sep 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.4 J**
MW-3 Screen 3	Oct/Dec 2007	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**0.3 J** **0.3 J**
MW-3 Screen 3	Oct/Dec 2007	DUPE 1-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**0.3 J**
MW-3 Screen 3	Jan/Feb 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Apr/May 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 3	Jul/Aug 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Oct/Nov 2008	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jan/Feb 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jan/Feb 2009	DUPE-05-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Apr/May 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jul/Aug 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Nov/Dec 2009	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Feb 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Apr/May 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-3 Screen 3	Jul/Aug 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Oct/Nov 2010	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Feb/Mar 2011	MW-3-3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	1.0 U		
MW-3 Screen 3	Apr/May 2011	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U		
MW-3 Screen 3	Aug/Sep 2011	MW-3-3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	1.0 U		
MW-3 Screen 3	Nov/Dec 2011	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	**Ethylbenzene**	**1.3**
MW-3 Screen 3	Jan/Feb 2012	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	**Ethylbenzene**	**1.2**
MW-3 Screen 3	Apr/May 2012	MW-3-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	**Ethylbenzene**	**0.9**
MW-3 Screen 3	Aug/Sep 2012	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**1.2** **1.0** **0.2 J**
MW-3 Screen 3	Nov 2012	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jan/Feb 2013	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Apr/May 2013	MW-3-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jul 2013	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Oct/Nov 2013	MW-3-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9 U		
MW-3 Screen 3	Jan/Feb 2014	MW-3-3	0.5 U	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jan/Feb 2014	DUPE-3-1Q14	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Apr/May 2014	MW-3-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 3	Jul/Aug 2014	MW-3-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-3 Screen 3	Jul/Aug 2014	DUP-5-3Q14	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3 Screen 3	Oct 2014	MW-3-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 3	Jan/Feb 2015	MW-3-3	0.5 UJ	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 3	April/May 2015	MW-3-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Aug/Sep 1996	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	Oct/Nov 1996	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	Feb/Mar 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	June/July 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 4	June/July 1997	MW-3-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 4	Sep/Oct 1997	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul/Aug 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 1998	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Feb/Mar 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	May/Jun 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Aug 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Nov/Dec 1999	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Mar/Apr 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul/Aug 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Sep/Oct 2000	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-3 Screen 4	Apr 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-3 Screen 4	Jul 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**0.8**
MW-3 Screen 4	Oct 2001	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Toluene**	**6.4** **0.3 J**
MW-3 Screen 4	Jan/Feb 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**10.0**
MW-3 Screen 4	Apr/May 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-3 Screen 4	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-3 Screen 4	Jul 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2002	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.5 J** **5.5** **0.5 J**
MW-3 Screen 4	Oct/Nov 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.7 J**
MW-3 Screen 4	Jan/Feb 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-3 Screen 4	Jul/Aug 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2003	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Feb 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 4	Jul/Aug 2004	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2004	MW-3-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.5**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 4	Apr/May 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8 J**		
MW-3 Screen 4	Jul/Sep 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **NDMA** NDPA	**0.6 J** **0.0 J** 0.0 U
MW-3 Screen 4	Oct/Nov 2005	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2005	DUPE-3-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Mar/Apr 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	May/Jun 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Aug/Sep 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Oct/Dec 2006	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Mar/Apr 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 4	Jun/Jul 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**0.8 J**
MW-3 Screen 4	Aug/Sep 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.3 J**
MW-3 Screen 4	Oct/Dec 2007	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**0.5** **0.3 J**
MW-3 Screen 4	Jan/Feb 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene** **Ethylbenzene**	**0.3 J** **0.5**
MW-3 Screen 4	Apr/May 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**0.6** **0.4 J**
MW-3 Screen 4	Jul/Aug 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.9**
MW-3 Screen 4	Oct/Nov 2008	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**1.1**
MW-3 Screen 4	Jan/Feb 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**	**Ethylbenzene**	**0.6**
MW-3 Screen 4	Apr/May 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.6**
MW-3 Screen 4	Jul/Aug 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.8**
MW-3 Screen 4	Nov/Dec 2009	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Feb 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Feb 2010	DUPE-3-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Apr/May 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**		
MW-3 Screen 4	Jul/Aug 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Oct/Nov 2010	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Feb/Mar 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Apr/May 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Aug/Sep 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Nov/Dec 2011	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Nov/Dec 2011	DUPE-3-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-3 Screen 4	Jan/Feb 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Apr/May 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 4	Aug/Sep 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.1 J**
MW-3 Screen 4	Nov 2012	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jan/Feb 2013	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 4	Apr/May 2013	MW-3-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Jul 2013	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Oct/Nov 2013	MW-3-4	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-3 Screen 4	Jan/Feb 2014	MW-3-4	0.5 U	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	Apr/May 2014	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-3 Screen 4	Jul/Aug 2014	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-3 Screen 4	Oct 2014	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	1.1 U		
MW-3 Screen 4	Jan/Feb 2015	MW-3-4	0.5 UJ	**0.1 J**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 4	April/May 2015	MW-3-4	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Aug/Sep 1996	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Methylene chloride**	**2.1**
MW-3 Screen 5	Oct/Nov 1996	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 5	Feb/Mar 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 5	June/July 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-3 Screen 5	June/July 1997	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Sep/Oct 1997	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Jan/Feb 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Apr/May 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Jul/Aug 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Oct/Nov 1998	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**91.0**		
MW-3 Screen 5	Feb/Mar 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	May/Jun 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**75.0**		
MW-3 Screen 5	Aug 1999	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Nov/Dec 1999	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.0 U		
MW-3 Screen 5	Mar/Apr 2000	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jul/Aug 2000	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Sep/Oct 2000	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jan/Feb 2001	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.3 J** **0.3 J** **0.3 J** **0.5 J**
MW-3 Screen 5	Apr 2001	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jul 2001	MW-3-5	NA	NA	NA	NA	NA	NA	0.5 U	NA	NA		
MW-3 Screen 5	Oct 2001	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jan/Feb 2002	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**91.3**	**Methylene chloride**	**7.5**
MW-3 Screen 5	Apr/May 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Jul 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-3 Screen 5	Oct/Nov 2002	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-3 Screen 5	Jan/Feb 2003	MW-3-5	0.2 UJ	0.5 UJ	0.5 UJ	0.3 UJ	0.5 UJ	0.5 UJ	0.5 UJ	0.3 UJ	NA	**Ethylbenzene** **Methylene chloride** **NDMA** **NDPA** **NDPHA** **Styrene**	**1.1 J** **7350.0** **0.0** **0.1** **0.0** **0.5 J**
MW-3 Screen 5	Apr/May 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Ethylbenzene** **Styrene**	**4.0 J** **0.7** **0.4 J**
MW-3 Screen 5	Oct/Nov 2003	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**2-Butanone** **Ethylbenzene** **Styrene**	**5.0 J** **1.3** **0.8**
MW-3 Screen 5	Apr/May 2004	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-3 Screen 5	Oct/Nov 2004	MW-3-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Apr/May 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0 J**		
MW-3 Screen 5	Jul/Sep 2005	MW-3-5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NDMA NDPA	0.0 U 0.0 U
MW-3 Screen 5	Oct/Nov 2005	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	May/Jun 2006	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-3 Screen 5	Oct/Dec 2006	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**0.4 J** **0.3 J**
MW-3 Screen 5	Jun/Jul 2007	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Methylene chloride**	**0.7 J**
MW-3 Screen 5	Oct/Dec 2007	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**0.4 J**
MW-3 Screen 5	Apr/May 2008	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**0.4 J**
MW-3 Screen 5	Oct/Nov 2008	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-3 Screen 5	Apr/May 2009	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.5**
MW-3 Screen 5	Nov/Dec 2009	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**0.6**
MW-3 Screen 5	Apr/May 2010	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 5	Oct/Nov 2010	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 5	Apr/May 2011	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 5	Nov/Dec 2011	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 5	Apr/May 2012	MW-3-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-3 Screen 5	Nov 2012	MW-3-5	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.1 J**
MW-3 Screen 5	Apr/May 2013	MW-3-5	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Oct/Nov 2013	MW-3-5	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Apr/May 2014	MW-3-5	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	Oct 2014	MW-3-5	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	April/May 2015	MW-3-5	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-3 Screen 5	April/May 2015	DUP-6-2Q15	0.5 U	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Aug/Sep 1996	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 1	Oct/Nov 1996	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 1	Feb/Mar 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 1	June/July 1997	MW-4-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-4 Screen 1	June/July 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 1	Sep/Oct 1997	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-4 Screen 1	Jan/Feb 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.6**		
MW-4 Screen 1	Apr/May 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**3.4**
MW-4 Screen 1	Oct/Nov 1998	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Feb/Mar 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8 B**	0.5 U	4.0 U		
MW-4 Screen 1	May/Jun 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Aug 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Nov/Dec 1999	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Mar/Apr 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Sep/Oct 2000	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2001	MW-4-1	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	**Methylene chloride**	**2.0 J**
MW-4 Screen 1	Apr 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-4 Screen 1	Jul 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct 2001	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Apr/May 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-4 Screen 1	Jul 2002	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2002	MW-4-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**28.7**		
MW-4 Screen 1	Dec 2002	MW-4-1	0.2 U	**1.2**	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	**1.2**	NA	**1,4-Dioxane**	**1.2**
MW-4 Screen 1	Jan/Feb 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**NDPHA**	**0.0 J**
MW-4 Screen 1	Apr/May 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2003	DUPE-3-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2003	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Feb 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8 J**		
MW-4 Screen 1	Apr/May 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Toluene**	**0.7** **0.6**
MW-4 Screen 1	Oct/Nov 2004	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene**	**0.4 J** **1.3**
MW-4 Screen 1	Apr/May 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Sep 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2005	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 1	Mar/Apr 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	May/Jun 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	1,4-Dioxane NDMA	4.8 U 0.0 U
MW-4 Screen 1	Aug/Sep 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	Aug/Sep 2006	DUPE-1-3Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	Oct/Dec 2006	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	Mar/Apr 2007	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**280.0**		
MW-4 Screen 1	Jun/Jul 2007	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**330.0 J**		
MW-4 Screen 1	Aug/Sep 2007	MW-4-1	**0.6**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**530.0**		
MW-4 Screen 1	Aug/Sep 2007	DUPE-1-3Q07	**0.6**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**530.0**		
MW-4 Screen 1	Oct/Dec 2007	MW-4-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**790.0**		
MW-4 Screen 1	Jan/Feb 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**100.0**		
MW-4 Screen 1	Jan/Feb 2008	DUPE-2-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**100.0**		
MW-4 Screen 1	Apr/May 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	Apr/May 2008	DUPE-1-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 1	Jul/Aug 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-4 Screen 1	Oct/Nov 2008	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**70.2**		
MW-4 Screen 1	Jan/Feb 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.0**		
MW-4 Screen 1	Apr/May 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Jul/Aug 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Nov/Dec 2009	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**96.0**		
MW-4 Screen 1	Feb 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-4 Screen 1	Apr/May 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Jul/Aug 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Jul/Aug 2010	DUPE-3-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Oct/Nov 2010	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Feb/Mar 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Apr/May 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**NDMA**	**0.0 J**
MW-4 Screen 1	Aug/Sep 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Nov/Dec 2011	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Jan/Feb 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Apr/May 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 1	Aug/Sep 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Nov 2012	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Apr/May 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Oct/Nov 2013	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jan/Feb 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Apr/May 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	Jul/Aug 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 1	Oct 2014	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-4 Screen 1	Jan/Feb 2015	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 1	April/May 2015	MW-4-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	**4.8**	**14.0**	0.5 U	0.5 U	**0.7**	**0.6**	0.5 U	**5.1**	NA		
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	**5.5**	**19.0**	0.5 U	0.5 U	**0.9**	**0.7**	0.5 U	**6.7**	NA		
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	**5.3**	**15.0**	0.5 U	0.5 U	**0.6**	**0.8**	0.5 U	**5.4**	NA		
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	**5.2**	**14.0**	0.5 U	0.5 U	**0.6**	**0.7**	0.5 U	**5.0**	NA		
MW-4 Screen 2	Feb/Mar 1997	MW-4-2	**7.9**	**19.0**	0.5 U	0.5 U	**0.8**	**0.8**	0.5 U	**7.8**	NA		
MW-4 Screen 2	Feb/Mar 1997	MW-4-2	**7.4**	**22.0 E**	0.5 U	0.5 U	**0.8**	**0.7**	0.5 U	**7.1**	NA		
MW-4 Screen 2	June/July 1997	MW-4-2	**6.2**	**8.6**	0.5 U	0.5 U	0.5 U	**0.8**	0.5 U	**4.6**	NA		
MW-4 Screen 2	June/July 1997	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	**51.0**		
MW-4 Screen 2	June/July 1997	MW-4-2	**4.0**	**5.7**	0.5 U	0.5 U	0.5 U	**0.5**	0.5 U	**3.4**	NA		
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	**4.0**	**8.0**	**0.5**	**0.6**	0.5 U	**0.5**	0.5 U	**3.5**	**34.0**		
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	**2.8**	**5.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**34.0**		
MW-4 Screen 2	Jan/Feb 1998	MW-4-2	**1.7**	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**32.0**		
MW-4 Screen 2	Jan/Feb 1998	MW-4-2	**1.9**	**2.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**30.0**		
MW-4 Screen 2	Apr/May 1998	MW-4-2	**2.4**	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**41.0**		
MW-4 Screen 2	Apr/May 1998	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-4 Screen 2	Apr/May 1998	MW-4-2	**2.8**	**4.3**	**0.7**	**0.5**	0.5 U	0.5 U	0.5 U	**3.1**	**40.0**		
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	**1.4**	**2.9**	**0.7**	**0.5**	0.5 U	0.5 U	0.5 U	**1.8**	**29.0**		
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	**1.5**	**3.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**29.0**		
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	**0.9**	**2.4**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**25.2**		
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	**1.2**	**3.1**	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	**2.0**	**25.0**		
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	**1.2**	**4.1**	**0.6**	**0.5**	0.5 U	0.5 U	0.5 U	**2.5**	**38.0**		
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	**1.5**	**5.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**38.0**		
MW-4 Screen 2	May/Jun 1999	MW-4-2	**1.5**	**4.9**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**55.0**		
MW-4 Screen 2	May/Jun 1999	MW-4-2	**2.0**	**6.4**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	**56.0**		
MW-4 Screen 2	Aug 1999	MW-4-2	**2.6**	**7.4**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	**68.0**		
MW-4 Screen 2	Aug 1999	MW-4-2	**1.9**	**5.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	**69.0**		
MW-4 Screen 2	Nov/Dec 1999	MW-4-2	**2.1**	**5.9**	**0.6**	**0.5**	0.5 U	0.5 U	0.5 U	**3.0**	**44.0**		
MW-4 Screen 2	Nov/Dec 1999	MW-4-2	**2.3**	**6.2**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**42.0**		
MW-4 Screen 2	Mar/Apr 2000	MW-4-2	**1.4**	**3.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**33.0**		
MW-4 Screen 2	Mar/Apr 2000	MW-4-2	**1.4**	**3.9**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**32.0**		
MW-4 Screen 2	Jul/Aug 2000	MW-4-2	**1.6**	**3.4**	**0.9**	**0.5**	0.5 U	0.5 U	0.5 U	**1.8**	**31.0**		
MW-4 Screen 2	Jul/Aug 2000	DUP	**1.7**	**3.8**	**1.0**	**0.6**	0.5 U	0.5 U	0.5 U	**1.9**	**32.0**		
MW-4 Screen 2	Sep/Oct 2000	MW-4-2	**1.2**	**2.6**	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	**1.4**	**23.0**		
MW-4 Screen 2	Sep/Oct 2000	DUP	**1.0**	**2.2**	**1.0**	**0.6**	0.5 U	0.5 U	0.5 U	**1.1**	**23.0**		
MW-4 Screen 2	Jan/Feb 2001	MW-4-2	1.0 U	**0.7 J**	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	**7.0**	**Methylene chloride**	**1.0**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 2	Apr 2001	MW-4-2	**0.3 J**	0.5 U	**1.1**	**0.5 J**	0.5 U	0.5 U	NA	**0.6**	**13.0**		
MW-4 Screen 2	Jul 2001	MW-4-2	**0.7**	**1.6**	**1.1**	**0.5**	0.5 U	0.5 U	0.5 U	**1.0**	**20.0**		
MW-4 Screen 2	Oct 2001	MW-4-2	**0.6**	**1.8**	**0.9**	**0.5**	0.5 U	0.5 U	0.5 U	**0.9**	**27.0**		
MW-4 Screen 2	Jan/Feb 2002	MW-4-2	0.5 U	**0.9**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Apr/May 2002	MW-4-2	0.5 U	**1.3**	**1.0**	**0.7**	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U	**Methylene chloride**	**0.3 J**
MW-4 Screen 2	Jul 2002	MW-4-2	0.5 U	**0.8**	**1.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Oct/Nov 2002	MW-4-2	0.5 U	**1.1**	**0.5 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-4 Screen 2	Oct/Nov 2002	DUP	0.5 U	**1.7**	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-4 Screen 2	Dec 2002	MW-4-2	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	**1,4-Dioxane**	**1.1**
MW-4 Screen 2	Jan/Feb 2003	MW-4-2	0.2 U	**1.2**	**0.6**	**0.4**	0.5 U	0.5 U	0.5 U	**0.4**	4.0 U	**Methylene chloride**	**5.8 J**
MW-4 Screen 2	Apr/May 2003	MW-4-2	0.5 U	**0.4 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**	**1,4-Dioxane**	**1.0**
MW-4 Screen 2	Apr/May 2003	DUPE-8-2Q03	NA	NA	NA	NA	NA	NA	NA	NA	NA	**1,4-Dioxane**	**1.0**
MW-4 Screen 2	Jul/Aug 2003	MW-4-2	0.5 U	**0.7**	**1.3**	**0.6**	0.5 U	0.5 U	0.5 U	**0.5 J**	**9.0**		
MW-4 Screen 2	Oct/Nov 2003	MW-4-2	0.5 U	**0.6**	**1.0**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**4.3 J**		
MW-4 Screen 2	Feb 2004	MW-4-2	0.5 U	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-4 Screen 2	Apr/May 2004	MW-4-2	0.5 U	**0.7**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-4 Screen 2	Apr/May 2004	DUPE-3-2Q04	0.5 U	**1.3**	**1.5**	**0.7**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-4 Screen 2	Jul/Aug 2004	MW-4-2	0.5 U	**1.0**	**1.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-4 Screen 2	Oct/Nov 2004	MW-4-2	0.5 U	**0.9**	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Oct/Nov 2004	DUPE-3-4Q04	0.5 U	**1.0**	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-4 Screen 2	Jan/Feb 2005	MW-4-2	0.5 U	**1.4**	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-4 Screen 2	Apr/May 2005	MW-4-2	0.5 U	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**		
MW-4 Screen 2	Jul/Sep 2005	MW-4-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**		
MW-4 Screen 2	Jul/Sep 2005	DUPE-3-3Q05	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**		
MW-4 Screen 2	Oct/Nov 2005	MW-4-2	0.5 U	**1.0**	**0.6**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-4 Screen 2	Mar/Apr 2006	MW-4-2	0.5 U	**0.7**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-4 Screen 2	May/Jun 2006	MW-4-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Aug/Sep 2006	MW-4-2	0.5 U	**0.8**	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-4 Screen 2	Oct/Dec 2006	MW-4-2	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Oct/Dec 2006	DUPE-3-4Q06	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Mar/Apr 2007	MW-4-2	0.5 U	**0.7**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Jun/Jul 2007	MW-4-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Aug/Sep 2007	MW-4-2	0.5 U	**0.7**	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Oct/Dec 2007	MW-4-2	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-4 Screen 2	Jan/Feb 2008	MW-4-2	0.5 U	**0.9**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.2**		
MW-4 Screen 2	Apr/May 2008	MW-4-2	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 2	Jul/Aug 2008	MW-4-2	0.5 U	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-4 Screen 2	Oct/Nov 2008	MW-4-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-4 Screen 2	Jan/Feb 2009	MW-4-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-4 Screen 2	Apr/May 2009	MW-4-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-4 Screen 2	Jul/Aug 2009	MW-4-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 2	Jul/Aug 2009	DUPE-6-3Q09	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-4 Screen 2	Nov/Dec 2009	MW-4-2	0.5 U	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-4 Screen 2	Feb 2010	MW-4-2	0.5 U	**0.9**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-4 Screen 2	Apr/May 2010	MW-4-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-4 Screen 2	Jul/Aug 2010	MW-4-2	0.5 U	**0.7**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-4 Screen 2	Oct/Nov 2010	MW-4-2	0.5 U	**0.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-4 Screen 2	Feb/Mar 2011	MW-4-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**23.0**		
MW-4 Screen 2	Feb/Mar 2011	DUPE-04-1Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**22.5**		
MW-4 Screen 2	Apr/May 2011	MW-4-2	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**31.7**		
MW-4 Screen 2	Aug/Sep 2011	MW-4-2	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.6**		
MW-4 Screen 2	Nov/Dec 2011	MW-4-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**46.8**		
MW-4 Screen 2	Jan/Feb 2012	MW-4-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**157.0 J**		
MW-4 Screen 2	Apr/May 2012	MW-4-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**157.0**		
MW-4 Screen 2	Aug/Sep 2012	MW-4-2	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**220.0**	**Bromodichloromethane** **Dibromochloromethane**	**1.0** **0.6**
MW-4 Screen 2	Nov 2012	MW-4-2	0.5 U	**0.2 J**	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**1.9**	**170.0**	**Bromodichloromethane** **Dibromochloromethane**	**1.3** **2.8**
MW-4 Screen 2	Jan/Feb 2013	MW-4-2	0.5 U	**0.2 J**	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**2.3**	**220.0**	**Bromodichloromethane** **Dibromochloromethane**	**1.7** **1.0**
MW-4 Screen 2	Apr/May 2013	MW-4-2	0.5 U	**0.2 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**2.1**	**220.0**	**Bromodichloromethane** **Dibromochloromethane**	**1.7** **1.0**
MW-4 Screen 2	Jul 2013	MW-4-2	**0.2 J**	**1.1**	**1.7**	**0.5 J**	0.5 U	**0.2 J**	0.5 U	**3.8**	**250.0**	**Bromodichloromethane** **Dibromochloromethane**	**2.2** **1.1**
MW-4 Screen 2	Oct/Nov 2013	MW-4-2	0.5 U	**0.6**	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.7**	**210.0**	**Bromodichloromethane** **Dibromochloromethane**	**1.2** **0.6**
MW-4 Screen 2	Jan/Feb 2014	MW-4-2	0.5 U	**1.0**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.2**	**100.0**	**Bromodichloromethane** **Dibromochloromethane**	**0.7** **0.4 J**
MW-4 Screen 2	Apr/May 2014	MW-4-2	0.5 U	**0.8**	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**64.0**	**Bromodichloromethane** **Dibromochloromethane**	**0.4 J** **0.2 J**
MW-4 Screen 2	Jul/Aug 2014	MW-4-2	0.5 U	**2.0**	**1.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**28.0**	**Bromodichloromethane**	**0.3 J**
MW-4 Screen 2	Oct 2014	MW-4-2	0.5 U	**1.1**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.9**	**18.0**	**Bromodichloromethane**	**0.5 J**
MW-4 Screen 2	Jan/Feb 2015	MW-4-2	0.5 U	**1.4**	**0.4 J**	**0.1 J**	**0.1 J**	0.5 U	0.5 U	**0.4 J**	**5.9**		
MW-4 Screen 2	April/May 2015	MW-4-2	0.5 U	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**7.2**		
MW-4 Screen 3	Aug/Sep 1996	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	Oct/Nov 1996	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	Feb/Mar 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	June/July 1997	MW-4-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-4 Screen 3	June/July 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 3	Sep/Oct 1997	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jan/Feb 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Apr/May 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Jul/Aug 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0**
MW-4 Screen 3	Oct/Nov 1998	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Feb/Mar 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	0.5 U	4.0 U		
MW-4 Screen 3	May/Jun 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Aug 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Nov/Dec 1999	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Mar/Apr 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jul/Aug 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Sep/Oct 2000	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jan/Feb 2001	MW-4-3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	**2-Butanone** **Ethylbenzene** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**6.0 J** **1.0** **1.0** **0.7 J**
MW-4 Screen 3	Apr 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.6** **0.4 J**
MW-4 Screen 3	Jul 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**1.8**
MW-4 Screen 3	Oct 2001	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**0.9**
MW-4 Screen 3	Jan/Feb 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**1.1**
MW-4 Screen 3	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**1.4**
MW-4 Screen 3	Apr/May 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Methylene chloride**	**1.7** **0.4 J**
MW-4 Screen 3	Jul 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**1.6**
MW-4 Screen 3	Oct/Nov 2002	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**2.1** **0.4 J** **0.3 J**
MW-4 Screen 3	Jan/Feb 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Toluene**	**2.3** **0.4 J**
MW-4 Screen 3	Apr/May 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,4-Dioxane** **Chloromethane** **Ethylbenzene** **Toluene**	**0.4 J** **1.8** **1.9** **0.3 J**
MW-4 Screen 3	Jul/Aug 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**4.5** **0.5 J** **0.6**
MW-4 Screen 3	Oct/Nov 2003	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**3.7** **0.5 J** **0.5**
MW-4 Screen 3	Feb 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ	**Ethylbenzene** **Styrene** **Toluene**	**4.6** **0.4 J** **0.6**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Apr/May 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**4.1**
												Styrene	**0.6**
												Toluene	**0.5**
MW-4 Screen 3	Jul/Aug 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**3.7**
												Styrene	**0.5**
												Toluene	**0.6**
MW-4 Screen 3	Oct/Nov 2004	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**3.6**
												Styrene	**0.6**
												Toluene	**0.6**
MW-4 Screen 3	Jan/Feb 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**4.3**
												m,p-Xylene	**0.5 J**
												Styrene	**0.7**
												Toluene	**0.5**
MW-4 Screen 3	Apr/May 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**1.8**
												m,p-Xylene	**0.4 J**
												Toluene	**0.4 J**
MW-4 Screen 3	Jul/Sep 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**1.9**
												m,p-Xylene	**0.6**
												Styrene	**0.4 J**
MW-4 Screen 3	Oct/Nov 2005	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**2.8**
												Styrene	**0.6**
												Toluene	**0.5 J**
MW-4 Screen 3	Mar/Apr 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**2.3**
												Styrene	**0.6**
												Toluene	**0.4 J**
MW-4 Screen 3	May/Jun 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**1.7**
MW-4 Screen 3	Aug/Sep 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**1.9**
												Styrene	**0.5 J**
												Toluene	**0.3 J**
MW-4 Screen 3	Oct/Dec 2006	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**1.7**
												Styrene	**0.4 J**
												Toluene	**0.4 J**
MW-4 Screen 3	Mar/Apr 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**1.7**
												Styrene	**0.5**
												Toluene	**0.4 J**
MW-4 Screen 3	Jun/Jul 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**1.4**
												Methylene chloride	**0.7 J**
												Styrene	**0.5**
MW-4 Screen 3	Aug/Sep 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene**	**1.8**
												Styrene	**0.4 J**
												Toluene	**0.4 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Oct/Dec 2007	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene** **Toluene**	**1.7** **0.4 J** **0.4 J**
MW-4 Screen 3	Jan/Feb 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene** **Toluene**	**2.0** **0.6** **0.4 J**
MW-4 Screen 3	Apr/May 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Ethylbenzene** **Styrene**	**1.5** **0.4 J**
MW-4 Screen 3	Jul/Aug 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**2.3**
MW-4 Screen 3	Jul/Aug 2008	DUPE-5-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**2.3**
MW-4 Screen 3	Oct/Nov 2008	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**2.1** **0.5**
MW-4 Screen 3	Jan/Feb 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**2.1** **0.5**
MW-4 Screen 3	Apr/May 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene**	**1.4**
MW-4 Screen 3	Jul/Aug 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**2.5** **0.6 J**
MW-4 Screen 3	Nov/Dec 2009	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.0** **0.5**
MW-4 Screen 3	Nov/Dec 2009	DUPE-05-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.1** **0.6**
MW-4 Screen 3	Feb 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.5** **1.0**
MW-4 Screen 3	Apr/May 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.1** **0.6 J**
MW-4 Screen 3	Jul/Aug 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Ethylbenzene** **Styrene**	**1.7** **0.7**
MW-4 Screen 3	Oct/Nov 2010	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Feb/Mar 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Apr/May 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Aug/Sep 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Nov/Dec 2011	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Jan/Feb 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Apr/May 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 3	Aug/Sep 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Nov 2012	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jan/Feb 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-4 Screen 3	Jan/Feb 2013	DUP-4-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-4 Screen 3	Apr/May 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Jul 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	Oct/Nov 2013	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 3	Jan/Feb 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-4 Screen 3	Jan/Feb 2014	DUP-1-1Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-4 Screen 3	Apr/May 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-4 Screen 3	Jul/Aug 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-4 Screen 3	Jul/Aug 2014	DUP-7-3Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-4 Screen 3	Oct 2014	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2 J**		
MW-4 Screen 3	Jan/Feb 2015	MW-4-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 3	April/May 2015	MW-4-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.5 J** **0.5**
MW-4 Screen 4	Aug/Sep 1996	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	Oct/Nov 1996	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	Feb/Mar 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	June/July 1997	MW-4-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-4 Screen 4	June/July 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 4	Sep/Oct 1997	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jan/Feb 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jul/Aug 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 1998	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Feb/Mar 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 B**	0.5 U	4.0 U		
MW-4 Screen 4	May/Jun 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Nov/Dec 1999	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jul/Aug 2000	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Jan/Feb 2001	MW-4-4	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	**Methylene chloride**	**2.0 J**
MW-4 Screen 4	Jan/Feb 2002	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2003	DUPE-1-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2003	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**3.0 J** **2.0** **0.4 J**
MW-4 Screen 4	Apr/May 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2004	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2005	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2005	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2005	DUPE-5-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	May/Jun 2006	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 4	Oct/Dec 2006	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 4	Jun/Jul 2007	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**0.8 J**
MW-4 Screen 4	Oct/Dec 2007	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-4 Screen 4	Apr/May 2008	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 4	Oct/Nov 2008	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 4	Apr/May 2009	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Nov/Dec 2009	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Apr/May 2010	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Oct/Nov 2010	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Apr/May 2011	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Nov/Dec 2011	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Apr/May 2012	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 4	Nov 2012	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2013	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Oct/Nov 2013	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	Apr/May 2014	MW-4-4	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-4 Screen 4	Oct 2014	MW-4-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-4 Screen 4	Oct 2014	DUP-3-4Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 4	April/May 2015	MW-4-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**0.6**
												Styrene	**0.6**
												Toluene	**0.1 J**
MW-4 Screen 4	April/May 2015	DUP-2-2Q15	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**0.5**
												Styrene	**0.6**
												Toluene	**0.2 J**
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	Oct/Nov 1996	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	Feb/Mar 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	June/July 1997	MW-4-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-4 Screen 5	June/July 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-4 Screen 5	Sep/Oct 1997	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jan/Feb 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Apr/May 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jul/Aug 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Oct/Nov 1998	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Feb/Mar 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 B**	0.5 U	4.0 U		
MW-4 Screen 5	May/Jun 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Nov/Dec 1999	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jul/Aug 2000	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jan/Feb 2001	MW-4-5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U	**Methylene chloride**	**1.0**
												Methyl-tert-butyl ether (MTBE)	**3.8**
MW-4 Screen 5	Jan/Feb 2002	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Jan/Feb 2003	MW-4-5	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	**3.6**	**Bromochloromethane**	**18.0**
												Methylene chloride	**11300.0 J**
												NDPHA	**0.0 J**
MW-4 Screen 5	Apr/May 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-4 Screen 5	Oct/Nov 2003	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Oct/Nov 2003	DUPE-3-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**2.0 J**
MW-4 Screen 5	Apr/May 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene**	**0.3 J**
MW-4 Screen 5	Oct/Nov 2004	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Apr/May 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Oct/Nov 2005	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	May/Jun 2006	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 5	Oct/Dec 2006	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 5	Jun/Jul 2007	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**m,p-Xylene**	**0.6 J**
MW-4 Screen 5	Oct/Dec 2007	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-4 Screen 5	Apr/May 2008	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Oct/Nov 2008	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Apr/May 2009	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Nov/Dec 2009	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Apr/May 2010	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Oct/Nov 2010	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Apr/May 2011	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Nov/Dec 2011	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Apr/May 2012	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-4 Screen 5	Nov 2012	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-4 Screen 5	Apr/May 2013	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-4 Screen 5	Oct/Nov 2013	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-4 Screen 5	Apr/May 2014	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**	**Styrene**	**0.1 J**
MW-4 Screen 5	Oct 2014	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-4 Screen 5	April/May 2015	MW-4-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**0.5 J** **0.5 J** **0.2 J**
MW-5	Aug/Sep 1996	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	Oct/Nov 1996	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	Feb/Mar 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	June/July 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-5	June/July 1997	MW-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-5	Sep/Oct 1997	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-5	Apr/May 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**6.5**
MW-5	Oct/Nov 1998	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Feb/Mar 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	May/Jun 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Aug 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Nov/Dec 1999	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-5	Mar/Apr 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2000	MW-5	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-5	Jul/Aug 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Sep/Oct 2000	MW-5	**0.6**	**19.0**	**1.0**	**0.6**	0.5 U	0.5 U	0.5 U	**1.7**	**33.0**		
MW-5	Sep/Oct 2000	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2001	MW-5	0.5 U	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**21.0**		
MW-5	Jul 2001	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U		
MW-5	Jul 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-5	Oct 2001	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2002	MW-5	0.5 U	**4.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**23.4**		
MW-5	Apr/May 2002	MW-5	**0.9**	**6.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**22.2**		
MW-5	Jul 2002	MW-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-5	Oct/Nov 2002	MW-5	**1.1**	**18.9**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**2.0**	**22.7**	**Methylene chloride**	**1.3**
MW-5	Jan/Feb 2003	MW-5	**1.6**	**14.9**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**25.2**		
MW-5	Apr/May 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-5	Jul/Aug 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2003	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Feb 2004	MW-5	**0.4 J**	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**34.2 J**		
MW-5	Apr/May 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2004	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2004	DUPE-5-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2004	MW-5	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8**
MW-5	Jan/Feb 2005	DUPE-5-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.7**
MW-5	Apr/May 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Sep 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Sep 2005	DUPE-8-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2005	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Mar/Apr 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-5	May/Jun 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Aug/Sep 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Dec 2006	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-5	Mar/Apr 2007	MW-5	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**16.0**		
MW-5	Jun/Jul 2007	MW-5	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**37.0 J**		
MW-5	Aug/Sep 2007	MW-5	0.5 U	**1.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**39.0**		
MW-5	Oct/Dec 2007	MW-5	**0.4 J**	**6.4**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**29.0**		
MW-5	Oct/Dec 2007	DUPE-8-4Q07	**0.4 J**	**6.1**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**31.0**		
MW-5	Jan/Feb 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**56.0**		
MW-5	Apr/May 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-5	Apr/May 2008	DUPE-8-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-5	Jul/Aug 2008	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-5	Oct/Nov 2008	MW-5	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**		
MW-5	Jan/Feb 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.3**		
MW-5	Apr/May 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Jul/Aug 2009	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**		
MW-5	Nov/Dec 2009	MW-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.0**		
MW-5	Feb 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Feb 2010	DUPE-6-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Jul/Aug 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Oct/Nov 2010	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Feb/Mar 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2011	DUPE-6-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Aug/Sep 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Nov/Dec 2011	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Jan/Feb 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Apr/May 2012	DUPE-7-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-5	Aug/Sep 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Nov 2012	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jan/Feb 2013	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Apr/May 2013	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul 2013	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Oct/Nov 2013	MW-5	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**1.5 J**		
MW-5	Jan/Feb 2014	MW-5	0.5 U	**3.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**10.0**		
MW-5	Jan/Feb 2014	DUPE-6-1Q14	0.5 U	**3.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**9.7**		
MW-5	Apr/May 2014	MW-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-5	Jul/Aug 2014	MW-5	0.5 U	**2.7**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**9.4**		
MW-5	Oct 2014	MW-5	0.5 U	**4.7**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**6.8**		
MW-5	Jan/Feb 2015	MW-5	0.5 U	**3.6**	**0.5 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.9 J**		
MW-5	April/May 2015	MW-5	0.5 U	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.1**		
MW-6	Aug/Sep 1996	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-6	Oct/Nov 1996	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-6	Feb/Mar 1997	MW-6	0.5 U	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-6	June/July 1997	MW-6	NA	NA	NA	NA	NA	NA	NA	NA	**5.5**		
MW-6	June/July 1997	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-6	Sep/Oct 1997	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Jan/Feb 1998	MW-6	0.5 U	0.5 U	**2.0**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Apr/May 1998	MW-6	0.5 U	**0.7**	**3.2**	**1.1**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-6	Jul/Aug 1998	MW-6	0.5 U	**0.6**	**2.5**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**Methylene chloride**	**7.6**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-6	Oct/Nov 1998	MW-6	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Feb/Mar 1999	MW-6	0.5 U	0.8	3.8	1.0	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-6	May/Jun 1999	MW-6	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Aug 1999	MW-6	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0		
MW-6	Nov/Dec 1999	MW-6	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Mar/Apr 2000	MW-6	0.5 U	0.5 U	3.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.8		
MW-6	Jul/Aug 2000	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-6	Sep/Oct 2000	MW-6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.7	Trichlorofluoromethane	0.7
MW-6	Jan/Feb 2001	MW-6	0.5 U	0.5 U	3.0	1.1	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)	0.4 J 1.0 J
MW-6	Jul 2001	MW-6	0.5 U	0.5 U	1.4	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Trichlorofluoromethane	0.3 J
MW-6	Oct 2001	MW-6	0.5 U	0.5 U	1.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Oct 2001	DUP	0.5 U	0.5 U	1.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Jan/Feb 2002	MW-6	0.5 U	0.4 J	4.6	1.3	0.5 U	0.7	0.5 U	0.9	3.2 B	Methylene chloride	0.9 J
MW-6	Apr/May 2002	MW-6	0.5 U	0.5 U	5.0	1.3	0.5 U	0.9	0.5 U	0.7	15.4	Methylene chloride	0.8 J
MW-6	Jul 2002	MW-6	0.5 U	0.5 U	1.1	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Oct/Nov 2002	MW-6	0.5 U	0.3 J	3.1	1.2	0.5 U	0.7	0.5 U	0.7	4.0 U	Methyl-tert-butyl ether (MTBE) trans-1,2-Dichloroethene Trichlorofluoromethane	1.9 1.7 1.5
MW-6	Jan/Feb 2003	MW-6	0.5 U	0.5 U	2.6	0.8	0.5 U	0.7	0.5 U	0.4 J	3.8 J		
MW-6	Apr/May 2003	MW-6	0.5 U	0.5 U	3.0	0.9	0.5 U	0.7	0.5 U	0.5 J	2.3 J	4-Methyl-2-pentanone	4.0 J
MW-6	Jul/Aug 2003	MW-6	0.5 U	0.5 U	2.3	0.7	0.5 U	0.5 U	0.5 U	0.3 J	2.9 J		
MW-6	Oct/Nov 2003	MW-6	0.5 U	0.5 U	3.0	0.9	0.5 U	0.8	0.5 U	0.3 J	3.6 J		
MW-6	Feb 2004	MW-6	0.5 U	0.5 U	2.6	0.8	0.5 U	0.7	0.5 U	0.5 J	4.0 U		
MW-6	Apr/May 2004	MW-6	0.5 U	0.5 U	2.1	0.8	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-6	Jul/Aug 2004	MW-6	0.5 U	0.5 U	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	3.2 J	Trichlorofluoromethane	0.4 J
MW-6	Oct/Nov 2004	MW-6	0.5 U	0.5 U	3.8	1.1	0.5 U	0.7	0.5 U	0.3 J	4.0 U		
MW-6	Jan/Feb 2005	MW-6	0.5 U	0.5	3.4	1.1	0.5 U	1.5	0.5 U	0.5	4.3	Methylene chloride	0.6
MW-6	Apr/May 2005	MW-6	0.5 U	0.3 J	2.1	0.7	0.5 U	0.5 U	0.5 U	0.4 J	2.9 J		
MW-6	Apr/May 2005	DUPE-8-2Q05	0.5 U	0.5 U	2.2	0.7	0.5 U	0.5 U	0.5 U	0.4 J	2.1 J		
MW-6	Jul/Sep 2005	MW-6	0.5 U	0.5 U	0.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.0 J	Trichlorofluoromethane	1.5
MW-6	Oct/Nov 2005	MW-6	0.5 U	0.5 U	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.3 J		
MW-6	Mar/Apr 2006	MW-6	0.5 U	0.5 U	1.8	0.9	0.5 U	0.4 J	0.5 U	0.4 J	9.9		
MW-6	Mar/Apr 2006	DUPE-8-1Q06	0.5 U	0.5 U	1.8	1.0	0.5 U	0.4 J	0.5 U	0.4 J	4.0 U		
MW-6	May/Jun 2006	MW-6	0.5 U	0.5 U	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-6	Aug/Sep 2006	MW-6	0.5 U	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Aug/Sep 2006	DUPE-6-3Q06	0.5 U	0.5 U	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-6	Oct/Dec 2006	MW-6	0.5 U	0.5 U	1.2 J	0.9 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-6	Mar/Apr 2007	MW-6	0.5 U	0.5	1.6	0.8	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-6	Jun/Jul 2007	MW-6	0.5 U	1.3	1.5	0.7	0.5 U	0.4 J	0.5 U	0.5	4.0 U		
MW-6	Aug/Sep 2007	MW-6	0.5 U	1.5	1.4	0.7	0.5 U	0.8	0.5 U	0.6	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-6	Aug/Sep 2007	DUPE-4-3Q07	0.5 U	**1.5**	**1.4**	**0.7**	0.5 U	**0.9**	0.5 U	**0.5**	4.0 U		
MW-6	Oct/Dec 2007	MW-6	0.5 U	**1.5**	**1.0**	**0.6**	0.5 U	**0.7**	0.5 U	**0.6**	5.0 U		
MW-6	Jan/Feb 2008	MW-6	0.5 U	**2.5**	**1.6**	**0.8**	0.5 U	**0.4 J**	0.5 U	**0.6**	**4.0**		
MW-6	Apr/May 2008	MW-6	0.5 U	**2.5**	**1.8**	**0.6**	0.5 U	**0.9**	0.5 U	**0.7**	**2.5**		
MW-6	Jul/Aug 2008	MW-6	0.5 U	**2.2**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.0**	**Toluene**	**0.8**
MW-6	Oct/Nov 2008	MW-6	0.5 U	**1.9**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**Toluene**	**1.0**
MW-6	Jan/Feb 2009	MW-6	0.5 U	**3.0**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.1**		
MW-6	Apr/May 2009	MW-6	0.5 U	**2.9**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.1**		
MW-6	Jul/Aug 2009	MW-6	0.5 U	**2.4**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-6	Nov/Dec 2009	MW-6	0.5 U	**2.6**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.5**		
MW-6	Feb 2010	MW-6	0.5 U	**4.0**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.7**		
MW-6	Apr/May 2010	MW-6	0.5 U	**4.3**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-6	Jul/Aug 2010	MW-6	0.5 U	**3.7**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.0**		
MW-6	Oct/Nov 2010	MW-6	0.5 U	**3.0**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.3**		
MW-6	Feb/Mar 2011	MW-6	0.5 U	**4.0**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.1**		
MW-6	Apr/May 2011	MW-6	0.5 U	**3.4**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.5**		
MW-6	Apr/May 2011	DUPE-7-2Q11	0.5 U	**3.6**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.5**		
MW-6	Aug/Sep 2011	MW-6	0.5 U	**2.7**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.6**		
MW-6	Aug/Sep 2011	DUPE-7-3Q11	0.5 U	**2.6**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.2**		
MW-6	Nov/Dec 2011	MW-6	0.5 U	**2.8**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.1**		
MW-6	Jan/Feb 2012	MW-6	0.5 U	**2.8**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-6	Jan/Feb 2012	DUPE-5-1Q12	0.5 U	**2.5**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-6	Apr/May 2012	MW-6	0.5 U	**3.1**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.4**		
MW-6	Aug/Sep 2012	MW-6	0.5 U	**3.1**	**1.2**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.7**	**2.4 J**		
MW-6	Nov 2012	MW-6	0.5 U	**3.6**	**1.4**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.7**	**1.4 J**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Nov 2012	DUPE-5-4Q12	0.5 U	**3.5**	**1.4**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**1.3 J**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Jan/Feb 2013	MW-6	0.5 U	**4.2**	**1.3**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**4.5**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Apr/May 2013	MW-6	0.5 U	**4.1**	**1.2**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.7**	**3.2 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-6	Apr/May 2013	DUP-7-2Q13	0.5 U	**4.0**	**1.2**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**3.5 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-6	Jul 2013	MW-6	0.5 U	**4.4**	**1.3**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**3.5 J**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Oct/Nov 2013	MW-6	0.5 U	**4.3**	**1.3**	**0.3 J**	0.5 U	**0.3 J**	0.5 U	**0.8**	**3.3 J**	**trans-1,2-Dichloroethene**	**0.3 J**
MW-6	Jan/Feb 2014	MW-6	0.5 U	**4.2**	**1.1**	**0.3 J**	0.5 U	**0.2 J**	0.5 U	**0.8**	**2.9 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-6	Apr/May 2014	MW-6	0.5 U	**4.2**	**1.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-6	Jul/Aug 2014	MW-6	0.5 U	**3.9**	**1.2**	**0.2 J**	0.5 U	**0.2 J**	0.5 U	**0.7**	**3.8 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-6	Oct 2014	MW-6	0.5 U	**3.7**	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**3.0 J**	**trans-1,2-Dichloroethene**	**0.2 J**
MW-6	Jan/Feb 2015	MW-6	0.5 U	**4.4**	**1.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**2.1 J**	**trans-1,2-Dichloroethene**	**0.3 J**
MW-6	Jan/Feb 2015	Dup-4-1Q15	0.5 U	**4.2**	**1.0**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.8**	**2.8 J**	**trans-1,2-Dichloroethene**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-6	April/May 2015	MW-6	0.5 U	3.8	0.9	0.2 J	0.5 U	0.5 U	0.5 U	0.7	2.9 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.1 J 0.2 J
MW-7	Aug/Sep 1996	MW-7	90.0	39.0	0.8	0.5 U	1.2	1.1	7.2	13.0	NA		
MW-7	Aug/Sep 1996	MW-7	87.0	38.0	0.9	0.5 U	1.4	1.3	8.8	14.0	NA		
MW-7	Oct/Nov 1996	MW-7	170.0	27.0	1.3	0.5 U	0.8	2.3	7.7	14.0	NA		
MW-7	Feb/Mar 1997	MW-7	45.0	27.0	0.6	0.5 U	0.8	0.9	5.1	9.9	NA		
MW-7	June/July 1997	MW-7	39.0	23.0	0.7	0.5 U	0.8	1.0	4.1	11.0	NA		
MW-7	June/July 1997	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	285.0		
MW-7	Sep/Oct 1997	MW-7	93.0	22.0	1.1	0.5 U	0.9	1.3	4.7	13.0	550.0		
MW-7	Jan/Feb 1998	MW-7	150.0	24.0	3.7	0.5 U	0.8	2.1	6.4	13.0	720.0		
MW-7	Apr/May 1998	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-7	Apr/May 1998	MW-7	31.0	13.0	0.5	0.5 U	0.5 U	0.5 U	3.1	6.1	130.0		
MW-7	Jul/Aug 1998	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-7	Jul/Aug 1998	MW-7	43.0	19.0	0.8	0.5 U	0.6	0.9	3.4	9.0	190.0	Methylene chloride	1.0
MW-7	Oct/Nov 1998	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-7	Oct/Nov 1998	MW-7	51.0	18.0	0.9	0.5 U	0.7	1.1	3.0	9.8	210.0		
MW-7	Feb/Mar 1999	MW-7	49.0	17.0	0.6	0.5 U	0.5 U	0.9	2.0	7.2	150.0		
MW-7	Feb/Mar 1999	MW-7	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-7	May/Jun 1999	MW-7	42.0	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.2	5.7	120.0		
MW-7	Aug 1999	MW-7	40.0	16.0	0.5	0.5 U	0.5 U	0.8	1.9	7.8	210.0		
MW-7	Nov/Dec 1999	MW-7	120.0	19.7	3.0	0.5 U	0.7	2.2	2.4	10.8	460.0		
MW-7	Mar/Apr 2000	MW-7	110.0	18.0	2.7	0.5 U	0.5	2.3	2.6	8.9	740.0		
MW-7	Jul/Aug 2000	MW-7	50.0	14.0	1.2	0.5 U	0.5 U	0.9	2.0	7.1	290.0		
MW-7	Jan/Feb 2002	MW-7	135.0	15.4	17.1	0.5 U	0.5 U	6.0	6.0	13.3	4090.0	1,4-Dioxane Trichlorofluoromethane	5.0 0.4 J
MW-7	Apr/May 2002	MW-7	208.0	16.9	30.4	0.5 U	0.5 U	11.4	9.2	20.7	6770.0	Methylene chloride Trichlorofluoromethane	1.0 J 0.4 J
MW-7	Jul 2002	MW-7	70.7	6.3	7.6	0.5 U	0.5 U	3.1	1.6	6.8	2590.0		
MW-7	Oct/Nov 2002	MW-7	150.0	8.9	32.8	0.5 U	0.5 U	12.4	8.0	20.9	13300.0	Methylene chloride Trichlorofluoromethane	1.0 B 1.5
MW-7	Jan/Feb 2003	MW-7	157.0	6.3	19.5	0.3 U	0.5 U	8.2	5.9	16.6	5200.0	1,4-Dioxane NDMA NDPHA Total Trihalomethanes	3.0 0.0 0.0 J 27.0
MW-7	Jan/Feb 2003	DUPE-6-1Q03	122.0	4.8	13.5	0.5 U	0.5 U	6.4	4.2	12.3	6190.0		
MW-7	Apr/May 2003	MW-7	73.7	8.1	9.9	0.5 U	0.5 U	4.2	3.6	10.0	5560.0	4-Methyl-2-pentanone Methylene chloride	6.0 J 2.3
MW-7	Jul/Aug 2003	MW-7	40.4	4.5	4.9	0.5 U	0.5 U	2.2	2.2	6.8	1920.0 J		
MW-7	Oct/Nov 2003	MW-7	42.0	5.0	7.2	0.5 U	0.5 U	3.2	2.4	9.9	2400.0 J		
MW-7	Feb 2004	MW-7	94.7	8.2	30.2	0.5 U	0.5 U	10.5	8.6	26.3	7690.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Apr/May 2004	MW-7	**72.0 J**	**6.8**	**15.6**	0.5 U	0.5 U	**7.6**	**5.8**	**15.9**	**4680.0**	**Bromodichloromethane** **Toluene**	**0.4 J** **0.8**
MW-7	Apr/May 2004	DUPE-7-2Q04	**65.1**	**7.1**	**16.3**	0.5 U	0.5 U	**7.9**	**6.0**	**16.3**	**4430.0**	**Bromodichloromethane** **Toluene**	**0.4 J** **0.8**
MW-7	Jul/Aug 2004	MW-7	**58.0**	**6.3**	**15.0**	0.5 U	0.5 U	**5.5**	**5.0**	**16.2**	**3760.0**		
MW-7	Oct/Nov 2004	MW-7	**51.4**	**8.7**	**34.7**	0.5 U	0.5 U	**8.0**	**9.0**	**17.7**	**4810.0**	**Toluene**	**0.5**
MW-7	Jan/Feb 2005	MW-7	**57.3**	**9.3**	**15.8**	0.5 U	0.5 U	**7.6**	**6.0**	**12.5**	**4680.0**	**Methylene chloride**	**0.9**
MW-7	Apr/May 2005	MW-7	**7.6**	**3.3**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**155.0**		
MW-7	Jul/Sep 2005	MW-7	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**87.1**		
MW-7	Oct/Nov 2005	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**32.1**	**Toluene**	**1.8**
MW-7	Oct/Nov 2005	DUPE-8-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**32.3**	**Toluene**	**1.9**
MW-7	Mar/Apr 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**26.0**		
MW-7	May/Jun 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**12.0**		
MW-7	Aug/Sep 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-7	Oct/Dec 2006	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-7	Mar/Apr 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	2.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Toluene**	**5.4** **5.7** **7.6** **0.6**
MW-7	Jun/Jul 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**3.9 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**5.7** **8.0** **9.9**
MW-7	Jun/Jul 2007	DUPE-8-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**4.7 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**5.9** **8.2** **9.7**
MW-7	Aug/Sep 2007	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	2.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Toluene**	**3.7** **6.1** **5.8** **0.4 J**
MW-7	Oct/Dec 2007	MW-7	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**17.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane**	**4.8** **3.5** **4.4** **0.3 J**
MW-7	Oct/Dec 2007	DUPE-4-4Q07	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**18.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**5.0** **3.4** **4.5**
MW-7	Jan/Feb 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**	**3.1**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**10.0** **1.0** **3.3**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Jan/Feb 2008	DUPE-6-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**	**4.5**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**11.0** **1.0** **3.4**
MW-7	Apr/May 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**33.0**	2.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane** **Toluene**	**30.0** **1.0** **12.0** **0.4 J** **0.3 J**
MW-7	Apr/May 2008	DUPE-5-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**36.0**	2.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane**	**30.0** **1.0** **12.0** **0.4 J**
MW-7	Jul/Aug 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**	**1.5**	**Bromodichloromethane** **Dibromochloromethane** **Toluene**	**7.8** **1.3** **1.2**
MW-7	Oct/Nov 2008	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	1.0 U	**Bromodichloromethane** **Toluene**	**1.3** **1.3**
MW-7	Jan/Feb 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**1.7**		
MW-7	Jan/Feb 2009	DUPE-06-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**1.7**		
MW-7	Apr/May 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**	**9.4 J**	**Bromodichloromethane**	**6.0**
MW-7	Jul/Aug 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	1.0 U	**Bromodichloromethane**	**2.8**
MW-7	Nov/Dec 2009	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-7	Feb 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	1.0 U		
MW-7	Apr/May 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**	**3.6**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**13.0** **1.2** **6.9**
MW-7	Jul/Aug 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**10.0**	**Bromodichloromethane**	**1.9**
MW-7	Oct/Nov 2010	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**	**9.7**	**Bromodichloromethane** **Dibromochloromethane**	**4.5** **2.0**
MW-7	Feb/Mar 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**	**3.1**	**Bromodichloromethane**	**8.7**
MW-7	Apr/May 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.0**	**2.9**	**Bromodichloromethane**	**3.2**
MW-7	Aug/Sep 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**	**10.2**	**Bromodichloromethane**	**1.2**
MW-7	Nov/Dec 2011	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**2.0**		
MW-7	Jan/Feb 2012	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-7	Apr/May 2012	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-7	Aug/Sep 2012	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.7**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**11.0** **2.2** **7.1**
MW-7	Nov 2012	MW-7	**0.5 J**	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**	**1.7 J**	**Bromodichloromethane** **Dibromochloromethane** **Methylene chloride**	**5.4** **2.5** **0.8**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-7	Jan/Feb 2013	MW-7	0.3 J	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	12.0	35.0	Bromodichloromethane Dibromochloromethane Methylene chloride	7.5 0.4 J 0.8
MW-7	Jan/Feb 2013	DUP-7-1Q13	0.3 J	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	13.0	35.0	Bromodichloromethane Dibromochloromethane Methylene chloride	7.3 0.4 J 0.8
MW-7	Apr/May 2013	MW-7	1.0	0.1 J	1.9	0.5 U	0.5 U	0.2 J	0.5 U	9.5	260.0	Bromodichloromethane	2.9
MW-7	Apr/May 2013	DUP-6-2Q13	1.0	0.1 J	1.9	0.5 U	0.5 U	0.2 J	0.5 U	9.8	260.0	Bromodichloromethane	3.0
MW-7	Jul 2013	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	4.0	Bromodichloromethane	0.9
MW-7	Oct/Nov 2013	MW-7	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	8.7	6.1	Bromodichloromethane Dibromochloromethane	1.9 0.7
MW-7	Jan/Feb 2014	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	2.4 J	Bromodichloromethane	0.4 J
MW-7	Jan/Feb 2014	DUPE-5-1Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0	2.0 J	Bromodichloromethane	0.4 J
MW-7	Apr/May 2014	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.7	5.3	Bromodichloromethane	0.4 J
MW-7	Apr/May 2014	DUP-8-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9	5.2	Bromodichloromethane	0.4 J
MW-7	Jul/Aug 2014	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U		
MW-7	Oct 2014	MW-7	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	8.5		
MW-7	Jan/Feb 2015	MW-7	0.5 U	0.1 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	5.5	750.0	Bromodichloromethane	1.9
MW-7	Jan/Feb 2015	DUP-7-1Q15	0.5 U	0.1 J	0.6	0.5 U	0.5 U	0.5 U	0.5 U	5.6	740.0	Bromodichloromethane	1.9
MW-7	April/May 2015	MW-7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	7.4	Bromodichloromethane	0.6
MW-8	Aug/Sep 1996	MW-8	4.0	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-8	Oct/Nov 1996	MW-8	2.8	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.6	NA		
MW-8	Feb/Mar 1997	MW-8	1.5	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA	Trichlorofluoromethane	1.1
MW-8	June/July 1997	MW-8	NA	NA	NA	NA	NA	NA	NA	NA	6.4		
MW-8	June/July 1997	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-8	Sep/Oct 1997	MW-8	3.2	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	29.0	Trichlorofluoromethane	1.0
MW-8	Jan/Feb 1998	MW-8	1.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	11.0	Trichlorofluoromethane	0.8
MW-8	Apr/May 1998	MW-8	1.3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	7.6		
MW-8	Jul/Aug 1998	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	6.6
MW-8	Oct/Nov 1998	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Feb/Mar 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	May/Jun 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Aug 1999	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Nov/Dec 1999	MW-8	0.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2		
MW-8	Mar/Apr 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Aug 2000	MW-8	8.6	20.0	0.5 U	0.5 U	0.6	0.7	0.5 U	8.8	410.0		
MW-8	Jul/Aug 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-8	Sep/Oct 2000	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2		
MW-8	Sep/Oct 2000	MW-8	14.0	24.0	0.5	0.5 U	0.5	0.9	0.5 U	11.0	620.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Jan/Feb 2001	MW-8	**1.1**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.0**	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Trichlorofluoromethane**	**0.4 J** **0.5 J** **1.0**
MW-8	Apr 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-8	Oct 2001	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.9**		
MW-8	Jan/Feb 2002	MW-8	**2.2**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**0.8**	**20.1**	**Trichlorofluoromethane**	**0.4 J**
MW-8	Apr/May 2002	MW-8	**0.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Trichlorofluoromethane**	**1.0 J** **0.4 J**
MW-8	Jul 2002	MW-8	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.7**		
MW-8	Oct/Nov 2002	MW-8	**12.3**	**7.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.7**	**2.9**	**127.0**	**Trichlorofluoromethane**	**1.6**
MW-8	Jan/Feb 2003	MW-8	**13.2**	**7.8**	0.5 U	0.3 U	0.5 U	0.5 U	**2.1**	**2.9**	**45.0**	**NDPHA** **Trichlorofluoromethane**	**0.0 J** **0.4 J**
MW-8	Apr/May 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**4-Methyl-2-pentanone**	**5.0 J**
MW-8	Jul/Aug 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.7 J**		
MW-8	Oct/Nov 2003	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**20.2 J**		
MW-8	Oct/Nov 2003	DUPE-7-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**20.2 J**		
MW-8	Feb 2004	MW-8	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**32.6**		
MW-8	Apr/May 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Aug 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.4**		
MW-8	Oct/Nov 2004	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.6**		
MW-8	Jan/Feb 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-8	Jan/Feb 2005	DUPE-6-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5**
MW-8	Apr/May 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Jul/Sep 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-8	Oct/Nov 2005	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene**	**0.4 J**
MW-8	Mar/Apr 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-8	May/Jun 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**	**Toluene**	**0.8**
MW-8	Aug/Sep 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Aug/Sep 2006	DUPE-5-3Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Oct/Dec 2006	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**60.0**		
MW-8	Mar/Apr 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**84.0**	**Toluene** **Trichlorofluoromethane**	**0.7** **0.7**
MW-8	Jun/Jul 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**130.0 J**		
MW-8	Aug/Sep 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**210.0**	**Bromodichloromethane** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**0.5 J** **0.6** **0.3 J** **1.1**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Aug/Sep 2007	DUPE-7-3Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**200.0**	**Bromodichloromethane** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**0.5** **0.6** **0.3 J** **0.9**
MW-8	Oct/Dec 2007	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**62.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane**	**3.2** **3.1** **4.3** **0.3 J**
MW-8	Jan/Feb 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**310.0**	**Bromodichloromethane** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**0.3 J** **0.3 J** **2.0** **0.7**
MW-8	Jan/Feb 2008	DUPE-7-02/13/08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**300.0**	**Bromodichloromethane** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**0.3 J** **0.3 J** **2.2** **0.8**
MW-8	Apr/May 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**30.0**	**Toluene**	**0.5 J**
MW-8	Jul/Aug 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**108.0**	**Toluene** **Trichlorofluoromethane**	**1.1** **1.1 J**
MW-8	Oct/Nov 2008	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**257.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Toluene** **Trichlorofluoromethane**	**1.3** **0.9** **1.3** **2.5** **1.0**
MW-8	Jan/Feb 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**171.0**	**Toluene** **Trichlorofluoromethane**	**1.4** **1.5**
MW-8	Apr/May 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**45.4**	**Trichlorofluoromethane**	**0.6**
MW-8	Jul/Aug 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**186.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**0.6** **0.6** **1.3**
MW-8	Nov/Dec 2009	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**203.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**2.5** **1.0** **0.7**
MW-8	Feb 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**194.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**1.4** **0.8** **0.9**
MW-8	Apr/May 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-8	Jul/Aug 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Jul/Aug 2010	DUPE-1-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Oct/Nov 2010	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Feb/Mar 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-8	Apr/May 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Apr/May 2011	DUPE-8-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Aug/Sep 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Nov/Dec 2011	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Jan/Feb 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Apr/May 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-8	Aug/Sep 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-8	Nov 2012	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.2 J**
MW-8	Nov 2012	DUPE-8-4Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.2 J**
MW-8	Jan/Feb 2013	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.4 J**
MW-8	Jan/Feb 2013	DUP-6-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.4 J**
MW-8	Apr/May 2013	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.6**
MW-8	Jul 2013	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.7**
MW-8	Oct/Nov 2013	MW-8	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**71.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**0.9** **0.5** **0.3 J**
MW-8	Oct/Nov 2013	DUPE-5-4Q13	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**71.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**0.9** **0.6** **0.3 J**
MW-8	Jan/Feb 2014	MW-8	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	**93.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**2.6** **0.6** **0.2 J**
MW-8	Jan/Feb 2014	DUPE-7-1Q14	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.3**	**94.0**	**Bromodichloromethane** **Dibromochloromethane** **Trichlorofluoromethane**	**2.7** **0.6** **0.1 J**
MW-8	Apr/May 2014	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**47.0**	**Trichlorofluoromethane**	**0.2 J**
MW-8	Jul/Aug 2014	MW-8	**0.2 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	**180.0**	**Bromodichloromethane**	**0.7**
MW-8	Oct 2014	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.8**	**7.8**	**Bromodichloromethane**	**0.3 J**
MW-8	Jan/Feb 15	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**	**7.0**	**Bromodichloromethane**	**0.5 U**
MW-8	April/May 2015	MW-8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**71.0**	**Bromodichloromethane** **Trichlorofluoromethane**	**0.2 J** **0.2 J**
MW-9	Aug/Sep 1996	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Oct/Nov 1996	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Feb/Mar 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	June/July 1997	MW-9	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-9	June/July 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-9	Sep/Oct 1997	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jan/Feb 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jul/Aug 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 1998	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-9	Feb/Mar 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	May/Jun 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Nov/Dec 1999	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jul/Aug 2000	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jan/Feb 2001	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jan/Feb 2002	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-9	Apr/May 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-9	Oct/Nov 2003	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-9	Apr/May 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 2004	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2005	DUPE-3-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Nov 2005	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	May/Jun 2006	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Oct/Dec 2006	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct/Dec 2006	DUPE-7-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Jun/Jul 2007	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Oct/Dec 2007	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Apr/May 2008	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-9	Oct/Nov 2008	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Apr/May 2009	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov/Dec 2009	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov/Dec 2009	DUPE-8-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Apr/May 2010	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Oct/Nov 2010	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Apr/May 2011	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov/Dec 2011	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Apr/May 2012	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-9	Nov 2012	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2013	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2014	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Apr/May 2014	DUP-5-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	Oct 2014	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-9	April/May 2015	MW-9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Aug/Sep 1996	MW-10	**0.7**	**18.0**	**0.5**	0.5 U	0.5 U	0.5 U	**1.2**	**1.4**	NA		
MW-10	Aug/Sep 1996	MW-10	**0.7**	**20.0**	**0.6**	0.5 U	0.5 U	0.5 U	**1.3**	**1.6**	NA		
MW-10	Oct/Nov 1996	MW-10	**0.6**	**6.6**	**1.0**	**1.9**	0.5 U	0.5 U	**0.8**	**1.1**	NA		
MW-10	Oct/Nov 1996	MW-10	0.5 U	**5.9**	**0.9**	**1.9**	0.5 U	0.5 U	**0.7**	**1.0**	NA		
MW-10	Feb/Mar 1997	MW-10	0.5 U	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-10	Feb/Mar 1997	MW-10	0.5 U	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-10	June/July 1997	MW-10	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	June/July 1997	MW-10	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-10	June/July 1997	MW-10	NA	NA	NA	NA	NA	NA	NA	NA	11.0		
MW-10	June/July 1997	MW-10	NA	NA	NA	NA	NA	NA	NA	NA	13.0		
MW-10	Sep/Oct 1997	MW-10	0.5 U	4.4	1.4	1.2	0.5 U	0.5 U	0.5 U	1.2	16.0		
MW-10	Sep/Oct 1997	MW-10	0.5 U	4.3	1.3	1.2	0.5 U	0.5 U	0.5 U	1.0	16.0		
MW-10	Jan/Feb 1998	MW-10	0.5 U	1.1	2.2	1.6	0.5 U	0.5 U	0.5 U	1.4	4.7		
MW-10	Jan/Feb 1998	MW-10	0.5 U	0.9	2.1	1.4	0.5 U	0.5 U	0.5 U	1.2	5.1		
MW-10	Apr/May 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Apr/May 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Jul/Aug 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	8.2
MW-10	Jul/Aug 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Methylene chloride	7.8
MW-10	Oct/Nov 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Oct/Nov 1998	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Feb/Mar 1999	MW-10	0.5 U	5.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	39.0		
MW-10	Feb/Mar 1999	MW-10	0.5 U	5.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	39.0		
MW-10	May/Jun 1999	MW-10	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.0		
MW-10	May/Jun 1999	MW-10	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.0		
MW-10	Aug 1999	MW-10	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	21.0		
MW-10	Aug 1999	MW-10	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.0		
MW-10	Nov/Dec 1999	MW-10	0.5 U	3.3	0.9	0.6	0.5 U	0.5 U	0.5 U	0.9	21.0		
MW-10	Nov/Dec 1999	MW-10	0.5 U	3.7	1.1	0.6	0.5 U	0.5 U	0.5 U	0.9	21.0		
MW-10	Mar/Apr 2000	MW-10	0.5 U	2.0	2.1	1.0	0.5 U	0.5 U	0.5 U	0.9	9.0		
MW-10	Mar/Apr 2000	MW-10	0.5 U	2.0	2.2	1.1	0.5 U	0.5 U	0.5 U	0.9	9.1		
MW-10	Jul/Aug 2000	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-10	Jul/Aug 2000	MW-10	33.0	8.2	1.1	0.5 U	0.7	1.3	0.5	16.0	1500.0		
MW-10	Jul/Aug 2000	MW-10	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	15.0		
MW-10	Sep/Oct 2000	MW-10	53.0	8.0	2.2	0.5 U	0.6	3.5	0.7	20.0	1400.0		
MW-10	Sep/Oct 2000	DUP	0.6	20.0	1.0	0.6	0.5 U	0.5 U	0.5 U	1.7	32.0		
MW-10	Jan/Feb 2001	MW-10	0.5 U	0.6	1.6	0.9	0.5 U	0.5 U	0.5 U	1.0	5.0	Methylene chloride	0.3 J
MW-10	Apr 2001	MW-10	0.6	20.2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	1.9	39.0		
MW-10	Jul 2001	MW-10	0.4 J	11.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	24.0		
MW-10	Jul 2001	DUP	0.4 J	12.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	30.0		
MW-10	Oct 2001	MW-10	0.5 U	5.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	13.0		
MW-10	Oct 2001	DUP	0.5 U	5.7	0.5	0.5 J	0.5 U	0.5 U	0.5 U	0.7	12.8		
MW-10	Jan/Feb 2002	MW-10	0.5 U	3.0	2.9	0.9	0.5 U	0.5 U	0.5 U	1.1	4.0 U		
MW-10	Apr/May 2002	MW-10	0.5 U	3.6	1.7	0.6	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-10	Jul 2002	MW-10	0.5 U	8.4	1.2	0.9	0.5 U	0.5 U	0.5 U	1.0	13.0	Methylene chloride	0.5 J
MW-10	Oct/Nov 2002	MW-10	0.5 U	4.2	1.6	0.7	0.5 U	0.5 U	0.5 U	0.8	4.0 U	Methylene chloride	1.2 B
MW-10	Jan/Feb 2003	MW-10	0.2 U	2.8	1.5	0.5	0.5 U	0.5 U	0.5 U	0.6	3.5 J	1,4-Dioxane NDPHA	1.0 0.0 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	Apr/May 2003	MW-10	0.2 J	11.2	1.3	0.8	0.5 U	0.5 U	0.5 U	1.1	17.5	1,4-Dioxane 4-Methyl-2-pentanone	1.0 6.0 J
MW-10	Jul/Aug 2003	MW-10	0.3 J	12.3	0.9	0.6	0.5 U	0.5 U	0.5 U	1.3	43.6 J		
MW-10	Oct/Nov 2003	MW-10	0.5 U	10.8	1.5	0.9	0.5 U	0.5 U	0.5 U	1.2	21.9 J		
MW-10	Feb 2004	MW-10	0.5 U	4.9	1.7	0.8	0.5 U	0.5 U	0.5 U	0.9	5.1		
MW-10	Apr/May 2004	MW-10	0.5 U	13.4	2.0	1.1	0.5 U	0.5 U	0.5 U	1.3	13.5		
MW-10	Jul/Aug 2004	MW-10	0.5 U	14.6	1.5	0.9	0.5 U	0.5 U	0.5 U	1.3	25.3		
MW-10	Jul/Aug 2004	DUPE-6-3Q04	0.5 U	16.6	1.8	1.0	0.5 U	0.5 U	0.5 U	1.4	25.5		
MW-10	Oct/Nov 2004	MW-10	0.5 U	4.8	2.2	1.0	0.5 U	0.5 U	0.5 U	1.0	4.0 U	Toluene	0.4 J
MW-10	Oct/Nov 2004	DUP-6-11/18/04	0.5 U	4.5	2.2	0.9	0.5 U	0.5 U	0.5 U	0.9	4.0 U	Toluene	0.4 J
MW-10	Jan/Feb 2005	MW-10	1.3	17.5	1.5	0.8	0.5 U	0.5 U	0.5 U	1.4	71.6	Methylene chloride	0.7
MW-10	Apr/May 2005	MW-10	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.8	Bromodichloromethane	0.4 J
MW-10	Apr/May 2005	DUPE-9-2Q05	0.5 U	5.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	91.1	Bromodichloromethane	0.5 J
MW-10	Jul/Sep 2005	MW-10	0.5	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	108.0		
MW-10	Jul/Sep 2005	DUPE-7-3Q05	0.5 U	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	110.0		
MW-10	Oct/Nov 2005	MW-10	0.7	22.9	1.3	0.3 J	0.5 U	0.5 U	0.5 U	2.6	57.0		
MW-10	Mar/Apr 2006	MW-10	0.5 J	21.0	1.6	0.6	0.5 U	0.5 U	0.5 U	2.1	22.0	Toluene	0.3 J
MW-10	May/Jun 2006	MW-10	0.8	30.0	1.6	0.3 J	0.5 U	0.5 U	0.5 U	2.8	32.0	Toluene	0.9
MW-10	Aug/Sep 2006	MW-10	0.7	38.0	1.5	0.5	0.5 U	0.5 U	0.3 J	2.8	26.0		
MW-10	Oct/Dec 2006	MW-10	0.5 U	7.6	1.4	0.8	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-10	Oct/Dec 2006	DUPE-8-4Q06	0.5 U	7.7	1.4	0.7	0.5 U	0.5 U	0.5 U	0.9	5.6		
MW-10	Mar/Apr 2007	MW-10	0.5 U	3.1	1.2	0.7	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Toluene	0.8
MW-10	Jun/Jul 2007	MW-10	0.5 U	4.5	1.2	0.7	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Toluene	0.4 J
MW-10	Aug/Sep 2007	MW-10	0.5 U	3.7	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Toluene	0.4 J
MW-10	Oct/Dec 2007	MW-10	0.5 U	4.8	1.3	0.7	0.5 U	0.5 U	0.5 U	0.8	6.6 J	Toluene	0.8
MW-10	Oct/Dec 2007	DUPE-7-4Q07	0.5 U	4.6	1.3	0.6	0.5 U	0.5 U	0.5 U	0.8	4.0 J	Toluene	0.9
MW-10	Jan/Feb 2008	MW-10	0.5 U	2.5	1.1	0.6	0.5 U	0.5 U	0.5 U	0.7	3.6	Toluene	2.2
MW-10	Apr/May 2008	MW-10	0.5 U	4.6	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.8	6.1	Toluene	0.5 J
MW-10	Jul/Aug 2008	MW-10	0.5 U	3.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.6	Toluene	1.3
MW-10	Oct/Nov 2008	MW-10	0.5 U	2.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8	Toluene	1.2
MW-10	Jan/Feb 2009	MW-10	0.5 U	3.2	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-10	Jan/Feb 2009	DUPE-07-1Q09	0.5 U	3.1	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.4		
MW-10	Apr/May 2009	MW-10	0.5 U	1.9	1.2	0.5	0.5 U	0.5 U	0.5 U	0.7	2.7		
MW-10	Jul/Aug 2009	MW-10	0.5 U	2.3	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.7		
MW-10	Nov/Dec 2009	MW-10	0.5 U	4.3	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.2		
MW-10	Feb 2010	MW-10	0.5 U	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.5		
MW-10	Apr/May 2010	MW-10	0.5 U	3.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	43.9 J		
MW-10	Jul/Aug 2010	MW-10	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	52.8 J		
MW-10	Oct/Nov 2010	MW-10	0.5 U	3.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	75.9		
MW-10	Feb/Mar 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1		
MW-10	Feb/Mar 2011	DUPE-7-1Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-10	Apr/May 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Aug/Sep 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Nov/Dec 2011	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Jan/Feb 2012	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-10	Apr/May 2012	MW-10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-10	Aug/Sep 2012	MW-10	0.5 U	**1.3**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.7**		
MW-10	Nov 2012	MW-10	0.5 U	**5.6**	**0.7**	**0.1 J**	0.5 U	0.5 U	0.5 U	**1.0**	**5.1**		
MW-10	Jan/Feb 2013	MW-10	0.5 U	**6.8**	**0.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.1**	**9.6**		
MW-10	Apr/May 2013	MW-10	0.5 U	**7.4**	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.1**	**8.2**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-10	Jul 2013	MW-10	0.5 U	**9.8**	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.2**	**9.0**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.1 J** **0.3 J**
MW-10	Oct/Nov 2013	MW-10	0.5 U	**8.0**	**0.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.9**	**6.4**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-10	Oct/Nov 2013	DUPE-8-4Q13	0.5 U	**8.1**	**0.9**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.9**	**6.4**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.2 J** **0.3 J**
MW-10	Jan/Feb 2014	MW-10	0.5 U	**6.6**	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**3.4 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-10	Apr/May 2014	MW-10	0.5 U	**6.6**	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**4.2**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-10	Jul/Aug 2014	MW-10	0.5 U	**8.1**	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**3.7 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.3 J** **0.5 J**
MW-10	Oct 2014	MW-10	0.5 U	**7.7**	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**3.4 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.3 J** **0.4 J**
MW-10	Jan/Feb 2015	MW-10	0.5 U	**9.8**	**1.0**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**2.9 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.4 J** **0.6**
MW-10	Jan/Feb 2015	MW-10	0.5 UJ	**9.2**	**1.0**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**4.3 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.4 J** **0.6**
MW-10	April/May 2015	MW-10	0.5 U	**6.8**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**4.8**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-11 Screen 1	Aug/Sep 1996	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 1	Oct/Nov 1996	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Methyl-tert-butyl ether (MTBE)**	**7.1**
MW-11 Screen 1	Feb/Mar 1997	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 1	June/July 1997	MW-11-1	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 1	June/July 1997	MW-11-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-11 Screen 1	Sep/Oct 1997	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 1998	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Apr/May 1998	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Aug 1998	MW-11-1	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 1998	MW-11-1	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Feb/Mar 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 B**	0.5 U	4.0 U		
MW-11 Screen 1	May/Jun 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Aug 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 1	Nov/Dec 1999	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Mar/Apr 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Aug 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Sep/Oct 2000	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2001	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-11 Screen 1	Jul 2001	MW-11-1	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct 2001	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2002	MW-11-1	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Apr/May 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-11 Screen 1	Jul 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 1	Oct/Nov 2002	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**		
MW-11 Screen 1	Apr/May 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**6.0 J**
MW-11 Screen 1	Jul/Aug 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 2003	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Feb 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 1	Apr/May 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Aug 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 2004	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Apr/May 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Sep 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.5**
MW-11 Screen 1	Oct/Nov 2005	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0**
MW-11 Screen 1	Mar/Apr 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	May/Jun 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Aug/Sep 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Dec 2006	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Dec 2006	DUPE-4-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Mar/Apr 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-11 Screen 1	Jun/Jul 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Aug/Sep 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Oct/Dec 2007	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Jan/Feb 2008	DUPE-1-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Apr/May 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Jul/Aug 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 1	Oct/Nov 2008	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	1.0 U		
MW-11 Screen 1	Jan/Feb 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Apr/May 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Jul/Aug 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Nov/Dec 2009	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 1	Feb 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-11 Screen 1	Feb 2010	DUPE-4-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-11 Screen 1	Apr/May 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-11 Screen 1	Jul/Aug 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Oct/Nov 2010	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Feb/Mar 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Apr/May 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Aug/Sep 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Aug/Sep 2011	DUPE-06-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Nov/Dec 2011	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Jan/Feb 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Apr/May 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 1	Aug/Sep 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Nov 2012	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jan/Feb 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Apr/May 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Apr/May 2013	DUP-5-2Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct/Nov 2013	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 1	Jan/Feb 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 1	Apr/May 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Jul/Aug 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 1	Oct 2014	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 1	Jan/Feb 2015	MW-11-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 1	April/May 2015	MW-11-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11 Screen 2	Aug/Sep 1996	MW-11-2	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	NA		
MW-11 Screen 2	Oct/Nov 1996	MW-11-2	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	NA		
MW-11 Screen 2	Feb/Mar 1997	MW-11-2	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	NA		
MW-11 Screen 2	June/July 1997	MW-11-2	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	NA		
MW-11 Screen 2	June/July 1997	MW-11-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-11 Screen 2	Sep/Oct 1997	MW-11-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11 Screen 2	Jan/Feb 1998	MW-11-2	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 2	Apr/May 1998	MW-11-2	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 2	Jul/Aug 1998	MW-11-2	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11 Screen 2	Oct/Nov 1998	MW-11-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 2	Feb/Mar 1999	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	**1.1**	4.0 U		
MW-11 Screen 2	May/Jun 1999	MW-11-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 2	Aug 1999	MW-11-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11 Screen 2	Nov/Dec 1999	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11 Screen 2	Mar/Apr 2000	MW-11-2	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 2	Jul/Aug 2000	MW-11-2	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 2	Sep/Oct 2000	MW-11-2	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-11 Screen 2	Jan/Feb 2001	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 2	Jul 2001	MW-11-2	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11 Screen 2	Oct 2001	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-11 Screen 2	Jan/Feb 2002	MW-11-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-11 Screen 2	Apr/May 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U	**Methylene chloride**	**0.4 J**
MW-11 Screen 2	Jul 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct/Nov 2002	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11 Screen 2	Jan/Feb 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.6 J**		
MW-11 Screen 2	Apr/May 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**6.0 J**
MW-11 Screen 2	Jul/Aug 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct/Nov 2003	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Feb 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 2	Apr/May 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jul/Aug 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct/Nov 2004	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-11 Screen 2	Jan/Feb 2005	MW-11-2	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-11 Screen 2	Apr/May 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-11 Screen 2	Jul/Sep 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jul/Sep 2005	DUPE-4-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct/Nov 2005	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Mar/Apr 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Mar/Apr 2006	DUPE-7-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	May/Jun 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Aug/Sep 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Oct/Dec 2006	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Mar/Apr 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Jun/Jul 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Aug/Sep 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Oct/Dec 2007	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-11 Screen 2	Oct/Dec 2007	DUPE-2-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jan/Feb 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Apr/May 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Jul/Aug 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 2	Oct/Nov 2008	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Jan/Feb 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Apr/May 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Jul/Aug 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Nov/Dec 2009	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Feb 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Apr/May 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 2	Jul/Aug 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Oct/Nov 2010	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Feb/Mar 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Apr/May 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Aug/Sep 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Nov/Dec 2011	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Nov/Dec 2011	DUP-8-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Jan/Feb 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Apr/May 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 2	Aug/Sep 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 2	Nov 2012	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-11 Screen 2	Jan/Feb 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-11 Screen 2	Apr/May 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jul 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jul 2013	DUPE-6-3Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct/Nov 2013	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jan/Feb 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Apr/May 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jul/Aug 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Oct 2014	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	Jan/Feb 2015	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 2	April/May 2015	MW-11-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 3	Aug/Sep 1996	MW-11-3	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-11 Screen 3	Oct/Nov 1996	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	NA		
MW-11 Screen 3	Feb/Mar 1997	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	NA		
MW-11 Screen 3	June/July 1997	MW-11-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-11 Screen 3	June/July 1997	MW-11-3	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	NA		
MW-11 Screen 3	Sep/Oct 1997	MW-11-3	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-11 Screen 3	Jan/Feb 1998	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-11 Screen 3	Apr/May 1998	MW-11-3	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-11 Screen 3	Jul/Aug 1998	MW-11-3	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-11 Screen 3	Oct/Nov 1998	MW-11-3	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U		
MW-11 Screen 3	Feb/Mar 1999	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	0.5 U	4.0 U		
MW-11 Screen 3	May/Jun 1999	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Aug 1999	MW-11-3	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 3	Nov/Dec 1999	MW-11-3	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 3	Mar/Apr 2000	MW-11-3	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-11 Screen 3	Jul/Aug 2000	MW-11-3	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11 Screen 3	Sep/Oct 2000	MW-11-3	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11 Screen 3	Jan/Feb 2001	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Jul 2001	MW-11-3	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 3	Oct 2001	MW-11-3	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-11 Screen 3	Jan/Feb 2002	MW-11-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Apr/May 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-11 Screen 3	Jul 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Oct/Nov 2002	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Oct/Nov 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Jan/Feb 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1 J**		
MW-11 Screen 3	Apr/May 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**6.0 J**
MW-11 Screen 3	Jul/Aug 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Oct/Nov 2003	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**2.0 J** **1.4** **0.4 J**
MW-11 Screen 3	Feb 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 3	Apr/May 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Apr/May 2004	DUPE-5-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Jul/Aug 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.4 J** **0.3 J**
MW-11 Screen 3	Oct/Nov 2004	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Oct/Nov 2004	DUPE-5-4Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Jan/Feb 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Apr/May 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Apr/May 2005	DUPE-7-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Jul/Sep 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.6**
MW-11 Screen 3	Oct/Nov 2005	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 3	Mar/Apr 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	May/Jun 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	May/Jun 2006	DUPE-7-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Aug/Sep 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Oct/Dec 2006	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Mar/Apr 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Jun/Jul 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Aug/Sep 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Oct/Dec 2007	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Jan/Feb 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Apr/May 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Jul/Aug 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 3	Oct/Nov 2008	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jan/Feb 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Apr/May 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jul/Aug 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Nov/Dec 2009	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 3	Feb 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Apr/May 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jul/Aug 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jul/Aug 2010	DUPE-5-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Oct/Nov 2010	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Feb/Mar 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Apr/May 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-11 Screen 3	Aug/Sep 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Nov/Dec 2011	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Jan/Feb 2012	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Apr/May 2012	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 3	Aug/Sep 2012	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.2 J**
MW-11 Screen 3	Aug/Sep 2012	DUPE-3-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.2 J**
MW-11 Screen 3	Nov 2012	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene** **Toluene**	**0.2 J** **0.2 J** **0.1 J**
MW-11 Screen 3	Nov 2012	DUPE-4-4Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene** **Toluene**	**0.2 J** **0.2 J** **0.1 J**
MW-11 Screen 3	Jan/Feb 2013	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 3	Apr/May 2013	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 3	Jul 2013	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 3	Oct/Nov 2013	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 3	Jan/Feb 2014	MW-11-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U	**Styrene**	**0.2 J**
MW-11 Screen 3	Apr/May 2014	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 3	Jul/Aug 2014	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.3 J** **0.3 J**
MW-11 Screen 3	Oct 2014	MW-11-3	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 3	Jan/Feb 2015	MW-11-3	0.5 UJ	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.5 J**
MW-11 Screen 3	April/May 2015	MW-11-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 4	Aug/Sep 1996	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-11 Screen 4	Oct/Nov 1996	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 4	Feb/Mar 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 4	June/July 1997	MW-11-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-11 Screen 4	June/July 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 4	Sep/Oct 1997	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11 Screen 4	Apr/May 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11 Screen 4	Jul/Aug 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 4	Oct/Nov 1998	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11 Screen 4	Feb/Mar 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	0.5 U	4.0 U		
MW-11 Screen 4	May/Jun 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11 Screen 4	Aug 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-11 Screen 4	Nov/Dec 1999	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11 Screen 4	Mar/Apr 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-11 Screen 4	Jul/Aug 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11 Screen 4	Sep/Oct 2000	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-11 Screen 4	Jan/Feb 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Methylene chloride**	**0.6**
MW-11 Screen 4	Jul 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-11 Screen 4	Oct 2001	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 2002	MW-11-4	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-11 Screen 4	Apr/May 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-11 Screen 4	Jul 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Oct/Nov 2002	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		
MW-11 Screen 4	Apr/May 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**7.0 J**
MW-11 Screen 4	Jul/Aug 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**0.3 J**
MW-11 Screen 4	Oct/Nov 2003	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Feb 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 4	Feb 2004	DUPE-5-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-11 Screen 4	Apr/May 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jul/Aug 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jul/Aug 2004	DUPE-3-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Oct/Nov 2004	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jan/Feb 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-11 Screen 4	Apr/May 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Jul/Sep 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Oct/Nov 2005	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 4	Mar/Apr 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	May/Jun 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Aug/Sep 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Oct/Dec 2006	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Mar/Apr 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jun/Jul 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Aug/Sep 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**0.4 J**
MW-11 Screen 4	Oct/Dec 2007	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Jan/Feb 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Apr/May 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Jul/Aug 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 4	Jul/Aug 2008	DUPE-06-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 4	Oct/Nov 2008	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Oct/Nov 2008	DUPE-07-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jan/Feb 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-11 Screen 4	Apr/May 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jul/Aug 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Nov/Dec 2009	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-11 Screen 4	Feb 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Apr/May 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-11 Screen 4	Jul/Aug 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Oct/Nov 2010	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Feb/Mar 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Apr/May 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Aug/Sep 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Nov/Dec 2011	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jan/Feb 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Jan/Feb 2012	DUPE-2-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Apr/May 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 4	Aug/Sep 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8 J** **0.2 J**
MW-11 Screen 4	Nov 2012	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene** **Toluene**	**0.4 J** **0.1 J**
MW-11 Screen 4	Jan/Feb 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11 Screen 4	Apr/May 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11 Screen 4	Jul 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11 Screen 4	Oct/Nov 2013	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11 Screen 4	Jan/Feb 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11 Screen 4	Apr/May 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.2 J**
MW-11 Screen 4	Jul/Aug 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 4	Oct 2014	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.1 J**
MW-11 Screen 4	Jan/Feb 2015	MW-11-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 4	April/May 2015	MW-11-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.2 J**
MW-11 Screen 5	Aug/Sep 1996	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	Oct/Nov 1996	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	Feb/Mar 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	June/July 1997	MW-11-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-11 Screen 5	June/July 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-11 Screen 5	Sep/Oct 1997	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jan/Feb 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-11 Screen 5	Apr/May 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jul/Aug 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Oct/Nov 1998	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Feb/Mar 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 B**	0.5 U	4.0 U		
MW-11 Screen 5	May/Jun 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Nov/Dec 1999	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jul/Aug 2000	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jan/Feb 2001	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**2-Butanone** **Methyl-tert-butyl ether (MTBE)**	**1.0 J** **0.3 J**
MW-11 Screen 5	Jul 2001	MW-11-5	NA	NA	NA	NA	NA	NA	0.5 U	NA	NA		
MW-11 Screen 5	Jan/Feb 2002	MW-11-5	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Apr/May 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**7.0 J**
MW-11 Screen 5	Oct/Nov 2003	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Apr/May 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.6**
MW-11 Screen 5	Oct/Nov 2004	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Apr/May 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	Oct/Nov 2005	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-11 Screen 5	Oct/Nov 2005	DUPE-6-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-11 Screen 5	May/Jun 2006	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 5	Oct/Dec 2006	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 5	Jun/Jul 2007	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 5	Oct/Dec 2007	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 5	Apr/May 2008	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-11 Screen 5	Oct/Nov 2008	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 5	Apr/May 2009	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 5	Nov/Dec 2009	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-11 Screen 5	Apr/May 2010	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.5**		
MW-11 Screen 5	Oct/Nov 2010	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 5	Apr/May 2011	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 5	Nov/Dec 2011	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 5	Apr/May 2012	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-11 Screen 5	Nov 2012	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 5	Apr/May 2013	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11 Screen 5	Oct/Nov 2013	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-11 Screen 5	Apr/May 2014	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 5	Oct 2014	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-11 Screen 5	April/May 2015	MW-11-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-12 Screen 1	Aug/Sep 1996	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	NA		
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	NA		
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 1	June/July 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-12 Screen 1	June/July 1997	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-12 Screen 1	June/July 1997	MW-12-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-12 Screen 1	June/July 1997	MW-12-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-12 Screen 1	Jan/Feb 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-12 Screen 1	Apr/May 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul/Aug 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 1998	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Feb/Mar 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	May/Jun 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Aug 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Nov/Dec 1999	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Mar/Apr 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul/Aug 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Sep/Oct 2000	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-12 Screen 1	Jul 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct 2001	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-12 Screen 1	Apr/May 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-12 Screen 1	Jul 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2002	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**	**1,3-Dichloropropane**	**0.6**
MW-12 Screen 1	Apr/May 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**8.0 J**
MW-12 Screen 1	Jul/Aug 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2003	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2003	DUPE-4-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Feb 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Apr/May 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul/Aug 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2004	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Apr/May 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul/Sep 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 1,2,3-Trichloropropane	0.0 U 0.5 U
MW-12 Screen 1	Oct/Nov 2005	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-12 Screen 1	Mar/Apr 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Mar/Apr 2006	DUPE-6-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	May/Jun 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Aug/Sep 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Oct/Dec 2006	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 1	Mar/Apr 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Jun/Jul 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Jun/Jul 2007	DUPE-5-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Aug/Sep 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Oct/Dec 2007	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-12 Screen 1	Jan/Feb 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Apr/May 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 1	Jul/Aug 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Oct/Nov 2008	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Jan/Feb 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Apr/May 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-12 Screen 1	Jul/Aug 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**		
MW-12 Screen 1	Nov/Dec 2009	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-12 Screen 1	Feb 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Apr/May 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-12 Screen 1	Jul/Aug 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	1.0 U		
MW-12 Screen 1	Oct/Nov 2010	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Feb/Mar 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Apr/May 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Aug/Sep 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Nov/Dec 2011	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Jan/Feb 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Apr/May 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 1	Aug/Sep 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Aug/Sep 2012	DUPE-5-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Nov 2012	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jan/Feb 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Apr/May 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Jul 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 1	Oct/Nov 2013	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.2 J**
MW-12 Screen 1	Jan/Feb 2014	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.3 J**
MW-12 Screen 1	Apr/May 2014	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.2 J**
MW-12 Screen 1	Apr/May 2014	DUP-4-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.2 J**
MW-12 Screen 1	Jan/Feb 2015	MW-12-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.3 J**
MW-12 Screen 1	April/May 2015	MW-12-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Trichlorofluoromethane**	**0.1 J**
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-12 Screen 2	Oct/Nov 1996	MW-12-2	**1.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	0.5 U	NA		
MW-12 Screen 2	Feb/Mar 1997	MW-12-2	**1.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-12 Screen 2	June/July 1997	MW-12-2	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	NA		
MW-12 Screen 2	June/July 1997	MW-12-2	NA	NA	NA	NA	NA	NA	NA	NA	**6.9**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 2	Sep/Oct 1997	MW-12-2	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**5.8**		
MW-12 Screen 2	Jan/Feb 1998	MW-12-2	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**5.7**		
MW-12 Screen 2	Jan/Feb 1998	MW-12-2	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**6.3**		
MW-12 Screen 2	Apr/May 1998	MW-12-2	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**6.0**		
MW-12 Screen 2	Apr/May 1998	MW-12-2	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**5.7**		
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.5**		
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**5.1**		
MW-12 Screen 2	Oct/Nov 1998	MW-12-2	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**4.2**		
MW-12 Screen 2	Oct/Nov 1998	MW-12-2	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.6**		
MW-12 Screen 2	Feb/Mar 1999	MW-12-2	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**4.6**		
MW-12 Screen 2	Feb/Mar 1999	MW-12-2	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.1**		
MW-12 Screen 2	May/Jun 1999	MW-12-2	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**5.0**	**Methylene chloride**	**0.6**
MW-12 Screen 2	May/Jun 1999	MW-12-2	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**5.0**	**Methylene chloride**	**0.8**
MW-12 Screen 2	Aug 1999	MW-12-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Aug 1999	MW-12-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12 Screen 2	Nov/Dec 1999	MW-12-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Nov/Dec 1999	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Mar/Apr 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Mar/Apr 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul/Aug 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul/Aug 2000	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Sep/Oct 2000	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Sep/Oct 2000	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct 2001	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2002	MW-12-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-12 Screen 2	Jan/Feb 2002	DUP	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**2.6**
MW-12 Screen 2	Apr/May 2002	MW-12-2	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-12 Screen 2	Jul 2002	MW-12-2	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct/Nov 2002	MW-12-2	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jan/Feb 2003	MW-12-2	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**	**1,3-Dichloropropane**	**0.5**
MW-12 Screen 2	Jan/Feb 2003	DUPE-4-1Q03	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**	**1,3-Dichloropropane**	**0.6**
MW-12 Screen 2	Apr/May 2003	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**	**4-Methyl-2-pentanone**	**5.0 J**
MW-12 Screen 2	Jul/Aug 2003	MW-12-2	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4 J**		
MW-12 Screen 2	Oct/Nov 2003	MW-12-2	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Feb 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Apr/May 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Jul/Aug 2004	MW-12-2	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct/Nov 2004	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 2	Jan/Feb 2005	MW-12-2	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8 J**	**m,p-Xylene**	**0.3 J**
MW-12 Screen 2	Apr/May 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-12 Screen 2	Jul/Sep 2005	MW-12-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**	1,2,3-Trichloropropane 1,2,3-Trichloropropane	0.5 U 0.0 U
MW-12 Screen 2	Oct/Nov 2005	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.6**
MW-12 Screen 2	Mar/Apr 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	May/Jun 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Aug/Sep 2006	MW-12-2	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Oct/Dec 2006	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 2	Mar/Apr 2007	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-12 Screen 2	Jun/Jul 2007	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-12 Screen 2	Aug/Sep 2007	MW-12-2	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 2	Oct/Dec 2007	MW-12-2	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 2	Jan/Feb 2008	MW-12-2	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-12 Screen 2	Apr/May 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-12 Screen 2	Jul/Aug 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-12 Screen 2	Jul/Aug 2008	DUPE-7-3Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-12 Screen 2	Oct/Nov 2008	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-12 Screen 2	Jan/Feb 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-12 Screen 2	Apr/May 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-12 Screen 2	Jul/Aug 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-12 Screen 2	Jul/Aug 2009	DUPE-7-3Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-12 Screen 2	Nov/Dec 2009	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-12 Screen 2	Feb 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-12 Screen 2	Apr/May 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		
MW-12 Screen 2	Apr/May 2010	DUPE-03-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-12 Screen 2	Jul/Aug 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-12 Screen 2	Oct/Nov 2010	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1 J**		
MW-12 Screen 2	Feb/Mar 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**		
MW-12 Screen 2	Apr/May 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**		
MW-12 Screen 2	Aug/Sep 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1 J**		
MW-12 Screen 2	Nov/Dec 2011	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**		
MW-12 Screen 2	Jan/Feb 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**		
MW-12 Screen 2	Apr/May 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.7**		
MW-12 Screen 2	Aug/Sep 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.1**		
MW-12 Screen 2	Nov 2012	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7**		
MW-12 Screen 2	Jan/Feb 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.9 U		
MW-12 Screen 2	Apr/May 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**		
MW-12 Screen 2	Apr/May 2013	DUP-4-2Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.7**	**Trichlorofluoromethane**	**0.2 J**
MW-12 Screen 2	Jul 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**	**Styrene**	**0.1 J**
MW-12 Screen 2	Oct/Nov 2013	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 2	Jan/Feb 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-12 Screen 2	Apr/May 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9 J**		
MW-12 Screen 2	Jul/Aug 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-12 Screen 2	Oct 2014	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-12 Screen 2	Jan/Feb 2015	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-12 Screen 2	April/May 2015	MW-12-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-12 Screen 3	Aug/Sep 1996	MW-12-3	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-12 Screen 3	Oct/Nov 1996	MW-12-3	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-12 Screen 3	Feb/Mar 1997	MW-12-3	**6.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	NA		
MW-12 Screen 3	June/July 1997	MW-12-3	**20.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	NA		
MW-12 Screen 3	June/July 1997	MW-12-3	NA	NA	NA	NA	NA	NA	NA	NA	**5.7**		
MW-12 Screen 3	Sep/Oct 1997	MW-12-3	**14.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**6.2**		
MW-12 Screen 3	Jan/Feb 1998	MW-12-3	**23.0 E**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**5.9**		
MW-12 Screen 3	Apr/May 1998	MW-12-3	**25.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**6.9**		
MW-12 Screen 3	Jul/Aug 1998	MW-12-3	**35.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**6.6**		
MW-12 Screen 3	Oct/Nov 1998	MW-12-3	**27.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**6.9**		
MW-12 Screen 3	Feb/Mar 1999	MW-12-3	**23.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	4.0 U		
MW-12 Screen 3	May/Jun 1999	MW-12-3	**19.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**8.7**		
MW-12 Screen 3	Aug 1999	MW-12-3	**19.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U		
MW-12 Screen 3	Nov/Dec 1999	MW-12-3	**23.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**8.5**		
MW-12 Screen 3	Mar/Apr 2000	MW-12-3	**17.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**8.2**		
MW-12 Screen 3	Jul/Aug 2000	MW-12-3	**16.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**6.9**		
MW-12 Screen 3	Sep/Oct 2000	MW-12-3	**11.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**7.1**		
MW-12 Screen 3	Jan/Feb 2001	MW-12-3	**2.0 J**	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	**2-Butanone**	**2.0 J**
MW-12 Screen 3	Jul 2001	MW-12-3	**10.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U		
MW-12 Screen 3	Oct 2001	MW-12-3	**5.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**6.2**		
MW-12 Screen 3	Jan/Feb 2002	MW-12-3	**4.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-12 Screen 3	Apr/May 2002	MW-12-3	**4.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U	**Methylene chloride**	**0.5 J**
MW-12 Screen 3	Apr/May 2002	DUP	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U	**Methylene chloride**	**0.5 J**
MW-12 Screen 3	Jul 2002	MW-12-3	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**	4.0 U		
MW-12 Screen 3	Jul 2002	DUP	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	4.0 U		
MW-12 Screen 3	Oct/Nov 2002	MW-12-3	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U		
MW-12 Screen 3	Jan/Feb 2003	MW-12-3	**9.2**	**0.5**	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	**1.7**	**1.8 J**	**1,2,3-Trichloropropane** **1,4-Dioxane** **Methylene chloride** **Total Trihalomethanes** **TPH - Gasoline**	**0.0** **1.7** **0.4 J** **5.8** **40.0 J**
MW-12 Screen 3	Apr/May 2003	MW-12-3	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**2.8 J**		
MW-12 Screen 3	Apr/May 2003	DUPE-6-2Q03	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**3.4 J**	**4-Methyl-2-pentanone**	**4.0 J**
MW-12 Screen 3	Jul/Aug 2003	MW-12-3	**5.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**2.8 J**		
MW-12 Screen 3	Oct/Nov 2003	MW-12-3	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 3	Feb 2004	MW-12-3	3.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U		
MW-12 Screen 3	Apr/May 2004	MW-12-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	4.0 U		
MW-12 Screen 3	Jul/Aug 2004	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	4.0 U		
MW-12 Screen 3	Oct/Nov 2004	MW-12-3	2.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4	4.0 U		
MW-12 Screen 3	Jan/Feb 2005	MW-12-3	4.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	4.0 U	m,p-Xylene	0.4 J
MW-12 Screen 3	Apr/May 2005	MW-12-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.6 J		
MW-12 Screen 3	Jul/Sep 2005	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9 J	1,2,3-Trichloropropane	0.0
MW-12 Screen 3	Oct/Nov 2005	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	4.0 U	Methylene chloride	1.1
MW-12 Screen 3	Mar/Apr 2006	MW-12-3	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.0 U		
MW-12 Screen 3	May/Jun 2006	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.0 U		
MW-12 Screen 3	Aug/Sep 2006	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.0 U		
MW-12 Screen 3	Oct/Dec 2006	MW-12-3	2.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	2.1		
MW-12 Screen 3	Mar/Apr 2007	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	2.0 U		
MW-12 Screen 3	Jun/Jul 2007	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	2.0 U		
MW-12 Screen 3	Aug/Sep 2007	MW-12-3	1.2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5	2.0 U		
MW-12 Screen 3	Oct/Dec 2007	MW-12-3	3.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	4.0		
MW-12 Screen 3	Jan/Feb 2008	MW-12-3	0.3 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2	2.0 U		
MW-12 Screen 3	Apr/May 2008	MW-12-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.0 U		
MW-12 Screen 3	Jul/Aug 2008	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	1.0 U		
MW-12 Screen 3	Oct/Nov 2008	MW-12-3	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	1.0 U		
MW-12 Screen 3	Jan/Feb 2009	MW-12-3	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	1.0 U		
MW-12 Screen 3	Apr/May 2009	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	1.0 U		
MW-12 Screen 3	Apr/May 2009	DUPE-07-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	1.0 U		
MW-12 Screen 3	Jul/Aug 2009	MW-12-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-12 Screen 3	Nov/Dec 2009	MW-12-3	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	3.2		
MW-12 Screen 3	Nov/Dec 2009	DUPE-06-4Q09	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	3.1		
MW-12 Screen 3	Feb 2010	MW-12-3	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7	1.0 U		
MW-12 Screen 3	Apr/May 2010	MW-12-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.3		
MW-12 Screen 3	Jul/Aug 2010	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.4		
MW-12 Screen 3	Oct/Nov 2010	MW-12-3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	1.8 J		
MW-12 Screen 3	Oct/Nov 2010	DUPE-05-4Q10	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	1.6 J		
MW-12 Screen 3	Feb/Mar 2011	MW-12-3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.9		
MW-12 Screen 3	Apr/May 2011	MW-12-3	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.2		
MW-12 Screen 3	Aug/Sep 2011	MW-12-3	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.3 J		
MW-12 Screen 3	Nov/Dec 2011	MW-12-3	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.4		
MW-12 Screen 3	Jan/Feb 2012	MW-12-3	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	5.5		
MW-12 Screen 3	Apr/May 2012	MW-12-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.1		
MW-12 Screen 3	Aug/Sep 2012	MW-12-3	1.0	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.1		
MW-12 Screen 3	Nov 2012	MW-12-3	0.7	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.5 J		
MW-12 Screen 3	Jan/Feb 2013	MW-12-3	0.8	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.9 U		
MW-12 Screen 3	Apr/May 2013	MW-12-3	0.5	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 3	Jul 2013	MW-12-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	Styrene	0.1 J
MW-12 Screen 3	Oct/Nov 2013	MW-12-3	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.5		
MW-12 Screen 3	Jan/Feb 2014	MW-12-3	0.5 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	1.8 J	Styrene	0.1 J
MW-12 Screen 3	Apr/May 2014	MW-12-3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.0 J		
MW-12 Screen 3	Jul/Aug 2014	MW-12-3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.3 J		
MW-12 Screen 3	Oct 2014	MW-12-3	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.9	0.7 J		
MW-12 Screen 3	Oct 2014	DUP-7-4Q14	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	1.2 J		
MW-12 Screen 3	Jan/Feb 2015	MW-12-3	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U		
MW-12 Screen 3	April/May 2015	MW-12-3	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.0 U	Styrene	0.1 J
MW-12 Screen 4	Aug/Sep 1996	MW-12-4	6.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA		
MW-12 Screen 4	Oct/Nov 1996	MW-12-4	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	NA		
MW-12 Screen 4	Feb/Mar 1997	MW-12-4	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-12 Screen 4	June/July 1997	MW-12-4	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	NA		
MW-12 Screen 4	June/July 1997	MW-12-4	NA	NA	NA	NA	NA	NA	NA	NA	7.3		
MW-12 Screen 4	Sep/Oct 1997	MW-12-4	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	7.6		
MW-12 Screen 4	Jan/Feb 1998	MW-12-4	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	8.0		
MW-12 Screen 4	Apr/May 1998	MW-12-4	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	8.0		
MW-12 Screen 4	Jul/Aug 1998	MW-12-4	5.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	6.0		
MW-12 Screen 4	Oct/Nov 1998	MW-12-4	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.7		
MW-12 Screen 4	Feb/Mar 1999	MW-12-4	4.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.0		
MW-12 Screen 4	May/Jun 1999	MW-12-4	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	9.1		
MW-12 Screen 4	Aug 1999	MW-12-4	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	9.2		
MW-12 Screen 4	Nov/Dec 1999	MW-12-4	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	8.5		
MW-12 Screen 4	Mar/Apr 2000	MW-12-4	5.3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	8.7		
MW-12 Screen 4	Jul/Aug 2000	MW-12-4	4.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	8.1		
MW-12 Screen 4	Sep/Oct 2000	MW-12-4	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	7.9		
MW-12 Screen 4	Jan/Feb 2001	MW-12-4	3.0	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	6.0		
MW-12 Screen 4	Jul 2001	MW-12-4	3.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0 U		
MW-12 Screen 4	Oct 2001	MW-12-4	2.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 4	Jan/Feb 2002	MW-12-4	3.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	4.0	Methylene chloride	1.5
MW-12 Screen 4	Apr/May 2002	MW-12-4	3.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	4.0 U	Methylene chloride	0.5 J
MW-12 Screen 4	Jul 2002	MW-12-4	2.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-12 Screen 4	Oct/Nov 2002	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-12 Screen 4	Jan/Feb 2003	MW-12-4	2.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	1.9 J		
MW-12 Screen 4	Apr/May 2003	MW-12-4	1.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.6 J		
MW-12 Screen 4	Jul/Aug 2003	MW-12-4	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.6		
MW-12 Screen 4	Oct/Nov 2003	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8 J		
MW-12 Screen 4	Feb 2004	MW-12-4	2.2	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U		
MW-12 Screen 4	Apr/May 2004	MW-12-4	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.4		
MW-12 Screen 4	Apr/May 2004	DUPE-4-2Q04	2.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.5		
MW-12 Screen 4	Jul/Aug 2004	MW-12-4	3.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 4	Oct/Nov 2004	MW-12-4	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.6		
MW-12 Screen 4	Oct/Nov 2004	DUPE-4-4Q04	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-12 Screen 4	Jan/Feb 2005	MW-12-4	2.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	6.6	m,p-Xylene	0.5 J
MW-12 Screen 4	Apr/May 2005	MW-12-4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	5.0	m,p-Xylene	0.3 J
MW-12 Screen 4	Jul/Sep 2005	MW-12-4	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.6 J	1,2,3-Trichloropropane	0.0
MW-12 Screen 4	Oct/Nov 2005	MW-12-4	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J	Methylene chloride	0.7
MW-12 Screen 4	Mar/Apr 2006	MW-12-4	2.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.5		
MW-12 Screen 4	May/Jun 2006	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.4		
MW-12 Screen 4	Aug/Sep 2006	MW-12-4	2.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.7		
MW-12 Screen 4	Oct/Dec 2006	MW-12-4	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-12 Screen 4	Mar/Apr 2007	MW-12-4	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.2		
MW-12 Screen 4	Jun/Jul 2007	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.5 J		
MW-12 Screen 4	Aug/Sep 2007	MW-12-4	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.0 U		
MW-12 Screen 4	Oct/Dec 2007	MW-12-4	1.5	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.2		
MW-12 Screen 4	Jan/Feb 2008	MW-12-4	1.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	4.2		
MW-12 Screen 4	Apr/May 2008	MW-12-4	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5		
MW-12 Screen 4	Jul/Aug 2008	MW-12-4	1.8 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.9		
MW-12 Screen 4	Oct/Nov 2008	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.9 J		
MW-12 Screen 4	Jan/Feb 2009	MW-12-4	1.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.3		
MW-12 Screen 4	Apr/May 2009	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0		
MW-12 Screen 4	Jul/Aug 2009	MW-12-4	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.7		
MW-12 Screen 4	Nov/Dec 2009	MW-12-4	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.9		
MW-12 Screen 4	Feb 2010	MW-12-4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8		
MW-12 Screen 4	Apr/May 2010	MW-12-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-12 Screen 4	Jul/Aug 2010	MW-12-4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.5		
MW-12 Screen 4	Jul/Aug 2010	DUPE-6-3Q10	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6		
MW-12 Screen 4	Oct/Nov 2010	MW-12-4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.3 J		
MW-12 Screen 4	Feb/Mar 2011	MW-12-4	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5		
MW-12 Screen 4	Feb/Mar 2011	DUPE-06-1Q11	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.4		
MW-12 Screen 4	Apr/May 2011	MW-12-4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.8		
MW-12 Screen 4	Aug/Sep 2011	MW-12-4	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.5 J		
MW-12 Screen 4	Nov/Dec 2011	MW-12-4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.9		
MW-12 Screen 4	Jan/Feb 2012	MW-12-4	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.2		
MW-12 Screen 4	Apr/May 2012	MW-12-4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.9		
MW-12 Screen 4	Aug/Sep 2012	MW-12-4	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.3		
MW-12 Screen 4	Nov 2012	MW-12-4	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.7 J		
MW-12 Screen 4	Jan/Feb 2013	MW-12-4	0.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.7 J	Styrene	0.1 J
MW-12 Screen 4	Apr/May 2013	MW-12-4	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6 J		
MW-12 Screen 4	Jul 2013	MW-12-4	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	3.2 J		
MW-12 Screen 4	Oct/Nov 2013	MW-12-4	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.3 J		
MW-12 Screen 4	Jan/Feb 2014	MW-12-4	0.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.5 J	Styrene	0.1 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 4	Apr/May 2014	MW-12-4	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12 Screen 4	Jul/Aug 2014	MW-12-4	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.9 J**		
MW-12 Screen 4	Oct 2014	MW-12-4	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.2 J**		
MW-12 Screen 4	Jan/Feb 2015	MW-12-4	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**2.6 J**		
MW-12 Screen 4	April/May 2015	MW-12-4	**2.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**2.5 J**		
MW-12 Screen 4	April/May 2015	DUP-5-2Q15	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.3 J**		
MW-12 Screen 5	Aug/Sep 1996	MW-12-5	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	NA		
MW-12 Screen 5	Oct/Nov 1996	MW-12-5	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-12 Screen 5	Feb/Mar 1997	MW-12-5	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-12 Screen 5	June/July 1997	MW-12-5	NA	NA	NA	NA	NA	NA	NA	NA	**4.1**		
MW-12 Screen 5	June/July 1997	MW-12-5	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-12 Screen 5	Sep/Oct 1997	MW-12-5	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Jan/Feb 1998	MW-12-5	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Apr/May 1998	MW-12-5	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12 Screen 5	Jul/Aug 1998	MW-12-5	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12 Screen 5	Oct/Nov 1998	MW-12-5	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12 Screen 5	Feb/Mar 1999	MW-12-5	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-12 Screen 5	May/Jun 1999	MW-12-5	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-12 Screen 5	Aug 1999	MW-12-5	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-12 Screen 5	Nov/Dec 1999	MW-12-5	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-12 Screen 5	Mar/Apr 2000	MW-12-5	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.7**		
MW-12 Screen 5	Jul/Aug 2000	MW-12-5	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.0**		
MW-12 Screen 5	Sep/Oct 2000	MW-12-5	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**4.1**		
MW-12 Screen 5	Jan/Feb 2001	MW-12-5	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U	**2-Butanone**	**3.0 J**
MW-12 Screen 5	Jan/Feb 2001	DUP	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Jul 2001	MW-12-5	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-12 Screen 5	Oct 2001	MW-12-5	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Jan/Feb 2002	MW-12-5	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Apr/May 2002	MW-12-5	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Methylene chloride**	**0.4 J**
MW-12 Screen 5	Jul 2002	MW-12-5	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Oct/Nov 2002	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Jan/Feb 2003	MW-12-5	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	**2.0 J**		
MW-12 Screen 5	Apr/May 2003	MW-12-5	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.2 J**	**4-Methyl-2-pentanone**	**7.0 J**
MW-12 Screen 5	Jul/Aug 2003	MW-12-5	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-12 Screen 5	Oct/Nov 2003	MW-12-5	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Feb 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Feb 2004	DUPE-6-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Apr/May 2004	MW-12-5	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-12 Screen 5	Jul/Aug 2004	MW-12-5	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-12 Screen 5	Oct/Nov 2004	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-12 Screen 5	Jan/Feb 2005	MW-12-5	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.9 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 5	Apr/May 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-12 Screen 5	Jul/Sep 2005	MW-12-5	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**	**1,2,3-Trichloropropane**	**0.0**
MW-12 Screen 5	Oct/Nov 2005	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Methylene chloride** **Styrene**	**0.5 J** **1.1** **0.5 J**
MW-12 Screen 5	Mar/Apr 2006	MW-12-5	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**m,p-Xylene**	**0.4 J**
MW-12 Screen 5	May/Jun 2006	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Aug/Sep 2006	MW-12-5	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.0 U		
MW-12 Screen 5	Oct/Dec 2006	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Mar/Apr 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Jun/Jul 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Aug/Sep 2007	MW-12-5	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Oct/Dec 2007	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-12 Screen 5	Jan/Feb 2008	MW-12-5	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.1**		
MW-12 Screen 5	Apr/May 2008	MW-12-5	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.6**		
MW-12 Screen 5	Jul/Aug 2008	MW-12-5	**1.0 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**1.9**		
MW-12 Screen 5	Oct/Nov 2008	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-12 Screen 5	Jan/Feb 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-12 Screen 5	Apr/May 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-12 Screen 5	Jul/Aug 2009	MW-12-5	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-12 Screen 5	Nov/Dec 2009	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**		
MW-12 Screen 5	Feb 2010	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-12 Screen 5	Apr/May 2010	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-12 Screen 5	Jul/Aug 2010	MW-12-5	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.2**		
MW-12 Screen 5	Oct/Nov 2010	MW-12-5	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-12 Screen 5	Feb/Mar 2011	MW-12-5	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-12 Screen 5	Apr/May 2011	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-12 Screen 5	Aug/Sep 2011	MW-12-5	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6 J**		
MW-12 Screen 5	Nov/Dec 2011	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-12 Screen 5	Jan/Feb 2012	MW-12-5	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-12 Screen 5	Apr/May 2012	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-12 Screen 5	Aug/Sep 2012	MW-12-5	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.4 J**		
MW-12 Screen 5	Nov 2012	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 J**		
MW-12 Screen 5	Jan/Feb 2013	MW-12-5	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	1.9 U		
MW-12 Screen 5	Apr/May 2013	MW-12-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.9 J**		
MW-12 Screen 5	Jul 2013	MW-12-5	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.1 J**		
MW-12 Screen 5	Oct/Nov 2013	MW-12-5	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.3 J**		
MW-12 Screen 5	Jan/Feb 2014	MW-12-5	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**	**Styrene**	**0.1 J**
MW-12 Screen 5	Apr/May 2014	MW-12-5	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-12 Screen 5	Jul/Aug 2014	MW-12-5	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.0 J**	**Styrene**	**0.1 J**
MW-12 Screen 5	Oct 2014	MW-12-5	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.5 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-12 Screen 5	Jan/Feb 2015	MW-12-5	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4	2.1 J		
MW-12 Screen 5	April/May 2015	MW-12-5	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	2.5 J	Styrene	0.1 J
MW-13	Aug/Sep 1996	MW-13	21.0	47.0	0.6	0.5 U	2.5	1.5	0.7	21.0	NA		
MW-13	Oct/Nov 1996	MW-13	22.0	24.0	0.5 U	0.5 U	1.8	1.9	0.7	12.0	NA		
MW-13	Oct/Nov 1996	MW-13	27.0	27.0	0.5 U	0.5 U	1.9	1.5	0.6	14.0	NA		
MW-13	Feb/Mar 1997	MW-13	18.0	29.0	0.5 U	0.5 U	0.9	1.0	0.6	9.4	NA		
MW-13	Feb/Mar 1997	MW-13	18.0	28.0	0.5 U	0.5 U	0.9	1.1	0.6	9.2	NA		
MW-13	June/July 1997	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	130.0		
MW-13	June/July 1997	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	130.0		
MW-13	June/July 1997	MW-13	6.4	24.0 E	0.5 U	0.5 U	0.9	0.5	0.5 U	11.0	NA		
MW-13	June/July 1997	MW-13	6.6	21.0	0.5 U	0.5 U	0.9	0.5 U	0.5 U	11.0	NA		
MW-13	Sep/Oct 1997	MW-13	8.2	19.0	0.5 U	0.5 U	1.1	0.5	0.5 U	10.0	210.0		
MW-13	Sep/Oct 1997	MW-13	8.0	16.0	0.5 U	0.5 U	1.1	0.5	0.5 U	11.0	280.0		
MW-13	Jan/Feb 1998	MW-13	11.0	4.7	0.5	0.5 U	0.5 U	0.5	0.5 U	2.8	97.0	Trichlorofluoromethane	1.5
MW-13	Jan/Feb 1998	MW-13	12.0	5.2	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.9	99.0	Trichlorofluoromethane	1.8
MW-13	Apr/May 1998	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-13	Apr/May 1998	MW-13	12.0	17.0	0.6	0.5 U	0.5 U	0.9	0.6	5.7	100.0		
MW-13	Apr/May 1998	MW-13	13.0	17.0	0.5	0.5 U	0.5 U	0.8	0.6	5.2	95.0		
MW-13	Jul/Aug 1998	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-13	Jul/Aug 1998	MW-13	14.0	28.0	0.6	0.5 U	0.5 U	1.2	0.7	7.7	59.0	1,1,1-Trichloroethane	0.5
MW-13	Jul/Aug 1998	MW-13	15.0	29.0	0.6	0.5 U	0.5 U	1.1	0.7	7.5	57.0	Methylene chloride	0.5
MW-13	Jul/Aug 1998	MW-13	14.0	28.0	0.6	0.5 U	0.5 U	1.2	0.7	7.7	59.0	Methylene chloride	1.0
MW-13	Oct/Nov 1998	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-13	Oct/Nov 1998	MW-13	9.0	19.0	0.5 U	0.5 U	0.5 U	0.9	0.6	9.1	85.0		
MW-13	Oct/Nov 1998	MW-13	9.0	20.0	0.5 U	0.5 U	0.5 U	1.1	0.5	9.3	86.0		
MW-13	Feb/Mar 1999	MW-13	9.4	28.0	0.5 U	0.5 U	0.7	0.7	0.5 U	11.0	98.0		
MW-13	Feb/Mar 1999	MW-13	8.4	29.0	0.5 U	0.5 U	0.6	0.6	0.5 U	9.8	98.0		
MW-13	Feb/Mar 1999	MW-13	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-13	May/Jun 1999	MW-13	9.1	41.0	0.6	0.5 U	0.5	0.8	0.9	9.4	120.0		
MW-13	May/Jun 1999	MW-13	9.8	40.0	0.6	0.5 U	0.5	0.8	1.0	9.4	120.0		
MW-13	Aug 1999	MW-13	11.0	28.0	0.5 U	0.5 U	0.7	1.0	0.5 U	12.0	150.0		
MW-13	Aug 1999	MW-13	11.0	29.0	0.5 U	0.5 U	0.7	0.9	0.5 U	12.0	150.0		
MW-13	Nov/Dec 1999	MW-13	10.7	19.7	0.5 U	0.5 U	0.5	0.7	0.5 U	9.1	510.0		
MW-13	Nov/Dec 1999	MW-13	10.7	20.0	0.5 U	0.5 U	0.5	0.6	0.5 U	9.2	590.0		
MW-13	Mar/Apr 2000	MW-13	8.9	11.0	0.7	0.7	0.5 U	0.5 U	0.5 U	5.2	330.0		
MW-13	Mar/Apr 2000	MW-13	8.8	11.0	0.7	0.7	0.5 U	0.6	0.5 U	5.2	330.0		
MW-13	Jul/Aug 2000	MW-13	8.8	20.0	0.5 U	0.5 U	0.6	0.7	0.5 U	8.8	420.0		
MW-13	Jan/Feb 2001	MW-13	7.2	5.4	0.6	1.0	0.5 U	0.5 J	0.5 U	3.4	4.0 U	1,4-Dioxane Methylene chloride Trichlorofluoromethane	1.9 0.9 B 1.3
MW-13	Apr 2001	MW-13	3.6	18.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	170.0	Bromodichloromethane	0.5

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	Jul 2001	MW-13	2.4 U	30.3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	3.8	216.0	Bromodichloromethane	0.6
MW-13	Oct 2001	MW-13	3.5	15.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	471.0		
MW-13	Jan/Feb 2002	MW-13	11.0	12.5	1.2	0.7	0.5 U	1.0	0.5 U	4.6	326.0	1,4-Dioxane Methylene chloride Trichlorofluoromethane	4.1 1.0 B 0.8
MW-13	Apr/May 2002	MW-13	6.2	4.3	1.4	0.8	0.5 U	0.9	0.5 U	2.6	189.0	Trichlorofluoromethane	0.8
MW-13	Jul 2002	MW-13	1.2	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	206.0		
MW-13	Jul 2002	DUP	1.3	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	205.0		
MW-13	Oct/Nov 2002	MW-13	2.3	2.5	0.8	0.7	0.5 U	0.4 J	0.5 U	1.4	172.0	Trichlorofluoromethane	1.7
MW-13	Jan/Feb 2003	MW-13	0.8	1.2	1.0	0.8	0.5 U	0.5 U	0.5 U	0.7	68.0 J		
MW-13	Apr/May 2003	MW-13	1.3	9.2	1.0	0.4 J	0.5 U	0.5 U	0.5 U	1.5	147.0	1,4-Dioxane 4-Methyl-2-pentanone	2.5 5.0 J
MW-13	Jul/Aug 2003	MW-13	1.0	20.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.3	159.0 J	Bromodichloromethane Dibromochloromethane	0.4 J 0.8
MW-13	Oct/Nov 2003	MW-13	1.5	9.0	0.9	0.4 J	0.5 U	0.5 U	0.5 U	1.7	223.0 J		
MW-13	Feb 2004	MW-13	0.8	1.0	1.1	0.7	0.5 U	0.5 U	0.5 U	0.7	112.0		
MW-13	Apr/May 2004	MW-13	1.4	7.4	1.2	0.6	0.5 U	0.5 U	0.5 U	1.7	205.0	1,4-Dioxane	5.3
MW-13	Jul/Aug 2004	MW-13	2.0	15.4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.5	296.0		
MW-13	Oct/Nov 2004	MW-13	0.4 J	1.4	1.3	0.9	0.5 U	0.5 U	0.5 U	0.8	51.5	1,2,3-Trichlorobenzene Trichlorofluoromethane	0.3 J 0.3 J
MW-13	Jan/Feb 2005	MW-13	2.2	5.0	1.1	0.7	0.5 U	0.5 U	0.5 U	1.1	222.0	Methylene chloride Trichlorofluoromethane	0.7 0.3 J
MW-13	Apr/May 2005	MW-13	1.2	11.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.8	609.0	1,4-Dioxane Bromodichloromethane	8.4 0.5
MW-13	Jul/Sep 2005	MW-13	1.4	14.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	402.0	Bromodichloromethane Dibromochloromethane Trichlorofluoromethane	0.5 J 0.3 J 1.3
MW-13	Oct/Nov 2005	MW-13	2.9	13.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7	1410.0	Bromodichloromethane Toluene Trichlorofluoromethane	0.3 J 13.5 0.4 J
MW-13	Mar/Apr 2006	MW-13	1.7	11.0	0.5 J	0.3 J	0.5 U	0.3 J	0.5 U	3.1	1100.0	Toluene Trichlorofluoromethane	1.6 0.3 J
MW-13	May/Jun 2006	MW-13	2.1	14.0	0.4 J	0.5 U	0.5 U	0.2 J	0.5 U	4.5	1700.0	1,4-Dioxane Bromodichloromethane NDMA Toluene	12.0 0.4 J 0.0 U 1.3
MW-13	May/Jun 2006	DUPE-9-2Q06	2.0	14.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1800.0	1,4-Dioxane Bromodichloromethane Toluene	11.0 0.4 J 1.5

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	Aug/Sep 2006	MW-13	1.5	11.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.6	2100.0	1,1,2-Trichloroethane Bromodichloromethane Toluene	0.4 J 0.4 J 0.4 J
MW-13	Aug/Sep 2006	DUPE-3-3Q06	1.5	11.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.8	2100.0	1,1,2-Trichloroethane Bromodichloromethane Toluene	0.4 J 0.4 J 0.6
MW-13	Oct/Dec 2006	MW-13	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	150.0		
MW-13	Mar/Apr 2007	MW-13	0.5 U	0.8	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 J	250.0	Toluene	0.3 J
MW-13	Jun/Jul 2007	MW-13	0.5 U	1.4	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	270.0 J	NDMA Toluene	0.0 J 0.7
MW-13	Aug/Sep 2007	MW-13	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	160.0	Toluene	0.4 J
MW-13	Aug/Sep 2007	DUPE-6-3Q07	0.5 U	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.8	160.0	Toluene	0.4 J
MW-13	Oct/Dec 2007	MW-13	0.5 U	0.5 U	1.7	0.9	0.5 U	0.5 U	0.5 U	0.3 J	28.0	Toluene	0.3 J
MW-13	Oct/Dec 2007	DUPE-6-4Q07	0.5 U	0.5 U	1.7	0.9	0.5 U	0.5 U	0.5 U	0.4 J	24.0	Toluene	0.5
MW-13	Jan/Feb 2008	MW-13	0.5 U	0.5 U	2.5	1.0	0.5 U	0.5 U	0.5 U	0.3 J	3.6	Toluene	1.9
MW-13	Apr/May 2008	MW-13	0.5 U	1.4	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	700.0	1,4-Dioxane Toluene	2.3 1.5
MW-13	Jul/Aug 2008	MW-13	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	748.0	Toluene	1.1
MW-13	Oct/Nov 2008	MW-13	0.5 U	0.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	431.0	Toluene	3.4
MW-13	Jan/Feb 2009	MW-13	0.5 U	0.5 U	1.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	13.9	Toluene	1.0
MW-13	Apr/May 2009	MW-13	0.5 U	0.9	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.8	972.0	1,4-Dioxane	2.2
MW-13	Jul/Aug 2009	MW-13	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	1110.0		
MW-13	Nov/Dec 2009	MW-13	0.5 U	0.5 U	1.0	0.6	0.5 U	0.5 U	0.5 U	0.5	182.0		
MW-13	Feb 2010	MW-13	0.5 U	0.5 U	2.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-13	Apr/May 2010	MW-13	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1200.0	1,4-Dioxane Bromodichloromethane	2.6 0.5
MW-13	Jul/Aug 2010	MW-13	1.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	1040.0 J	Bromodichloromethane Dibromochloromethane	0.9 0.8
MW-13	Oct/Nov 2010	MW-13	0.9	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.8	823.0	Bromodichloromethane Bromoform Dibromochloromethane	1.6 0.8 1.5
MW-13	Feb/Mar 2011	MW-13	0.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	167.0		
MW-13	Apr/May 2011	MW-13	0.5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	81.8	1,4-Dioxane	0.9 J
MW-13	Aug/Sep 2011	MW-13	0.8	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	253.0		
MW-13	Nov/Dec 2011	MW-13	1.9	1.5	0.8	0.5 U	0.5 U	0.5 U	0.5 U	6.2	487.0	Bromodichloromethane	1.1
MW-13	Jan/Feb 2012	MW-13	1.5	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	7.1	346.0	Bromodichloromethane Dibromochloromethane	2.6 0.6
MW-13	Jan/Feb 2012	DUPE-6-1Q12	1.5	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	7.1	349.0	Bromodichloromethane Dibromochloromethane	2.6 0.6
MW-13	Apr/May 2012	MW-13	0.9	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6	189.0	1,4-Dioxane	2.5

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-13	Aug/Sep 2012	MW-13	0.7	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	4.7	110.0	Bromodichloromethane Dibromochloromethane	1.0 0.2 J
MW-13	Nov 2012	MW-13	0.4 J	0.1 J	0.1 J	0.5 U	0.5 U	0.2 J	0.5 U	8.3	410.0	Bromodichloromethane Methylene chloride	2.1 0.5 J
MW-13	Nov 2012	DUPE-7-4Q12	0.5 J	0.1 J	0.1 J	0.5 U	0.5 U	0.2 J	0.5 U	8.5	420.0	Bromodichloromethane Methylene chloride	2.0 0.5 J
MW-13	Jan/Feb 2013	MW-13	0.7	0.2 J	0.5	0.1 J	0.5 U	0.7	0.5 U	9.4	1400.0	Bromodichloromethane	0.6
MW-13	Jan/Feb 2013	DUP-5-1Q13	0.6	0.2 J	0.5	0.1 J	0.5 U	0.6	0.5 U	9.5	1400.0	Bromodichloromethane	0.6
MW-13	Apr/May 2013	MW-13	0.3 J	0.2 J	0.6	0.2 J	0.5 U	0.3 J	0.5 U	5.5	690.0	1,4-Dioxane Bromodichloromethane	2.2 0.3 J
MW-13	Jul 2013	MW-13	0.6	0.2 J	0.9	0.2 J	0.5 U	0.5 J	0.5 U	7.3	1200.0	Bromodichloromethane	0.2 J
MW-13	Oct/Nov 2013	MW-13	0.5 U	0.2 J	1.6	0.4 J	0.5 U	0.2 J	0.5 U	2.5	520.0		
MW-13	Jan/Feb 2014	MW-13	0.5 U	0.3 J	2.3	0.6	0.5 U	0.5 U	0.5 U	0.7	33.0	Methyl-tert-butyl ether (MTBE)	0.1 J
MW-13	Jan/Feb 2014	DUPE-4-1Q14	0.5 U	0.3 J	2.3	0.5	0.5 U	0.5 U	0.5 U	0.7	36.0	Methyl-tert-butyl ether (MTBE)	0.1 J
MW-13	Apr/May 2014	MW-13	0.5 U	0.3 J	2.1	0.3 J	0.5 U	0.5 U	0.5 U	1.0	200.0		
MW-13	Jul/Aug 2014	MW-13	0.5 U	0.2 J	1.7	0.4 J	0.5 U	0.5 U	0.5 U	1.4	160.0	Methyl-tert-butyl ether (MTBE)	0.1 J
MW-13	Oct 2014	MW-13	0.5 U	0.2 J	1.3	0.3 J	0.5 U	0.5 U	0.5 U	1.1	160.0		
MW-13	Jan/Feb 2015	MW-13	0.5 U	0.6	1.4	0.3 J	0.5 U	0.5 U	0.5 U	0.8	4.9	Methyl-tert-butyl ether (MTBE)	0.1 J
MW-13	April/May 2015	MW-13	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.5	1500.0		
MW-14 Screen 1	Aug/Sep 1996	MW-14-1	0.5 U	0.5 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-14 Screen 1	Oct/Nov 1996	MW-14-1	0.5 U	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 1	Feb/Mar 1997	MW-14-1	0.5 U	0.5 U	0.7	1.5	0.5 U	0.5 U	0.5 U	0.7	NA		
MW-14 Screen 1	June/July 1997	MW-14-1	0.5 U	0.5 U	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 1	June/July 1997	MW-14-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-14 Screen 1	Sep/Oct 1997	MW-14-1	0.5 U	0.5 U	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jan/Feb 1998	MW-14-1	0.5 U	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 1	Apr/May 1998	MW-14-1	0.5 U	0.5 U	1.2	0.8	0.5 U	0.5 U	0.5 U	0.8	4.4		
MW-14 Screen 1	Jul/Aug 1998	MW-14-1	0.5 U	0.5 U	0.8	1.7	0.5 U	0.5 U	0.5 U	0.6	4.4		
MW-14 Screen 1	Oct/Nov 1998	MW-14-1	0.5 U	0.5 U	0.5	2.4	0.5 U	0.5 U	0.5 U	0.6	4.2		
MW-14 Screen 1	Feb/Mar 1999	MW-14-1	0.5 U	0.5 U	0.8	1.2	0.5 U	0.5 U	0.6 B	0.6	4.2		
MW-14 Screen 1	May/Jun 1999	MW-14-1	0.5 U	0.5 U	0.5	2.6	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Aug 1999	MW-14-1	0.5 U	0.5 U	0.5 U	1.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Mar/Apr 2000	MW-14-1	0.5 U	0.5 U	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5	5.3		
MW-14 Screen 1	Jul/Aug 2000	MW-14-1	0.5 U	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jul/Aug 2000	MW-14-1	0.5 U	0.5 U	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	4.2		
MW-14 Screen 1	Sep/Oct 2000	MW-14-1	0.5 U	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jan/Feb 2001	MW-14-1	0.5 U	0.5 U	1.4	1.1	0.5 U	0.5 U	0.5 U	0.6	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)	0.3 J 0.5 J
MW-14 Screen 1	Apr 2001	MW-14-1	0.5 U	0.5 U	0.7	0.7	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-14 Screen 1	Apr 2001	DUP	0.5 U	0.5 U	0.6	0.6	0.5 U	0.5 U	NA	0.4 J	4.0 U		
MW-14 Screen 1	Jul 2001	MW-14-1	0.5 U	0.5 U	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 1	Oct 2001	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jan/Feb 2002	MW-14-1	0.5 U	**0.3 J**	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	**0.6**	**4.0**		
MW-14 Screen 1	Apr/May 2002	MW-14-1	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Jul 2002	MW-14-1	0.5 U	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct/Nov 2002	MW-14-1	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14 Screen 1	Jan/Feb 2003	MW-14-1	0.5 U	0.5 U	**0.9**	**0.5**	0.5 U	0.5 U	0.5 U	**0.4 J**	**1.9 J**	**Methylene chloride**	**0.5 J**
MW-14 Screen 1	Apr/May 2003	MW-14-1	0.5 U	**1.3**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.8 J**		
MW-14 Screen 1	Jul/Aug 2003	MW-14-1	0.5 U	**3.7**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.8 J**	**Methylene chloride**	**0.5 J**
MW-14 Screen 1	Oct/Nov 2003	MW-14-1	0.5 U	0.5 U	**0.4 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**6.6 J**		
MW-14 Screen 1	Feb 2004	MW-14-1	0.5 U	0.5 U	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**		
MW-14 Screen 1	Feb 2004	DUPE-3-1Q04	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Apr/May 2004	MW-14-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6 J**		
MW-14 Screen 1	Jul/Aug 2004	MW-14-1	0.5 U	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct/Nov 2004	MW-14-1	0.5 UJ	**0.5**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14 Screen 1	Jan/Feb 2005	MW-14-1	0.5 U	**2.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Apr/May 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8 J**	**2-Butanone**	**0.7 J**
MW-14 Screen 1	Jul/Sep 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-14 Screen 1	Oct/Nov 2005	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**	**Methylene chloride**	**0.4 J**
MW-14 Screen 1	Oct/Nov 2005	DUPE-4-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**	**Methylene chloride**	**0.3 J**
MW-14 Screen 1	Mar/Apr 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	May/Jun 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Aug/Sep 2006	MW-14-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Oct/Dec 2006	MW-14-1	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 1	Mar/Apr 2007	MW-14-1	0.5 U	**2.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14 Screen 1	Jun/Jul 2007	MW-14-1	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14 Screen 1	Aug/Sep 2007	MW-14-1	0.5 U	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14 Screen 1	Oct/Dec 2007	MW-14-1	0.5 U	**3.4**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.6**		
MW-14 Screen 1	Jan/Feb 2008	MW-14-1	0.5 U	**3.4**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.3**		
MW-14 Screen 1	Apr/May 2008	MW-14-1	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.1 J**		
MW-14 Screen 1	Jul/Aug 2008	MW-14-1	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-14 Screen 1	Oct/Nov 2008	MW-14-1	0.5 U	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-14 Screen 1	Jan/Feb 2009	MW-14-1	0.5 U	**5.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-14 Screen 1	Apr/May 2009	MW-14-1	0.5 U	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-14 Screen 1	Jul/Aug 2009	MW-14-1	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-14 Screen 1	Jul/Aug 2009	DUPE-2-3Q09	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-14 Screen 1	Nov/Dec 2009	MW-14-1	0.5 U	**4.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-14 Screen 1	Feb 2010	MW-14-1	0.5 U	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-14 Screen 1	Apr/May 2010	MW-14-1	0.5 U	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-14 Screen 1	Jul/Aug 2010	MW-14-1	0.5 U	**3.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-14 Screen 1	Oct/Nov 2010	MW-14-1	0.5 U	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-14 Screen 1	Feb/Mar 2011	MW-14-1	0.5 U	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 1	Feb/Mar 2011	DUPE-02-1Q11	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-14 Screen 1	Apr/May 2011	MW-14-1	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-14 Screen 1	Aug/Sep 2011	MW-14-1	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-14 Screen 1	Aug/Sep 2011	DUPE-02-3Q11	0.5 U	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.4**		
MW-14 Screen 1	Nov/Dec 2011	MW-14-1	0.5 U	**3.9**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.3**		
MW-14 Screen 1	Jan/Feb 2012	MW-14-1	0.5 U	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14 Screen 1	Apr/May 2012	MW-14-1	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**		
MW-14 Screen 1	Aug/Sep 2012	MW-14-1	0.5 U	**2.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.7 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.1 J** **0.6**
MW-14 Screen 1	Nov 2012	MW-14-1	0.5 U	**1.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**1.7 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.1 J** **0.9**
MW-14 Screen 1	Jan/Feb 2013	MW-14-1	0.5 U	**1.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.9 J**	**Methyl-tert-butyl ether (MTBE)**	**0.9**
MW-14 Screen 1	Apr/May 2013	MW-14-1	0.5 U	**2.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.1 J** **0.6**
MW-14 Screen 1	Jul 2013	MW-14-1	0.5 U	**2.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.1 J**	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-14 Screen 1	Oct/Nov 2013	MW-14-1	0.5 U	**1.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.0**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.1 J** **0.4 J**
MW-14 Screen 1	Oct/Nov 2013	DUPE-2-4Q13	0.5 U	**1.3**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-14 Screen 1	Jan/Feb 2014	MW-14-1	0.5 U	**3.4**	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.8**	**3.4 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.3 J**
MW-14 Screen 1	Apr/May 2014	MW-14-1	0.5 U	**2.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.8 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-14 Screen 1	Jul/Aug 2014	MW-14-1	0.5 U	**2.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.9 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14 Screen 1	Jan/Feb 2015	MW-14-1	0.5 U	**2.6**	0.4 UJ	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14 Screen 1	April/May 2015	MW-14-1	0.5 U	**1.1**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.5 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-14 Screen 2	Aug/Sep 1996	MW-14-2	0.5 U	**2.8**	**1.6**	**1.4**	0.5 U	0.5 U	0.5 U	**1.5**	NA		
MW-14 Screen 2	Oct/Nov 1996	MW-14-2	0.5 U	**1.5**	**1.6**	**1.0**	0.5 U	0.5 U	0.5 U	**0.9**	NA	**1,2,3-Trichlorobenzene**	**0.6**
MW-14 Screen 2	Feb/Mar 1997	MW-14-2	0.5 U	**0.9**	**1.9**	**1.3**	0.5 U	0.5 U	0.5 U	**0.8**	NA	**1,2,3-Trichlorobenzene**	**0.8**
MW-14 Screen 2	June/July 1997	MW-14-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-14 Screen 2	June/July 1997	MW-14-2	0.5 U	**1.1**	**1.7**	**1.5**	0.5 U	0.5 U	0.5 U	**0.9**	NA	**1,2,3-Trichlorobenzene**	**0.5**
MW-14 Screen 2	Sep/Oct 1997	MW-14-2	0.5 U	**1.2**	**1.9**	**1.6**	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-14 Screen 2	Jan/Feb 1998	MW-14-2	0.5 U	0.5 U	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**9.0**		
MW-14 Screen 2	Apr/May 1998	MW-14-2	0.5 U	0.5 U	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	**0.6**	**4.0**		
MW-14 Screen 2	Jul/Aug 1998	MW-14-2	0.5 U	**0.9**	**1.8**	**0.8**	0.5 U	0.5 U	0.5 U	**0.6**	**4.9**		
MW-14 Screen 2	Oct/Nov 1998	MW-14-2	0.5 U	**0.6**	**1.5**	**0.7**	0.5 U	0.5 U	0.5 U	**0.5**	**4.2**		
MW-14 Screen 2	Feb/Mar 1999	MW-14-2	0.5 U	**0.9**	**1.6**	**0.7**	0.5 U	0.5 U	**0.6 B**	**0.6**	**4.2**		
MW-14 Screen 2	May/Jun 1999	MW-14-2	0.5 U	**1.0**	**1.2**	**0.8**	0.5 U	0.5 U	0.5 U	**0.6**	**9.6**		
MW-14 Screen 2	Aug 1999	MW-14-2	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Nov/Dec 1999	MW-14-2	0.5 U	**1.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-14 Screen 2	Mar/Apr 2000	MW-14-2	0.5 U	**2.5**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**6.0**		
MW-14 Screen 2	Jul/Aug 2000	MW-14-2	0.5 U	**1.7**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.9**		
MW-14 Screen 2	Jul/Aug 2000	MW-14-2	0.5 U	**1.7**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.9**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 2	Sep/Oct 2000	MW-14-2	0.5 U	2.4	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-14 Screen 2	Jan/Feb 2001	MW-14-2	0.5 U	2.5	0.7	0.5 J	0.5 U	0.5 U	0.5 U	0.7	4.0 U	Methylene chloride Methyl-tert-butyl ether (MTBE)	0.4 J 0.4 J
MW-14 Screen 2	Apr 2001	MW-14-2	0.5 U	4.2	0.9	0.7	0.5 U	0.5 U	NA	0.5	4.0 U		
MW-14 Screen 2	Jul 2001	MW-14-2	0.5 U	2.7	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Jul 2001	DUP	0.5 U	3.4	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Oct 2001	MW-14-2	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Jan/Feb 2002	MW-14-2	0.5 U	4.7	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-14 Screen 2	Apr/May 2002	MW-14-2	0.5 U	3.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Jul 2002	MW-14-2	0.5 U	5.9	0.8	0.5 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-14 Screen 2	Oct/Nov 2002	MW-14-2	0.5 U	5.3	0.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 2	Dec 2002	MW-14-2	0.2 U	7.6	1.0	0.5	0.5 U	0.5 U	0.5 U	0.6	NA	1,4-Dioxane NDPHA Total Trihalomethanes	1.2 0.0 J 1.9
MW-14 Screen 2	Jan/Feb 2003	MW-14-2	0.5 U	6.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.6	2.6 J		
MW-14 Screen 2	Apr/May 2003	MW-14-2	0.5 U	3.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	3.3 J		
MW-14 Screen 2	Jul/Aug 2003	MW-14-2	0.5 U	1.0	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	5.4	Methylene chloride	0.4 J
MW-14 Screen 2	Oct/Nov 2003	MW-14-2	0.5 U	4.6	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.7 J		
MW-14 Screen 2	Feb 2004	MW-14-2	0.5 U	5.9	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 2	Apr/May 2004	MW-14-2	0.5 U	4.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.7 J		
MW-14 Screen 2	Jul/Aug 2004	MW-14-2	0.5 U	4.6	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	9.3		
MW-14 Screen 2	Oct/Nov 2004	MW-14-2	0.5 UJ	5.2 J	0.6 J	0.4 J	0.5 U	0.5 U	0.5 U	0.6 J	4.0 U		
MW-14 Screen 2	Jan/Feb 2005	MW-14-2	0.5 U	10.4	0.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	m,p-Xylene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-14 Screen 2	Apr/May 2005	MW-14-2	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	Bromodichloromethane	0.4 J
MW-14 Screen 2	Jul/Sep 2005	MW-14-2	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4 J	trans-1,2-Dichloroethene	2.1
MW-14 Screen 2	Oct/Nov 2005	MW-14-2	0.5 U	4.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.1 J		
MW-14 Screen 2	Mar/Apr 2006	MW-14-2	0.5 U	6.3	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 2	May/Jun 2006	MW-14-2	0.5 U	4.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Aug/Sep 2006	MW-14-2	0.5 U	5.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Oct/Dec 2006	MW-14-2	0.5 U	7.1 J	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 2	Mar/Apr 2007	MW-14-2	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Jun/Jul 2007	MW-14-2	0.5 U	4.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Aug/Sep 2007	MW-14-2	0.5 U	5.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Oct/Dec 2007	MW-14-2	0.5 U	7.3	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.1	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-14 Screen 2	Jan/Feb 2008	MW-14-2	0.5 U	6.7	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.9	cis-1,2-Dichloroethene	0.4 J
MW-14 Screen 2	Apr/May 2008	MW-14-2	0.5 U	5.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U		
MW-14 Screen 2	Jul/Aug 2008	MW-14-2	0.5 U	8.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.2		
MW-14 Screen 2	Jul/Aug 2008	DUPE-01-3Q08	1.0 U	7.9	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.8		
MW-14 Screen 2	Oct/Nov 2008	MW-14-2	0.5 U	8.3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 2	Jan/Feb 2009	MW-14-2	0.5 U	8.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-14 Screen 2	Apr/May 2009	MW-14-2	0.5 U	7.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3		
MW-14 Screen 2	Jul/Aug 2009	MW-14-2	0.5 U	9.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.3	cis-1,2-Dichloroethene	0.6
MW-14 Screen 2	Nov/Dec 2009	MW-14-2	0.5 U	13.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.7	3.3	cis-1,2-Dichloroethene	0.6
MW-14 Screen 2	Feb 2010	MW-14-2	0.5 U	11.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.9	cis-1,2-Dichloroethene	0.5
MW-14 Screen 2	Apr/May 2010	MW-14-2	0.5 U	5.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6		
MW-14 Screen 2	Jul/Aug 2010	MW-14-2	0.5 U	9.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8		
MW-14 Screen 2	Oct/Nov 2010	MW-14-2	0.5 U	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 2	Oct/Nov 2010	DUPE-02-4Q10	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8		
MW-14 Screen 2	Feb/Mar 2011	MW-14-2	0.5 U	7.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.6		
MW-14 Screen 2	Apr/May 2011	MW-14-2	0.5 U	3.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4		
MW-14 Screen 2	Aug/Sep 2011	MW-14-2	0.5 U	5.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.5		
MW-14 Screen 2	Nov/Dec 2011	MW-14-2	0.5 U	6.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	1.5		
MW-14 Screen 2	Jan/Feb 2012	MW-14-2	0.5 U	6.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1		
MW-14 Screen 2	Apr/May 2012	MW-14-2	0.5 U	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.7		
MW-14 Screen 2	Aug/Sep 2012	MW-14-2	0.5 U	4.2	0.5 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5	2.9 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14 Screen 2	Nov 2012	MW-14-2	0.5 U	4.0	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	1.1 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14 Screen 2	Jan/Feb 2013	MW-14-2	0.5 U	4.1	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	2.8 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14 Screen 2	Apr/May 2013	MW-14-2	0.5 U	4.6	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	4.1	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14 Screen 2	Jul 2013	MW-14-2	0.5 U	5.4	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	1.9 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.3 J
MW-14 Screen 2	Jul 2013	DUPE-2-3Q13	0.5 U	6.1	0.5 J	0.2 J	0.5 U	0.5 U	0.5 U	0.6	3.2 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.3 J
MW-14 Screen 2	Oct/Nov 2013	MW-14-2	0.5 U	4.0	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.2 J
MW-14 Screen 2	Jan/Feb 2014	MW-14-2	0.5 U	3.7	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5	3.4 J	cis-1,2-Dichloroethene	0.3 J
MW-14 Screen 2	Apr/May 2014	MW-14-2	0.5 U	8.5	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.9	4.1	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.4 J 0.3 J
MW-14 Screen 2	Apr/May 2014	DUP-1-2Q14	0.5 U	7.7	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.9	3.8 J	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.3 J 0.2 J
MW-14 Screen 2	Jul/Aug 2014	MW-14-2	0.5 U	4.1	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.7	3.8 J	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 2	Oct 2014	MW-14-2	0.5 U	3.8	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5	3.9 J	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 2	Jan/Feb 2015	MW-14-2	0.5 U	3.2	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5	3.1 J	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 2	April/May 2015	MW-14-2 MW-14-2	0.5 U	3.9	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.7	4.0	cis-1,2-Dichloroethene trans-1,2-Dichloroethene	0.2 J 0.2 J
MW-14 Screen 3	Aug/Sep 1996	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 3	Oct/Nov 1996	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 3	Feb/Mar 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 3	June/July 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 3	June/July 1997	MW-14-3	NA	NA	NA	NA	NA	NA	NA	NA	**4.3**		
MW-14 Screen 3	Sep/Oct 1997	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 3	Jan/Feb 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		
MW-14 Screen 3	Apr/May 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**		
MW-14 Screen 3	Jul/Aug 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**		
MW-14 Screen 3	Oct/Nov 1998	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7**		
MW-14 Screen 3	Feb/Mar 1999	MW-14-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	**0.6 B**	**0.5**	**5.9**		
MW-14 Screen 3	May/Jun 1999	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**		
MW-14 Screen 3	Aug 1999	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**		
MW-14 Screen 3	Nov/Dec 1999	MW-14-3	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**6.8**		
MW-14 Screen 3	Mar/Apr 2000	MW-14-3	0.5 U	**0.8**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.9**		
MW-14 Screen 3	Jul/Aug 2000	MW-14-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**7.5**		
MW-14 Screen 3	Jul/Aug 2000	MW-14-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**7.5**		
MW-14 Screen 3	Sep/Oct 2000	MW-14-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**6.4**		
MW-14 Screen 3	Jan/Feb 2001	MW-14-3	2.5 U	**4.0**	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	**6.0**	**Methylene chloride**	**8.1**
MW-14 Screen 3	Apr 2001	MW-14-3	0.5 U	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	NA	**0.4 J**	4.0 U		
MW-14 Screen 3	Jul 2001	MW-14-3	0.5 U	**1.1**	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 3	Oct 2001	MW-14-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 3	Jan/Feb 2002	MW-14-3	0.5 U	**1.6**	**0.6**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.6**	**5.9**	**Methylene chloride**	**0.3 J**
MW-14 Screen 3	Apr/May 2002	MW-14-3	0.5 U	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-14 Screen 3	Jul 2002	MW-14-3	0.5 U	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-14 Screen 3	Oct/Nov 2002	MW-14-3	0.5 U	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-14 Screen 3	Jan/Feb 2003	MW-14-3	0.5 U	**1.1**	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.9 J**		
MW-14 Screen 3	Apr/May 2003	MW-14-3	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.7**		
MW-14 Screen 3	Apr/May 2003	DUPE-2-2Q03	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.4**		
MW-14 Screen 3	Jul/Aug 2003	MW-14-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**	**Methylene chloride**	**0.3 J**
MW-14 Screen 3	Jul/Aug 2003	DUPE-4-3-Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**	**Methylene chloride**	**0.8**
MW-14 Screen 3	Oct/Nov 2003	MW-14-3	0.5 U	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**7.2 J**		
MW-14 Screen 3	Feb 2004	MW-14-3	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14 Screen 3	Apr/May 2004	MW-14-3	0.5 U	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.6**		
MW-14 Screen 3	Jul/Aug 2004	MW-14-3	0.5 U	**1.0**	**0.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**		
MW-14 Screen 3	Oct/Nov 2004	MW-14-3	0.5 UJ	**1.1 J**	**0.5 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.6 J**	**18.5**		
MW-14 Screen 3	Jan/Feb 2005	MW-14-3	0.5 U	**1.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14 Screen 3	Apr/May 2005	MW-14-3	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**		
MW-14 Screen 3	Jul/Sep 2005	MW-14-3	0.5 U	**1.0**	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-14 Screen 3	Oct/Nov 2005	MW-14-3	0.5 U	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.9**		
MW-14 Screen 3	Mar/Apr 2006	MW-14-3	0.5 U	**1.1**	**0.5 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.8**		
MW-14 Screen 3	May/Jun 2006	MW-14-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		
MW-14 Screen 3	Aug/Sep 2006	MW-14-3	0.5 U	**1.4**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 3	Oct/Dec 2006	MW-14-3	0.5 U	1.4	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 3	Mar/Apr 2007	MW-14-3	0.5 U	1.3	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5	4.0 U		
MW-14 Screen 3	Jun/Jul 2007	MW-14-3	0.5 U	1.2	0.5 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 3	Aug/Sep 2007	MW-14-3	0.5 U	1.2	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-14 Screen 3	Oct/Dec 2007	MW-14-3	0.5 U	1.2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	5.9		
MW-14 Screen 3	Jan/Feb 2008	MW-14-3	0.5 U	1.4	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5	6.6	1,2,3-Trichlorobenzene cis-1,2-Dichloroethene	0.3 J 0.3 J
MW-14 Screen 3	Apr/May 2008	MW-14-3	0.5 U	1.1	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	4.2 J		
MW-14 Screen 3	Jul/Aug 2008	MW-14-3	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7		
MW-14 Screen 3	Oct/Nov 2008	MW-14-3	0.5 U	1.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-14 Screen 3	Oct/Nov 2008	DUPE-05-4Q08	0.5 U	1.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6		
MW-14 Screen 3	Jan/Feb 2009	MW-14-3	0.5 U	1.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-14 Screen 3	Apr/May 2009	MW-14-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9		
MW-14 Screen 3	Jul/Aug 2009	MW-14-3	0.5 U	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5	4.8		
MW-14 Screen 3	Nov/Dec 2009	MW-14-3	0.5 U	1.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.3		
MW-14 Screen 3	Feb 2010	MW-14-3	0.5 U	1.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	6.6		
MW-14 Screen 3	Apr/May 2010	MW-14-3	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0		
MW-14 Screen 3	Apr/May 2010	DUPE-01-2Q10	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.9		
MW-14 Screen 3	Jul/Aug 2010	MW-14-3	0.5 U	2.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	5.6		
MW-14 Screen 3	Oct/Nov 2010	MW-14-3	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0		
MW-14 Screen 3	Feb/Mar 2011	MW-14-3	0.5 U	2.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	5.6		
MW-14 Screen 3	Apr/May 2011	MW-14-3	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.5		
MW-14 Screen 3	Aug/Sep 2011	MW-14-3	0.5 U	2.2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.6	4.4		
MW-14 Screen 3	Nov/Dec 2011	MW-14-3	0.5 U	2.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.8		
MW-14 Screen 3	Jan/Feb 2012	MW-14-3	0.5 U	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.4		
MW-14 Screen 3	Apr/May 2012	MW-14-3	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1		
MW-14 Screen 3	Aug/Sep 2012	MW-14-3	0.5 U	2.0	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5	4.7	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Nov 2012	MW-14-3	0.5 U	1.3	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	2.5 J	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Jan/Feb 2013	MW-14-3	0.5 U	1.8	0.4 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	6.1	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Apr/May 2013	MW-14-3	0.5 U	1.5	0.3 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 J	4.8	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Jul 2013	MW-14-3	0.5 U	2.4	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	5.3	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 3	Oct/Nov 2013	MW-14-3	0.5 U	2.0	0.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5	5.7	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 3	Jan/Feb 2014	MW-14-3	0.5 U	2.0	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.6	4.7	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 3	Apr/May 2014	MW-14-3	0.5 U	1.6	0.5	0.3 J	0.5 U	0.5 U	0.5 U	0.5	5.9	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Jul/Aug 2014	MW-14-3	0.5 U	2.7	0.9	0.5 J	0.5 U	0.5 U	0.5 U	0.8	4.9	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 3	Oct 2014	MW-14-3	0.5 U	1.8	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.6	5.3	cis-1,2-Dichloroethene	0.1 J
MW-14 Screen 3	Jan/Feb 2015	MW-14-3	0.5 U	2.2	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.7	6.6	cis-1,2-Dichloroethene	0.2 J
MW-14 Screen 3	April/May 2015	MW-14-3	0.5 U	1.5	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.5	5.1	1,2-Dichlorobenzene 1,2,3-Trichlorobenzene cis-1,2-Dichloroethene	0.1 J 0.3 J 0.2 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 3	April/May 2015	DUP-1-2Q15	0.5 U	**1.5**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5**	**6.0**	**1,2-Dichlorobenzene** **1,2,3-Trichlorobenzene** **cis-1,2-Dichloroethene**	**0.1 J** **0.3 J** **0.2 J**
MW-14 Screen 4	Aug/Sep 1996	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	Oct/Nov 1996	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	Feb/Mar 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	June/July 1997	MW-14-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-14 Screen 4	June/July 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 4	Sep/Oct 1997	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Jan/Feb 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Apr/May 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Jul/Aug 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Oct/Nov 1998	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Feb/Mar 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 B**	0.5 U	4.0 U		
MW-14 Screen 4	May/Jun 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-14 Screen 4	Aug 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-14 Screen 4	Nov/Dec 1999	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-14 Screen 4	Mar/Apr 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Jul/Aug 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14 Screen 4	Jul/Aug 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14 Screen 4	Sep/Oct 2000	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Jan/Feb 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.7 J**
MW-14 Screen 4	Apr 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-14 Screen 4	Jul 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Oct 2001	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**
MW-14 Screen 4	Jan/Feb 2002	MW-14-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Apr/May 2002	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Jul 2002	MW-14-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Jul 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Oct/Nov 2002	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Dec 2002	MW-14-4	0.2 U	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	0.3 U	NA	**NDPHA**	**0.0 J**
MW-14 Screen 4	Jan/Feb 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-14 Screen 4	Jan/Feb 2003	DUPE-3-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-14 Screen 4	Apr/May 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**		
MW-14 Screen 4	Jul/Aug 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-14 Screen 4	Oct/Nov 2003	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4 J**		
MW-14 Screen 4	Feb 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Apr/May 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0**		
MW-14 Screen 4	Jul/Aug 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.7**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 4	Oct/Nov 2004	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-14 Screen 4	Jan/Feb 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Apr/May 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4 J**		
MW-14 Screen 4	Apr/May 2005	DUPE-4-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5 J**	**2-Butanone**	**0.9 J**
MW-14 Screen 4	Jul/Sep 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1 J**		
MW-14 Screen 4	Oct/Nov 2005	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-14 Screen 4	Mar/Apr 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	May/Jun 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Aug/Sep 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Oct/Dec 2006	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Mar/Apr 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-14 Screen 4	Jun/Jul 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 4	Aug/Sep 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 4	Oct/Dec 2007	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-14 Screen 4	Jan/Feb 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**		
MW-14 Screen 4	Apr/May 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-14 Screen 4	Jul/Aug 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-14 Screen 4	Oct/Nov 2008	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-14 Screen 4	Jan/Feb 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-14 Screen 4	Apr/May 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-14 Screen 4	Jul/Aug 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-14 Screen 4	Nov/Dec 2009	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**		
MW-14 Screen 4	Feb 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-14 Screen 4	Apr/May 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14 Screen 4	Jul/Aug 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-14 Screen 4	Oct/Nov 2010	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-14 Screen 4	Feb/Mar 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-14 Screen 4	Apr/May 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-14 Screen 4	Aug/Sep 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-14 Screen 4	Nov/Dec 2011	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-14 Screen 4	Nov/Dec 2011	DUPE-5-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-14 Screen 4	Jan/Feb 2012	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**		
MW-14 Screen 4	Apr/May 2012	MW-14-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-14 Screen 4	Aug/Sep 2012	MW-14-4	0.5 U	**0.3 J**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.4**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-14 Screen 4	Nov 2012	MW-14-4	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14 Screen 4	Jan/Feb 2013	MW-14-4	0.5 U	**0.3 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.6 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-14 Screen 4	Apr/May 2013	MW-14-4	0.5 U	**0.3 J**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**cis-1,2-Dichloroethene**	**0.2 J**
MW-14 Screen 4	Apr/May 2013	DUP-2-2Q13	0.5 U	**0.3 J**	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.0 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-14 Screen 4	Jul 2013	MW-14-4	0.5 U	**0.2 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14 Screen 4	Oct/Nov 2013	MW-14-4	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**5.3**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14 Screen 4	Jan/Feb 2014	MW-14-4	0.5 U	**0.4 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.0**	**cis-1,2-Dichloroethene**	**0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 4	Apr/May 2014	MW-14-4	0.5 U	**0.4 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.1**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-14 Screen 4	Jul/Aug 2014	MW-14-4	0.5 U	**0.4 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-14 Screen 4	Oct 2014	MW-14-4	0.5 U	**0.3 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.6**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14 Screen 4	Oct 2014	DUP-1-4Q14	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.8**		
MW-14 Screen 4	Jan/Feb 2015	MW-14-4	0.5 U	**0.3 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-14 Screen 4	April/May 2015	MW-14-4	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**4.4**		
MW-14 Screen 5	Aug/Sep 1996	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 5	Oct/Nov 1996	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 5	Feb/Mar 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 5	June/July 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-14 Screen 5	June/July 1997	MW-14-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-14 Screen 5	Sep/Oct 1997	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jan/Feb 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Apr/May 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul/Aug 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct/Nov 1998	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Feb/Mar 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6 B**	0.5 U	4.0 U		
MW-14 Screen 5	May/Jun 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Aug 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Nov/Dec 1999	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Mar/Apr 2000	MW-14-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-14 Screen 5	Jul/Aug 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul/Aug 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Sep/Oct 2000	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jan/Feb 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.6 J**
MW-14 Screen 5	Apr 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-14 Screen 5	Jul 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct 2001	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0**
MW-14 Screen 5	Jan/Feb 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.1**
MW-14 Screen 5	Apr/May 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct/Nov 2002	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-14 Screen 5	Jan/Feb 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Apr/May 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul/Aug 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct/Nov 2003	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Feb 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Apr/May 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul/Aug 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul/Aug 2004	DUPE-1-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 5	Oct/Nov 2004	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene** **o-Xylene** **Toluene**	**1.5** **6.6** **1.2** **0.9**
MW-14 Screen 5	Oct/Nov 2004	DUPE-2-4Q04	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene** **o-Xylene** **Toluene**	**1.3** **5.7** **1.1** **0.7**
MW-14 Screen 5	Jan/Feb 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene**	**0.3 J** **0.8**
MW-14 Screen 5	Apr/May 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**	**m,p-Xylene**	**0.6**
MW-14 Screen 5	Jul/Sep 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Oct/Nov 2005	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Mar/Apr 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	May/Jun 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Aug/Sep 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Oct/Dec 2006	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Mar/Apr 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Jun/Jul 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Aug/Sep 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Oct/Dec 2007	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Jan/Feb 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-14 Screen 5	Apr/May 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jul/Aug 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Oct/Nov 2008	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jan/Feb 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Apr/May 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jul/Aug 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Nov/Dec 2009	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Feb 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Apr/May 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jul/Aug 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Oct/Nov 2010	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Feb/Mar 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Apr/May 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Aug/Sep 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Nov/Dec 2011	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Jan/Feb 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Apr/May 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-14 Screen 5	Aug/Sep 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Nov 2012	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-14 Screen 5	Jan/Feb 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Apr/May 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jul 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-14 Screen 5	Oct/Nov 2013	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-14 Screen 5	Jan/Feb 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14 Screen 5	Apr/May 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14 Screen 5	Jul/Aug 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-14 Screen 5	Oct 2014	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-14 Screen 5	Jan/Feb 2015	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**1.6 J**		
MW-14 Screen 5	April/May 2015	MW-14-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-15	Aug/Sep 1996	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	Oct/Nov 1996	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	Feb/Mar 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	June/July 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-15	June/July 1997	MW-15	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-15	Sep/Oct 1997	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jul/Aug 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 1998	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Feb/Mar 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	May/Jun 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Nov/Dec 1999	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jul/Aug 2000	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 2001	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Jan/Feb 2002	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0 J**
MW-15	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.0 J**
MW-15	Apr/May 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Methylene chloride**	**4.0 J** **2.6**
MW-15	Oct/Nov 2003	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2003	DUPE-2-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2004	DUPE-6-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-15	Jul/Sep 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**	**Methylene chloride**	**1.4**
MW-15	Jul/Sep 2005	DUPE-9A-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**	**Methylene chloride**	**1.3**
MW-15	Oct/Nov 2005	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	May/Jun 2006	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-15	Oct/Dec 2006	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-15	Jun/Jul 2007	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-15	Oct/Dec 2007	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U	**Toluene**	**1.4**
MW-15	Apr/May 2008	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Toluene**	**0.4 J**
MW-15	Apr/May 2008	DUPE-7-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Toluene**	**0.4 J**
MW-15	Oct/Nov 2008	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Toluene**	**0.8**
MW-15	Apr/May 2009	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Nov/Dec 2009	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Apr/May 2010	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Oct/Nov 2010	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Apr/May 2011	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Nov/Dec 2011	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Apr/May 2012	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-15	Nov 2012	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Nov 2012	DUPE-6-4Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2013	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2013	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct/Nov 2013	DUPE-6-4Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2014	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Apr/May 2014	DUP-7-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	Oct 2014	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-15	April/May 2015	MW-15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-16	Aug/Sep 1996	MW-16	**125.0**	**33.0**	**1.3**	0.5 U	**2.4**	**2.2**	**2.0**	**40.0**	NA		
MW-16	Feb/Mar 1997	MW-16	**91.0**	**23.0**	**1.3**	0.5 U	**1.7**	**2.6**	**1.6**	**29.0**	NA		
MW-16	June/July 1997	MW-16	**68.0**	**25.0**	**1.1**	0.5 U	**2.1**	**1.7**	**0.6**	**43.0**	NA		
MW-16	June/July 1997	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	**615.0**		
MW-16	Jan/Feb 1998	MW-16	**30.0**	**3.5**	**1.0**	0.5 U	0.5 U	**1.3**	0.5 U	**14.0**	**1230.0**		
MW-16	Apr/May 1998	MW-16	**42.0**	**12.0**	**0.8**	0.5 U	**1.4**	**1.6**	**1.2**	**20.0**	**640.0**		
MW-16	Apr/May 1998	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	**1,4-Dioxane**	**5.0**
MW-16	Jul/Aug 1998	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-16	Jul/Aug 1998	MW-16	**58.0**	**19.0**	**1.3**	0.5 U	**0.8**	**2.7**	**1.2**	**23.0**	**420.0**	**1,1,1-Trichloroethane** **Methylene chloride**	**1.0** **0.6**
MW-16	Oct/Nov 1998	MW-16	**51.0**	**18.0**	**1.0**	0.5 U	**1.5**	**1.6**	**1.4**	**29.0**	**220.0**	**1,1,1-Trichloroethane**	**1.1**
MW-16	Oct/Nov 1998	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	**1,4-Dioxane**	**3.7**
MW-16	Feb/Mar 1999	MW-16	**67.0**	**20.0**	**1.4**	0.5 U	**1.1**	**1.8**	**1.1**	**24.0**	**790.0**		
MW-16	Feb/Mar 1999	MW-16	NA	NA	NA	NA	NA	NA	NA	NA	NA	**1,4-Dioxane**	**3.7**
MW-16	May/Jun 1999	MW-16	**58.0**	**15.0**	**1.0**	0.5 U	**0.8**	**1.3**	**1.2**	**23.0**	**650.0**	**1,4-Dioxane** **Trichlorofluoromethane**	**3.4** **0.5**
MW-16	Aug 1999	MW-16	**70.0**	**19.0**	**1.8**	0.5 U	**1.1**	**1.9**	**1.1**	**26.0**	**930.0**	**1,1,1-Trichloroethane**	**0.6**
MW-16	Nov/Dec 1999	MW-16	**80.0**	**10.4**	**3.0**	0.5 U	**0.7**	**5.3**	**0.7**	**24.0**	**770.0**		
MW-16	Mar/Apr 2000	MW-16	**24.0**	**4.3**	**0.9**	0.5 U	0.5 U	**4.0**	0.5 U	**17.0**	**1900.0**		
MW-16	Jul/Aug 2000	MW-16	**33.0**	**8.2**	**1.1**	0.5 U	**0.7**	**1.3**	**0.5**	**16.0**	**1500.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Jan/Feb 2001	MW-16	14.1	2.1	0.6	0.5 U	0.5 U	2.1	0.5 U	15.5	1780.0	1,4-Dioxane Methylene chloride Methyl-tert-butyl ether (MTBE) NDMA Trichlorofluoromethane	5.5 0.8 B 0.6 J 0.0 B 1.0
MW-16	Apr 2001	MW-16	21.0	3.6	0.5 U	0.5 U	0.5 U	1.7	0.5 U	15.3	1300.0		
MW-16	Jul 2001	MW-16	7.8	5.6	0.5 U	0.5 U	0.4 J	0.5 J	0.5 U	6.9	1800.0		
MW-16	Jul 2001	DUP	7.8	5.6	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	7.1	1800.0	Methyl-tert-butyl ether (MTBE)	0.3 J
MW-16	Oct 2001	MW-16	10.3	2.3	0.5 U	0.5 U	0.5 U	0.8	0.5 U	7.5	1860.0		
MW-16	Jan/Feb 2002	MW-16	12.3	2.5	0.5	0.5 U	0.5 U	1.4	0.5 U	15.9	2070.0	1,4-Dioxane Methylene chloride	9.9 0.9 J
MW-16	Jan/Feb 2002	DUP	13.2	2.7	0.6	0.5 U	0.5 U	1.3	0.5 U	16.7	2070.0	1,4-Dioxane	10.0
MW-16	Apr/May 2002	MW-16	8.9	1.5	0.4 J	0.5 U	0.5 U	1.2	0.5 U	10.7	2880.0	Trichlorofluoromethane	0.3 J
MW-16	Apr/May 2002	DUP	9.9	1.8	0.5 J	0.5 U	0.5 U	1.3	0.5 U	11.7	2910.0	Trichlorofluoromethane	0.3 J
MW-16	Jul 2002	MW-16	4.5	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	1510.0		
MW-16	Oct/Nov 2002	MW-16	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	1920.0	Methylene chloride Trichlorofluoromethane	1.2 B 1.5
MW-16	Oct/Nov 2002	DUP	2.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	2000.0	Methylene chloride Trichlorofluoromethane	0.4 J 1.5
MW-16	Jan/Feb 2003	MW-16	0.6	0.5 U	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	1.4	97.2	1,4-Dioxane NDPHA Total Trihalomethanes	3.0 0.0 J 1.3
MW-16	Jan/Feb 2003		NA	NA	NA	NA	NA	NA	NA	NA	NA	1,4-Dioxane NDPHA Total Trihalomethanes	3.0 0.0 J 1.2
MW-16	Apr/May 2003	MW-16	2.9	1.6	0.5 U	0.5 U	0.9	0.5 U	0.5 U	3.8	1810.0	1,4-Dioxane 4-Methyl-2-pentanone	6.3 4.0 J
MW-16	Jul/Aug 2003	MW-16	1.9	3.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	1520.0 J	Dibromochloromethane	0.4 J
MW-16	Oct/Nov 2003	MW-16	3.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1360.0 J		
MW-16	Feb 2004	MW-16	1.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.1	1630.0		
MW-16	Apr/May 2004	MW-16	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	929.0	1,4-Dioxane	3.1
MW-16	Jul/Aug 2004	MW-16	4.0	1.0	0.5	0.5 U	0.5 U	1.3	0.5 U	5.1	833.0		
MW-16	Oct/Nov 2004	MW-16	0.5 U	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	322.0		
MW-16	Jan/Feb 2005	MW-16	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2100.0	Methylene chloride	0.9
MW-16	Jan/Feb 2005	DUPE-7-1Q05	3.4	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	3.2	2110.0	Methylene chloride	0.6
MW-16	Apr/May 2005	MW-16	3.1	1.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0	4750.0	1,4-Dioxane Bromodichloromethane	5.0 0.4 J
MW-16	Jul/Sep 2005	MW-16	11.2	2.6	5.3	0.5 U	0.5 U	2.6	0.5 U	9.7	13000.0		
MW-16	Oct/Nov 2005	MW-16	17.6	2.4	7.3	0.5 U	0.5 U	2.1	0.5 U	10.8	13100.0		
MW-16	Mar/Apr 2006	MW-16	26.0	2.5	12.0	0.5 U	0.5 U	2.9	0.5 U	14.0	12000.0	Toluene	0.5

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	May/Jun 2006	MW-16	43.0	2.9	12.0	0.5 U	0.5 U	2.0	0.4 J	11.0	9000.0	1,4-Dioxane NDMA Toluene	1.1 J 0.0 U 1.1
MW-16	Aug/Sep 2006	MW-16	31.0	3.2	7.4	0.5 U	0.5 U	2.4	0.3 J	14.0	4600.0		
MW-16	Aug/Sep 2006	DUPE-4-3Q06	31.0	3.2	7.2	0.5 U	0.5 U	2.2	0.5 U	13.0	4900.0		
MW-16	Oct/Dec 2006	MW-16	3.1	0.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.7	1400.0	m,p-Xylene Toluene	0.6 J 0.6
MW-16	Mar/Apr 2007	MW-16	7.9	1.0	2.8	0.5 U	0.5 U	1.2	0.5 U	9.1	1500.0	Toluene	1.1
MW-16	Mar/Apr 2007	DUPE-7-1Q07	8.0	0.9	2.7	0.5 U	0.5 U	0.8	0.5 U	9.2	1500.0	Toluene	1.0
MW-16	Jun/Jul 2007	MW-16	6.6	0.6	2.1	0.5 U	0.5 U	2.8	0.5 U	14.0	1700.0 J	1,4-Dioxane Toluene	6.4 0.5
MW-16	Aug/Sep 2007	MW-16	5.1	0.5 U	1.5	0.5 U	0.5 U	2.4	0.5 U	22.0	2000.0	Toluene	0.5
MW-16	Aug/Sep 2007	DUPE-5-3Q07	5.1	0.3 J	1.4	0.5 U	0.5 U	2.1	0.5 U	21.0	2000.0	Toluene	0.6
MW-16	Oct/Dec 2007	MW-16	6.0	1.4	1.5	0.5 U	0.5 U	2.2	0.5 U	23.0	3100.0	Toluene	0.4 J
MW-16	Oct/Dec 2007	DUPE-5-4Q07	6.4	0.9	1.7	0.5 U	0.5 U	2.3	0.5 U	25.0	3000.0	Toluene	0.4 J
MW-16	Jan/Feb 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.6	78.0	Bromodichloromethane Bromoform Dibromochloromethane Toluene	7.7 4.1 7.8 0.6
MW-16	Apr/May 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	23.0	4.8	1,4-Dioxane Bromodichloromethane Bromoform Dibromochloromethane Toluene	1.7 27.0 5.9 21.0 1.5
MW-16	Apr/May 2008	DUPE-6-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.0	4.8	1,4-Dioxane Bromodichloromethane Bromoform Dibromochloromethane Toluene	1.5 27.0 6.4 22.0 1.5
MW-16	Jul/Aug 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.1	19.3	Bromodichloromethane Bromoform Dibromochloromethane Toluene	5.3 3.0 4.3 1.5
MW-16	Oct/Nov 2008	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.4	1.0 U	Bromodichloromethane Dibromochloromethane Toluene	1.7 0.7 3.7
MW-16	Jan/Feb 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.6	18.0	Bromodichloromethane Bromoform Dibromochloromethane	5.9 2.6 5.0

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Apr/May 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	**9.5 J**	**1,4-Dioxane** **Bromodichloromethane** **Bromoform** **Dibromochloromethane** **NDMA**	**1.1** **9.7** **9.8** **14.0** **0.0 J**
MW-16	Jul/Aug 2009	MW-16	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	1.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**5.1** **8.1** **7.8**
MW-16	Nov/Dec 2009	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Feb 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-16	Apr/May 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**	**7.3**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**16.0** **6.3** **16.0**
MW-16	Jul/Aug 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Oct/Nov 2010	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.0**	1.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**20.0** **3.3** **15.0**
MW-16	Feb/Mar 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**	1.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**16.0** **5.0** **17.0**
MW-16	Apr/May 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**	**2.4**	**1,4-Dioxane** **Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**0.8 J** **6.6** **1.1** **3.6**
MW-16	Aug/Sep 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.9**	**2.5**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**8.0** **2.6** **5.8**
MW-16	Nov/Dec 2011	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Jan/Feb 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Jan/Feb 2012	DUPE-7-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-16	Apr/May 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	**1,4-Dioxane** **NDMA**	**0.9 J** **0.0 J**
MW-16	Apr/May 2012	DUPE-8-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**1,4-Dioxane**	**1.0**
MW-16	Aug/Sep 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**7.0** **7.6** **8.8**
MW-16	Nov 2012	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**15.0** **5.0** **10.0**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-16	Jan/Feb 2013	MW-16	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**13.0** **4.7** **12.0**
MW-16	Apr/May 2013	MW-16	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**9.6** **4.8** **8.7**
MW-16	Jul 2013	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**	**2.0 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**12.0** **4.0** **11.0**
MW-16	Oct/Nov 2013	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**7.3** **2.2** **6.4**
MW-16	Oct/Nov 2013	DUPE-7-4Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**8.1** **2.0** **6.7**
MW-16	Jan/Feb 2014	MW-16	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**	**2.3 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**9.8** **6.8** **9.0**
MW-16	Apr/May 2014	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	4.0 U	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**6.7** **6.1** **8.4**
MW-16	Jul/Aug 2014	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Dibromochloromethane**	**0.2 J**
MW-16	Oct 2014	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**Carbon disulfide**	**0.4 J**
MW-16	Jan/Feb 2015	MW-16	**0.9**	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U		
MW-16	Jan/Feb 2015	DUP-6-1Q15	**1.0**	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	4.0 U		
MW-16	April/May 2015	MW-16	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**2.5 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.1** **1.1** **0.7**
MW-17 Screen 1	Aug/Sep 1996	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	Oct/Nov 1996	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	Feb/Mar 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	June/July 1997	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	June/July 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	Sep/Oct 1997	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jan/Feb 1998	MW-17-1	**30.0**	**3.5**	**1.0**	0.5 U	0.5 U	**1.3**	0.5 U	**14.0**	**1230.0**		
MW-17 Screen 1	Apr/May 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U		
MW-17 Screen 1	Jul/Aug 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Oct/Nov 1998	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Feb/Mar 1999	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	Feb/Mar 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-17 Screen 1	May/Jun 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 1	Nov/Dec 1999	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jul/Aug 2000	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jan/Feb 2001	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-17 Screen 1	Jan/Feb 2002	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**7.3**
MW-17 Screen 1	Apr/May 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-17 Screen 1	Oct/Nov 2003	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Apr/May 2004	MW-17-1	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 UJ		
MW-17 Screen 1	Oct/Nov 2004	MW-17-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Apr/May 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Jul/Sep 2005	MW-17-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	Jul/Sep 2005	DUPE-11-9/12/05	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 1	Oct/Nov 2005	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	May/Jun 2006	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	May/Jun 2006	DUPE-3-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Oct/Dec 2006	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**NDPA**	**0.0**
MW-17 Screen 1	Jun/Jul 2007	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Oct/Dec 2007	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Apr/May 2008	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 1	Oct/Nov 2008	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Apr/May 2009	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Nov/Dec 2009	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Nov/Dec 2009	DUPE-03-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Apr/May 2010	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Apr/May 2010	DUPE-6-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Oct/Nov 2010	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Apr/May 2011	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	1.0 U		
MW-17 Screen 1	Nov/Dec 2011	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Apr/May 2012	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 1	Nov 2012	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Apr/May 2013	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Oct/Nov 2013	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	Apr/May 2014	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 1	April/May 2015	MW-17-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jan/Feb 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**	NA	**Bromodichloromethane**	**0.6**
MW-17 Screen 2	Aug/Sep 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	NA		
MW-17 Screen 2	Oct/Nov 1996	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	NA	**Bromodichloromethane**	**0.6**
MW-17 Screen 2	Feb/Mar 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	NA		
MW-17 Screen 2	June/July 1997	MW-17-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 2	June/July 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	NA		
MW-17 Screen 2	Sep/Oct 1997	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	4.0 U		
MW-17 Screen 2	Jan/Feb 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U	**Bromodichloromethane**	**0.5**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 2	Apr/May 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U		
MW-17 Screen 2	Jul/Aug 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U		
MW-17 Screen 2	Oct/Nov 1998	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	4.0 U		
MW-17 Screen 2	Feb/Mar 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 B**	**3.9**	4.0 U		
MW-17 Screen 2	May/Jun 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U		
MW-17 Screen 2	Aug 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	4.0 U		
MW-17 Screen 2	Nov/Dec 1999	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-17 Screen 2	Mar/Apr 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U		
MW-17 Screen 2	Jul/Aug 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U		
MW-17 Screen 2	Sep/Oct 2000	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-17 Screen 2	Jan/Feb 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-17 Screen 2	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-17 Screen 2	Apr 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**0.4 J**	4.0 U		
MW-17 Screen 2	Apr 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**0.4 J**	4.0 U		
MW-17 Screen 2	Jul 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-17 Screen 2	Oct 2001	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jan/Feb 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**15.0**
MW-17 Screen 2	Apr/May 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-17 Screen 2	Jul 2002	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Oct/Nov 2002	MW-17-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jan/Feb 2003	MW-17-2	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.4 J**		
MW-17 Screen 2	Apr/May 2003	MW-17-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**4-Methyl-2-pentanone**	**5.0 J**
MW-17 Screen 2	Jul/Aug 2003	MW-17-2	**0.7**	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**10.9 J**		
MW-17 Screen 2	Oct/Nov 2003	MW-17-2	**1.0**	**6.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**15.7 J**		
MW-17 Screen 2	Feb 2004	MW-17-2	**0.7**	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**16.2**		
MW-17 Screen 2	Apr/May 2004	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.5 J**		
MW-17 Screen 2	Jul/Aug 2004	MW-17-2	**1.0**	**3.4**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**17.0**		
MW-17 Screen 2	Oct/Nov 2004	MW-17-2	**0.5 J**	**3.3**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**14.2**		
MW-17 Screen 2	Jan/Feb 2005	MW-17-2	**1.5**	**4.4**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**10.6**		
MW-17 Screen 2	Jan/Feb 2005	DUPE-3-1Q05	**1.6**	**5.1**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**10.0**		
MW-17 Screen 2	Apr/May 2005	MW-17-2	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**10.2**	**m,p-Xylene**	**0.3 J**
MW-17 Screen 2	Jul/Sep 2005	MW-17-2	**0.6**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**9.7**		
MW-17 Screen 2	Oct/Nov 2005	MW-17-2	0.5 U	**1.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.7**		
MW-17 Screen 2	Mar/Apr 2006	MW-17-2	0.5 U	**1.3**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**14.0**		
MW-17 Screen 2	May/Jun 2006	MW-17-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**14.0**		
MW-17 Screen 2	Aug/Sep 2006	MW-17-2	**0.6**	**1.3**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**13.0**		
MW-17 Screen 2	Oct/Dec 2006	MW-17-2	0.5 U	**1.1**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-17 Screen 2	Oct/Dec 2006	DUPE-1-4Q06	**0.3 J**	**1.2**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-17 Screen 2	Mar/Apr 2007	MW-17-2	0.5 U	**1.3**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.6**	**10.0**		
MW-17 Screen 2	Mar/Apr 2007	DUPE-1-1Q07	0.5 U	**1.4**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.4**		
MW-17 Screen 2	Jun/Jul 2007	MW-17-2	0.5 U	**1.2**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 2	Aug/Sep 2007	MW-17-2	0.5 U	1.1	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5	7.9		
MW-17 Screen 2	Oct/Dec 2007	MW-17-2	0.5 U	1.4	0.9	0.3 J	0.5 U	0.5 U	0.5 U	0.6	9.8		
MW-17 Screen 2	Jan/Feb 2008	MW-17-2	0.5 U	1.5	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.6	8.8 J		
MW-17 Screen 2	Apr/May 2008	MW-17-2	0.5 U	1.0	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	7.1		
MW-17 Screen 2	Jul/Aug 2008	MW-17-2	0.5 U	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	5.7		
MW-17 Screen 2	Oct/Nov 2008	MW-17-2	0.5 U	1.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.1		
MW-17 Screen 2	Jan/Feb 2009	MW-17-2	0.5 U	1.2	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.7		
MW-17 Screen 2	Apr/May 2009	MW-17-2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3		
MW-17 Screen 2	Jul/Aug 2009	MW-17-2	0.5 U	1.2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0		
MW-17 Screen 2	Nov/Dec 2009	MW-17-2	0.5 U	1.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3		
MW-17 Screen 2	Feb 2010	MW-17-2	0.5 U	1.0	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6 J		
MW-17 Screen 2	Apr/May 2010	MW-17-2	0.5 U	0.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.2 J		
MW-17 Screen 2	Jul/Aug 2010	MW-17-2	0.5 U	0.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4		
MW-17 Screen 2	Oct/Nov 2010	MW-17-2	0.5 U	0.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.3		
MW-17 Screen 2	Feb/Mar 2011	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	24.1		
MW-17 Screen 2	Apr/May 2011	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	76.0		
MW-17 Screen 2	Aug/Sep 2011	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	78.7 J		
MW-17 Screen 2	Nov/Dec 2011	MW-17-2	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	52.1		
MW-17 Screen 2	Jan/Feb 2012	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	90.1 J		
MW-17 Screen 2	Apr/May 2012	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	13.1		
MW-17 Screen 2	Aug/Sep 2012	MW-17-2	0.5 U	0.1 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.1 J	4.0 U		
MW-17 Screen 2	Nov 2012	MW-17-2	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.8		
MW-17 Screen 2	Jan/Feb 2013	MW-17-2	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	22.0		
MW-17 Screen 2	Apr/May 2013	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	2.6 J		
MW-17 Screen 2	Jul 2013	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Oct/Nov 2013	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jan/Feb 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	Styrene	0.1 J
MW-17 Screen 2	Apr/May 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jul/Aug 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Oct 2014	MW-17-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	Jan/Feb 2015	MW-17-2	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 2	April/May 2015	MW-17-2	0.5 U	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-17 Screen 3	Jan/Feb 1996	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5	NA	Bromodichloromethane	0.9
MW-17 Screen 3	Aug/Sep 1996	MW-17-3	2.0	7.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.7	NA	Bromodichloromethane	0.8
MW-17 Screen 3	Oct/Nov 1996	MW-17-3	3.3	18.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	7.8	NA	Bromodichloromethane	0.9
MW-17 Screen 3	Feb/Mar 1997	MW-17-3	5.1	23.0 E	1.1	0.5 U	0.5 U	0.5 U	0.5 U	5.6	NA	Bromodichloromethane	0.6
MW-17 Screen 3	June/July 1997	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	12.0		
MW-17 Screen 3	June/July 1997	MW-17-3	1.3	5.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3	NA	Bromodichloromethane	0.9
MW-17 Screen 3	Sep/Oct 1997	MW-17-3	6.6	22.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	8.5	55.0	Bromodichloromethane	0.7
MW-17 Screen 3	Jan/Feb 1998	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.4	4.0 U		
MW-17 Screen 3	Jan/Feb 1998	MW-17-3	3.3	8.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.0	25.0	Bromodichloromethane	0.8

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 3	Apr/May 1998	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-17 Screen 3	Apr/May 1998	MW-17-3	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.8	4.0 U	Bromodichloromethane	0.5
MW-17 Screen 3	Jul/Aug 1998	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-17 Screen 3	Jul/Aug 1998	MW-17-3	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.9	4.0 U		
MW-17 Screen 3	Oct/Nov 1998	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-17 Screen 3	Oct/Nov 1998	MW-17-3	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.1	5.1		
MW-17 Screen 3	Feb/Mar 1999	MW-17-3	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.2		
MW-17 Screen 3	Feb/Mar 1999	MW-17-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-17 Screen 3	May/Jun 1999	MW-17-3	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U		
MW-17 Screen 3	Aug 1999	MW-17-3	0.8	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.6	6.1		
MW-17 Screen 3	Nov/Dec 1999	MW-17-3	0.7	3.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.4	5.5		
MW-17 Screen 3	Mar/Apr 2000	MW-17-3	0.5 U	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	5.0		
MW-17 Screen 3	Jul/Aug 2000	MW-17-3	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	6.7		
MW-17 Screen 3	Sep/Oct 2000	MW-17-3	0.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.5	4.0 U		
MW-17 Screen 3	Jan/Feb 2001	MW-17-3	0.5	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	4.0 U	Methyl-tert-butyl ether (MTBE)	0.5 J
MW-17 Screen 3	Apr 2001	MW-17-3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	2.3	5.0		
MW-17 Screen 3	Jul 2001	MW-17-3	0.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	3.8 J		
MW-17 Screen 3	Oct 2001	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	7.3		
MW-17 Screen 3	Jan/Feb 2002	MW-17-3	0.7	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	6.3		
MW-17 Screen 3	Apr/May 2002	MW-17-3	1.6	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6	3.7 B	Methylene chloride	0.3 J
MW-17 Screen 3	Jul 2002	MW-17-3	1.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	3.8 J		
MW-17 Screen 3	Oct/Nov 2002	MW-17-3	7.1	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.7	115.0		
MW-17 Screen 3	Dec 2002	MW-17-3	12.5	3.7	0.4 J	0.3 U	0.5 U	0.3 J	0.5 U	2.9	NA	NDPHA	0.0 J
MW-17 Screen 3	Jan/Feb 2003	MW-17-3	13.1	3.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	4.0 U		
MW-17 Screen 3	Apr/May 2003	MW-17-3	6.4	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	126.0	4-Methyl-2-pentanone	3.0 J
MW-17 Screen 3	Jul/Aug 2003	MW-17-3	13.0	3.8	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.6	209.0 J		
MW-17 Screen 3	Oct/Nov 2003	MW-17-3	11.0	3.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.6	199.0 J		
MW-17 Screen 3	Oct/Nov 2003	DUPE-5-4Q03	13.7	3.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	3.1	193.0 J		
MW-17 Screen 3	Feb 2004	MW-17-3	9.6	3.6	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	3.1	162.0		
MW-17 Screen 3	Apr/May 2004	MW-17-3	4.7	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	8.0 UJ		
MW-17 Screen 3	Jul/Aug 2004	MW-17-3	9.7	3.8	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.7	109.0		
MW-17 Screen 3	Oct/Nov 2004	MW-17-3	14.9 J	3.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	133.0		
MW-17 Screen 3	Jan/Feb 2005	MW-17-3	9.4	3.8	0.9	0.5 U	0.5 U	0.5 U	0.5 U	2.3	76.2		
MW-17 Screen 3	Apr/May 2005	MW-17-3	2.8	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	96.5		
MW-17 Screen 3	Jul/Sep 2005	MW-17-3	3.7	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.4	m,p-Xylene	0.4 J
MW-17 Screen 3	Oct/Nov 2005	MW-17-3	5.2	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	76.7		
MW-17 Screen 3	Oct/Nov 2005	DUPE-1-4Q05	4.9	2.0	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.5	76.8		
MW-17 Screen 3	Mar/Apr 2006	MW-17-3	2.8	1.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	61.0		
MW-17 Screen 3	May/Jun 2006	MW-17-3	2.2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	15.0		
MW-17 Screen 3	Aug/Sep 2006	MW-17-3	3.3	1.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.2	61.0		
MW-17 Screen 3	Oct/Dec 2006	MW-17-3	2.5	1.3	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	5.9 J		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 3	Mar/Apr 2007	MW-17-3	2.4 J	1.2	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	47.0		
MW-17 Screen 3	Jun/Jul 2007	MW-17-3	1.5	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	46.0		
MW-17 Screen 3	Jun/Jul 2007	DUPE-3-2Q07	1.6	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	46.0		
MW-17 Screen 3	Aug/Sep 2007	MW-17-3	1.8	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	34.0		
MW-17 Screen 3	Oct/Dec 2007	MW-17-3	1.8	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	33.0		
MW-17 Screen 3	Jan/Feb 2008	MW-17-3	1.5	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.7	24.0 J		
MW-17 Screen 3	Apr/May 2008	MW-17-3	0.7	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	22.0		
MW-17 Screen 3	Jul/Aug 2008	MW-17-3	1.2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	17.3		
MW-17 Screen 3	Oct/Nov 2008	MW-17-3	0.7	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	16.6		
MW-17 Screen 3	Jan/Feb 2009	MW-17-3	0.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	13.9		
MW-17 Screen 3	Apr/May 2009	MW-17-3	0.7	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.9		
MW-17 Screen 3	Jul/Aug 2009	MW-17-3	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.5		
MW-17 Screen 3	Nov/Dec 2009	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.2		
MW-17 Screen 3	Feb 2010	MW-17-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.7 J		
MW-17 Screen 3	Apr/May 2010	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.9 J		
MW-17 Screen 3	Jul/Aug 2010	MW-17-3	0.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8		
MW-17 Screen 3	Oct/Nov 2010	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.2		
MW-17 Screen 3	Feb/Mar 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.5		
MW-17 Screen 3	Apr/May 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.1		
MW-17 Screen 3	Aug/Sep 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	6.6 J		
MW-17 Screen 3	Nov/Dec 2011	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.6		
MW-17 Screen 3	Nov/Dec 2011	DUPE-4-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.8		
MW-17 Screen 3	Jan/Feb 2012	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.3 J		
MW-17 Screen 3	Apr/May 2012	MW-17-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.9		
MW-17 Screen 3	Aug/Sep 2012	MW-17-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	8.1		
MW-17 Screen 3	Nov 2012	MW-17-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	5.1		
MW-17 Screen 3	Jan/Feb 2013	MW-17-3	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	5.5		
MW-17 Screen 3	Apr/May 2013	MW-17-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	6.3		
MW-17 Screen 3	Jul 2013	MW-17-3	0.3 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.6		
MW-17 Screen 3	Oct/Nov 2013	MW-17-3	0.5 U	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.1		
MW-17 Screen 3	Jan/Feb 2014	MW-17-3	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.4		
MW-17 Screen 3	Apr/May 2014	MW-17-3	0.5 U	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	0.2 J	7.6		
MW-17 Screen 3	Jul/Aug 2014	MW-17-3	0.2 J	0.6	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	6.4		
MW-17 Screen 3	Jul/Aug 2014	DUP-2-3Q14	0.2 J	0.6	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	6.6		
MW-17 Screen 3	Oct 2014	MW-17-3	0.5 U	0.5 J	0.3 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	6.2		
MW-17 Screen 3	Jan/Feb 2015	MW-17-3	0.5 U	0.5 J	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	6.3		
MW-17 Screen 3	April/May 2015	MW-17-3	0.5 U	0.7	0.4 J	0.5 U	0.2 J	0.5 U	0.5 U	0.3 J	5.8		
MW-17 Screen 4	Jan/Feb 1996	MW-17-4	0.5 U	8.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.2	NA		
MW-17 Screen 4	Aug/Sep 1996	MW-17-4	0.5 U	9.5	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.1	NA		
MW-17 Screen 4	Oct/Nov 1996	MW-17-4	0.5 U	8.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	NA		
MW-17 Screen 4	Feb/Mar 1997	MW-17-4	0.5 U	5.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 4	June/July 1997	MW-17-4	0.5 U	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-17 Screen 4	June/July 1997	MW-17-4	NA	NA	NA	NA	NA	NA	NA	NA	**13.0**		
MW-17 Screen 4	Sep/Oct 1997	MW-17-4	0.5 U	**6.8**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**16.0**		
MW-17 Screen 4	Jan/Feb 1998	MW-17-4	0.5 U	**7.3**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**16.0**		
MW-17 Screen 4	Apr/May 1998	MW-17-4	0.5 U	**7.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**17.0**		
MW-17 Screen 4	Jul/Aug 1998	MW-17-4	0.5 U	**8.9**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**14.0**		
MW-17 Screen 4	Oct/Nov 1998	MW-17-4	0.5 U	**6.2**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**12.0**		
MW-17 Screen 4	Feb/Mar 1999	MW-17-4	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0 B**	**1.8**	**9.8**		
MW-17 Screen 4	May/Jun 1999	MW-17-4	0.5 U	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**14.0**		
MW-17 Screen 4	Aug 1999	MW-17-4	0.5 U	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**12.0**		
MW-17 Screen 4	Nov/Dec 1999	MW-17-4	0.5 U	**6.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**10.0**		
MW-17 Screen 4	Mar/Apr 2000	MW-17-4	0.5 U	**9.9**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**15.0**		
MW-17 Screen 4	Jul/Aug 2000	MW-17-4	0.5 U	**6.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**13.0**		
MW-17 Screen 4	Sep/Oct 2000	MW-17-4	0.5 U	**5.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**13.0**		
MW-17 Screen 4	Jan/Feb 2001	MW-17-4	0.5 U	**4.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**8.0**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-17 Screen 4	Apr 2001	MW-17-4	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	NA	**0.8**	**12.0**	**Methylene chloride**	**0.4 J**
MW-17 Screen 4	Jul 2001	MW-17-4	0.5 U	**5.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**10.0**		
MW-17 Screen 4	Oct 2001	MW-17-4	0.5 U	**4.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**8.2**	**Toluene**	**0.9**
MW-17 Screen 4	Jan/Feb 2002	MW-17-4	0.5 U	**6.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**11.0**		
MW-17 Screen 4	Apr/May 2002	MW-17-4	**0.8**	**15.5**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**7.0**		
MW-17 Screen 4	Jul 2002	MW-17-4	0.5 U	**4.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-17 Screen 4	Oct/Nov 2002	MW-17-4	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-17 Screen 4	Dec 2002	MW-17-4	0.2 U	**3.6**	0.5 U	0.3 U	0.5 U	0.5 U	0.5 U	**0.6**	NA	**Methylene chloride**	**71.4 B**
MW-17 Screen 4	Dec 2002		NA	NA	NA	NA	NA	NA	NA	NA	NA	**Methylene chloride**	**85.0 B**
MW-17 Screen 4	Jan/Feb 2003	MW-17-4	0.5 U	**4.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**NDPHA**	**0.0 J**
MW-17 Screen 4	Apr/May 2003	MW-17-4	0.5 U	**6.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**6.5**	**4-Methyl-2-pentanone**	**4.0 J**
MW-17 Screen 4	Jul/Aug 2003	MW-17-4	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Oct/Nov 2003	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Feb 2004	MW-17-4	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-17 Screen 4	Apr/May 2004	MW-17-4	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 UJ		
MW-17 Screen 4	Jul/Aug 2004	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Oct/Nov 2004	MW-17-4	0.5 UJ	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-17 Screen 4	Jan/Feb 2005	MW-17-4	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.3 J**
MW-17 Screen 4	Apr/May 2005	MW-17-4	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-17 Screen 4	Jul/Sep 2005	MW-17-4	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Oct/Nov 2005	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 4	Mar/Apr 2006	MW-17-4	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	May/Jun 2006	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	1,4-Dioxane NDMA	4.8 U 0.0 U
MW-17 Screen 4	Aug/Sep 2006	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	Oct/Dec 2006	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**NDPHA**	**0.0 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 4	Mar/Apr 2007	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jun/Jul 2007	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**NDMA**	**0.0**
MW-17 Screen 4	Aug/Sep 2007	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Oct/Dec 2007	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	Jan/Feb 2008	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	Apr/May 2008	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 4	Jul/Aug 2008	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jul/Aug 2008	DUPE-3-3Q08	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**		
MW-17 Screen 4	Oct/Nov 2008	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Oct/Nov 2008	DUPE-03-4Q08	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jan/Feb 2009	MW-17-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Apr/May 2009	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**NDMA**	**0.0 J**
MW-17 Screen 4	Jul/Aug 2009	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Nov/Dec 2009	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Feb 2010	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Apr/May 2010	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jul/Aug 2010	MW-17-4	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Oct/Nov 2010	MW-17-4	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Feb/Mar 2011	MW-17-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-17 Screen 4	Apr/May 2011	MW-17-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-17 Screen 4	Aug/Sep 2011	MW-17-4	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-17 Screen 4	Nov/Dec 2011	MW-17-4	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 4	Jan/Feb 2012	MW-17-4	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-17 Screen 4	Apr/May 2012	MW-17-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-17 Screen 4	Aug/Sep 2012	MW-17-4	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.1 J**		
MW-17 Screen 4	Nov 2012	MW-17-4	**0.3 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**5.6**		
MW-17 Screen 4	Jan/Feb 2013	MW-17-4	**0.4 J**	**0.8**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**10.0**		
MW-17 Screen 4	Apr/May 2013	MW-17-4	**0.3 J**	**0.9**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**8.2**		
MW-17 Screen 4	Jul 2013	MW-17-4	0.5 U	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.8 J**	**Styrene**	**0.1 J**
MW-17 Screen 4	Oct/Nov 2013	MW-17-4	**0.6**	**2.0**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**15.0**		
MW-17 Screen 4	Jan/Feb 2014	MW-17-4	**0.8**	**3.1**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**18.0**		
MW-17 Screen 4	Apr/May 2014	MW-17-4	**0.8**	**2.4**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**17.0**		
MW-17 Screen 4	Jul/Aug 2014	MW-17-4	**0.9**	**3.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**18.0**		
MW-17 Screen 4	Oct 2014	MW-17-4	**0.3 J**	**1.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**6.8**		
MW-17 Screen 4	Jan/Feb 2015	MW-17-4	0.5 U	**1.2**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.0 J**		
MW-17 Screen 4	April/May 2015	MW-17-4	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.4 J**		
MW-17 Screen 5	Jan/Feb 1996	MW-17-5	0.5 U	**12.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	NA		
MW-17 Screen 5	Aug/Sep 1996	MW-17-5	0.5 U	**13.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	NA		
MW-17 Screen 5	Oct/Nov 1996	MW-17-5	0.5 U	**16.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	NA		
MW-17 Screen 5	Feb/Mar 1997	MW-17-5	0.5 U	**14.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-17 Screen 5	June/July 1997	MW-17-5	0.5 U	**11.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 5	June/July 1997	MW-17-5	NA	NA	NA	NA	NA	NA	NA	NA	**12.0**		
MW-17 Screen 5	Sep/Oct 1997	MW-17-5	0.5 U	**8.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**15.0**		
MW-17 Screen 5	Jan/Feb 1998	MW-17-5	0.5 U	**7.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**15.0**		
MW-17 Screen 5	Apr/May 1998	MW-17-5	0.5 U	**8.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**15.0**		
MW-17 Screen 5	Jul/Aug 1998	MW-17-5	0.5 U	**8.9**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**13.0**		
MW-17 Screen 5	Oct/Nov 1998	MW-17-5	0.5 U	**11.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**12.0**		
MW-17 Screen 5	Feb/Mar 1999	MW-17-5	0.5 U	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**6.4**		
MW-17 Screen 5	May/Jun 1999	MW-17-5	0.5 U	**6.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**12.0**		
MW-17 Screen 5	Aug 1999	MW-17-5	0.5 U	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**11.0**		
MW-17 Screen 5	Nov/Dec 1999	MW-17-5	0.5 U	**6.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**9.1**		
MW-17 Screen 5	Mar/Apr 2000	MW-17-5	0.5 U	**8.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**15.0**		
MW-17 Screen 5	Jul/Aug 2000	MW-17-5	0.5 U	**7.1**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**12.0**		
MW-17 Screen 5	Sep/Oct 2000	MW-17-5	0.5 U	**6.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**12.0**		
MW-17 Screen 5	Jan/Feb 2001	MW-17-5	**0.3 J**	**7.5**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**7.0**	**Methyl-tert-butyl ether (MTBE)**	**0.6 J**
MW-17 Screen 5	Apr 2001	MW-17-5	0.5 U	**5.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	NA	**1.2**	**19.0**	**Methylene chloride**	**0.4 J**
MW-17 Screen 5	Jul 2001	MW-17-5	**0.3 J**	**6.1**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**22.0**		
MW-17 Screen 5	Oct 2001	MW-17-5	0.5 U	**6.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**10.4**	**Toluene**	**0.7**
MW-17 Screen 5	Jan/Feb 2002	MW-17-5	0.5 U	**6.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**14.7**		
MW-17 Screen 5	Apr/May 2002	MW-17-5	**0.3 J**	**9.5**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**4.4**	**Methylene chloride**	**0.4 J**
MW-17 Screen 5	Jul 2002	MW-17-5	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Oct/Nov 2002	MW-17-5	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Apr/May 2003	MW-17-5	0.5 U	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.6 J**	**4-Methyl-2-pentanone**	**3.0 J**
MW-17 Screen 5	Oct/Nov 2003	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Apr/May 2004	MW-17-5	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-17 Screen 5	Oct/Nov 2004	MW-17-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Apr/May 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Jul/Sep 2005	MW-17-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-17 Screen 5	Oct/Nov 2005	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	May/Jun 2006	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 5	Oct/Dec 2006	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 5	Jun/Jul 2007	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 5	Oct/Dec 2007	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-17 Screen 5	Apr/May 2008	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene** **Methyl-tert-butyl ether (MTBE)**	**0.3 J** **0.3 J**
MW-17 Screen 5	Oct/Nov 2008	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 5	Apr/May 2009	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 5	Nov/Dec 2009	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 5	Apr/May 2010	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 5	Oct/Nov 2010	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 5	Apr/May 2011	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 5	Nov/Dec 2011	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-17 Screen 5	Apr/May 2012	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-17 Screen 5	Nov 2012	MW-17-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-17 Screen 5	Apr/May 2013	MW-17-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-17 Screen 5	Oct/Nov 2013	MW-17-5	**0.4 J**	**2.0**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**9.9**		
MW-17 Screen 5	Apr/May 2014	MW-17-5	**1.0**	**3.3**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**15.0**		
MW-17 Screen 5	Oct 2014	MW-17-5	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-17 Screen 5	April/May 2015	MW-17-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18 Screen 1	Aug/Sep 1996	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	NA		
MW-18 Screen 1	Feb/Mar 1997	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	NA	**Bromodichloromethane**	**0.5**
MW-18 Screen 1	June/July 1997	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	NA		
MW-18 Screen 1	June/July 1997	MW-18-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-18 Screen 1	Apr/May 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-18 Screen 1	Jul/Aug 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	Oct/Nov 1998	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	Feb/Mar 1999	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	May/Jun 1999	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	Jan/Feb 2001	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**Methylene chloride**	**1.4**
MW-18 Screen 1	Apr/May 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**4.0 J**
MW-18 Screen 1	Oct/Nov 2003	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	Apr/May 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18 Screen 1	Oct/Nov 2004	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	Apr/May 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	Jul/Sep 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane	0.0 U
MW-18 Screen 1	Oct/Nov 2005	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	May/Jun 2006	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 1	May/Jun 2006	DUPE-4-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 1	Oct/Dec 2006	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 1	Jun/Jul 2007	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 1	Oct/Dec 2007	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 1	Apr/May 2008	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 1	Apr/May 2008	DUPE-2-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 1	Oct/Nov 2008	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 1	Apr/May 2009	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 1	Nov/Dec 2009	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 1	Apr/May 2010	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 1	Oct/Nov 2010	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 1	Apr/May 2011	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 1	Nov/Dec 2011	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 1	Apr/May 2012	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 1	Nov 2012	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 1	Apr/May 2013	MW-18-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 2	Aug/Sep 1996	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**	NA	**Bromodichloromethane**	**1.8**
MW-18 Screen 2	Oct/Nov 1996	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.3**	NA	**Bromodichloromethane**	**1.9**
MW-18 Screen 2	Feb/Mar 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	NA		
MW-18 Screen 2	June/July 1997	MW-18-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-18 Screen 2	June/July 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	NA	**Bromodichloromethane**	**0.8**
MW-18 Screen 2	Sep/Oct 1997	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U	**Bromodichloromethane**	**0.5**
MW-18 Screen 2	Jan/Feb 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U	**Bromodichloromethane**	**0.8**
MW-18 Screen 2	Apr/May 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U	**Bromodichloromethane**	**0.6**
MW-18 Screen 2	Jul/Aug 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-18 Screen 2	Oct/Nov 1998	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Feb/Mar 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U	**Bromodichloromethane**	**0.8**
MW-18 Screen 2	May/Jun 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-18 Screen 2	Aug 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Nov/Dec 1999	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Mar/Apr 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	4.0 U	**Bromodichloromethane**	**0.9**
MW-18 Screen 2	Jul/Aug 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Sep/Oct 2000	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**Bromodichloromethane** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **1.7** **0.6 J**
MW-18 Screen 2	Apr 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**1.2**	4.0 U	**Bromodichloromethane**	**0.4 J**
MW-18 Screen 2	Jul 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct 2001	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**Methylene chloride**	**1.5**
MW-18 Screen 2	Apr/May 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-18 Screen 2	Jul 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-18 Screen 2	Oct/Nov 2002	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**4.0 J**
MW-18 Screen 2	Jul/Aug 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct/Nov 2003	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Feb 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18 Screen 2	Jul/Aug 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct/Nov 2004	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2005	DUPE-4-1Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2005	DUPE-1-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 2	Jul/Sep 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 1,2,3-Trichloropropane **m,p-Xylene**	0.5 U 0.0 U **0.3 J**
MW-18 Screen 2	Oct/Nov 2005	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Mar/Apr 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	May/Jun 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Aug/Sep 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Oct/Dec 2006	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Mar/Apr 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Mar/Apr 2007	DUPE-2-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Jun/Jul 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**0.7 J**
MW-18 Screen 2	Aug/Sep 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Oct/Dec 2007	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Jan/Feb 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Apr/May 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 2	Jul/Aug 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Oct/Nov 2008	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Jan/Feb 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Apr/May 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Jul/Aug 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Nov/Dec 2009	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7 J**		
MW-18 Screen 2	Feb 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.4**		
MW-18 Screen 2	Apr/May 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**85.9 J**		
MW-18 Screen 2	Jul/Aug 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-18 Screen 2	Oct/Nov 2010	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-18 Screen 2	Feb/Mar 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Apr/May 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Aug/Sep 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Aug/Sep 2011	DUPE-03-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Nov/Dec 2011	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Jan/Feb 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Apr/May 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 2	Aug/Sep 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Nov 2012	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jul 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Oct/Nov 2013	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Apr/May 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jul/Aug 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 2	Oct 2014	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	Jan/Feb 2015	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 2	April/May 2015	MW-18-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 3	Aug/Sep 1996	MW-18-3	**0.7**	**4.7**	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	NA		
MW-18 Screen 3	Aug/Sep 1996	MW-18-3	**1.0**	**5.2**	**3.5**	0.5 U	0.5 U	0.5 U	**0.7**	**5.0**	NA		
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	0.5 U	**4.3**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	NA		
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	**0.7**	**6.4**	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	NA		
MW-18 Screen 3	Feb/Mar 1997	MW-18-3	**0.8**	**6.6**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	NA		
MW-18 Screen 3	June/July 1997	MW-18-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-18 Screen 3	June/July 1997	MW-18-3	**0.6**	**2.4**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	NA		
MW-18 Screen 3	Sep/Oct 1997	MW-18-3	0.5 U	**3.0**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**	4.0 U		
MW-18 Screen 3	Jan/Feb 1998	MW-18-3	0.5 U	**1.9**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**	4.0 U		
MW-18 Screen 3	Apr/May 1998	MW-18-3	**0.5**	**1.8**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**	**5.0**		
MW-18 Screen 3	Jul/Aug 1998	MW-18-3	0.5 U	**1.5**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	**5.2**		
MW-18 Screen 3	Oct/Nov 1998	MW-18-3	0.5 U	**1.4**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	4.0 U		
MW-18 Screen 3	Feb/Mar 1999	MW-18-3	0.5 U	**1.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	4.0 U		
MW-18 Screen 3	May/Jun 1999	MW-18-3	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	4.0 U	**Methylene chloride**	**0.6**
MW-18 Screen 3	Aug 1999	MW-18-3	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	4.0 U		
MW-18 Screen 3	Nov/Dec 1999	MW-18-3	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U		
MW-18 Screen 3	Mar/Apr 2000	MW-18-3	0.5 U	**1.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	4.0 U		
MW-18 Screen 3	Jul/Aug 2000	MW-18-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U		
MW-18 Screen 3	Sep/Oct 2000	MW-18-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	4.0 U		
MW-18 Screen 3	Jan/Feb 2001	MW-18-3	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.8 J**
MW-18 Screen 3	Apr 2001	MW-18-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	NA	**1.9**	4.0 U		
MW-18 Screen 3	Jul 2001	MW-18-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	4.0 U		
MW-18 Screen 3	Oct 2001	MW-18-3	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U		
MW-18 Screen 3	Jan/Feb 2002	MW-18-3	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	4.0 U	**Methylene chloride**	**0.9 J**
MW-18 Screen 3	Jan/Feb 2002	DUP	0.5 U	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U		
MW-18 Screen 3	Apr/May 2002	MW-18-3	0.5 U	**0.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U	**Methylene chloride**	**0.4 J**
MW-18 Screen 3	Jul 2002	MW-18-3	0.5 U	**0.4 J**	0.5 U	0.4 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U		
MW-18 Screen 3	Oct/Nov 2002	MW-18-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U		
MW-18 Screen 3	Dec 2002	MW-18-3	0.2 U	**0.6**	**0.3 J**	0.3 U	0.5 U	0.5 U	0.5 U	**1.6**	NA	**Methylene chloride**	**79.5 B**
MW-18 Screen 3	Jan/Feb 2003	MW-18-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	4.0 U	**NDPHA**	**0.0 J**
MW-18 Screen 3	Apr/May 2003	MW-18-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**1.3 J**	**4-Methyl-2-pentanone**	**4.0 J**
MW-18 Screen 3	Jul/Aug 2003	MW-18-3	0.5 U	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**1.3 J**		
MW-18 Screen 3	Oct/Nov 2003	MW-18-3	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U		
MW-18 Screen 3	Feb 2004	MW-18-3	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-18 Screen 3	Apr/May 2004	MW-18-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**2.7 J**		
MW-18 Screen 3	Jul/Aug 2004	MW-18-3	**0.7**	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**6.4**		
MW-18 Screen 3	Oct/Nov 2004	MW-18-3	0.5 U	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**5.2**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 3	Jan/Feb 2005	MW-18-3	2.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.0 U		
MW-18 Screen 3	Apr/May 2005	MW-18-3	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	5.3		
MW-18 Screen 3	Jul/Sep 2005	MW-18-3	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	5.7	1,2,3-Trichloropropane 1,2,3-Trichloropropane m,p-Xylene	0.5 U 0.0 U 0.4 J
MW-18 Screen 3	Oct/Nov 2005	MW-18-3	3.5	0.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	7.7		
MW-18 Screen 3	Mar/Apr 2006	MW-18-3	3.5	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.1	16.0		
MW-18 Screen 3	May/Jun 2006	MW-18-3	4.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	25.0		
MW-18 Screen 3	Aug/Sep 2006	MW-18-3	8.6	1.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	28.0		
MW-18 Screen 3	Oct/Dec 2006	MW-18-3	4.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	23.0	1,2,3-Trichloropropane	0.0 J
MW-18 Screen 3	Mar/Apr 2007	MW-18-3	6.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.1	2.0 U		
MW-18 Screen 3	Jun/Jul 2007	MW-18-3	7.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	29.0		
MW-18 Screen 3	Aug/Sep 2007	MW-18-3	8.3	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	25.0		
MW-18 Screen 3	Oct/Dec 2007	MW-18-3	8.3	0.7	0.3 J	0.5 U	0.5 U	0.5 U	0.9	1.3	29.0		
MW-18 Screen 3	Jan/Feb 2008	MW-18-3	13.0	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.8	29.0 J		
MW-18 Screen 3	Apr/May 2008	MW-18-3	8.5	0.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	43.0		
MW-18 Screen 3	Jul/Aug 2008	MW-18-3	18.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	37.0		
MW-18 Screen 3	Jul/Aug 2008	DUPE-4-3Q08	20.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	36.3		
MW-18 Screen 3	Oct/Nov 2008	MW-18-3	15.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	39.8		
MW-18 Screen 3	Jan/Feb 2009	MW-18-3	20.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	45.3		
MW-18 Screen 3	Apr/May 2009	MW-18-3	15.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	55.9		
MW-18 Screen 3	Jul/Aug 2009	MW-18-3	6.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	49.3		
MW-18 Screen 3	Jul/Aug 2009	DUPE-3-3Q09	6.8	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	49.7		
MW-18 Screen 3	Nov/Dec 2009	MW-18-3	4.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	43.0 J		
MW-18 Screen 3	Feb 2010	MW-18-3	17.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	45.1		
MW-18 Screen 3	Apr/May 2010	MW-18-3	11.0	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.6	62.4 J		
MW-18 Screen 3	Jul/Aug 2010	MW-18-3	22.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.2	65.1		
MW-18 Screen 3	Oct/Nov 2010	MW-18-3	20.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	65.2		
MW-18 Screen 3	Feb/Mar 2011	MW-18-3	6.6	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	53.5		
MW-18 Screen 3	Feb/Mar 2011	DUPE-03-1Q11	7.4	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	54.2		
MW-18 Screen 3	Apr/May 2011	MW-18-3	9.6	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	54.8		
MW-18 Screen 3	Aug/Sep 2011	MW-18-3	43.0	3.6	0.5 U	0.5 U	0.5 U	0.5 U	0.9	4.7	144.0		
MW-18 Screen 3	Nov/Dec 2011	MW-18-3	37.0	3.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	3.9	110.0		
MW-18 Screen 3	Jan/Feb 2012	MW-18-3	25.0	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.8	126.0		
MW-18 Screen 3	Apr/May 2012	MW-18-3	8.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	64.4		
MW-18 Screen 3	Aug/Sep 2012	MW-18-3	7.4	1.0	0.2 J	0.5 U	0.5 U	0.5 U	0.2 J	1.6	93.0		
MW-18 Screen 3	Aug/Sep 2012	DUPE-1-3Q12	5.4	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	91.0		
MW-18 Screen 3	Nov 2012	MW-18-3	9.4	1.2	0.1 J	0.5 U	0.5 U	0.5 U	0.2 J	1.7	54.0		
MW-18 Screen 3	Jan/Feb 2013	MW-18-3	7.2	0.7	0.1 J	0.5 U	0.5 U	0.5 U	0.2 J	1.5	46.0		
MW-18 Screen 3	Apr/May 2013	MW-18-3	7.3	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.2 J	1.5	36.0		
MW-18 Screen 3	Jul 2013	MW-18-3	10.0	0.7	0.2 J	0.5 U	0.5 U	0.5 U	0.3 J	1.5	44.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 3	Oct/Nov 2013	MW-18-3	16.0	1.6	0.3 J	0.5 U	0.5 U	0.5 U	0.3 J	2.2	44.0		
MW-18 Screen 3	Jan/Feb 2014	MW-18-3	5.2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	35.0		
MW-18 Screen 3	Apr/May 2014	MW-18-3	6.4	0.5	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	32.0		
MW-18 Screen 3	Apr/May 2014	DUP-3-2Q14	7.2	0.6	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	36.0		
MW-18 Screen 3	Jul/Aug 2014	MW-18-3	9.6	0.8	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.7	27.0		
MW-18 Screen 3	Oct 2014	MW-18-3	5.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	17.0		
MW-18 Screen 3	Oct 2014	DUP-5-4Q14	3.8	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.0		
MW-18 Screen 3	Jan/Feb 2015	MW-18-3	7.6	0.4 J	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	14.0		
MW-18 Screen 3	April/May 2015	MW-18-3	4.4	0.4 J	0.1 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	20.0		
MW-18 Screen 4	Aug/Sep 1996	MW-18-4	2.2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA		
MW-18 Screen 4	Oct/Nov 1996	MW-18-4	2.2	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5	NA		
MW-18 Screen 4	Feb/Mar 1997	MW-18-4	2.2	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.6	NA		
MW-18 Screen 4	June/July 1997	MW-18-4	NA	NA	NA	NA	NA	NA	NA	NA	11.0		
MW-18 Screen 4	June/July 1997	MW-18-4	1.9	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18 Screen 4	Sep/Oct 1997	MW-18-4	2.4	0.5 U	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.0		
MW-18 Screen 4	Jan/Feb 1998	MW-18-4	2.6	0.5 U	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5	11.0		
MW-18 Screen 4	Apr/May 1998	MW-18-4	3.1	0.6	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.8	13.0		
MW-18 Screen 4	Jul/Aug 1998	MW-18-4	2.5	0.6	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.6	16.0		
MW-18 Screen 4	Oct/Nov 1998	MW-18-4	3.4	0.8	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.7	18.9		
MW-18 Screen 4	Feb/Mar 1999	MW-18-4	4.7	1.2	2.3	0.5 U	0.5 U	0.5 U	0.5 U	1.1	24.0		
MW-18 Screen 4	May/Jun 1999	MW-18-4	3.6	1.6	2.5	0.5 U	0.5 U	0.5 U	0.5 U	1.1	16.0	Methylene chloride	0.7
MW-18 Screen 4	Aug 1999	MW-18-4	3.6	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.0		
MW-18 Screen 4	Nov/Dec 1999	MW-18-4	3.8	1.2	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.0		
MW-18 Screen 4	Mar/Apr 2000	MW-18-4	3.8	1.2	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	24.0		
MW-18 Screen 4	Jul/Aug 2000	MW-18-4	3.6	1.1	2.0	0.5 U	0.5 U	0.5 U	0.5 U	0.9	24.0		
MW-18 Screen 4	Sep/Oct 2000	MW-18-4	4.5	1.3	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	25.0		
MW-18 Screen 4	Jan/Feb 2001	MW-18-4	3.5	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	15.0	Methylene chloride	0.4 J
MW-18 Screen 4	Apr 2001	MW-18-4	2.6	1.5	1.9	0.5 U	0.5 U	0.5 U	NA	1.0	29.0		
MW-18 Screen 4	Jul 2001	MW-18-4	3.7	0.5 U	1.6	0.5 U	0.5 U	0.5 U	0.5 U	0.7	25.0		
MW-18 Screen 4	Oct 2001	MW-18-4	4.7	1.5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.8	20.3		
MW-18 Screen 4	Jan/Feb 2002	MW-18-4	4.6	1.4	2.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	17.9	Methylene chloride	1.6
MW-18 Screen 4	Apr/May 2002	MW-18-4	11.7	5.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.8	24.5	Methylene chloride	0.4 J
MW-18 Screen 4	Jul 2002	MW-18-4	7.8	3.5	4.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	31.3		
MW-18 Screen 4	Oct/Nov 2002	MW-18-4	4.9	2.4	3.7	0.5 U	0.5 U	0.5 U	0.5 U	1.3	28.2		
MW-18 Screen 4	Dec 2002	MW-18-4	9.2	3.2	5.5	0.3 U	0.5 U	0.5 U	0.5 U	1.4	NA	1,4-Dioxane TPH - Gasoline	1.9 40.0 J
MW-18 Screen 4	Jan/Feb 2003	MW-18-4	6.7	2.6	4.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	24.6	1,2,3-Trichloropropane NDPHA	0.1 0.0 J
MW-18 Screen 4	Apr/May 2003	MW-18-4	2.4	1.0	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	23.9	4-Methyl-2-pentanone	7.0 J
MW-18 Screen 4	Apr/May 2003	DUPE-7-2Q03	2.4	0.9	1.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	23.8	4-Methyl-2-pentanone	6.0 J
MW-18 Screen 4	Jul/Aug 2003	MW-18-4	3.3	1.1	1.9	0.5 U	0.5 U	0.5 U	0.5 U	1.0	15.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 4	Oct/Nov 2003	MW-18-4	3.4	1.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.8	17.2 J		
MW-18 Screen 4	Feb 2004	MW-18-4	3.1	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.8	11.0		
MW-18 Screen 4	Apr/May 2004	MW-18-4	2.1	0.8	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.6	8.1 J		
MW-18 Screen 4	Jul/Aug 2004	MW-18-4	4.0	1.2	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.9	13.9		
MW-18 Screen 4	Oct/Nov 2004	MW-18-4	6.4	1.5	1.2	0.5 U	0.5 U	0.5 U	0.5 U	1.2	15.0		
MW-18 Screen 4	Jan/Feb 2005	MW-18-4	8.3	2.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	1.3	10.2		
MW-18 Screen 4	Apr/May 2005	MW-18-4	2.4	0.8	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	12.6	m,p-Xylene	0.3 J
MW-18 Screen 4	Jul/Sep 2005	MW-18-4	1.7	0.3 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	10.2	1,2,3-Trichloropropane	0.0
MW-18 Screen 4	Oct/Nov 2005	MW-18-4	5.1	1.3	0.8	0.5 U	0.5 U	0.5 U	0.5 U	1.3	9.3		
MW-18 Screen 4	Mar/Apr 2006	MW-18-4	3.6	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.4	11.0		
MW-18 Screen 4	May/Jun 2006	MW-18-4	2.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	11.0		
MW-18 Screen 4	Aug/Sep 2006	MW-18-4	3.2	0.7	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	10.0		
MW-18 Screen 4	Oct/Dec 2006	MW-18-4	5.3	1.0	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.3	14.0	1,2,3-Trichloropropane 1,4-Dioxane	0.0 J 1.8
MW-18 Screen 4	Mar/Apr 2007	MW-18-4	7.1	1.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.6	2.0 U		
MW-18 Screen 4	Jun/Jul 2007	MW-18-4	5.1	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	21.0		
MW-18 Screen 4	Aug/Sep 2007	MW-18-4	9.1	1.1	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	20.0		
MW-18 Screen 4	Oct/Dec 2007	MW-18-4	8.8	1.1	0.5 J	0.5 U	0.5 U	0.5 U	0.8	1.9	26.0		
MW-18 Screen 4	Jan/Feb 2008	MW-18-4	10.0	1.1	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	2.0	28.0 J		
MW-18 Screen 4	Apr/May 2008	MW-18-4	8.1	1.0	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.6	34.0		
MW-18 Screen 4	Jul/Aug 2008	MW-18-4	11.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.9	29.5		
MW-18 Screen 4	Oct/Nov 2008	MW-18-4	11.0	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.1	34.3		
MW-18 Screen 4	Oct/Nov 2008	DUPE-02-4Q08	11.0	1.4	0.5	0.5 U	0.5 U	0.5 U	0.5 U	2.1	35.5		
MW-18 Screen 4	Jan/Feb 2009	MW-18-4	14.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	41.4		
MW-18 Screen 4	Apr/May 2009	MW-18-4	10.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	45.7		
MW-18 Screen 4	Jul/Aug 2009	MW-18-4	13.0	1.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	43.2		
MW-18 Screen 4	Nov/Dec 2009	MW-18-4	16.0	1.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	52.9 J		
MW-18 Screen 4	Feb 2010	MW-18-4	10.0	1.2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	58.8		
MW-18 Screen 4	Feb 2010	DUPE-2-1Q10	8.9	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0	60.1		
MW-18 Screen 4	Apr/May 2010	MW-18-4	7.2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.8	67.2 J		
MW-18 Screen 4	Jul/Aug 2010	MW-18-4	9.1	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.1	54.5		
MW-18 Screen 4	Oct/Nov 2010	MW-18-4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	30.0	Methyl-tert-butyl ether (MTBE) Styrene	2.0 2.7
MW-18 Screen 4	Feb/Mar 2011	MW-18-4	12.0	1.5	0.6	0.5 U	0.5 U	0.5 U	0.5 U	2.4	46.8		
MW-18 Screen 4	Apr/May 2011	MW-18-4	3.3	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	38.3		
MW-18 Screen 4	Aug/Sep 2011	MW-18-4	1.9	0.8	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.7	10.9 J		
MW-18 Screen 4	Nov/Dec 2011	MW-18-4	2.8	1.0	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.9	11.6		
MW-18 Screen 4	Jan/Feb 2012	MW-18-4	1.6	0.7	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.5		
MW-18 Screen 4	Apr/May 2012	MW-18-4	4.0	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	47.3		
MW-18 Screen 4	Apr/May 2012	DUPE-6-2Q12	5.1	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	46.2		
MW-18 Screen 4	Aug/Sep 2012	MW-18-4	1.9	0.9	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.8	15.0		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 4	Nov 2012	MW-18-4	**1.7**	**0.7**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**		
MW-18 Screen 4	Jan/Feb 2013	MW-18-4	**1.4**	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**12.0**		
MW-18 Screen 4	Apr/May 2013	MW-18-4	**1.0**	**0.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**12.0**		
MW-18 Screen 4	Jul 2013	MW-18-4	**2.1**	**0.9**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**13.0**		
MW-18 Screen 4	Jul 2013	DUPE-3-3Q13	**1.5**	**0.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**13.0**		
MW-18 Screen 4	Oct/Nov 2013	MW-18-4	**1.9**	**0.9**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**15.0**		
MW-18 Screen 4	Jan/Feb 2014	MW-18-4	**1.8**	**1.0**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**15.0**		
MW-18 Screen 4	Apr/May 2014	MW-18-4	**1.4**	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**16.0**		
MW-18 Screen 4	Jul/Aug 2014	MW-18-4	**4.2**	**2.2**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**16.0**		
MW-18 Screen 4	Jul/Aug 2014	DUP-3-3Q14	**5.0**	**2.3**	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**16.0**		
MW-18 Screen 4	Oct 2014	MW-18-4	**1.5**	**0.9**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**15.0**		
MW-18 Screen 4	Jan/Feb 2015	MW-18-4	**1.4**	**1.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**14.0**		
MW-18 Screen 4	April/May 2015	MW-18-4	**1.9**	**1.4**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**13.0**		
MW-18 Screen 5	Aug/Sep 1996	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18 Screen 5	Oct/Nov 1996	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18 Screen 5	Feb/Mar 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18 Screen 5	June/July 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-18 Screen 5	June/July 1997	MW-18-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-18 Screen 5	Sep/Oct 1997	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jan/Feb 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Apr/May 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jul/Aug 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 1998	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Feb/Mar 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	May/Jun 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8**
MW-18 Screen 5	Aug 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Nov/Dec 1999	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Mar/Apr 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jul/Aug 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Sep/Oct 2000	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jan/Feb 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Chloromethane** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**1.4** **0.6 B** **0.6 J**
MW-18 Screen 5	Apr 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-18 Screen 5	Jul 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct 2001	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jan/Feb 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**2.1**
MW-18 Screen 5	Apr/May 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jul 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2002	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jan/Feb 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 5	Apr/May 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-18 Screen 5	Jul/Aug 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2003	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Feb 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Apr/May 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-18 Screen 5	Jul/Aug 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct/Nov 2004	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jan/Feb 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **m,p-Xylene** **o-Xylene**	**0.7** **3.0** **0.9**
MW-18 Screen 5	Apr/May 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.5**
MW-18 Screen 5	Jul/Sep 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	1,2,3-Trichloropropane 1,2,3-Trichloropropane **m,p-Xylene**	0.5 U 0.0 U **0.4 J**
MW-18 Screen 5	Oct/Nov 2005	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Mar/Apr 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	May/Jun 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Aug/Sep 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Oct/Dec 2006	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Mar/Apr 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jun/Jul 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Aug/Sep 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Oct/Dec 2007	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Jan/Feb 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Apr/May 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-18 Screen 5	Jul/Aug 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Oct/Nov 2008	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jan/Feb 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Apr/May 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jul/Aug 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Nov/Dec 2009	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-18 Screen 5	Feb 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Apr/May 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-18 Screen 5	Jul/Aug 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Oct/Nov 2010	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Feb/Mar 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Apr/May 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Aug/Sep 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Nov/Dec 2011	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Jan/Feb 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-18 Screen 5	Apr/May 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-18 Screen 5	Aug/Sep 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Nov 2012	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18 Screen 5	Jan/Feb 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Apr/May 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18 Screen 5	Jul 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18 Screen 5	Oct/Nov 2013	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18 Screen 5	Jan/Feb 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Apr/May 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Jul/Aug 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-18 Screen 5	Oct 2014	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7 J**	**Styrene**	**0.1 J**
MW-18 Screen 5	Jan/Feb 2015	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-18 Screen 5	April/May 2015	MW-18-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-19 Screen 1	Jan/Feb 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 1	Aug/Sep 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	NA		
MW-19 Screen 1	Aug/Sep 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	NA		
MW-19 Screen 1	Oct/Nov 1996	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-19 Screen 1	Feb/Mar 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	NA		
MW-19 Screen 1	June/July 1997	MW-19-1	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-19 Screen 1	June/July 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	NA	**Bromodichloromethane**	**0.5**
MW-19 Screen 1	Sep/Oct 1997	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-19 Screen 1	Jan/Feb 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19 Screen 1	Apr/May 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 1998	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Feb/Mar 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	May/Jun 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Aug 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Nov/Dec 1999	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Mar/Apr 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Sep/Oct 2000	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.3 J** **0.7 J** **0.4 J**
MW-19 Screen 1	Apr 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-19 Screen 1	Jul 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct 2001	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.1**
MW-19 Screen 1	Apr/May 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-19 Screen 1	Jul 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2002	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 1	Jan/Feb 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 u	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2003	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Feb 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2004	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2004	DUPE-2-3Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2004	MW-19-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Sep 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Benzene** **Methyl-tert-butyl ether (MTBE)**	**0.6** **0.6 J**
MW-19 Screen 1	Oct/Nov 2005	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Mar/Apr 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Mar/Apr 2006	DUPE-3-1Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	May/Jun 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Aug/Sep 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Oct/Dec 2006	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Mar/Apr 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Mar/Apr 2007	DUPE-4-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Jun/Jul 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Aug/Sep 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Oct/Dec 2007	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19 Screen 1	Jan/Feb 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19 Screen 1	Apr/May 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-19 Screen 1	Jul/Aug 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19 Screen 1	Oct/Nov 2008	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19 Screen 1	Jan/Feb 2009	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**		
MW-19 Screen 1	Apr/May 2009	MW-19-1	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19 Screen 1	Jul/Aug 2009	MW-19-1	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19 Screen 1	Nov/Dec 2009	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19 Screen 1	Feb 2010	MW-19-1	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.7**		
MW-19 Screen 1	Apr/May 2010	MW-19-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0**		
MW-19 Screen 1	Jul/Aug 2010	MW-19-1	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-19 Screen 1	Oct/Nov 2010	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.0 J**		
MW-19 Screen 1	Feb/Mar 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-19 Screen 1	Apr/May 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**		
MW-19 Screen 1	Aug/Sep 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**		
MW-19 Screen 1	Nov/Dec 2011	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**3.4**
MW-19 Screen 1	Nov/Dec 2011	DUPE-2-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**2.8**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 1	Jan/Feb 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19 Screen 1	Apr/May 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-19 Screen 1	Aug/Sep 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Nov 2012	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2013	DUP-1-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct/Nov 2013	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jan/Feb 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Apr/May 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Jul/Aug 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 1	Oct 2014	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-19 Screen 1	Jan/Feb 2015	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19 Screen 1	April/May 2015	MW-19-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-19 Screen 2	Jan/Feb 1996	MW-19-2	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	Aug/Sep 1996	MW-19-2	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	Oct/Nov 1996	MW-19-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	Feb/Mar 1997	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	June/July 1997	MW-19-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 2	June/July 1997	MW-19-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-19 Screen 2	Sep/Oct 1997	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jan/Feb 1998	MW-19-2	0.5 U	**0.6**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Apr/May 1998	MW-19-2	0.5 U	**0.9**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jul/Aug 1998	MW-19-2	0.5 U	**0.6**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Oct/Nov 1998	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Feb/Mar 1999	MW-19-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	May/Jun 1999	MW-19-2	0.5 U	**1.3**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-19 Screen 2	Aug 1999	MW-19-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Nov/Dec 1999	MW-19-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Mar/Apr 2000	MW-19-2	0.5 U	**0.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jul/Aug 2000	MW-19-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Sep/Oct 2000	MW-19-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jan/Feb 2001	MW-19-2	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**1.4 B** **0.6 J**
MW-19 Screen 2	Jan/Feb 2001	DUP	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.7 B**
MW-19 Screen 2	Apr 2001	MW-19-2	0.5 U	**1.2**	**0.5 J**	0.5 U	0.5 U	0.5 U	NA	**0.4 J**	4.0 U		
MW-19 Screen 2	Jul 2001	MW-19-2	0.5 U	**1.2**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19 Screen 2	Jul 2001	DUP	0.5 U	**1.6**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Oct 2001	MW-19-2	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Jan/Feb 2002	MW-19-2	0.5 U	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 2	Apr/May 2002	MW-19-2	0.5 U	**1.7**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**Methylene chloride**	**0.5 J**
MW-19 Screen 2	Jul 2002	MW-19-2	0.5 U	**1.7**	**1.0**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-19 Screen 2	Oct/Nov 2002	MW-19-2	0.5 U	**1.1**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19 Screen 2	Jan/Feb 2003	MW-19-2	0.5 U	**1.1**	**2.0**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-19 Screen 2	Apr/May 2003	MW-19-2	0.5 U	**0.4 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.3**		
MW-19 Screen 2	Jul/Aug 2003	MW-19-2	0.5 U	**0.6**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.6 J**	**Bromodichloromethane** **Dibromochloromethane**	**0.4 J** **0.6**
MW-19 Screen 2	Oct/Nov 2003	MW-19-2	0.5 U	**0.3 J**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**4.4 J**	**Bromodichloromethane** **Dibromochloromethane**	**0.5** **0.4 J**
MW-19 Screen 2	Feb 2004	MW-19-2	0.5 U	**0.5 J**	**1.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**1.2**	**6.8**	**Bromodichloromethane** **Dibromochloromethane**	**0.7** **1.3**
MW-19 Screen 2	Apr/May 2004	MW-19-2	0.5 U	**0.3 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.5**	**Bromodichloromethane**	**0.4 J**
MW-19 Screen 2	Jul/Aug 2004	MW-19-2	0.5 U	**0.5**	**1.4**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.9**	**7.1**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.4 J** **0.3 J** **0.4 J**
MW-19 Screen 2	Oct/Nov 2004	MW-19-2	0.5 UJ	**0.3 J**	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	**1.0**	**8.0**	**Bromodichloromethane** **Dibromochloromethane**	**0.5 J** **0.6**
MW-19 Screen 2	Jan/Feb 2005	MW-19-2	0.5 U	**0.5 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.5** **0.6**
MW-19 Screen 2	Apr/May 2005	MW-19-2	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**7.0**	**Bromodichloromethane**	**0.6**
MW-19 Screen 2	Jul/Sep 2005	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.7**	**m,p-Xylene**	**0.4 J**
MW-19 Screen 2	Oct/Nov 2005	MW-19-2	0.5 U	**0.6**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.6**	**Bromodichloromethane**	**0.3 J**
MW-19 Screen 2	Mar/Apr 2006	MW-19-2	0.5 U	**1.1**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.7**	**4.5**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.3 J** **0.3**
MW-19 Screen 2	May/Jun 2006	MW-19-2	0.5 U	**0.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.4**		
MW-19 Screen 2	Aug/Sep 2006	MW-19-2	0.5 U	**1.2**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.6**	**5.1**		
MW-19 Screen 2	Oct/Dec 2006	MW-19-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 2	Mar/Apr 2007	MW-19-2	0.5 U	**1.2**	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19 Screen 2	Jun/Jul 2007	MW-19-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.7**	**Methylene chloride**	**0.7 J**
MW-19 Screen 2	Aug/Sep 2007	MW-19-2	0.5 U	**1.1**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-19 Screen 2	Oct/Dec 2007	MW-19-2	0.5 U	**1.0**	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**8.0**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19 Screen 2	Jan/Feb 2008	MW-19-2	0.5 U	**1.3**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.4**	**1,2,3-Trichlorobenzene** **cis-1,2-Dichloroethene**	**0.3 J** **0.3 J**
MW-19 Screen 2	Apr/May 2008	MW-19-2	0.5 U	**0.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.0**		
MW-19 Screen 2	Jul/Aug 2008	MW-19-2	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.7**		
MW-19 Screen 2	Jul/Aug 2008	DUPE-2-3Q08	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-19 Screen 2	Oct/Nov 2008	MW-19-2	0.5 U	**1.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-19 Screen 2	Jan/Feb 2009	MW-19-2	0.5 U	**2.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**5.2**		
MW-19 Screen 2	Apr/May 2009	MW-19-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**		
MW-19 Screen 2	Jul/Aug 2009	MW-19-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		
MW-19 Screen 2	Jul/Aug 2009	DUPE-1-3Q09	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 2	Nov/Dec 2009	MW-19-2	0.5 U	**1.2**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-19 Screen 2	Feb 2010	MW-19-2	0.5 U	**1.2**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**		
MW-19 Screen 2	Apr/May 2010	MW-19-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**		
MW-19 Screen 2	Jul/Aug 2010	MW-19-2	0.5 U	**1.9**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**6.0**		
MW-19 Screen 2	Oct/Nov 2010	MW-19-2	0.5 U	**1.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0 J**		
MW-19 Screen 2	Feb/Mar 2011	MW-19-2	0.5 U	**2.1**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**		
MW-19 Screen 2	Apr/May 2011	MW-19-2	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**		
MW-19 Screen 2	Aug/Sep 2011	MW-19-2	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-19 Screen 2	Nov/Dec 2011	MW-19-2	0.5 U	**1.3**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-19 Screen 2	Jan/Feb 2012	MW-19-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19 Screen 2	Apr/May 2012	MW-19-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19 Screen 2	Apr/May 2012	DUPE-5-2Q12	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**		
MW-19 Screen 2	Aug/Sep 2012	MW-19-2	0.5 U	**1.1**	**0.6**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.5**	**5.8**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19 Screen 2	Nov 2012	MW-19-2	0.5 U	**1.4**	**0.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**1.2 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-19 Screen 2	Jan/Feb 2013	MW-19-2	0.5 U	**1.2**	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.7**	**6.2**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.3 J**
MW-19 Screen 2	Apr/May 2013	MW-19-2	0.5 U	**0.7**	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.2**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-19 Screen 2	Jul 2013	MW-19-2	0.5 U	**0.9**	**1.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**6.1**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.4 J** **0.3 J**
MW-19 Screen 2	Oct/Nov 2013	MW-19-2	0.5 U	**0.5 J**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**6.1**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-19 Screen 2	Jan/Feb 2014	MW-19-2	0.5 U	**0.8**	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.9**	**5.9**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.4 J** **0.3 J**
MW-19 Screen 2	Apr/May 2014	MW-19-2	0.5 U	**0.4 J**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**6.3**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.3 J** **0.2 J** **0.2 J**
MW-19 Screen 2	Jul/Aug 2014	MW-19-2	0.5 U	**0.8**	**1.3**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.0**	**5.7**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.4 J** **0.3 J** **0.2 J**
MW-19 Screen 2	Oct 2014	MW-19-2	0.5 U	**0.6**	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**5.5**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.3 J** **0.2 J**
MW-19 Screen 2	Jan/Feb 2015	MW-19-2	0.5 U	**1.2**	**1.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.1**	**5.2**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.3 J** **0.3 J**
MW-19 Screen 2	April/May 2015	MW-19-2	0.5 U	**3.5**	2.9	**0.4 J**	**0.5 U**	0.5 U	0.5 U	**2.1**	**5.0**	**1,2,3-Trichlorobenzene** **1,2-Dichlorobenzene** **1,3-Dichlorobenzene** **1,4-Dichlorobenzene** **Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.1 J** **0.2 J** **0.1 J** **0.2** **0.4 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 3	Jan/Feb 1996	MW-19-3	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Aug/Sep 1996	MW-19-3	0.5 U	0.5 U	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Oct/Nov 1996	MW-19-3	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Feb/Mar 1997	MW-19-3	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	June/July 1997	MW-19-3	NA	NA	NA	NA	NA	NA	NA	NA	**4.1**		
MW-19 Screen 3	June/July 1997	MW-19-3	0.5 U	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 3	Sep/Oct 1997	MW-19-3	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8 U	**Toluene**	**0.6**
MW-19 Screen 3	Jan/Feb 1998	MW-19-3	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Apr/May 1998	MW-19-3	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jul/Aug 1998	MW-19-3	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-19 Screen 3	Oct/Nov 1998	MW-19-3	0.5 U	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-19 Screen 3	Feb/Mar 1999	MW-19-3	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	May/Jun 1999	MW-19-3	0.5 U	**0.9**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**		
MW-19 Screen 3	Aug 1999	MW-19-3	0.5 U	**0.6**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-19 Screen 3	Nov/Dec 1999	MW-19-3	0.5 U	**0.6**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-19 Screen 3	Mar/Apr 2000	MW-19-3	0.5 U	**0.8**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**		
MW-19 Screen 3	Jul/Aug 2000	MW-19-3	0.5 U	**0.7**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-19 Screen 3	Sep/Oct 2000	MW-19-3	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-19 Screen 3	Jan/Feb 2001	MW-19-3	0.5 U	**0.5**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Methylene chloride** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.7 B** **1.7** **1.1**
MW-19 Screen 3	Apr 2001	MW-19-3	0.5 U	**0.5**	**1.2**	0.5 U	0.5 U	0.5 U	NA	**0.3 J**	4.0 U		
MW-19 Screen 3	Jul 2001	MW-19-3	0.5 U	**0.9**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19 Screen 3	Oct 2001	MW-19-3	0.5 U	**0.5 J**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jan/Feb 2002	MW-19-3	0.5 U	**1.1**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19 Screen 3	Jan/Feb 2002	DUP	0.5 U	**0.6**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U	**Methylene chloride**	**0.7 J**
MW-19 Screen 3	Apr/May 2002	MW-19-3	0.5 U	**1.1**	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19 Screen 3	Jul 2002	MW-19-3	0.5 U	**1.1**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19 Screen 3	Oct/Nov 2002	MW-19-3	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19 Screen 3	Dec 2002	MW-19-3	0.2 U	**0.8 J**	**1.5 J**	0.3 U	0.5 U	0.5 U	0.5 U	**0.5 J**	NA	**NDPHA**	**0.0 J**
MW-19 Screen 3	Jan/Feb 2003	MW-19-3	0.5 U	**0.5 J**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19 Screen 3	Apr/May 2003	MW-19-3	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-19 Screen 3	Jul/Aug 2003	MW-19-3	0.5 U	**0.4 J**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**	**Dibromochloromethane**	**0.4 J**
MW-19 Screen 3	Oct/Nov 2003	MW-19-3	0.5 U	**0.3 J**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.1 J**		
MW-19 Screen 3	Feb 2004	MW-19-3	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	**Dibromochloromethane**	**0.9**
MW-19 Screen 3	Feb 2004	DUPE-2-1Q04	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.3**	**Dibromochloromethane**	**0.9**
MW-19 Screen 3	Apr/May 2004	MW-19-3	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-19 Screen 3	Jul/Aug 2004	MW-19-3	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.7**		
MW-19 Screen 3	Oct/Nov 2004	MW-19-3	0.5 UJ	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.8**		
MW-19 Screen 3	Jan/Feb 2005	MW-19-3	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.6**
MW-19 Screen 3	Jan/Feb 2005	DUPE-2-1Q05	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.6**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 3	Apr/May 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jul/Sep 2005	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-19 Screen 3	Oct/Nov 2005	MW-19-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-19 Screen 3	Mar/Apr 2006	MW-19-3	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**0.3 J**
MW-19 Screen 3	May/Jun 2006	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	May/Jun 2006	DUPE-1-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Aug/Sep 2006	MW-19-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Oct/Dec 2006	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Mar/Apr 2007	MW-19-3	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jun/Jul 2007	MW-19-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-19 Screen 3	Aug/Sep 2007	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Oct/Dec 2007	MW-19-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-19 Screen 3	Jan/Feb 2008	MW-19-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-19 Screen 3	Apr/May 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-19 Screen 3	Jul/Aug 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19 Screen 3	Oct/Nov 2008	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-19 Screen 3	Jan/Feb 2009	MW-19-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19 Screen 3	Apr/May 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19 Screen 3	Jul/Aug 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-19 Screen 3	Nov/Dec 2009	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19 Screen 3	Feb 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19 Screen 3	Apr/May 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-19 Screen 3	Jul/Aug 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**		
MW-19 Screen 3	Oct/Nov 2010	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-19 Screen 3	Feb/Mar 2011	MW-19-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-19 Screen 3	Apr/May 2011	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19 Screen 3	Apr/May 2011	DUPE-3-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19 Screen 3	Aug/Sep 2011	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		
MW-19 Screen 3	Nov/Dec 2011	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	**Styrene**	**0.8**
MW-19 Screen 3	Jan/Feb 2012	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**		
MW-19 Screen 3	Apr/May 2012	MW-19-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-19 Screen 3	Aug/Sep 2012	MW-19-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.0 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-19 Screen 3	Nov 2012	MW-19-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.8 J**		
MW-19 Screen 3	Nov 2012	DUPE-1-4Q12	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 3	Jan/Feb 2013	MW-19-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.4 J**		
MW-19 Screen 3	Apr/May 2013	MW-19-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-19 Screen 3	Jul 2013	MW-19-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.8 J**		
MW-19 Screen 3	Oct/Nov 2013	MW-19-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**3.4 J**		
MW-19 Screen 3	Jan/Feb 2014	MW-19-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.4 J**		
MW-19 Screen 3	Apr/May 2014	MW-19-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.9 J**		
MW-19 Screen 3	Jul/Aug 2014	MW-19-3	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.4**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 3	Oct 2014	MW-19-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.3 J**		
MW-19 Screen 3	Jan/Feb 2015	MW-19-3	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.5 J**		
MW-19 Screen 3	Jan/Feb 2015	DUP-1-1Q15	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.9 J**		
MW-19 Screen 3	April/May 2015	MW-19-3	0.5 U	**0.1 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.1**		
MW-19 Screen 4	Jan/Feb 1996	MW-19-4	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-19 Screen 4	Aug/Sep 1996	MW-19-4	**0.5**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	NA		
MW-19 Screen 4	Oct/Nov 1996	MW-19-4	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	NA		
MW-19 Screen 4	Feb/Mar 1997	MW-19-4	0.5 U	**1.1**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	NA		
MW-19 Screen 4	June/July 1997	MW-19-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-19 Screen 4	June/July 1997	MW-19-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	NA		
MW-19 Screen 4	Sep/Oct 1997	MW-19-4	0.5 U	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**4.9**		
MW-19 Screen 4	Jan/Feb 1998	MW-19-4	0.5 U	**0.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-19 Screen 4	Apr/May 1998	MW-19-4	0.5 U	**0.8**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	4.0 U		
MW-19 Screen 4	Jul/Aug 1998	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-19 Screen 4	Oct/Nov 1998	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U		
MW-19 Screen 4	Feb/Mar 1999	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U		
MW-19 Screen 4	May/Jun 1999	MW-19-4	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U		
MW-19 Screen 4	Aug 1999	MW-19-4	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	4.0 U		
MW-19 Screen 4	Nov/Dec 1999	MW-19-4	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	4.0 U		
MW-19 Screen 4	Mar/Apr 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U		
MW-19 Screen 4	Jul/Aug 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U		
MW-19 Screen 4	Sep/Oct 2000	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U		
MW-19 Screen 4	Jan/Feb 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U	**Bromodichloromethane** **Bromodichloromethane** **Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.4 J** **0.3 J** **0.8 B** **0.9 J** **0.3 J**
MW-19 Screen 4	Apr 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**2.0**	4.0 U		
MW-19 Screen 4	Jul 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U		
MW-19 Screen 4	Oct 2001	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U		
MW-19 Screen 4	Jan/Feb 2002	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U	**Methylene chloride**	**0.5 J**
MW-19 Screen 4	Apr/May 2002	MW-19-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U	**Methylene chloride**	**0.4 J**
MW-19 Screen 4	Jul 2002	MW-19-4	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U	**Bromodichloromethane**	**0.5 J**
MW-19 Screen 4	Oct/Nov 2002	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	4.0 U		
MW-19 Screen 4	Jan/Feb 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	4.0 U		
MW-19 Screen 4	Jan/Feb 2003	DUPE-2-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U		
MW-19 Screen 4	Apr/May 2003	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-19 Screen 4	Jul/Aug 2003	MW-19-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-19 Screen 4	Jul/Aug 2003	DUPE-1-3Q03	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U		
MW-19 Screen 4	Oct/Nov 2003	MW-19-4	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-19 Screen 4	Feb 2004	MW-19-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.5 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 4	Apr/May 2004	MW-19-4	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-19 Screen 4	Jul/Aug 2004	MW-19-4	0.5 U	**0.4 J**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**m,p-Xylene** **Toluene**	**0.7** **0.6**
MW-19 Screen 4	Oct/Nov 2004	MW-19-4	0.5 UJ	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19 Screen 4	Jan/Feb 2005	MW-19-4	0.5 U	**0.4 J**	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19 Screen 4	Apr/May 2005	MW-19-4	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-19 Screen 4	Jul/Sep 2005	MW-19-4	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.0 J**	**m,p-Xylene**	**0.8**
MW-19 Screen 4	Oct/Nov 2005	MW-19-4	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.4 J**		
MW-19 Screen 4	Mar/Apr 2006	MW-19-4	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19 Screen 4	May/Jun 2006	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 4	Aug/Sep 2006	MW-19-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 4	Oct/Dec 2006	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 4	Mar/Apr 2007	MW-19-4	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.5 U		
MW-19 Screen 4	Jun/Jul 2007	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-19 Screen 4	Aug/Sep 2007	MW-19-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-19 Screen 4	Oct/Dec 2007	MW-19-4	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.4**		
MW-19 Screen 4	Jan/Feb 2008	MW-19-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.0 U		
MW-19 Screen 4	Apr/May 2008	MW-19-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19 Screen 4	Jul/Aug 2008	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-19 Screen 4	Oct/Nov 2008	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19 Screen 4	Jan/Feb 2009	MW-19-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19 Screen 4	Apr/May 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19 Screen 4	Jul/Aug 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-19 Screen 4	Nov/Dec 2009	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-19 Screen 4	Feb 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-19 Screen 4	Apr/May 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19 Screen 4	Jul/Aug 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-19 Screen 4	Oct/Nov 2010	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-19 Screen 4	Feb/Mar 2011	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-19 Screen 4	Apr/May 2011	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-19 Screen 4	Aug/Sep 2011	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-19 Screen 4	Aug/Sep 2011	DUPE-01-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-19 Screen 4	Nov/Dec 2011	MW-19-4	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-19 Screen 4	Jan/Feb 2012	MW-19-4	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-19 Screen 4	Apr/May 2012	MW-19-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-19 Screen 4	Aug/Sep 2012	MW-19-4	0.5 U	**0.2 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.6 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-19 Screen 4	Nov 2012	MW-19-4	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.4 J**		
MW-19 Screen 4	Jan/Feb 2013	MW-19-4	0.5 U	**0.2 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.3 J**		
MW-19 Screen 4	Apr/May 2013	MW-19-4	0.5 U	**0.1 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**		
MW-19 Screen 4	Jul 2013	MW-19-4	0.5 U	**0.1 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**		
MW-19 Screen 4	Oct/Nov 2013	MW-19-4	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 4	Jan/Feb 2014	MW-19-4	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.4 J**		
MW-19 Screen 4	Apr/May 2014	MW-19-4	0.5 U	**0.1 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.3 J**		
MW-19 Screen 4	Jul/Aug 2014	MW-19-4	0.5 U	**0.1 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.4 J**		
MW-19 Screen 4	Oct 2014	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.1 J**		
MW-19 Screen 4	Jan/Feb 2015	MW-19-4	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.5 J**		
MW-19 Screen 4	April/May 2015	MW-19-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**2.3 J**		
MW-19 Screen 5	Jan/Feb 1996	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 5	Aug/Sep 1996	MW-19-5	0.5 U	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-19 Screen 5	Oct/Nov 1996	MW-19-5	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 5	Feb/Mar 1997	MW-19-5	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 5	June/July 1997	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-19 Screen 5	June/July 1997	MW-19-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-19 Screen 5	Sep/Oct 1997	MW-19-5	0.5 U	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19 Screen 5	Jan/Feb 1998	MW-19-5	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Apr/May 1998	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19 Screen 5	Jul/Aug 1998	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 1998	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Feb/Mar 1999	MW-19-5	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	May/Jun 1999	MW-19-5	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	**Methylene chloride**	**0.7**
MW-19 Screen 5	Aug 1999	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-19 Screen 5	Nov/Dec 1999	MW-19-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Mar/Apr 2000	MW-19-5	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-19 Screen 5	Jul/Aug 2000	MW-19-5	0.5 U	**0.5**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.2**		
MW-19 Screen 5	Sep/Oct 2000	MW-19-5	0.5 U	**0.6**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jan/Feb 2001	MW-19-5	0.5 U	**0.4 J**	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)** **Toluene**	**0.5 J** **0.7 J** **0.3 J**
MW-19 Screen 5	Apr 2001	MW-19-5	0.5 U	**0.4 J**	**2.5**	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U	**1,2-Dichloroethene, Total** **cis-1,2-Dichloroethene**	**0.3 J** **0.3 J**
MW-19 Screen 5	Jul 2001	MW-19-5	0.5 U	**0.4 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19 Screen 5	Oct 2001	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-19 Screen 5	Jan/Feb 2002	MW-19-5	0.5 U	**0.5**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U	**Methylene chloride**	**2.7**
MW-19 Screen 5	Apr/May 2002	MW-19-5	0.5 U	**0.6**	**3.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**Methylene chloride**	**0.5 J**
MW-19 Screen 5	Jul 2002	MW-19-5	0.5 U	**0.6**	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-19 Screen 5	Oct/Nov 2002	MW-19-5	0.5 U	**0.4 J**	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19 Screen 5	Oct/Nov 2002	DUP	0.5 U	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Dec 2002	MW-19-5	0.2 U	**0.6**	**5.4**	0.3 U	0.5 U	0.5 U	0.5 U	**0.4**	NA	**NDPHA**	**0.0**
MW-19 Screen 5	Jan/Feb 2003	MW-19-5	0.5 U	**0.4 J**	**4.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Apr/May 2003	MW-19-5	0.5 U	0.5 U	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-19 Screen 5	Jul/Aug 2003	MW-19-5	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 2003	MW-19-5	0.5 U	**0.3 J**	**3.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 5	Feb 2004	MW-19-5	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Apr/May 2004	MW-19-5	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jul/Aug 2004	MW-19-5	0.5 U	**0.4 J**	**4.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Nov 2004	MW-19-5	0.5 UJ	**0.3 J**	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19 Screen 5	Jan/Feb 2005	MW-19-5	0.5 U	**0.5**	**5.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.3 J**
MW-19 Screen 5	Apr/May 2005	MW-19-5	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Jul/Sep 2005	MW-19-5	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**	**Bromodichloromethane**	**0.4 J**
MW-19 Screen 5	Oct/Nov 2005	MW-19-5	0.5 U	**0.4 J**	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.2 J**		
MW-19 Screen 5	Oct/Nov 2005	DUPE-2-4Q05	0.5 U	**0.3 J**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.3 J**		
MW-19 Screen 5	Mar/Apr 2006	MW-19-5	0.5 U	**0.5**	**3.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19 Screen 5	May/Jun 2006	MW-19-5	0.5 U	**0.4 J**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19 Screen 5	Aug/Sep 2006	MW-19-5	0.5 U	**0.4 J**	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-19 Screen 5	Oct/Dec 2006	MW-19-5	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8 J**		
MW-19 Screen 5	Mar/Apr 2007	MW-19-5	0.5 U	**0.3 J**	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-19 Screen 5	Jun/Jul 2007	MW-19-5	0.5 U	**0.3 J**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-19 Screen 5	Aug/Sep 2007	MW-19-5	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-19 Screen 5	Oct/Dec 2007	MW-19-5	0.5 U	**0.3 J**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.8**		
MW-19 Screen 5	Jan/Feb 2008	MW-19-5	0.5 U	**0.4 J**	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		
MW-19 Screen 5	Apr/May 2008	MW-19-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19 Screen 5	Jul/Aug 2008	MW-19-5	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**Chloromethane**	**1.0**
MW-19 Screen 5	Oct/Nov 2008	MW-19-5	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19 Screen 5	Jan/Feb 2009	MW-19-5	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-19 Screen 5	Apr/May 2009	MW-19-5	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19 Screen 5	Jul/Aug 2009	MW-19-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-19 Screen 5	Nov/Dec 2009	MW-19-5	0.5 U	0.5 U	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-19 Screen 5	Feb 2010	MW-19-5	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-19 Screen 5	Apr/May 2010	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		
MW-19 Screen 5	Jul/Aug 2010	MW-19-5	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		
MW-19 Screen 5	Oct/Nov 2010	MW-19-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-19 Screen 5	Feb/Mar 2011	MW-19-5	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-19 Screen 5	Apr/May 2011	MW-19-5	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-19 Screen 5	Aug/Sep 2011	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-19 Screen 5	Nov/Dec 2011	MW-19-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-19 Screen 5	Jan/Feb 2012	MW-19-5	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-19 Screen 5	Apr/May 2012	MW-19-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-19 Screen 5	Aug/Sep 2012	MW-19-5	0.5 U	**0.2 J**	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**		
MW-19 Screen 5	Nov 2012	MW-19-5	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.4 J**		
MW-19 Screen 5	Jan/Feb 2013	MW-19-5	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.6 J**		
MW-19 Screen 5	Apr/May 2013	MW-19-5	0.5 U	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Carbon disulfide**	**0.4 J**
MW-19 Screen 5	Jul 2013	MW-19-5	0.5 U	**0.2 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.1 J**	**Styrene**	**0.1 J**
MW-19 Screen 5	Jul 2013	DUP-1-3Q13	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.0 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-19 Screen 5	Oct/Nov 2013	MW-19-5	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.8 J**		
MW-19 Screen 5	Jan/Feb 2014	MW-19-5	0.5 U	**0.1 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.8 J**		
MW-19 Screen 5	Apr/May 2014	MW-19-5	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.1 J**		
MW-19 Screen 5	Jul/Aug 2014	MW-19-5	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.3 J**		
MW-19 Screen 5	Oct 2014	MW-19-5	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**		
MW-19 Screen 5	Jan/Feb 2015	MW-19-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.7 J**		
MW-19 Screen 5	April/May 2015	MW-19-5	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.8 J**	**Styrene**	**0.1 J**
MW-20 Screen 1	Jan/Feb 1996	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 1	Aug/Sep 1996	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	NA		
MW-20 Screen 1	Feb/Mar 1997	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	NA		
MW-20 Screen 1	June/July 1997	MW-20-1	NA	NA	NA	NA	NA	NA	NA	NA	**5.7**		
MW-20 Screen 1	June/July 1997	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	NA		
MW-20 Screen 1	Jan/Feb 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**6.3**		
MW-20 Screen 1	Apr/May 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**5.5**		
MW-20 Screen 1	Jul/Aug 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**5.9**		
MW-20 Screen 1	Oct/Nov 1998	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**7.8**		
MW-20 Screen 1	Feb/Mar 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**4.9**		
MW-20 Screen 1	May/Jun 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**4.4**		
MW-20 Screen 1	Aug 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.5**		
MW-20 Screen 1	Nov/Dec 1999	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**7.7**		
MW-20 Screen 1	Mar/Apr 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**7.6**		
MW-20 Screen 1	Jul/Aug 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**		
MW-20 Screen 1	Sep/Oct 2000	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**7.9**		
MW-20 Screen 1	Jan/Feb 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**5.0**	**Methylene chloride** **Methyl-tert-butyl ether (MTBE)**	**0.4 J** **0.3 J**
MW-20 Screen 1	Apr 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**0.9**	4.0 U		
MW-20 Screen 1	Jul 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-20 Screen 1	Oct 2001	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jan/Feb 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**6.6**	**Methylene chloride**	**0.7 J**
MW-20 Screen 1	Apr/May 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-20 Screen 1	Jul 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-20 Screen 1	Oct/Nov 2002	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-20 Screen 1	Jan/Feb 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jan/Feb 2003	DUPE-1-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-20 Screen 1	Apr/May 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Apr/May 2003	DUPE-3-2Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jul/Aug 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**1.5 J**		
MW-20 Screen 1	Oct/Nov 2003	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.1 J**	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**3.0 J** **2.2** **0.9**
MW-20 Screen 1	Feb 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 1	Apr/May 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jul/Aug 2004	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Oct/Nov 2004	MW-20-1	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**		
MW-20 Screen 1	Jan/Feb 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-20 Screen 1	Apr/May 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jul/Sep 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-20 Screen 1	Oct/Nov 2005	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-20 Screen 1	Mar/Apr 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 1	May/Jun 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Aug/Sep 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Oct/Dec 2006	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Mar/Apr 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jun/Jul 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Jun/Jul 2007	DUPE-2-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Aug/Sep 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 1	Oct/Dec 2007	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-20 Screen 1	Jan/Feb 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U		
MW-20 Screen 1	Apr/May 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 1	Jul/Aug 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-20 Screen 1	Oct/Nov 2008	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-20 Screen 1	Oct/Nov 2008	MW-20-1RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Jan/Feb 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Jan/Feb 2009	DUPE-04-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Apr/May 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Jul/Aug 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Nov/Dec 2009	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Nov/Dec 2009	DUPE-01-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Feb 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Apr/May 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Jul/Aug 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Oct/Nov 2010	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Feb/Mar 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Apr/May 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Aug/Sep 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 J**		
MW-20 Screen 1	Nov/Dec 2011	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Jan/Feb 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-20 Screen 1	Apr/May 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 1	Aug/Sep 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.6 J**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-20 Screen 1	Nov 2012	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-20 Screen 1	Jan/Feb 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 1	Apr/May 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Bromodichloromethane** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-20 Screen 1	Jul 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.2 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-20 Screen 1	Oct/Nov 2013	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Carbon disulfide**	**0.4 J**
MW-20 Screen 1	Jan/Feb 2014	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-20 Screen 1	Jan/Feb 2014	DUPE-2-1Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-20 Screen 1	Apr/May 2014	MW-20-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 2	Jan/Feb 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	NA		
MW-20 Screen 2	Aug/Sep 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**	NA	**Bromodichloromethane**	**0.9**
MW-20 Screen 2	Oct/Nov 1996	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	NA	**Bromodichloromethane**	**0.6**
MW-20 Screen 2	Feb/Mar 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	NA		
MW-20 Screen 2	June/July 1997	MW-20-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-20 Screen 2	June/July 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	NA		
MW-20 Screen 2	Sep/Oct 1997	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	4.0 U	**Bromodichloromethane**	**0.5**
MW-20 Screen 2	Jan/Feb 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	4.0 U		
MW-20 Screen 2	Apr/May 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	4.0 U		
MW-20 Screen 2	Jul/Aug 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	4.0 U	**Bromodichloromethane**	**0.5**
MW-20 Screen 2	Oct/Nov 1998	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	4.0 U		
MW-20 Screen 2	Feb/Mar 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	4.0 U		
MW-20 Screen 2	May/Jun 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	4.0 U	**Bromodichloromethane**	**0.6**
MW-20 Screen 2	Aug 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**	4.0 U	**Bromodichloromethane**	**0.6**
MW-20 Screen 2	Nov/Dec 1999	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U		
MW-20 Screen 2	Mar/Apr 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U		
MW-20 Screen 2	Jul/Aug 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	4.0 U	**Bromodichloromethane**	**0.6**
MW-20 Screen 2	Sep/Oct 2000	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	4.0 U	**Bromodichloromethane**	**0.7**
MW-20 Screen 2	Jan/Feb 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	4.0 U	**Bromodichloromethane** **Bromodichloromethane**	**0.5 J** **0.4 J**
MW-20 Screen 2	Apr 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	**2.9**	4.0 U	**Bromodichloromethane**	**0.4 J**
MW-20 Screen 2	Jul 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	4.0 U		
MW-20 Screen 2	Oct 2001	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	4.0 U		
MW-20 Screen 2	Jan/Feb 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U	**Bromodichloromethane**	**0.3 J**
MW-20 Screen 2	Apr/May 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U		
MW-20 Screen 2	Jul 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U	**Bromodichloromethane**	**0.6**
MW-20 Screen 2	Oct/Nov 2002	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U	**Bromodichloromethane**	**0.5 J**
MW-20 Screen 2	Jan/Feb 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	4.0 U		
MW-20 Screen 2	Apr/May 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-20 Screen 2	Jul/Aug 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U		
MW-20 Screen 2	Oct/Nov 2003	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U		
MW-20 Screen 2	Oct/Nov 2003	DUPE-6-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U	**Bromodichloromethane**	**0.3 J**
MW-20 Screen 2	Feb 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U		
MW-20 Screen 2	Apr/May 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 2	Jul/Aug 2004	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-20 Screen 2	Oct/Nov 2004	MW-20-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-20 Screen 2	Jan/Feb 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-20 Screen 2	Apr/May 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-20 Screen 2	Jul/Sep 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.5 J**
MW-20 Screen 2	Oct/Nov 2005	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-20 Screen 2	Mar/Apr 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		
MW-20 Screen 2	May/Jun 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 2	Aug/Sep 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		
MW-20 Screen 2	Oct/Dec 2006	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 2	Mar/Apr 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.0 U		
MW-20 Screen 2	Mar/Apr 2007	DUPE-3-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	2.0 U		
MW-20 Screen 2	Jun/Jul 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	1.0 U		
MW-20 Screen 2	Aug/Sep 2007	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		
MW-20 Screen 2	Oct/Dec 2007	MW-20-2	0.5 U	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-20 Screen 2	Jan/Feb 2008	MW-20-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.6**		
MW-20 Screen 2	Apr/May 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	2.0 U		
MW-20 Screen 2	Jul/Aug 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	1.0 U		
MW-20 Screen 2	Oct/Nov 2008	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.1**		
MW-20 Screen 2	Oct/Nov 2008	MW-20-2RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-20 Screen 2	Jan/Feb 2009	MW-20-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-20 Screen 2	Jan/Feb 2009	DUPE-03-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-20 Screen 2	Apr/May 2009	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 2	Jul/Aug 2009	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-20 Screen 2	Nov/Dec 2009	MW-20-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**		
MW-20 Screen 2	Feb 2010	MW-20-2	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-20 Screen 2	Apr/May 2010	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-20 Screen 2	Apr/May 2010	DUPE-04-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**		
MW-20 Screen 2	Jul/Aug 2010	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-20 Screen 2	Oct/Nov 2010	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-20 Screen 2	Feb/Mar 2011	MW-20-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**		
MW-20 Screen 2	Apr/May 2011	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-20 Screen 2	Aug/Sep 2011	MW-20-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5 J**		
MW-20 Screen 2	Nov/Dec 2011	MW-20-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-20 Screen 2	Jan/Feb 2012	MW-20-2	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**		
MW-20 Screen 2	Apr/May 2012	MW-20-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**		
MW-20 Screen 2	Aug/Sep 2012	MW-20-2	0.5 U	**1.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**	**Styrene**	**0.1 J**
MW-20 Screen 2	Nov 2012	MW-20-2	0.5 U	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.5 J**	**Styrene**	**0.1 J**
MW-20 Screen 2	Jan/Feb 2013	MW-20-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**3.4 J**	**Styrene**	**0.1 J**
MW-20 Screen 2	Apr/May 2013	MW-20-2	0.5 U	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**	**Carbon disulfide**	**0.4 J**
MW-20 Screen 2	Jul 2013	MW-20-2	0.5 U	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.9 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 2	Oct/Nov 2013	MW-20-2	0.5 U	**0.5 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**		
MW-20 Screen 2	Jan/Feb 2014	MW-20-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.6 J**	**Styrene**	**0.1 J**
MW-20 Screen 2	Apr/May 2014	MW-20-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**4.0**		
MW-20 Screen 2	Jul/Aug 2014	MW-20-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.5 J**		
MW-20 Screen 2	Jul/Aug 2014	DUP-1-3Q14	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.3 J**		
MW-20 Screen 2	Oct 2014	MW-20-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.9 J**		
MW-20 Screen 2	Jan/Feb 2015	MW-20-2	0.5 U	**2.2**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**7.0**		
MW-20 Screen 2	April/May 2015	MW-20-2	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U	**Styrene**	**0.1 J**
MW-20 Screen 3	Jan/Feb 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 3	Aug/Sep 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 3	Oct/Nov 1996	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-20 Screen 3	Feb/Mar 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 3	June/July 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 3	June/July 1997	MW-20-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-20 Screen 3	Sep/Oct 1997	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Apr/May 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul/Aug 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 1998	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Feb/Mar 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	May/Jun 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Aug 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Nov/Dec 1999	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Mar/Apr 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul/Aug 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Sep/Oct 2000	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-20 Screen 3	Apr 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20 Screen 3	Jul 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct 2001	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 2002	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-20 Screen 3	Apr/May 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2002	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Apr/May 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**4.0 J**
MW-20 Screen 3	Jul/Aug 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul/Aug 2003	DUPE-2-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2003	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Feb 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-20 Screen 3	Apr/May 2004	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 3	Jul/Aug 2004	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2004	MW-20-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jan/Feb 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.3 J**
MW-20 Screen 3	Apr/May 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Jul/Sep 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Oct/Nov 2005	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Mar/Apr 2006	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	May/Jun 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Aug/Sep 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Oct/Dec 2006	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 3	Mar/Apr 2007	MW-20-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-20 Screen 3	Jun/Jul 2007	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Aug/Sep 2007	MW-20-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Oct/Dec 2007	MW-20-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Jan/Feb 2008	MW-20-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0 U		
MW-20 Screen 3	Apr/May 2008	MW-20-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 3	Jul/Aug 2008	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Oct/Nov 2008	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-20 Screen 3	Oct/Nov 2008	MW-20-3RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jan/Feb 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-20 Screen 3	Apr/May 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Apr/May 2009	DUPE-06-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jul/Aug 2009	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jul/Aug 2009	DUPE-5-3Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Nov/Dec 2009	MW-20-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Feb 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Apr/May 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-20 Screen 3	Jul/Aug 2010	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jul/Aug 2010	DUPE-2-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Oct/Nov 2010	MW-20-3	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Feb/Mar 2011	MW-20-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Apr/May 2011	MW-20-3	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Aug/Sep 2011	MW-20-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Nov/Dec 2011	MW-20-3	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Jan/Feb 2012	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.6**	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**1.2** **1.7**
MW-20 Screen 3	Apr/May 2012	MW-20-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 3	Aug/Sep 2012	MW-20-3	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Styrene**	**2.8 J** **0.6 J** **0.4 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 3	Nov 2012	MW-20-3	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile**	**2.0 J**
												Carbon disulfide	**0.6 J**
												Ethylbenzene	**0.1 J**
												Styrene	**0.3 J**
MW-20 Screen 3	Jan/Feb 2013	MW-20-3	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile**	**2.2 J**
												Ethylbenzene	**0.1 J**
												Styrene	**0.5 J**
												Toluene	**0.1 J**
MW-20 Screen 3	Apr/May 2013	MW-20-3	0.5 U	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile**	**2.5 J**
												Carbon disulfide	**0.6 J**
												Ethylbenzene	**0.1 J**
												Styrene	**0.4 J**
												Toluene	**0.1 J**
MW-20 Screen 3	Apr/May 2013	DUP-1-2Q13	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile**	**2.8 J**
												Carbon disulfide	**0.5 J**
												Ethylbenzene	**0.1 J**
												Styrene	**0.3 J**
												Toluene	**0.1 J**
MW-20 Screen 3	Jul 2013	MW-20-3	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile**	**2.9 J**
												Ethylbenzene	**0.2 J**
												Styrene	**0.4 J**
												Toluene	**0.1 J**
MW-20 Screen 3	Oct/Nov 2013	MW-20-3	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile**	**2.6 J**
												Carbon disulfide	**0.8 J**
												Ethylbenzene	**0.1 J**
												Styrene	**0.4 J**
												Toluene	**0.1 J**
MW-20 Screen 3	Jan/Feb 2014	MW-20-3	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile**	**2.6 J**
												Ethylbenzene	**0.2 J**
												Styrene	**0.4 J**
												Toluene	**0.1 J**
MW-20 Screen 3	Apr/May 2014	MW-20-3	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.6 J**
												Ethylbenzene	**0.1 J**
												Styrene	**0.3 J**
MW-20 Screen 3	Jul/Aug 2014	MW-20-3	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile**	**2.0 J**
												Ethylbenzene	**0.2 J**
												Styrene	**0.3 J**
MW-20 Screen 3	Oct 2014	MW-20-3	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile**	**1.8 J**
												Carbon disulfide	**0.5 J**
												Ethylbenzene	**0.1 J**
												Styrene	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 3	Jan/Feb 2015	MW-20-3	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acrylonitrile** **Carbon disulfide** **Ethylbenzene** **Styrene**	**2.4 J** **0.6 J** **0.1 J** **0.4 J**
MW-20 Screen 3	April/May 2015	MW-20-3	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene** **Toluene**	**0.2 J** **0.4 J** **0.1 J**
MW-20 Screen 4	Jan/Feb 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	Aug/Sep 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	Oct/Nov 1996	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	Feb/Mar 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	June/July 1997	MW-20-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-20 Screen 4	June/July 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 4	Sep/Oct 1997	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Apr/May 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.0**		
MW-20 Screen 4	Jul/Aug 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 1998	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**20.0**		
MW-20 Screen 4	Feb/Mar 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	May/Jun 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Aug 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Nov/Dec 1999	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Mar/Apr 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul/Aug 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Sep/Oct 2000	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.6 J**
MW-20 Screen 4	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.8 J** **0.6**
MW-20 Screen 4	Apr 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20 Screen 4	Jul 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct 2001	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-20 Screen 4	Apr/May 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**30.0**		
MW-20 Screen 4	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.3**		
MW-20 Screen 4	Jul 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2002	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**58.5**		
MW-20 Screen 4	Jan/Feb 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Apr/May 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**124.0**		
MW-20 Screen 4	Jul/Aug 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2003	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 4	Feb 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Apr/May 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul/Aug 2004	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2004	MW-20-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jan/Feb 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-20 Screen 4	Apr/May 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Jul/Sep 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2005	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Mar/Apr 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	May/Jun 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Aug/Sep 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Oct/Dec 2006	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Mar/Apr 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Jun/Jul 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Aug/Sep 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Oct/Dec 2007	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Jan/Feb 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 4	Apr/May 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Jul/Aug 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**24.2**		
MW-20 Screen 4	Oct/Nov 2008	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**39.4**		
MW-20 Screen 4	Oct/Nov 2008	MW-20-4RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**42.4**		
MW-20 Screen 4	Jan/Feb 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**61.0**		
MW-20 Screen 4	Apr/May 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Apr/May 2009	DUPE-05-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Jul/Aug 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Nov/Dec 2009	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**76.0**		
MW-20 Screen 4	Feb 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Apr/May 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**37.3**		
MW-20 Screen 4	Jul/Aug 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Oct/Nov 2010	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Feb/Mar 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Apr/May 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.1**		
MW-20 Screen 4	Apr/May 2011	DUPE-2-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.8**		
MW-20 Screen 4	Aug/Sep 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Aug/Sep 2011	DUPE-04-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Nov/Dec 2011	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Jan/Feb 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**123.0 J**		
MW-20 Screen 4	Apr/May 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 4	Aug/Sep 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Nov 2012	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.4 J**
MW-20 Screen 4	Jan/Feb 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 4	Apr/May 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.6 J**
MW-20 Screen 4	Jul 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 4	Oct/Nov 2013	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20 Screen 4	Oct/Nov 2013	DUPE-1-4Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.8 J**
MW-20 Screen 4	Jan/Feb 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-20 Screen 4	Apr/May 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20 Screen 4	Jul/Aug 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone**	**5.5 J**
MW-20 Screen 4	Oct 2014	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20 Screen 4	Jan/Feb 2015	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20 Screen 4	April/May 2015	MW-20-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-20 Screen 5	Jan/Feb 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 5	Aug/Sep 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 5	Oct/Nov 1996	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 5	Feb/Mar 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 5	June/July 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-20 Screen 5	June/July 1997	MW-20-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-20 Screen 5	Sep/Oct 1997	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jan/Feb 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Apr/May 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**21.0**		
MW-20 Screen 5	Jul/Aug 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Oct/Nov 1998	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.2**		
MW-20 Screen 5	Feb/Mar 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	May/Jun 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Aug 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Nov/Dec 1999	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Mar/Apr 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jul/Aug 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Sep/Oct 2000	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jan/Feb 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**
MW-20 Screen 5	Apr 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-20 Screen 5	Jul 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Oct 2001	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jan/Feb 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.7 J**
MW-20 Screen 5	Apr/May 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.5 J**
MW-20 Screen 5	Jul 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.5 J**
MW-20 Screen 5	Oct/Nov 2002	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.6**
MW-20 Screen 5	Jan/Feb 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**2-Butanone** **Styrene**	**3.0 J** **0.6**
MW-20 Screen 5	Apr/May 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.5 J**
MW-20 Screen 5	Jul/Aug 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Oct/Nov 2003	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 5	Feb 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Apr/May 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**
MW-20 Screen 5	Jul/Aug 2004	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.4 J**
MW-20 Screen 5	Oct/Nov 2004	MW-20-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jan/Feb 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Styrene**	**0.5** **0.5**
MW-20 Screen 5	Apr/May 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-20 Screen 5	Jul/Sep 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0 J**		
MW-20 Screen 5	Oct/Nov 2005	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride** **Styrene**	**0.4 J** **0.3 J**
MW-20 Screen 5	Mar/Apr 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20 Screen 5	May/Jun 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.4 J**
MW-20 Screen 5	May/Jun 2006	DUPE-2-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-20 Screen 5	Aug/Sep 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20 Screen 5	Oct/Dec 2006	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20 Screen 5	Mar/Apr 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20 Screen 5	Jun/Jul 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Aug/Sep 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Oct/Dec 2007	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20 Screen 5	Jan/Feb 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-20 Screen 5	Apr/May 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**0.4 J**
MW-20 Screen 5	Jul/Aug 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.1**		
MW-20 Screen 5	Oct/Nov 2008	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**32.9**		
MW-20 Screen 5	Oct/Nov 2008	MW-20-5RS	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.2**		
MW-20 Screen 5	Jan/Feb 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**19.7**		
MW-20 Screen 5	Apr/May 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Jul/Aug 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Nov/Dec 2009	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**22.6**		
MW-20 Screen 5	Feb 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Apr/May 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.5**		
MW-20 Screen 5	Jul/Aug 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Oct/Nov 2010	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	**Styrene**	**0.8**
MW-20 Screen 5	Feb/Mar 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Apr/May 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-20 Screen 5	Aug/Sep 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Nov/Dec 2011	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Jan/Feb 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**56.5**		
MW-20 Screen 5	Apr/May 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-20 Screen 5	Aug/Sep 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8 J** **0.4 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-20 Screen 5	Nov 2012	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.3 J**
MW-20 Screen 5	Jan/Feb 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20 Screen 5	Apr/May 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.2 J**
MW-20 Screen 5	Jul 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-20 Screen 5	Oct/Nov 2013	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.8 J** **0.3 J**
MW-20 Screen 5	Jan/Feb 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-20 Screen 5	Apr/May 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.2 J**
MW-20 Screen 5	Jul/Aug 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.4 J** **0.2 J**
MW-20 Screen 5	Oct 2014	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	**0.5 J** **0.2 J**
MW-20 Screen 5	Jan/Feb 2015	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Styrene**	1.0 U **0.3 J**
MW-20 Screen 5	April/May 2015	MW-20-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Acetone** **Carbon disulfide** **Styrene**	**8.2 J** **0.6 J** **0.3 J**
MW-21 Screen 1	Jan/Feb 1996	MW-21-1	0.5 U	**35.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	NA		
MW-21 Screen 1	Aug/Sep 1996	MW-21-1	0.5 U	**33.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	NA		
MW-21 Screen 1	Feb/Mar 1997	MW-21-1	0.5 U	**29.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	NA		
MW-21 Screen 1	June/July 1997	MW-21-1	0.5 U	**20.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	NA		
MW-21 Screen 1	June/July 1997	MW-21-1	NA	NA	NA	NA	NA	NA	NA	NA	**19.0**		
MW-21 Screen 1	Jan/Feb 1998	MW-21-1	0.5 U	**16.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**14.0**		
MW-21 Screen 1	Apr/May 1998	MW-21-1	0.5 U	**16.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**14.0**		
MW-21 Screen 1	Jul/Aug 1998	MW-21-1	0.5 U	**16.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**13.0**		
MW-21 Screen 1	Oct/Nov 1998	MW-21-1	0.5 U	**10.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**13.2**		
MW-21 Screen 1	Feb/Mar 1999	MW-21-1	0.5 U	**20.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**14.0**		
MW-21 Screen 1	May/Jun 1999	MW-21-1	0.5 U	**20.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**15.0**		
MW-21 Screen 1	Aug 1999	MW-21-1	0.5 U	**17.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**12.0**		
MW-21 Screen 1	Nov/Dec 1999	MW-21-1	0.5 U	**15.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**16.0**		
MW-21 Screen 1	Mar/Apr 2000	MW-21-1	0.5 U	**17.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**12.0**		
MW-21 Screen 1	Jul/Aug 2000	MW-21-1	0.5 U	**12.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**16.0**		
MW-21 Screen 1	Sep/Oct 2000	MW-21-1	0.5 U	**12.0**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**16.0**		
MW-21 Screen 1	Jan/Feb 2001	MW-21-1	0.5 U	**9.8**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**11.0**		
MW-21 Screen 1	Apr 2001	MW-21-1	0.5 U	**3.3**	**0.6**	**0.7**	0.5 U	0.5 U	NA	**1.2**	4.0 U		
MW-21 Screen 1	Jul 2001	MW-21-1	0.5 U	**15.5**	**0.8**	NA	0.5 U	0.5 U	0.5 U	**1.5**	**8.0**		
MW-21 Screen 1	Oct 2001	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 1	Jan/Feb 2002	MW-21-1	0.5 U	**17.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**8.2**	**Methylene chloride**	**0.4 J**
MW-21 Screen 1	Apr/May 2002	MW-21-1	0.5 U	**8.3**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**Methylene chloride**	**2.4**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 1	Jul 2002	MW-21-1	0.5 U	12.0	0.6	0.4 J	0.5 U	0.5 U	0.5 U	1.4	7.7		
MW-21 Screen 1	Oct/Nov 2002	MW-21-1	0.5 U	11.3	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	1.4	4.0 U		
MW-21 Screen 1	Jan/Feb 2003	MW-21-1	0.5 U	3.6	0.7	0.5	0.5 U	0.5 U	0.5 U	1.0	3.1		
MW-21 Screen 1	Apr/May 2003	MW-21-1	0.5 U	0.7	0.5 J	0.6	0.5 U	0.5 U	0.5 U	0.8	3.6 J		
MW-21 Screen 1	Jul/Aug 2003	MW-21-1	0.5 U	11.0	1.0	0.7	0.5 U	0.5 U	0.5 U	1.7	5.2		
MW-21 Screen 1	Oct/Nov 2003	MW-21-1	0.5 U	5.5	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.9	6.5		
MW-21 Screen 1	Feb 2004	MW-21-1	0.5 U	1.2	0.5 J	0.6	0.5 U	0.5 U	0.5 U	0.8	5.7		
MW-21 Screen 1	Apr/May 2004	MW-21-1	0.5 U	0.9	0.4 J	0.6	0.5 U	0.5 U	0.5 U	0.7	5.6		
MW-21 Screen 1	Jul/Aug 2004	MW-21-1	0.5 U	4.2	0.5	0.6	0.5 U	0.5 U	0.5 U	0.8	5.1		
MW-21 Screen 1	Oct/Nov 2004	MW-21-1	0.5 U	1.5	0.5	0.6	0.5 U	0.5 U	0.5 U	0.7	7.3		
MW-21 Screen 1	Jan/Feb 2005	MW-21-1	0.5 U	0.7	0.5	0.9	0.5 U	0.5 U	0.5 U	0.6	4.0 U	m,p-Xylene	0.6
MW-21 Screen 1	Apr/May 2005	MW-21-1	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-21 Screen 1	Jul/Sep 2005	MW-21-1	0.5 U	0.8	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5	3.6 J	Bromodichloromethane	0.4 J
MW-21 Screen 1	Oct/Nov 2005	MW-21-1	0.5 U	0.8	0.3 J	0.7	0.5 U	0.5 U	0.5 U	0.6	4.1		
MW-21 Screen 1	Mar/Apr 2006	MW-21-1	0.5 U	0.5 U	0.3 J	0.5	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-21 Screen 1	May/Jun 2006	MW-21-1	0.5 U	0.5 U	0.3 J	0.4 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-21 Screen 1	Aug/Sep 2006	MW-21-1	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-21 Screen 1	Oct/Dec 2006	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 1	Mar/Apr 2007	MW-21-1	0.5 U	0.5 U	0.3 J	0.5 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-21 Screen 1	Jun/Jul 2007	MW-21-1	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.4 J	4.0 U		
MW-21 Screen 1	Aug/Sep 2007	MW-21-1	0.5 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-21 Screen 1	Oct/Dec 2007	MW-21-1	0.5 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5	4.6		
MW-21 Screen 1	Jan/Feb 2008	MW-21-1	0.5 U	0.5 U	0.3 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 J	4.0 U		
MW-21 Screen 1	Apr/May 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.6	4.0 U		
MW-21 Screen 1	Jul/Aug 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	3.4		
MW-21 Screen 1	Oct/Nov 2008	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0		
MW-21 Screen 1	Oct/Nov 2008	DUPE-01-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5	2.9		
MW-21 Screen 1	Jan/Feb 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.7		
MW-21 Screen 1	Jan/Feb 2009	DUPE-01-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	3.0		
MW-21 Screen 1	Apr/May 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	2.4		
MW-21 Screen 1	Jul/Aug 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	2.8		
MW-21 Screen 1	Nov/Dec 2009	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.4		
MW-21 Screen 1	Feb 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.8	2.5		
MW-21 Screen 1	Feb 2010	DUPE-1-1Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	2.3		
MW-21 Screen 1	Apr/May 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	2.8		
MW-21 Screen 1	Jul/Aug 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.2	3.3		
MW-21 Screen 1	Oct/Nov 2010	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	2.4		
MW-21 Screen 1	Feb/Mar 2011	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	2.9		
MW-21 Screen 1	Apr/May 2011	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.6		
MW-21 Screen 1	Aug/Sep 2011	MW-21-1	0.5 U	0.5 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	2.4		
MW-21 Screen 1	Nov/Dec 2011	MW-21-1	0.5 U	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	2.0	2.1		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 1	Jan/Feb 2012	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**3.4 J**		
MW-21 Screen 1	Apr/May 2012	MW-21-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**2.8**		
MW-21 Screen 1	Aug/Sep 2012	MW-21-1	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 1	Nov 2012	MW-21-1	0.5 U	**0.1 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**1.7 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21 Screen 1	Jan/Feb 2013	MW-21-1	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**3.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 1	Apr/May 2013	MW-21-1	0.5 U	**0.1 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**3.4 J**		
MW-21 Screen 1	Jul 2013	MW-21-1	0.5 U	**0.2 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**3.1 J**		
MW-21 Screen 1	Oct/Nov 2013	MW-21-1	0.5 U	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**9.3**		
MW-21 Screen 1	Jan/Feb 2014	MW-21-1	0.5 U	**1.2**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**11.0**		
MW-21 Screen 1	Apr/May 2014	MW-21-1	0.5 U	**1.1**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**12.0**		
MW-21 Screen 2	Aug/Sep 1996	MW-21-2	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-21 Screen 2	Oct/Nov 1996	MW-21-2	0.5 U	**0.6**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-21 Screen 2	Feb/Mar 1997	MW-21-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 2	June/July 1997	MW-21-2	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 2	June/July 1997	MW-21-2	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-21 Screen 2	Sep/Oct 1997	MW-21-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Jan/Feb 1998	MW-21-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Apr/May 1998	MW-21-2	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Jul/Aug 1998	MW-21-2	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-21 Screen 2	Oct/Nov 1998	MW-21-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-21 Screen 2	Feb/Mar 1999	MW-21-2	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	May/Jun 1999	MW-21-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Aug 1999	MW-21-2	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Nov/Dec 1999	MW-21-2	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**		
MW-21 Screen 2	Mar/Apr 2000	MW-21-2	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-21 Screen 2	Jul/Aug 2000	MW-21-2	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Sep/Oct 2000	MW-21-2	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Jan/Feb 2001	MW-21-2	0.5 U	**0.3 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21 Screen 2	Apr 2001	MW-21-2	0.5 U	**0.3 J**	**0.9**	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-21 Screen 2	Jul 2001	MW-21-2	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Oct 2001	MW-21-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.6 J**
MW-21 Screen 2	Jan/Feb 2002	MW-21-2	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.3 B**		
MW-21 Screen 2	Apr/May 2002	MW-21-2	0.5 U	**0.4 J**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U	**Methylene chloride**	**2.6**
MW-21 Screen 2	Jul 2002	MW-21-2	0.5 U	**0.5**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Oct/Nov 2002	MW-21-2	0.5 U	**0.5**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-21 Screen 2	Jan/Feb 2003	MW-21-2	0.5 U	**0.5**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Apr/May 2003	MW-21-2	0.5 U	**0.4 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-21 Screen 2	Jul/Aug 2003	MW-21-2	0.5 U	**0.5 J**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**		
MW-21 Screen 2	Oct/Nov 2003	MW-21-2	0.5 U	**0.3 J**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.7 J**		
MW-21 Screen 2	Feb 2004	MW-21-2	0.5 U	**0.6**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21 Screen 2	Apr/May 2004	MW-21-2	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8 J**	**cis-1,2-Dichloroethene**	**0.3 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 2	Jul/Aug 2004	MW-21-2	0.5 U	1.0	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	cis-1,2-Dichloroethene	0.5
MW-21 Screen 2	Oct/Nov 2004	MW-21-2	0.5 U	1.1	3.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.9 J	cis-1,2-Dichloroethene	0.6
MW-21 Screen 2	Jan/Feb 2005	MW-21-2	0.5 U	0.8	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 2	Apr/May 2005	MW-21-2	0.5 U	0.5	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.3 J	4.0 U	cis-1,2-Dichloroethene	0.4 J
MW-21 Screen 2	Jul/Sep 2005	MW-21-2	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	3.2 J	cis-1,2-Dichloroethene	0.4 J
MW-21 Screen 2	Oct/Nov 2005	MW-21-2	0.5 U	0.4 J	5.4	0.5 U	0.5 U	0.5 U	0.5 U	0.9	2.9 J	cis-1,2-Dichloroethene Dibromochloromethane	0.7 2.6
MW-21 Screen 2	Mar/Apr 2006	MW-21-2	0.5 U	0.7	4.7	0.5 U	0.5 U	0.5 U	0.5 U	0.7	4.0 U	cis-1,2-Dichloroethene	1.1
MW-21 Screen 2	May/Jun 2006	MW-21-2	0.5 U	0.6	5.2	0.5 U	0.5 U	0.5 U	0.5 U	1.7	4.0 U	cis-1,2-Dichloroethene	1.4
MW-21 Screen 2	Aug/Sep 2006	MW-21-2	0.5 U	1.0	11.0	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4.0 U	cis-1,2-Dichloroethene	1.8
MW-21 Screen 2	Oct/Dec 2006	MW-21-2	0.5 U	1.1	12.0	0.5 U	0.5 U	0.5 U	0.5 U	3.2	4.0 U	cis-1,2-Dichloroethene	2.1
MW-21 Screen 2	Mar/Apr 2007	MW-21-2	0.5 U	1.1	7.3	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	cis-1,2-Dichloroethene	1.6
MW-21 Screen 2	Jun/Jul 2007	MW-21-2	0.5 U	0.8	6.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	4.0 U	cis-1,2-Dichloroethene	1.4
MW-21 Screen 2	Jun/Jul 2007	DUPE-1-2Q07	0.5 U	0.7	6.3	0.5 U	0.5 U	0.5 U	0.5 U	1.9	4.0 U	cis-1,2-Dichloroethene	1.4
MW-21 Screen 2	Aug/Sep 2007	MW-21-2	0.5 U	0.7	7.6	0.5 U	0.5 U	0.5 U	0.5 U	2.2	4.0 U	cis-1,2-Dichloroethene	1.4
MW-21 Screen 2	Oct/Dec 2007	MW-21-2	0.5 U	0.5	3.6	0.5 U	0.5 U	0.5 U	0.5 U	1.0	7.7	cis-1,2-Dichloroethene	1.0
MW-21 Screen 2	Jan/Feb 2008	MW-21-2	0.5 U	0.5	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	5.0 U	cis-1,2-Dichloroethene	0.5
MW-21 Screen 2	Apr/May 2008	MW-21-2	0.5 U	0.5 J	3.8	0.5 U	0.5 U	0.5 U	0.5 U	1.1	4.0 U	cis-1,2-Dichloroethene	0.9
MW-21 Screen 2	Jul/Aug 2008	MW-21-2	0.5 U	0.6	8.2	0.5 U	0.5 U	0.5 U	0.5 U	3.6	2.0	cis-1,2-Dichloroethene	1.5
MW-21 Screen 2	Oct/Nov 2008	MW-21-2	0.5 U	0.7	12.0	0.5 U	0.5 U	0.5 U	0.5 U	3.6	2.1	cis-1,2-Dichloroethene	1.6
MW-21 Screen 2	Jan/Feb 2009	MW-21-2	0.5 U	0.6	6.6	0.5 U	0.5 U	0.5 U	0.5 U	1.3	2.5	cis-1,2-Dichloroethene	1.1
MW-21 Screen 2	Apr/May 2009	MW-21-2	0.5 U	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.1	cis-1,2-Dichloroethene	0.8
MW-21 Screen 2	Jul/Aug 2009	MW-21-2	0.5 U	0.9	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.1	cis-1,2-Dichloroethene	1.8
MW-21 Screen 2	Nov/Dec 2009	MW-21-2	0.5 U	0.8	14.0	0.5 U	0.5 U	0.5 U	0.5 U	2.4	1.8	cis-1,2-Dichloroethene	1.8
MW-21 Screen 2	Feb 2010	MW-21-2	0.5 U	0.6	4.9	0.5 U	0.5 U	0.5 U	0.5 U	0.6	2.2	cis-1,2-Dichloroethene	0.6
MW-21 Screen 2	Apr/May 2010	MW-21-2	0.5 U	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	1.0	3.2		
MW-21 Screen 2	Jul/Aug 2010	MW-21-2	0.5 U	0.5 U	6.9	0.5 U	0.5 U	0.5 U	0.5 U	3.5	2.6	cis-1,2-Dichloroethene	0.7
MW-21 Screen 2	Oct/Nov 2010	MW-21-2	0.5 U	0.5 U	4.0	0.5 U	0.5 U	0.5 U	0.5 U	4.0	2.5	cis-1,2-Dichloroethene	0.8
MW-21 Screen 2	Oct/Nov 2010	DUPE-01-4Q10	0.5 U	0.5 U	4.6	0.5 U	0.5 U	0.5 U	0.5 U	4.0	2.6	cis-1,2-Dichloroethene	0.8
MW-21 Screen 2	Feb/Mar 2011	MW-21-2	0.5 U	0.5 U	8.5	0.5 U	0.5 U	0.5 U	0.5 U	4.9	1.9	cis-1,2-Dichloroethene	0.6
MW-21 Screen 2	Apr/May 2011	MW-21-2	0.5 U	0.5 U	3.5	0.5 U	0.5 U	0.5 U	0.5 U	2.0	1.9		
MW-21 Screen 2	Aug/Sep 2011	MW-21-2	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	2.7	1.8		
MW-21 Screen 2	Nov/Dec 2011	MW-21-2	0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	0.5 U	5.1	1.6		
MW-21 Screen 2	Nov/Dec 2011	DUPE-1-4Q11	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	4.6	1.6		
MW-21 Screen 2	Jan/Feb 2012	MW-21-2	0.5 U	0.5 U	2.2	0.5 U	0.5 U	0.5 U	0.5 U	6.1	2.7 J		
MW-21 Screen 2	Jan/Feb 2012	DUPE-1-1Q12	0.5 U	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	2.9 J		
MW-21 Screen 2	Apr/May 2012	MW-21-2	0.5 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	3.5	2.8		
MW-21 Screen 2	Aug/Sep 2012	MW-21-2	0.5 U	0.2 J	2.0	0.5 U	0.5 U	0.5 U	0.5 U	3.7	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.1 J 0.2 J
MW-21 Screen 2	Nov 2012	MW-21-2	0.5 U	0.2 J	2.6	0.5 U	0.5 U	0.5 U	0.5 U	3.0	1.5 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 2	Jan/Feb 2013	MW-21-2	0.5 U	**0.3 J**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**1.8 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.3 J** **0.2 J**
MW-21 Screen 2	Apr/May 2013	MW-21-2	0.5 U	**0.2 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.5 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-21 Screen 2	Jul 2013	MW-21-2	0.5 U	**0.4 J**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.7 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-21 Screen 2	Oct/Nov 2013	MW-21-2	0.5 U	**0.3 J**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.5 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-21 Screen 2	Jan/Feb 2014	MW-21-2	0.5 U	**0.3 J**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.9 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.2 J** **0.2 J**
MW-21 Screen 2	Apr/May 2014	MW-21-2	0.5 U	**0.3 J**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.8 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-21 Screen 2	Jul/Aug 2014	MW-21-2	0.5 U	**0.3 J**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.3 J**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-21 Screen 2	Oct 2014	MW-21-2	0.5 U	**0.2 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.6 J**	**Methyl-tert-butyl ether (MTBE)**	**0.1 J**
MW-21 Screen 2	Jan/Feb 2015	MW-21-2	0.5 UJ	**0.3 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.6 J**	**Methyl-tert-butyl ether (MTBE)**	**0.1 J**
MW-21 Screen 2	April/May 2015	MW-21-2	0.5 U	**0.3 J**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.8 J**		
MW-21 Screen 2	April/May 2015	DUP-7-2Q15	0.5 U	**0.2 J**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**	**Methyl-tert-butyl ether (MTBE)**	**0.1 J**
MW-21 Screen 3	Jan/Feb 1996	MW-21-3	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-21 Screen 3	Aug/Sep 1996	MW-21-3	0.5 U	**0.7**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	NA		
MW-21 Screen 3	Oct/Nov 1996	MW-21-3	0.5 U	**0.9**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 3	Feb/Mar 1997	MW-21-3	0.5 U	**0.8**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 3	June/July 1997	MW-21-3	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-21 Screen 3	June/July 1997	MW-21-3	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 3	Sep/Oct 1997	MW-21-3	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Jan/Feb 1998	MW-21-3	0.5 U	**0.5**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Apr/May 1998	MW-21-3	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Jul/Aug 1998	MW-21-3	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Oct/Nov 1998	MW-21-3	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Feb/Mar 1999	MW-21-3	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-21 Screen 3	May/Jun 1999	MW-21-3	0.5 U	**0.6**	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Aug 1999	MW-21-3	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 3	Nov/Dec 1999	MW-21-3	0.5 U	**0.9**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.8**		
MW-21 Screen 3	Mar/Apr 2000	MW-21-3	0.5 U	**0.9**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-21 Screen 3	Jul/Aug 2000	MW-21-3	0.5 U	**0.6**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-21 Screen 3	Sep/Oct 2000	MW-21-3	0.5 U	**0.7**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-21 Screen 3	Jan/Feb 2001	MW-21-3	0.5 U	**0.9**	**2.5**	0.5 U	0.5 U	**0.5 J**	0.5 U	**1.1**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.3 J** **0.6** **0.3 J** **0.4 J**
MW-21 Screen 3	Apr 2001	MW-21-3	0.5 U	**1.8**	**1.4**	0.5 U	0.5 U	0.5 U	NA	**0.8**	4.0 U	**Bromodichloromethane** **Dibromochloromethane**	**0.4 J** **0.4 J**
MW-21 Screen 3	Jul 2001	MW-21-3	0.5 U	**0.7**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 3	Oct 2001	MW-21-3	0.5 U	**0.7**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U		
MW-21 Screen 3	Jan/Feb 2002	MW-21-3	0.5 U	**1.6**	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**4.1**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.6** **0.4 J** **0.4 J**
MW-21 Screen 3	Apr/May 2002	MW-21-3	0.5 U	**1.5**	**4.2**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Methylene chloride** **trans-1,2-Dichloroethene**	**0.6** **0.5 J** **2.6** **0.4 J**
MW-21 Screen 3	Jul 2002	MW-21-3	0.5 U	**0.9**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U		
MW-21 Screen 3	Oct/Nov 2002	MW-21-3	0.5 U	**1.0**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U	**trans-1,2-Dichloroethene**	**1.8**
MW-21 Screen 3	Dec 2002	MW-21-3	0.2 U	**1.1**	**2.0**	0.3 U	0.5 U	0.5 U	0.5 U	**1.0**	NA	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21 Screen 3	Jan/Feb 2003	MW-21-3	0.5 U	**1.1**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	4.0 U	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21 Screen 3	Apr/May 2003	MW-21-3	0.5 U	**1.0**	**2.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**2.9 J**		
MW-21 Screen 3	Jul/Aug 2003	MW-21-3	0.5 U	**1.0**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.7 J**	**cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.4 J** **0.4 J**
MW-21 Screen 3	Oct/Nov 2003	MW-21-3	0.5 U	**0.7**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.6 J**		
MW-21 Screen 3	Feb 2004	MW-21-3	0.5 U	**1.3**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**4.2**		
MW-21 Screen 3	Apr/May 2004	MW-21-3	0.5 U	**1.0**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.3**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21 Screen 3	Jul/Aug 2004	MW-21-3	0.5 U	**1.4**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U	**cis-1,2-Dichloroethene**	**0.6**
MW-21 Screen 3	Oct/Nov 2004	MW-21-3	0.5 U	**1.5**	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**4.9**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.6** **0.4 J**
MW-21 Screen 3	Jan/Feb 2005	MW-21-3	0.5 U	**1.7**	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U	**cis-1,2-Dichloroethene** **m,p-Xylene** **trans-1,2-Dichloroethene**	**0.6** **0.6** **0.3 J**
MW-21 Screen 3	Apr/May 2005	MW-21-3	0.5 U	**0.8**	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-21 Screen 3	Jul/Sep 2005	MW-21-3	0.5 U	**0.9**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**3.0 J**	**Bromodichloromethane** **m,p-Xylene**	**0.4 J** **0.4 J**
MW-21 Screen 3	Jul/Sep 2005	DUPE-2-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	**3.2 J**		
MW-21 Screen 3	Oct/Nov 2005	MW-21-3	0.5 U	**0.7**	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**3.9 J**	**cis-1,2-Dichloroethene**	**0.5 J**
MW-21 Screen 3	Mar/Apr 2006	MW-21-3	0.5 U	**0.9**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**cis-1,2-Dichloroethene**	**0.6**
MW-21 Screen 3	May/Jun 2006	MW-21-3	0.5 U	**0.6**	**2.7**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	4.0 U	**cis-1,2-Dichloroethene**	**0.6**
MW-21 Screen 3	Aug/Sep 2006	MW-21-3	0.5 U	**1.3**	**5.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21 Screen 3	Oct/Dec 2006	MW-21-3	0.5 U	**1.2**	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21 Screen 3	Mar/Apr 2007	MW-21-3	0.5 U	**1.2**	**5.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21 Screen 3	Jun/Jul 2007	MW-21-3	0.5 U	**0.7**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U	**cis-1,2-Dichloroethene** **Methylene chloride**	**0.6** **1.8 J**
MW-21 Screen 3	Aug/Sep 2007	MW-21-3	0.5 U	**1.5**	**7.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U	**cis-1,2-Dichloroethene**	**1.1**
MW-21 Screen 3	Oct/Dec 2007	MW-21-3	0.5 U	**1.2**	**4.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**5.0**	**cis-1,2-Dichloroethene**	**0.8**
MW-21 Screen 3	Jan/Feb 2008	MW-21-3	0.5 U	**0.9**	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	5.0 U	**cis-1,2-Dichloroethene**	**0.7**
MW-21 Screen 3	Apr/May 2008	MW-21-3	0.5 U	**1.1**	**4.6**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21 Screen 3	Jul/Aug 2008	MW-21-3	0.5 U	**1.7**	**8.6**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	**3.6**	**cis-1,2-Dichloroethene**	**1.2**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 3	Oct/Nov 2008	MW-21-3	0.5 U	1.5	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	2.5	cis-1,2-Dichloroethene	1.1
MW-21 Screen 3	Jan/Feb 2009	MW-21-3	0.5 U	1.5	6.8	0.5 U	0.5 U	0.5 U	0.5 U	2.5	3.0	cis-1,2-Dichloroethene	1.1
MW-21 Screen 3	Apr/May 2009	MW-21-3	0.5 U	1.2	5.0	0.5 U	0.5 U	0.5 U	0.5 U	3.1	2.8	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Jul/Aug 2009	MW-21-3	0.5 U	0.9	4.3	0.5 U	0.5 U	0.5 U	0.5 U	1.8	2.4	cis-1,2-Dichloroethene	0.8
MW-21 Screen 3	Jul/Aug 2009	DUPE-4-3Q09	0.5 U	0.8	3.4	0.5 U	0.5 U	0.5 U	0.5 U	1.6	2.7	cis-1,2-Dichloroethene	0.7
MW-21 Screen 3	Nov/Dec 2009	MW-21-3	0.5 U	1.5	8.6	0.5 U	0.5 U	0.5 U	0.5 U	2.3	2.9	cis-1,2-Dichloroethene	1.2
MW-21 Screen 3	Feb 2010	MW-21-3	0.5 U	1.4	7.7	0.5 U	0.5 U	0.5 U	0.5 U	2.2	2.8	cis-1,2-Dichloroethene	1.0
MW-21 Screen 3	Apr/May 2010	MW-21-3	0.5 U	0.9	3.9	0.5 U	0.5 U	0.5 U	0.5 U	2.8	3.4	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Jul/Aug 2010	MW-21-3	0.5 U	0.6	2.1	0.5 U	0.5 U	0.5 U	0.5 U	2.2	3.5		
MW-21 Screen 3	Oct/Nov 2010	MW-21-3	0.5 U	1.4	6.2	0.5 U	0.5 U	0.5 U	0.5 U	4.7	2.9	cis-1,2-Dichloroethene	0.9
MW-21 Screen 3	Feb/Mar 2011	MW-21-3	0.5 U	1.2	5.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	1.0 U	cis-1,2-Dichloroethene	0.8
MW-21 Screen 3	Apr/May 2011	MW-21-3	0.5 U	1.0	3.5	0.5 U	0.5 U	0.5 U	0.5 U	4.5	2.5	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Aug/Sep 2011	MW-21-3	0.5 U	1.4	3.9	0.5 U	0.5 U	0.5 U	0.5 U	7.1	2.4	cis-1,2-Dichloroethene	0.6
MW-21 Screen 3	Nov/Dec 2011	MW-21-3	0.5 U	1.2	3.7	0.5 U	0.5 U	0.5 U	0.5 U	6.3	2.1		
MW-21 Screen 3	Jan/Feb 2012	MW-21-3	0.5 U	1.3	4.7	0.5 U	0.5 U	0.5 U	0.5 U	5.5	3.8 J	cis-1,2-Dichloroethene	0.7
MW-21 Screen 3	Apr/May 2012	MW-21-3	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U	0.5 U	3.9	3.5		
MW-21 Screen 3	Aug/Sep 2012	MW-21-3	0.5 U	0.7	3.8	0.1 J	0.5 U	0.5 U	0.5 U	4.2	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.7 0.2 J
MW-21 Screen 3	Aug/Sep 2012	DUPE-7-3Q12	0.5 U	0.5	2.6	0.5 U	0.5 U	0.5 U	0.5 U	3.4	4.0 U	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.5 0.2 J
MW-21 Screen 3	Nov 2012	MW-21-3	0.5 U	0.8	5.9	0.1 J	0.5 U	0.5 U	0.5 U	4.0	1.6 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.9 0.2 J
MW-21 Screen 3	Jan/Feb 2013	MW-21-3	0.5 U	0.7	4.7	0.5 U	0.5 U	0.5 U	0.5 U	2.7	4.0	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.9 0.3 J
MW-21 Screen 3	Apr/May 2013	MW-21-3	0.5 U	0.7	4.1	0.1 J	0.5 U	0.5 U	0.5 U	2.4	3.4 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.9 0.3 J
MW-21 Screen 3	Jul 2013	MW-21-3	0.5 U	1.9	12.0	0.3 J	0.5 U	0.5 U	0.5 U	3.1	2.9 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	1.4 0.3 J
MW-21 Screen 3	Oct/Nov 2013	MW-21-3	0.5 U	0.9	3.6	0.2 J	0.5 U	0.5 U	0.5 U	1.4	3.5 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.7 0.3 J
MW-21 Screen 3	Jan/Feb 2014	MW-21-3	0.5 U	0.9	3.7	0.2 J	0.5 U	0.5 U	0.5 U	1.3	2.7 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.6 0.3 J
MW-21 Screen 3	Apr/May 2014	MW-21-3	0.5 U	1.1	3.1	0.2 J	0.5 U	0.5 U	0.5 U	1.0	4.0	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J
MW-21 Screen 3	Jul/Aug 2014	MW-21-3	0.5 U	1.1	2.7	0.2 J	0.5 U	0.5 U	0.5 U	0.9	1.8 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J
MW-21 Screen 3	Oct 2014	MW-21-3	0.5 U	1.3	3.0	0.2 J	0.5 U	0.5 U	0.5 U	1.0	2.9 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.4 J 0.2 J
MW-21 Screen 3	Jan/Feb 2015	MW-21-3	0.5 UJ	2.2	7.4	0.4 J	0.5 U	0.5 U	0.5 U	1.5	3.0 J	cis-1,2-Dichloroethene Methyl-tert-butyl ether (MTBE)	0.7 0.3 J
MW-21 Screen 3	April/May 2015	MW-21-3	0.5 U	1.2	3.0	0.2 J	0.5 U	0.5 U	0.5 U	1.1	3.8 J	cis-1,2-Dichloroethene	0.4 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 4	Jan/Feb 1996	MW-21-4	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	Aug/Sep 1996	MW-21-4	0.5 U	**0.8**	**4.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	Oct/Nov 1996	MW-21-4	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	Feb/Mar 1997	MW-21-4	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	June/July 1997	MW-21-4	0.5 U	0.5 U	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 4	June/July 1997	MW-21-4	NA	NA	NA	NA	NA	NA	NA	NA	**4.6**		
MW-21 Screen 4	Sep/Oct 1997	MW-21-4	0.5 U	**0.6**	**4.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-21 Screen 4	Jan/Feb 1998	MW-21-4	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 4	Apr/May 1998	MW-21-4	0.5 U	**0.6**	**4.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**0.7**
MW-21 Screen 4	Jul/Aug 1998	MW-21-4	0.5 U	**0.8**	**4.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	**cis-1,2-Dichloroethene**	**0.8**
MW-21 Screen 4	Oct/Nov 1998	MW-21-4	0.5 U	**1.1**	**8.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**cis-1,2-Dichloroethene**	**1.3**
MW-21 Screen 4	Feb/Mar 1999	MW-21-4	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**0.7**
MW-21 Screen 4	May/Jun 1999	MW-21-4	0.5 U	0.5 U	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**	**cis-1,2-Dichloroethene**	**0.6**
MW-21 Screen 4	Aug 1999	MW-21-4	0.5 U	**0.7**	**6.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**cis-1,2-Dichloroethene**	**1.2**
MW-21 Screen 4	Nov/Dec 1999	MW-21-4	0.5 U	**0.6**	**6.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**1.1**
MW-21 Screen 4	Mar/Apr 2000	MW-21-4	0.5 U	0.5 U	**4.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**cis-1,2-Dichloroethene**	**0.9**
MW-21 Screen 4	Jul/Aug 2000	MW-21-4	0.5 U	**0.5**	**6.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**cis-1,2-Dichloroethene**	**1.3**
MW-21 Screen 4	Sep/Oct 2000	MW-21-4	0.5 U	**0.8**	**8.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.7** **1.5** **0.5**
MW-21 Screen 4	Jan/Feb 2001	MW-21-4	0.5 U	**1.2**	**4.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene**	**1.0** **0.4 J** **1.0**
MW-21 Screen 4	Apr 2001	MW-21-4	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	NA	**1.0**	4.0 U	**1,2-Dichloroethene, Total** **2,2-Dichloropropane** **cis-1,2-Dichloroethene** **Methylene chloride**	**0.7** **0.3 J** **0.7** **0.6**
MW-21 Screen 4	Jul 2001	MW-21-4	0.5 U	**0.6**	**8.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **1.5**
MW-21 Screen 4	Oct 2001	MW-21-4	0.5 U	**0.6**	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**1.1** **0.5 J** **1.1** **0.6 J**
MW-21 Screen 4	Jan/Feb 2002	MW-21-4	0.5 U	**0.8**	**9.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**2.7 B**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane** **Methyl-tert-butyl ether (MTBE)**	**0.6** **1.8** **0.4 J** **0.7 J**
MW-21 Screen 4	Apr/May 2002	MW-21-4	0.5 U	**0.3 J**	**5.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Methylene chloride**	**0.4 J** **0.7** **2.2**
MW-21 Screen 4	Jul 2002	MW-21-4	0.5 U	0.5 U	**6.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	4.0 U	**cis-1,2-Dichloroethene**	**1.0**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 4	Oct/Nov 2002	MW-21-4	0.5 U	**0.4 J**	**5.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.4 J** **1.1**
MW-21 Screen 4	Jan/Feb 2003	MW-21-4	0.5 U	**0.3 J**	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**cis-1,2-Dichloroethene**	**0.7**
MW-21 Screen 4	Apr/May 2003	MW-21-4	0.5 U	0.5 U	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.8**
MW-21 Screen 4	Jul/Aug 2003	MW-21-4	0.5 U	**1.0**	**15.4**	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	**2.7 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane**	**0.5** **2.2** **0.7**
MW-21 Screen 4	Oct/Nov 2003	MW-21-4	0.5 U	**0.5 J**	**7.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**	**3.4 J**	**cis-1,2-Dichloroethene** **Dibromochloromethane**	**1.3** **0.3 J**
MW-21 Screen 4	Feb 2004	MW-21-4	0.5 U	**0.4 J**	**5.0**	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**3.5 J**	**cis-1,2-Dichloroethene** **Dibromochloromethane**	**1.1** **1.0**
MW-21 Screen 4	Apr/May 2004	MW-21-4	0.5 U	0.5 U	**2.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**4.2**	**cis-1,2-Dichloroethene**	**0.7**
MW-21 Screen 4	Jul/Aug 2004	MW-21-4	0.5 U	**0.3 J**	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.9**	4.0 U	**cis-1,2-Dichloroethene**	**1.2**
MW-21 Screen 4	Oct/Nov 2004	MW-21-4	0.5 U	**0.5**	**7.4**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**3.8 J**	**cis-1,2-Dichloroethene** **Dibromochloromethane**	**1.4** **0.4 J**
MW-21 Screen 4	Jan/Feb 2005	MW-21-4	0.5 U	**0.6**	**8.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	4.0 U	**cis-1,2-Dichloroethene** **m,p-Xylene**	**1.6** **0.5 J**
MW-21 Screen 4	Jan/Feb 2005	DUPE-1-1Q05	0.5 U	**0.6**	**9.3**	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**	4.0 U	**cis-1,2-Dichloroethene** **m,p-Xylene**	**1.8** **0.5**
MW-21 Screen 4	Apr/May 2005	MW-21-4	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.5 J** **0.8**
MW-21 Screen 4	Jul/Sep 2005	MW-21-4	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**2.0 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.5** **0.8**
MW-21 Screen 4	Oct/Nov 2005	MW-21-4	0.5 U	0.5 U	**4.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**3.2 J**	**cis-1,2-Dichloroethene** **m,p-Xylene**	**1.0** **0.5 J**
MW-21 Screen 4	Mar/Apr 2006	MW-21-4	0.5 U	**0.3 J**	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	4.0 U	**cis-1,2-Dichloroethene**	**0.8**
MW-21 Screen 4	May/Jun 2006	MW-21-4	0.5 U	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	4.0 U	**cis-1,2-Dichloroethene**	**0.8**
MW-21 Screen 4	Aug/Sep 2006	MW-21-4	0.5 U	0.5 U	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	4.0 U	**cis-1,2-Dichloroethene**	**1.1**
MW-21 Screen 4	Oct/Dec 2006	MW-21-4	0.5 U	**0.6**	**8.0**	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**	4.0 U	**cis-1,2-Dichloroethene**	**1.2**
MW-21 Screen 4	Mar/Apr 2007	MW-21-4	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.6**	4.0 U	**cis-1,2-Dichloroethene**	**0.6**
MW-21 Screen 4	Jun/Jul 2007	MW-21-4	0.5 U	0.5 U	**2.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	4.0 U	**cis-1,2-Dichloroethene**	**0.5**
MW-21 Screen 4	Aug/Sep 2007	MW-21-4	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Benzene** **m,p-Xylene** **Methyl-tert-butyl ether (MTBE)** **Styrene** **Vinyl chloride**	**0.3 J** **0.9 J** **3.0** **1.3** **0.3 J**
MW-21 Screen 4	Oct/Dec 2007	MW-21-4	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**3.1**	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21 Screen 4	Jan/Feb 2008	MW-21-4	0.5 U	0.5 U	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	3.0 U	**cis-1,2-Dichloroethene**	**0.5**
MW-21 Screen 4	Apr/May 2008	MW-21-4	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	3.0 U	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21 Screen 4	Jul/Aug 2008	MW-21-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**4.8**	**2.1**		
MW-21 Screen 4	Oct/Nov 2008	MW-21-4	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**	**2.3**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 4	Jan/Feb 2009	MW-21-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**2.2**		
MW-21 Screen 4	Apr/May 2009	MW-21-4	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**	**2.0**		
MW-21 Screen 4	Apr/May 2009	DUPE-03-2Q09	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**	**1.9**		
MW-21 Screen 4	Jul/Aug 2009	MW-21-4	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**	**2.1**		
MW-21 Screen 4	Nov/Dec 2009	MW-21-4	0.5 U	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**	**2.8**		
MW-21 Screen 4	Feb 2010	MW-21-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.5**	**1.8**		
MW-21 Screen 4	Apr/May 2010	MW-21-4	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	**2.5**		
MW-21 Screen 4	Jul/Aug 2010	MW-21-4	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**	**2.7**		
MW-21 Screen 4	Oct/Nov 2010	MW-21-4	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**6.9**	**3.0**		
MW-21 Screen 4	Feb/Mar 2011	MW-21-4	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**2.4**		
MW-21 Screen 4	Feb/Mar 2011	DUPE-01-1Q11	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	**2.6**		
MW-21 Screen 4	Apr/May 2011	MW-21-4	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	**2.1**		
MW-21 Screen 4	Aug/Sep 2011	MW-21-4	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**7.1**	**2.2**		
MW-21 Screen 4	Nov/Dec 2011	MW-21-4	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**6.9**	**2.0**		
MW-21 Screen 4	Jan/Feb 2012	MW-21-4	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**	**2.9 J**		
MW-21 Screen 4	Apr/May 2012	MW-21-4	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	**2.4**		
MW-21 Screen 4	Aug/Sep 2012	MW-21-4	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**	4.0 U		
MW-21 Screen 4	Nov 2012	MW-21-4	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**	**1.4 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 4	Jan/Feb 2013	MW-21-4	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 4	Apr/May 2013	MW-21-4	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	**2.4 J**		
MW-21 Screen 4	Jul 2013	MW-21-4	0.5 U	**0.2 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**9.2**	**2.0 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21 Screen 4	Jul 2013	DUPE-7-3Q13	0.5 U	**0.1 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**	**2.2 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21 Screen 4	Oct/Nov 2013	MW-21-4	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**8.8**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21 Screen 4	Jan/Feb 2014	MW-21-4	0.5 U	**0.1 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 4	Apr/May 2014	MW-21-4	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**	**2.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 4	Jul/Aug 2014	MW-21-4	0.5 U	**0.2 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**9.5**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 4	Jul/Aug 2014	DUP-6-3Q14	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**	**1.9 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 4	Oct 2014	MW-21-4	0.5 U	**0.2 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**	**2.0 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 4	Jan/Feb 2015	MW-21-4	0.5 UJ	**0.2 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	**2.2 J**		
MW-21 Screen 4	April/May 2015	MW-21-4	0.5 U	**0.1 J**	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**7.7**	**2.5 J**		
MW-21 Screen 5	Jan/Feb 1996	MW-21-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 5	Aug/Sep 1996	MW-21-5	0.5 U	0.5 U	**4.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	NA		
MW-21 Screen 5	Oct/Nov 1996	MW-21-5	0.5 U	0.5 U	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 5	Feb/Mar 1997	MW-21-5	0.5 U	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 5	June/July 1997	MW-21-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-21 Screen 5	June/July 1997	MW-21-5	0.5 U	0.5 U	**3.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-21 Screen 5	Sep/Oct 1997	MW-21-5	0.5 U	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-21 Screen 5	Jan/Feb 1998	MW-21-5	0.5 U	0.5 U	**4.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	**cis-1,2-Dichloroethene**	**0.6**
MW-21 Screen 5	Apr/May 1998	MW-21-5	0.5 U	0.5 U	**6.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**cis-1,2-Dichloroethene**	**1.0**
MW-21 Screen 5	Jul/Aug 1998	MW-21-5	0.5 U	0.5 U	**7.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**cis-1,2-Dichloroethene**	**1.5**
MW-21 Screen 5	Oct/Nov 1998	MW-21-5	0.5 U	0.5 U	**6.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.0**	**cis-1,2-Dichloroethene**	**1.4**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 5	Feb/Mar 1999	MW-21-5	0.5 U	**0.5**	**7.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**4.2**	**cis-1,2-Dichloroethene**	**1.4**
MW-21 Screen 5	May/Jun 1999	MW-21-5	0.5 U	0.5 U	**8.2**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U	**cis-1,2-Dichloroethene**	**1.5**
MW-21 Screen 5	Aug 1999	MW-21-5	0.5 U	**0.6**	**9.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	4.0 U	**cis-1,2-Dichloroethene**	**1.6**
MW-21 Screen 5	Nov/Dec 1999	MW-21-5	0.5 U	**0.7**	**11.4**	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**4.9**	**cis-1,2-Dichloroethene**	**2.2**
MW-21 Screen 5	Mar/Apr 2000	MW-21-5	0.5 U	**0.7**	**12.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**4.2**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **2.5**
MW-21 Screen 5	Jul/Aug 2000	MW-21-5	0.5 U	**0.6**	**11.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **2.2**
MW-21 Screen 5	Sep/Oct 2000	MW-21-5	0.5 U	**0.8**	**15.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **2.7**
MW-21 Screen 5	Jan/Feb 2001	MW-21-5	0.5 U	**0.7**	**15.1**	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**2.6** **0.6** **2.6** **0.4 J**
MW-21 Screen 5	Apr 2001	MW-21-5	0.5 U	**0.7**	**12.4**	0.5 U	0.5 U	0.5 U	NA	**1.4**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Dibromochloromethane** **Methylene chloride**	**2.3** **0.5** **2.3** **0.4 J** **0.4 J**
MW-21 Screen 5	Jul 2001	MW-21-5	0.5 U	**0.6**	**11.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.6** **2.0**
MW-21 Screen 5	Oct 2001	MW-21-5	0.5 U	**0.5 J**	**7.8**	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	4.0 U	**1,2-Dichloroethene, Total** **Bromodichloromethane** **cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**1.6** **0.4 J** **1.6** **0.6 J**
MW-21 Screen 5	Jan/Feb 2002	MW-21-5	0.5 U	**1.2**	**19.2**	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**	**4.6**	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)**	**0.8** **3.4** **1.0 J**
MW-21 Screen 5	Apr/May 2002	MW-21-5	0.5 U	**1.3**	**28.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	**3.4**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **Methylene chloride**	**0.7** **3.3** **2.7**
MW-21 Screen 5	Jul 2002	MW-21-5	0.5 U	**0.8**	**15.1**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.4 J** **2.4**
MW-21 Screen 5	Oct/Nov 2002	MW-21-5	0.5 U	**0.6**	**10.9**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.3 J** **2.1**
MW-21 Screen 5	Dec 2002	MW-21-5	0.2 U	**1.2**	**21.2**	0.3 U	0.5 U	0.5 U	0.5 U	**3.0**	NA	**cis-1,2-Dichloroethene** **NDMA** **NDPHA**	**2.7** **0.0 J** **0.0 J**
MW-21 Screen 5	Jan/Feb 2003	MW-21-5	0.5 U	**0.7**	**8.0 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	4.0 U	**cis-1,2-Dichloroethene**	**2.0**
MW-21 Screen 5	Apr/May 2003	MW-21-5	0.5 U	**0.6**	**12.3**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**2.7 J**	**cis-1,2-Dichloroethene**	**1.7**
MW-21 Screen 5	Jul/Aug 2003	MW-21-5	0.5 U	**1.0**	**20.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**2.6 J**	**cis-1,2-Dichloroethene**	**2.5**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 5	Oct/Nov 2003	MW-21-5	0.5 U	**0.5 J**	**8.8**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**2.6 J**	**cis-1,2-Dichloroethene**	**1.4**
MW-21 Screen 5	Feb 2004	MW-21-5	0.5 U	**0.6**	**9.0**	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**	**4.3**	**cis-1,2-Dichloroethene**	**1.5**
MW-21 Screen 5	Apr/May 2004	MW-21-5	0.5 U	**0.5 J**	**6.4**	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	**3.6 J**	**cis-1,2-Dichloroethene**	**1.4**
MW-21 Screen 5	Jul/Aug 2004	MW-21-5	0.5 U	**0.5**	**8.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	4.0 U	**cis-1,2-Dichloroethene**	**1.7**
MW-21 Screen 5	Oct/Nov 2004	MW-21-5	0.5 U	**0.6**	**8.4**	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	**6.2**	**cis-1,2-Dichloroethene** **Ethylbenzene** **m,p-Xylene** **o-Xylene** **Toluene**	**1.4** **2.9** **11.2** **1.9** **1.7**
MW-21 Screen 5	Jan/Feb 2005	MW-21-5	0.5 U	**0.6**	**9.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	4.0 U	**cis-1,2-Dichloroethene** **Ethylbenzene** **m,p-Xylene**	**1.5** **0.3 J** **1.0**
MW-21 Screen 5	Apr/May 2005	MW-21-5	0.5 U	**0.3 J**	**4.9**	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	4.0 U	**Bromodichloromethane** **cis-1,2-Dichloroethene** **m,p-Xylene**	**0.4 J** **1.1** **0.4 J**
MW-21 Screen 5	Jul/Sep 2005	MW-21-5	0.5 U	0.5 U	**4.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.6**	**3.3 J**	**m,p-Xylene**	**0.3 J**
MW-21 Screen 5	Oct/Nov 2005	MW-21-5	0.5 U	0.5 U	**3.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**3.3 J**	**cis-1,2-Dichloroethene**	**0.6**
MW-21 Screen 5	Mar/Apr 2006	MW-21-5	0.5 U	**0.3 J**	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.8**
MW-21 Screen 5	Mar/Apr 2006	DUPE-1-1Q06	0.5 U	**0.3 J**	**3.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	4.0 U	**cis-1,2-Dichloroethene**	**0.8**
MW-21 Screen 5	May/Jun 2006	MW-21-5	0.5 U	**0.4 J**	**5.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	4.0 U	**cis-1,2-Dichloroethene**	**0.8**
MW-21 Screen 5	Aug/Sep 2006	MW-21-5	0.5 U	0.5 U	**3.8**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	4.0 U	**cis-1,2-Dichloroethene**	**0.7**
MW-21 Screen 5	Oct/Dec 2006	MW-21-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	4.0 U		
MW-21 Screen 5	Mar/Apr 2007	MW-21-5	0.5 U	**0.3 J**	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	4.0 U	**cis-1,2-Dichloroethene**	**0.5 J**
MW-21 Screen 5	Jun/Jul 2007	MW-21-5	0.5 U	**0.3**	**3.4**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	4.0 U	**cis-1,2-Dichloroethene**	**0.5**
MW-21 Screen 5	Aug/Sep 2007	MW-21-5	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	4.0 U	**cis-1,2-Dichloroethene**	**0.4 J**
MW-21 Screen 5	Oct/Dec 2007	MW-21-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	**4.6**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21 Screen 5	Jan/Feb 2008	MW-21-5	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**	4.0 U	**cis-1,2-Dichloroethene**	**0.3 J**
MW-21 Screen 5	Apr/May 2008	MW-21-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	3.0 U		
MW-21 Screen 5	Jul/Aug 2008	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	**2.8**		
MW-21 Screen 5	Oct/Nov 2008	MW-21-5	0.5 U	0.5 U	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	**3.0**		
MW-21 Screen 5	Jan/Feb 2009	MW-21-5	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	**3.2**		
MW-21 Screen 5	Apr/May 2009	MW-21-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**	**3.0**		
MW-21 Screen 5	Jul/Aug 2009	MW-21-5	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	**3.0**		
MW-21 Screen 5	Nov/Dec 2009	MW-21-5	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**3.8**		
MW-21 Screen 5	Feb 2010	MW-21-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	**3.0**		
MW-21 Screen 5	Apr/May 2010	MW-21-5	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**3.4**	**3.5**		
MW-21 Screen 5	Jul/Aug 2010	MW-21-5	0.5 U	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	**3.6**		
MW-21 Screen 5	Oct/Nov 2010	MW-21-5	0.5 U	0.5 U	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	**4.3**		
MW-21 Screen 5	Feb/Mar 2011	MW-21-5	0.5 U	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	**3.0**		
MW-21 Screen 5	Apr/May 2011	MW-21-5	0.5 U	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	**2.4**		
MW-21 Screen 5	Aug/Sep 2011	MW-21-5	0.5 U	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**	**2.6**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-21 Screen 5	Nov/Dec 2011	MW-21-5	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**1.9**		
MW-21 Screen 5	Jan/Feb 2012	MW-21-5	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	**3.0 J**		
MW-21 Screen 5	Apr/May 2012	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	**2.6**		
MW-21 Screen 5	Aug/Sep 2012	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**	4.0 U	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 5	Nov 2012	MW-21-5	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.2**	**1.2 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 5	Jan/Feb 2013	MW-21-5	0.5 U	**0.1 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**	**3.0 J**		
MW-21 Screen 5	Apr/May 2013	MW-21-5	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**	**2.4 J**		
MW-21 Screen 5	Jul 2013	MW-21-5	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**6.0**	**2.1 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-21 Screen 5	Oct/Nov 2013	MW-21-5	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**	**3.0 J**		
MW-21 Screen 5	Jan/Feb 2014	MW-21-5	0.5 U	**0.1 J**	**1.2**	**0.1 J**	0.5 U	0.5 U	0.5 U	**7.9**	**1.7 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-21 Screen 5	Apr/May 2014	MW-21-5	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**	4.0 U		
MW-21 Screen 5	Jul/Aug 2014	MW-21-5	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**	**2.2 J**		
MW-21 Screen 5	Oct 2014	MW-21-5	0.5 U	**0.1 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**	**1.9 J**	**Acetone**	**12.0**
MW-21 Screen 5	Jan/Feb 2015	MW-21-5	0.5 UJ	**0.2 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**	**2.4 J**		
MW-21 Screen 5	April/May 2015	MW-21-5	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**	**1.7 J**		
MW-22 Screen 1	June/July 1997	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**	NA	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**0.6** **0.6** **1.0**
MW-22 Screen 1	Sep/Oct 1997	MW-22-1	0.5 U	0.5 U	**2.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Jan/Feb 1998	MW-22-1	0.5 U	0.5 U	**2.3**	**0.8**	0.5 U	0.5 U	**0.5**	0.5 U	4.0 U		
MW-22 Screen 1	Apr/May 1998	MW-22-1	0.5 U	**0.9**	**2.1**	**0.8**	0.5 U	0.5 U	0.5 U	**0.5**	**5.4**		
MW-22 Screen 1	Jul/Aug 1998	MW-22-1	0.5 U	**0.9**	**1.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**		
MW-22 Screen 1	Oct/Nov 1998	MW-22-1	0.5 U	0.5 U	**1.7**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-22 Screen 1	Feb/Mar 1999	MW-22-1	0.5 U	**0.6**	**3.6**	**1.0**	0.5 U	0.5 U	**1.3 B**	**0.5**	**6.4**		
MW-22 Screen 1	May/Jun 1999	MW-22-1	0.5 U	0.5 U	**2.7**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-22 Screen 1	Aug 1999	MW-22-1	0.5 U	0.5 U	**2.1**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Nov/Dec 1999	MW-22-1	0.5 U	0.5 U	**3.6**	**0.9**	0.5 U	0.5 U	0.5 U	**0.5**	**4.2**		
MW-22 Screen 1	Mar/Apr 2000	MW-22-1	0.5 U	0.5 U	**3.1**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**		
MW-22 Screen 1	Jul/Aug 2000	MW-22-1	0.5 U	0.5 U	**3.2**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-22 Screen 1	Sep/Oct 2000	MW-22-1	0.5 U	0.5 U	**2.7**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		
MW-22 Screen 1	Jan/Feb 2001	MW-22-1	0.5 U	0.5 U	**2.0**	**0.7**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-22 Screen 1	Apr 2001	MW-22-1	0.5 U	0.5 U	**4.0**	**0.5**	0.5 U	0.5 U	NA	**0.4 J**	4.0 U		
MW-22 Screen 1	Apr 2001	DUP	0.5 U	0.5 U	**1.8**	**0.3 J**	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-22 Screen 1	Jul 2001	MW-22-1	0.5 U	0.5 U	**1.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22 Screen 1	Oct 2001	MW-22-1	0.5 U	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Jan/Feb 2002	MW-22-1	0.5 U	0.5 U	**2.3**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U	**Methylene chloride**	**0.5 J**
MW-22 Screen 1	Apr/May 2002	MW-22-1	0.5 U	**0.4 J**	**2.7**	**0.6**	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-22 Screen 1	Jul 2002	MW-22-1	0.5 U	0.5 U	**2.9**	**0.6**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-22 Screen 1	Oct/Nov 2002	MW-22-1	0.5 U	0.5 U	**2.2**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-22 Screen 1	Jan/Feb 2003	MW-22-1	0.5 U	**0.3 J**	**2.0**	**0.5 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-22 Screen 1	Apr/May 2003	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**	**4-Methyl-2-pentanone**	**3.0 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 1	Jul/Aug 2003	MW-22-1	0.5 U	**0.3 J**	**0.9**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**	**4-Methyl-2-pentanone**	**0.4 J**
MW-22 Screen 1	Oct/Nov 2003	MW-22-1	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-22 Screen 1	Feb 2004	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Apr/May 2004	MW-22-1	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Jul/Aug 2004	MW-22-1	0.5 U	**0.3 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**	**Methylene chloride**	**0.7**
MW-22 Screen 1	Oct/Nov 2004	MW-22-1	0.5 UJ	**0.3 J**	**1.9**	0.5 U	**0.4 J**	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-22 Screen 1	Jan/Feb 2005	MW-22-1	0.5 U	**0.4 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.0**		
MW-22 Screen 1	Apr/May 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-22 Screen 1	Jul/Sep 2005	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3 J**		
MW-22 Screen 1	Oct/Nov 2005	MW-22-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.0 J**		
MW-22 Screen 1	Mar/Apr 2006	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22 Screen 1	May/Jun 2006	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	May/Jun 2006	DUPE-5-2Q06	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Aug/Sep 2006	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Oct/Dec 2006	MW-22-1	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22 Screen 1	Oct/Dec 2006	DUPE-5-4Q06	0.5 U	0.5 U	**1.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22 Screen 1	Mar/Apr 2007	MW-22-1	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22 Screen 1	Jun/Jul 2007	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Aug/Sep 2007	MW-22-1	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-22 Screen 1	Oct/Dec 2007	MW-22-1	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.0**		
MW-22 Screen 1	Jan/Feb 2008	MW-22-1	0.5 U	**0.3 J**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.1 J**		
MW-22 Screen 1	Apr/May 2008	MW-22-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 1	Jul/Aug 2008	MW-22-1	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-22 Screen 1	Oct/Nov 2008	MW-22-1	0.5 U	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-22 Screen 1	Jan/Feb 2009	MW-22-1	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-22 Screen 1	Apr/May 2009	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22 Screen 1	Jul/Aug 2009	MW-22-1	0.5 U	**1.0**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.4**		
MW-22 Screen 1	Nov/Dec 2009	MW-22-1	0.5 U	**0.7**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-22 Screen 1	Feb 2010	MW-22-1	0.5 U	**1.1**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-22 Screen 1	Apr/May 2010	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22 Screen 1	Jul/Aug 2010	MW-22-1	0.5 U	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22 Screen 1	Oct/Nov 2010	MW-22-1	0.5 U	0.5 U	**2.0**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22 Screen 1	Feb/Mar 2011	MW-22-1	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**22.9**		
MW-22 Screen 1	Apr/May 2011	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**	**40.1**	**Bromodichloromethane** **Dibromochloromethane**	**2.3** **0.9**
MW-22 Screen 1	Aug/Sep 2011	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	**98.7**	**Bromodichloromethane** **Dibromochloromethane**	**1.7** **0.9**
MW-22 Screen 1	Nov/Dec 2011	MW-22-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**85.2**		
MW-22 Screen 1	Jan/Feb 2012	MW-22-1	0.5 U	0.5 U	**1.6**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-22 Screen 1	Apr/May 2012	MW-22-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.5**		
MW-22 Screen 1	Apr/May 2012	DUPE-1-2Q12	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.5**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 1	Aug/Sep 2012	MW-22-1	0.5 U	**0.5 J**	**0.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.9 J**		
MW-22 Screen 1	Nov 2012	MW-22-1	0.5 U	**0.8**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-22 Screen 1	Jan/Feb 2013	MW-22-1	0.5 U	**1.2**	**0.4 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.5**		
MW-22 Screen 1	Apr/May 2013	MW-22-1	0.5 U	**0.8**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-22 Screen 1	Jul 2013	MW-22-1	0.5 U	**1.5**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.0 J**		
MW-22 Screen 1	Oct/Nov 2013	MW-22-1	0.5 U	**1.0**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-22 Screen 1	Jan/Feb 2014	MW-22-1	0.5 U	**2.0**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.3 J**		
MW-22 Screen 1	Apr/May 2014	MW-22-1	0.5 U	**1.4**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.0 J**		
MW-22 Screen 1	Jul/Aug 2014	MW-22-1	0.5 U	**2.2**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.2 J**		
MW-22 Screen 1	Oct 2014	MW-22-1	0.5 U	**2.0**	**0.6**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.3 J**		
MW-22 Screen 1	Jan/Feb 2015	MW-22-1	0.5 U	**2.8**	**0.5**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**2.9 J**		
MW-22 Screen 1	April/May 2015	MW-22-1	0.5 U	**1.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.1 J**		
MW-22 Screen 2	June/July 1997	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**	NA	**Dibromochloromethane**	**0.7**
MW-22 Screen 2	Sep/Oct 1997	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8**
MW-22 Screen 2	Jan/Feb 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Apr/May 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jul/Aug 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-22 Screen 2	Oct/Nov 1998	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Feb/Mar 1999	MW-22-2	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 B**	0.5 U	4.0 U		
MW-22 Screen 2	May/Jun 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Aug 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Nov/Dec 1999	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Mar/Apr 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jul/Aug 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Sep/Oct 2000	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jan/Feb 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-22 Screen 2	Apr 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-22 Screen 2	Jul 2001	MW-22-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Toluene**	**0.5**
MW-22 Screen 2	Oct 2001	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jan/Feb 2002	MW-22-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-22 Screen 2	Apr/May 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.3 J**
MW-22 Screen 2	Jul 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Oct/Nov 2002	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jan/Feb 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jan/Feb 2003	DUPE-5-1Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-22 Screen 2	Apr/May 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6 J**	**4-Methyl-2-pentanone**	**5.0 J**
MW-22 Screen 2	Jul/Aug 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**	**4-Methyl-2-pentanone**	**0.6 J**
MW-22 Screen 2	Jul/Aug 2003	DUPE-5-3Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1 J**	**4-Methyl-2-pentanone**	**0.4 J**
MW-22 Screen 2	Oct/Nov 2003	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4 J**		
MW-22 Screen 2	Feb 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Apr/May 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 2	Jul/Aug 2004	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**	**Methylene chloride**	**0.8**
MW-22 Screen 2	Oct/Nov 2004	MW-22-2	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Jan/Feb 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene** **Methylene chloride**	**0.5** **0.6**
MW-22 Screen 2	Apr/May 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-22 Screen 2	Jul/Sep 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-22 Screen 2	Oct/Nov 2005	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-22 Screen 2	Mar/Apr 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	May/Jun 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Aug/Sep 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Oct/Dec 2006	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 2	Mar/Apr 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Jun/Jul 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	**Methylene chloride**	**5.9 J**
MW-22 Screen 2	Aug/Sep 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Oct/Dec 2007	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Jan/Feb 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3 J**		
MW-22 Screen 2	Apr/May 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-22 Screen 2	Jul/Aug 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 2	Oct/Nov 2008	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-22 Screen 2	Oct/Nov 2008	DUPE-06-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-22 Screen 2	Jan/Feb 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22 Screen 2	Apr/May 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-22 Screen 2	Jul/Aug 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-22 Screen 2	Nov/Dec 2009	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-22 Screen 2	Feb 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-22 Screen 2	Apr/May 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22 Screen 2	Jul/Aug 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-22 Screen 2	Jul/Aug 2010	DUPE-4-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22 Screen 2	Oct/Nov 2010	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-22 Screen 2	Oct/Nov 2010	DUPE-03-4Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-22 Screen 2	Feb/Mar 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-22 Screen 2	Apr/May 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-22 Screen 2	Aug/Sep 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-22 Screen 2	Nov/Dec 2011	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-22 Screen 2	Jan/Feb 2012	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22 Screen 2	Jan/Feb 2012	DUPE-4-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22 Screen 2	Apr/May 2012	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22 Screen 2	Aug/Sep 2012	MW-22-2	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.3 J**		
MW-22 Screen 2	Nov 2012	MW-22-2	0.5 U	**0.2 J**	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-22 Screen 2	Jan/Feb 2013	MW-22-2	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**		
MW-22 Screen 2	Apr/May 2013	MW-22-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.7 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 2	Jul 2013	MW-22-2	0.5 U	**0.2 J**	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.2 J**	4.0 U		
MW-22 Screen 2	Oct/Nov 2013	MW-22-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.5 J**		
MW-22 Screen 2	Jan/Feb 2014	MW-22-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.5 J**		
MW-22 Screen 2	Apr/May 2014	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-22 Screen 2	Jul/Aug 2014	MW-22-2	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-22 Screen 2	Oct 2014	MW-22-2	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**3.2 J**		
MW-22 Screen 2	Jan/Feb 2015	MW-22-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**2.9 J**		
MW-22 Screen 2	April/May 2015	MW-22-2	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-22 Screen 3	June/July 1997	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**	NA		
MW-22 Screen 3	Sep/Oct 1997	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-22 Screen 3	Jan/Feb 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Apr/May 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jul/Aug 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Oct/Nov 1998	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Feb/Mar 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 B**	0.5 U	4.0 U		
MW-22 Screen 3	May/Jun 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-22 Screen 3	Aug 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Nov/Dec 1999	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Mar/Apr 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jul/Aug 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Sep/Oct 2000	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jan/Feb 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-22 Screen 3	Apr 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-22 Screen 3	Jul 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Oct 2001	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jan/Feb 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3**	**Methylene chloride**	**0.6 J**
MW-22 Screen 3	Apr/May 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Apr/May 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-22 Screen 3	Jul 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jul 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Oct/Nov 2002	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jan/Feb 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0 U		
MW-22 Screen 3	Apr/May 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**	**4-Methyl-2-pentanone**	**6.0 J**
MW-22 Screen 3	Jul/Aug 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**	**4-Methyl-2-pentanone** **Chloroethane**	**2.0 J** **2.0**
MW-22 Screen 3	Oct/Nov 2003	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-22 Screen 3	Feb 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Apr/May 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jul/Aug 2004	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.7**
MW-22 Screen 3	Oct/Nov 2004	MW-22-3	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Jan/Feb 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 3	Apr/May 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-22 Screen 3	Apr/May 2005	DUPE-5-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-22 Screen 3	Jul/Sep 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-22 Screen 3	Jul/Sep 2005	DUPE-5-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6 J**		
MW-22 Screen 3	Oct/Nov 2005	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5 J**		
MW-22 Screen 3	Mar/Apr 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	May/Jun 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Aug/Sep 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Oct/Dec 2006	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Mar/Apr 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Mar/Apr 2007	DUPE-6-1Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U	**m,p-Xylene**	**0.9 J**
MW-22 Screen 3	Jun/Jul 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Aug/Sep 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 3	Oct/Dec 2007	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22 Screen 3	Jan/Feb 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.3 J**		
MW-22 Screen 3	Apr/May 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-22 Screen 3	Jul/Aug 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-22 Screen 3	Oct/Nov 2008	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-22 Screen 3	Jan/Feb 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22 Screen 3	Apr/May 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-22 Screen 3	Jul/Aug 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-22 Screen 3	Nov/Dec 2009	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-22 Screen 3	Feb 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22 Screen 3	Apr/May 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-22 Screen 3	Jul/Aug 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-22 Screen 3	Oct/Nov 2010	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-22 Screen 3	Feb/Mar 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-22 Screen 3	Apr/May 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**		
MW-22 Screen 3	Aug/Sep 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-22 Screen 3	Nov/Dec 2011	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-22 Screen 3	Jan/Feb 2012	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.5**		
MW-22 Screen 3	Apr/May 2012	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-22 Screen 3	Aug/Sep 2012	MW-22-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**3.8 J**		
MW-22 Screen 3	Nov 2012	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	4.0 U		
MW-22 Screen 3	Jan/Feb 2013	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.0**		
MW-22 Screen 3	Apr/May 2013	MW-22-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.3 J**		
MW-22 Screen 3	Apr/May 2013	DUP-3-2Q13	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.6 J**		
MW-22 Screen 3	Jul 2013	MW-22-3	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**3.6 J**		
MW-22 Screen 3	Oct/Nov 2013	MW-22-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-22 Screen 3	Jan/Feb 2014	MW-22-3	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-22 Screen 3	Apr/May 2014	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 3	Jul/Aug 2014	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7 J**		
MW-22 Screen 3	Oct 2014	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-22 Screen 3	Jan/Feb 2015	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-22 Screen 3	April/May 2015	MW-22-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-22 Screen 4	June/July 1997	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	NA	**Bromodichloromethane** **Dibromochloromethane**	**0.5** **0.7**
MW-22 Screen 4	Sep/Oct 1997	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Jan/Feb 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Apr/May 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Jul/Aug 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Oct/Nov 1998	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Feb/Mar 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 B**	0.5 U	4.0 U		
MW-22 Screen 4	May/Jun 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Aug 1999	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Nov/Dec 1999	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Mar/Apr 2000	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jul/Aug 2000	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Sep/Oct 2000	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jan/Feb 2001	MW-22-4	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	4.0 U		
MW-22 Screen 4	Jan/Feb 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.7**
MW-22 Screen 4	Apr 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jul 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Oct 2001	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jan/Feb 2002	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.8 J**
MW-22 Screen 4	Apr/May 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Jul 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Oct/Nov 2002	MW-22-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-22 Screen 4	Apr/May 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**9.0 J**
MW-22 Screen 4	Oct/Nov 2003	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**3.0 J** **3.2** **1.0**
MW-22 Screen 4	Apr/May 2004	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Oct/Nov 2004	MW-22-4	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Apr/May 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-22 Screen 4	Oct/Nov 2005	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	May/Jun 2006	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 4	Oct/Dec 2006	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 4	Jun/Jul 2007	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**2.7 J**
MW-22 Screen 4	Oct/Dec 2007	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 4	Apr/May 2008	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 4	Oct/Nov 2008	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 4	Apr/May 2009	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Nov/Dec 2009	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Nov/Dec 2009	DUPE-04-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Apr/May 2010	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Oct/Nov 2010	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Apr/May 2011	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Nov/Dec 2011	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Nov/Dec 2011	DUPE-6-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Apr/May 2012	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 4	Nov 2012	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Apr/May 2013	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Oct/Nov 2013	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Apr/May 2014	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	Oct 2014	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-22 Screen 4	Oct 2014	DUP-2-4Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-22 Screen 4	April/May 2015	MW-22-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 4	April/May 2015	DUP-3-2Q15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	June/July 1997	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**	NA	**Dibromochloromethane**	**0.6**
MW-22 Screen 5	Sep/Oct 1997	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jan/Feb 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jul/Aug 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 1998	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Feb/Mar 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3 B**	0.5 U	4.0 U		
MW-22 Screen 5	May/Jun 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Nov/Dec 1999	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jul/Aug 2000	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Jan/Feb 2001	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-22 Screen 5	Jan/Feb 2002	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.5 J**
MW-22 Screen 5	Apr/May 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-22 Screen 5	Oct/Nov 2003	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**2.0 J**
MW-22 Screen 5	Apr/May 2004	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 2004	DUPE-2-2Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 2004	MW-22-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct/Nov 2005	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	May/Jun 2006	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Oct/Dec 2006	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Jun/Jul 2007	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Oct/Dec 2007	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-22 Screen 5	Apr/May 2008	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-22 Screen 5	Oct/Nov 2008	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1**		
MW-22 Screen 5	Apr/May 2009	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	Nov/Dec 2009	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-22 Screen 5	Apr/May 2010	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	Oct/Nov 2010	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	Apr/May 2011	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.4**		
MW-22 Screen 5	Nov/Dec 2011	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**47.3**		
MW-22 Screen 5	Apr/May 2012	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-22 Screen 5	Nov 2012	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Apr/May 2013	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.6 J**
MW-22 Screen 5	Oct/Nov 2013	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7 J**
MW-22 Screen 5	Apr/May 2014	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	Oct 2014	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-22 Screen 5	April/May 2015	MW-22-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	June/July 1997	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.7**	NA	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.4** **1.5** **2.2**
MW-23 Screen 1	Sep/Oct 1997	MW-23-1	0.5 U	**3.1**	**0.6**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-23 Screen 1	Jan/Feb 1998	MW-23-1	0.5 U	**4.2**	**1.6**	**1.2**	0.5 U	0.5 U	0.5 U	**0.9**	**5.2**	**1,2,3-Trichlorobenzene**	**0.6**
MW-23 Screen 1	Jul/Aug 1998	MW-23-1	**0.5**	**9.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**19.0**	**Methylene chloride**	**2.2**
MW-23 Screen 1	Oct/Nov 1998	MW-23-1	**0.8**	**15.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**	**20.8**		
MW-23 Screen 1	Feb/Mar 1999	MW-23-1	**0.6**	**15.0**	**1.1**	**1.4**	0.5 U	0.5 U	0.5 U	**1.9**	**8.4**	**1,2,3-Trichlorobenzene**	**0.6**
MW-23 Screen 1	May/Jun 1999	MW-23-1	0.5 U	**7.0**	**1.1**	0.5 U	0.5 U	0.5 U	**0.6**	**1.0**	**7.6**	**1,2,3-Trichlorobenzene**	**0.7**
MW-23 Screen 1	Aug 1999	MW-23-1	0.5 U	**3.5**	**1.1**	**1.0**	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-23 Screen 1	Nov/Dec 1999	MW-23-1	0.5 U	**1.2**	**1.3**	**1.0**	0.5 U	0.5 U	0.5 U	**0.5**	**4.1**	**1,2,3-Trichlorobenzene**	**1.1**
MW-23 Screen 1	Mar/Apr 2000	MW-23-1	0.5 U	**1.5**	**2.3**	**1.3**	0.5 U	0.5 U	0.5 U	**0.7**	**4.3**	**1,2,3-Trichlorobenzene**	**1.2**
MW-23 Screen 1	Jul/Aug 2000	MW-23-1	0.5 U	**1.4**	**0.9**	0.5 U	0.5 U	**0.6**	0.5 U	**0.5**	**4.9**		
MW-23 Screen 1	Sep/Oct 2000	MW-23-1	0.5 U	**0.6**	**1.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	Jan/Feb 2001	MW-23-1	0.5 U	**0.9**	**1.6**	**0.9**	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.6 J**
MW-23 Screen 1	Apr 2001	MW-23-1	0.5 U	**0.7**	0.5 U	**0.5**	0.5 U	0.5 U	NA	**0.5 J**	4.0 U		
MW-23 Screen 1	Jul 2001	MW-23-1	**0.6**	**1.9**	**0.9**	**0.4 J**	0.5 U	0.5 U	0.5 U	NA	4.0 U		
MW-23 Screen 1	Oct 2001	MW-23-1	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	Jan/Feb 2002	MW-23-1	0.5 U	**1.3**	**1.4**	**0.7**	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-23 Screen 1	Apr/May 2002	MW-23-1	0.5 U	**0.8**	**1.1**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**Methylene chloride**	**0.4 J**
MW-23 Screen 1	Jul 2002	MW-23-1	0.5 U	**0.9**	**1.0**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-23 Screen 1	Oct/Nov 2002	MW-23-1	0.5 U	**0.7**	**0.8**	**0.4 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-23 Screen 1	Jan/Feb 2003	MW-23-1	0.5 U	**1.5**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**1.9 J**		
MW-23 Screen 1	Apr/May 2003	MW-23-1	0.5 U	**1.0**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.9 J**	**4-Methyl-2-pentanone**	**4.0 J**
MW-23 Screen 1	Jul/Aug 2003	MW-23-1	0.5 U	**0.3 J**	**1.5**	**0.5**	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.4 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 1	Oct/Nov 2003	MW-23-1	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**3.1 J**	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**2.0 J** **2.7** **0.6**
MW-23 Screen 1	Feb 2004	MW-23-1	0.5 U	**0.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.5**		
MW-23 Screen 1	Apr/May 2004	MW-23-1	0.5 U	**1.2**	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-23 Screen 1	Jul/Aug 2004	MW-23-1	0.5 U	**0.8**	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**4.4**		
MW-23 Screen 1	Oct/Nov 2004	MW-23-1	0.5 U	**0.7**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-23 Screen 1	Jan/Feb 2005	MW-23-1	0.5 U	**1.1**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.9 J**	**m,p-Xylene**	**0.7**
MW-23 Screen 1	Apr/May 2005	MW-23-1	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8 J**		
MW-23 Screen 1	Jul/Sep 2005	MW-23-1	0.5 U	0.5 U	**0.8**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-23 Screen 1	Oct/Nov 2005	MW-23-1	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.3 J**		
MW-23 Screen 1	Mar/Apr 2006	MW-23-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-23 Screen 1	May/Jun 2006	MW-23-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	May/Jun 2006	DUPE-6-2Q06	0.5 U	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	Aug/Sep 2006	MW-23-1	0.5 U	**0.4 J**	**1.0 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-23 Screen 1	Oct/Dec 2006	MW-23-1	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	Mar/Apr 2007	MW-23-1	0.5 U	**1.4**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	Jun/Jul 2007	MW-23-1	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 1	Aug/Sep 2007	MW-23-1	0.5 U	**1.0**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-23 Screen 1	Oct/Dec 2007	MW-23-1	0.5 U	**1.5**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.0**		
MW-23 Screen 1	Jan/Feb 2008	MW-23-1	0.5 U	**1.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**3.4**		
MW-23 Screen 1	Apr/May 2008	MW-23-1	0.5 U	**0.5**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-23 Screen 1	Jul/Aug 2008	MW-23-1	0.5 U	**1.3**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**2.2**		
MW-23 Screen 1	Oct/Nov 2008	MW-23-1	0.5 U	**1.1**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-23 Screen 1	Jan/Feb 2009	MW-23-1	0.5 U	**1.5**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-23 Screen 1	Apr/May 2009	MW-23-1	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**		
MW-23 Screen 1	Jul/Aug 2009	MW-23-1	0.5 U	**2.2**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.2**		
MW-23 Screen 1	Nov/Dec 2009	MW-23-1	0.5 U	**2.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-23 Screen 1	Feb 2010	MW-23-1	0.5 U	**3.2**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-23 Screen 1	Apr/May 2010	MW-23-1	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		
MW-23 Screen 1	Jul/Aug 2010	MW-23-1	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**28.3**		
MW-23 Screen 1	Oct/Nov 2010	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**30.4 J**		
MW-23 Screen 1	Oct/Nov 2010	DUPE-07-4Q10	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**29.9 J**		
MW-23 Screen 1	Feb/Mar 2011	MW-23-1	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**302.0**		
MW-23 Screen 1	Apr/May 2011	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**97.8**		
MW-23 Screen 1	Aug/Sep 2011	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.7**		
MW-23 Screen 1	Nov/Dec 2011	MW-23-1	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.8**	**103.0**		
MW-23 Screen 1	Jan/Feb 2012	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**35.2**		
MW-23 Screen 1	Jan/Feb 2012	DUPE-3-1Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**35.5**		
MW-23 Screen 1	Apr/May 2012	MW-23-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**11.2**		
MW-23 Screen 1	Apr/May 2012	DUPE-3-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**12.5 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 1	Aug/Sep 2012	MW-23-1	0.5 U	**0.3 J**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**		
MW-23 Screen 1	Nov 2012	MW-23-1	0.5 U	**1.0**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.3 J**		
MW-23 Screen 1	Jan/Feb 2013	MW-23-1	0.5 U	**1.9**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.8 J**		
MW-23 Screen 1	Apr/May 2013	MW-23-1	0.5 U	**2.8 J**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**2.7 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-23 Screen 1	Jul 2013	MW-23-1	0.5 U	**2.7**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.2 J**		
MW-23 Screen 1	Oct/Nov 2013	MW-23-1	0.5 U	**2.3**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.7**		
MW-23 Screen 1	Jan/Feb 2014	MW-23-1	0.5 U	**3.5**	**0.5 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5**	**3.7 J**		
MW-23 Screen 1	Apr/May 2014	MW-23-1	0.5 U	**2.1**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.6 J**		
MW-23 Screen 1	Jul/Aug 2014	MW-23-1	0.5 U	**3.8**	**0.5**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.8 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.1 J** **0.2 J**
MW-23 Screen 1	Oct 2014	MW-23-1	0.5 U	**3.9**	**0.5 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.8 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)** **trans-1,2-Dichloroethene**	**0.1 J** **0.1 J** **0.2 J**
MW-23 Screen 1	Jan/Feb 2015	MW-23-1	0.5 U	**4.2**	**0.6**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**3.0 J**	**cis-1,2-Dichloroethene** **Methyl-tert-butyl ether (MTBE)** **trans-1,2-Dichloroethene**	**0.2 J** **0.1 J** **0.2 J**
MW-23 Screen 1	April/May 2015	MW-23-1	0.5 U	**4.5**	**0.7**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**3.9 J**	**cis-1,2-Dichloroethene** **trans-1,2-Dichloroethene**	**0.2 J** **0.2 J**
MW-23 Screen 2	June/July 1997	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**	NA	**Dibromochloromethane**	**0.6**
MW-23 Screen 2	Sep/Oct 1997	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**		
MW-23 Screen 2	Jan/Feb 1998	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**6.7**		
MW-23 Screen 2	Jul/Aug 1998	MW-23-2	0.5 U	**1.1**	**1.0**	**0.8**	0.5 U	0.5 U	0.5 U	**0.7**	**7.8**	**Methylene chloride**	**1.8**
MW-23 Screen 2	Oct/Nov 1998	MW-23-2	0.5 U	**0.6**	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	**0.6**	**16.3**		
MW-23 Screen 2	Feb/Mar 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**7.7**		
MW-23 Screen 2	May/Jun 1999	MW-23-2	0.5 U	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	**0.6**	**7.8**		
MW-23 Screen 2	Aug 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	4.0 U		
MW-23 Screen 2	Nov/Dec 1999	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**		
MW-23 Screen 2	Mar/Apr 2000	MW-23-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.2**		
MW-23 Screen 2	Jul/Aug 2000	MW-23-2	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**6.6**		
MW-23 Screen 2	Sep/Oct 2000	MW-23-2	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**7.0**		
MW-23 Screen 2	Jan/Feb 2001	MW-23-2	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-23 Screen 2	Apr 2001	MW-23-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	NA	**0.5**	4.0 U		
MW-23 Screen 2	Jul 2001	MW-23-2	0.5 U	**0.3 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichlorobenzene**	**1.2**
MW-23 Screen 2	Oct 2001	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 2	Oct 2001	DUP	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-23 Screen 2	Jan/Feb 2002	MW-23-2	0.5 U	**1.1**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.0**	**Methylene chloride**	**0.9 J**
MW-23 Screen 2	Apr/May 2002	MW-23-2	0.5 U	**0.7**	**0.7**	**0.3 J**	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U	**Methylene chloride**	**0.4 J**
MW-23 Screen 2	Jul 2002	MW-23-2	0.5 U	**0.8**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.0 J**		
MW-23 Screen 2	Oct/Nov 2002	MW-23-2	0.5 U	**0.9**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	4.0 U		
MW-23 Screen 2	Jan/Feb 2003	MW-23-2	0.5 U	**0.7**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.4 J**		
MW-23 Screen 2	Apr/May 2003	MW-23-2	0.5 U	**0.6**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.8 J**	**4-Methyl-2-pentanone**	**3.0 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 2	Jul/Aug 2003	MW-23-2	0.5 U	**0.6**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.7**	**Methylene chloride**	**0.6**
MW-23 Screen 2	Oct/Nov 2003	MW-23-2	0.5 U	**0.5**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**5.4 J**	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**3.0 J** **2.3** **0.6**
MW-23 Screen 2	Feb 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.9**		
MW-23 Screen 2	Apr/May 2004	MW-23-2	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.4**		
MW-23 Screen 2	Jul/Aug 2004	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-23 Screen 2	Oct/Nov 2004	MW-23-2	0.5 U	**0.5 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-23 Screen 2	Jan/Feb 2005	MW-23-2	0.5 U	**0.5**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**5.6**	**m,p-Xylene**	**0.4 J**
MW-23 Screen 2	Apr/May 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7 J**		
MW-23 Screen 2	Jul/Sep 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.9 J**		
MW-23 Screen 2	Oct/Nov 2005	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**4.2**		
MW-23 Screen 2	Mar/Apr 2006	MW-23-2	0.5 U	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-23 Screen 2	Mar/Apr 2006	DUPE-5-1Q06	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.3**		
MW-23 Screen 2	May/Jun 2006	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 2	Aug/Sep 2006	MW-23-2	0.5 U	**0.7 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.6**		
MW-23 Screen 2	Aug/Sep 2006	DUPE-2-3Q06	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**		
MW-23 Screen 2	Oct/Dec 2006	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-23 Screen 2	Mar/Apr 2007	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**		
MW-23 Screen 2	Jun/Jul 2007	MW-23-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 2	Aug/Sep 2007	MW-23-2	0.5 U	**0.5 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U		
MW-23 Screen 2	Aug/Sep 2007	DUPE-2-3Q07	0.5 U	**0.5 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	4.0 U		
MW-23 Screen 2	Oct/Dec 2007	MW-23-2	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**5.7**		
MW-23 Screen 2	Jan/Feb 2008	MW-23-2	0.5 U	**0.5**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**6.5**		
MW-23 Screen 2	Apr/May 2008	MW-23-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1 J**		
MW-23 Screen 2	Apr/May 2008	DUPE-3-2Q08	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U		
MW-23 Screen 2	Jul/Aug 2008	MW-23-2	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**3.8**		
MW-23 Screen 2	Oct/Nov 2008	MW-23-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-23 Screen 2	Jan/Feb 2009	MW-23-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.2**		
MW-23 Screen 2	Apr/May 2009	MW-23-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.1**		
MW-23 Screen 2	Jul/Aug 2009	MW-23-2	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**		
MW-23 Screen 2	Nov/Dec 2009	MW-23-2	0.5 U	**1.4**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**4.4**		
MW-23 Screen 2	Feb 2010	MW-23-2	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.7**		
MW-23 Screen 2	Apr/May 2010	MW-23-2	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-23 Screen 2	Jul/Aug 2010	MW-23-2	0.5 U	**1.4**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.9**		
MW-23 Screen 2	Oct/Nov 2010	MW-23-2	0.5 U	**1.4**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**4.4 J**		
MW-23 Screen 2	Feb/Mar 2011	MW-23-2	0.5 U	**1.5**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.4**		
MW-23 Screen 2	Apr/May 2011	MW-23-2	0.5 U	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**		
MW-23 Screen 2	Aug/Sep 2011	MW-23-2	0.5 U	**2.0**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.0**		
MW-23 Screen 2	Nov/Dec 2011	MW-23-2	0.5 U	**1.5**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**2.8**		
MW-23 Screen 2	Jan/Feb 2012	MW-23-2	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.3**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 2	Apr/May 2012	MW-23-2	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.9**		
MW-23 Screen 2	Aug/Sep 2012	MW-23-2	0.5 U	**0.7**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**5.7**		
MW-23 Screen 2	Aug/Sep 2012	DUPE-4-3Q12	0.5 U	**0.7**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.6**		
MW-23 Screen 2	Nov 2012	MW-23-2	0.5 U	**0.6**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**2.5 J**		
MW-23 Screen 2	Jan/Feb 2013	MW-23-2	0.5 U	**0.7**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**3.7 J**		
MW-23 Screen 2	Apr/May 2013	MW-23-2	0.5 U	**0.9**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**3.4 J**		
MW-23 Screen 2	Jul 2013	MW-23-2	0.5 U	**1.1**	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.0**		
MW-23 Screen 2	Oct/Nov 2013	MW-23-2	0.5 U	**0.8**	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.1**		
MW-23 Screen 2	Jan/Feb 2014	MW-23-2	0.5 U	**1.1**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.6**		
MW-23 Screen 2	Apr/May 2014	MW-23-2	0.5 U	**1.1**	**0.4 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.5**	**4.7**		
MW-23 Screen 2	Jul/Aug 2014	MW-23-2	0.5 U	**1.4**	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**4.4**		
MW-23 Screen 2	Oct 2014	MW-23-2	0.5 U	**1.3**	**0.3 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**4.1**		
MW-23 Screen 2	April/May 2015	MW-23-2	0.5 U	**1.7**	**0.5**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**1.8 J**	**1,2,3-Trichlorobenzene**	**0.2 J**
MW-23 Screen 3	June/July 1997	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**	NA	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**0.8** **0.9** **1.3**
MW-23 Screen 3	Sep/Oct 1997	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jul/Aug 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.7**
MW-23 Screen 3	Oct/Nov 1998	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Feb/Mar 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	May/Jun 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Aug 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Nov/Dec 1999	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Mar/Apr 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jul/Aug 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Sep/Oct 2000	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Apr 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-23 Screen 3	Jul 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct 2001	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**
MW-23 Screen 3	Jan/Feb 2002	DUP	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.5**
MW-23 Screen 3	Apr/May 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.4 J**
MW-23 Screen 3	Jul 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct/Nov 2002	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct/Nov 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-23 Screen 3	Apr/May 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-23 Screen 3	Jul/Aug 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 3	Oct/Nov 2003	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloroethane** **Chloromethane**	**2.0 J** **2.3** **0.6**
MW-23 Screen 3	Feb 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Feb 2004	DUPE-4-1Q04	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Apr/May 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jul/Aug 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Oct/Nov 2004	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 3	Jan/Feb 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-23 Screen 3	Apr/May 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-23 Screen 3	Jul/Sep 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9 J**		
MW-23 Screen 3	Oct/Nov 2005	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-23 Screen 3	Mar/Apr 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	May/Jun 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Aug/Sep 2006	MW-23-3	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene**	**0.3 J**
MW-23 Screen 3	Oct/Dec 2006	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Mar/Apr 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Jun/Jul 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Aug/Sep 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Oct/Dec 2007	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Jan/Feb 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Apr/May 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 3	Jul/Aug 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Oct/Nov 2008	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Jan/Feb 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Apr/May 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Jul/Aug 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Nov/Dec 2009	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Feb 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 3	Apr/May 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**		
MW-23 Screen 3	Jul/Aug 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-23 Screen 3	Oct/Nov 2010	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2 J**		
MW-23 Screen 3	Feb/Mar 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**		
MW-23 Screen 3	Apr/May 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**		
MW-23 Screen 3	Aug/Sep 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**		
MW-23 Screen 3	Nov/Dec 2011	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-23 Screen 3	Jan/Feb 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-23 Screen 3	Apr/May 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9**		
MW-23 Screen 3	Aug/Sep 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.9 J**		
MW-23 Screen 3	Nov 2012	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5 J**		
MW-23 Screen 3	Jan/Feb 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 3	Apr/May 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0 J**		
MW-23 Screen 3	Jul 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6 J**		
MW-23 Screen 3	Oct/Nov 2013	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.1 J**		
MW-23 Screen 3	Jan/Feb 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8 J**		
MW-23 Screen 3	Apr/May 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0 J**		
MW-23 Screen 3	Jul/Aug 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9 J**		
MW-23 Screen 3	Oct 2014	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.6 J**		
MW-23 Screen 3	Jan/Feb 2015	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-23 Screen 3	April/May 2015	MW-23-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2 J**		
MW-23 Screen 4	June/July 1997	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.1**	NA	**Benzene**	**1.3**
MW-23 Screen 4	Sep/Oct 1997	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Jan/Feb 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Jul/Aug 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**2.3**
MW-23 Screen 4	Oct/Nov 1998	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Feb/Mar 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	May/Jun 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Aug 1999	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Nov/Dec 1999	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Mar/Apr 2000	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jul/Aug 2000	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Sep/Oct 2000	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jan/Feb 2001	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Apr 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jul 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Oct 2001	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jan/Feb 2002	MW-23-4	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Apr/May 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Jul 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	**4.0 J**		
MW-23 Screen 4	Oct/Nov 2002	MW-23-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 4	Apr/May 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-23 Screen 4	Oct/Nov 2003	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone** **Chloromethane**	**2.0 J** **0.5**
MW-23 Screen 4	Apr/May 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Oct/Nov 2004	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Apr/May 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4 J**		
MW-23 Screen 4	Jul/Sep 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Oct/Nov 2005	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	May/Jun 2006	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 4	Oct/Dec 2006	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Methylene chloride**	**2.0**
MW-23 Screen 4	Jun/Jul 2007	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 4	Oct/Dec 2007	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 4	Apr/May 2008	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 4	Oct/Nov 2008	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 4	Apr/May 2009	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 4	Nov/Dec 2009	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**		
MW-23 Screen 4	Apr/May 2010	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-23 Screen 4	Oct/Nov 2010	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 4	Apr/May 2011	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 4	Nov/Dec 2011	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 4	Apr/May 2012	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**		
MW-23 Screen 4	Nov 2012	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Apr/May 2013	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Oct/Nov 2013	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Apr/May 2014	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 4	Oct 2014	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1 J**		
MW-23 Screen 4	April/May 2015	MW-23-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Sep/Oct 1997	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Jan/Feb 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Jul/Aug 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.7**
MW-23 Screen 5	Oct/Nov 1998	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.9**		
MW-23 Screen 5	Feb/Mar 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	May/Jun 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Aug 1999	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Nov/Dec 1999	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Mar/Apr 2000	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jul/Aug 2000	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Sep/Oct 2000	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jan/Feb 2001	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.3 J** **0.4 J**
MW-23 Screen 5	Apr 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jul 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Oct 2001	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jan/Feb 2002	MW-23-5	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**0.9 J**
MW-23 Screen 5	Apr/May 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Jul 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Oct/Nov 2002	MW-23-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-23 Screen 5	Apr/May 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**3.0 J**
MW-23 Screen 5	Oct/Nov 2003	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-23 Screen 5	Apr/May 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene** **Vinyl chloride**	**0.4 J** **0.6**
MW-23 Screen 5	Oct/Nov 2004	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23 Screen 5	Apr/May 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-23 Screen 5	Oct/Nov 2005	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23 Screen 5	May/Jun 2006	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 5	Oct/Dec 2006	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.4 J**
MW-23 Screen 5	Jun/Jul 2007	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-23 Screen 5	Oct/Dec 2007	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.3 J**
MW-23 Screen 5	Apr/May 2008	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Styrene**	**0.5 J**
MW-23 Screen 5	Oct/Nov 2008	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Apr/May 2009	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Nov/Dec 2009	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**Styrene**	**0.6**
MW-23 Screen 5	Apr/May 2010	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**Styrene**	**0.5**
MW-23 Screen 5	Oct/Nov 2010	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Apr/May 2011	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Nov/Dec 2011	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Apr/May 2012	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-23 Screen 5	Nov 2012	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.3 J**
MW-23 Screen 5	Apr/May 2013	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.3 J**
MW-23 Screen 5	Oct/Nov 2013	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide** **Ethylbenzene** **Styrene**	**0.5 J** **0.1 J** **0.4 J**
MW-23 Screen 5	Apr/May 2014	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.3 J**
MW-23 Screen 5	Oct 2014	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.3 J**
MW-23 Screen 5	April/May 2015	MW-23-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.4 J**
MW-24 Screen 1	June/July 1997	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**	NA	**Bromodichloromethane** **Dibromochloromethane**	**0.5** **0.6**
MW-24 Screen 1	Sep/Oct 1997	MW-24-1	**5.0**	**5.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**3.1**	**92.0**		
MW-24 Screen 1	Jan/Feb 1998	MW-24-1	**30.0 E**	**15.0**	**0.5**	0.5 U	**0.8**	0.5 U	**0.6**	**15.0**	**330.0**		
MW-24 Screen 1	Apr/May 1998	MW-24-1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-24 Screen 1	Apr/May 1998	MW-24-1	**6.7**	**5.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**	**74.0**		
MW-24 Screen 1	Jul/Aug 1998	MW-24-1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-24 Screen 1	Jul/Aug 1998	MW-24-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**20.0**		
MW-24 Screen 1	Oct/Nov 1998	MW-24-1	**1.0**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**16.3**		
MW-24 Screen 1	Oct/Nov 1998	MW-24-1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-24 Screen 1	Feb/Mar 1999	MW-24-1	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-24 Screen 1	Feb/Mar 1999	MW-24-1	**1.0**	**1.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**14.0**		
MW-24 Screen 1	May/Jun 1999	MW-24-1	**1.0**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**14.0**		
MW-24 Screen 1	Aug 1999	MW-24-1	**1.8**	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**22.0**		
MW-24 Screen 1	Nov/Dec 1999	MW-24-1	**6.3**	**5.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**	**91.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 1	Mar/Apr 2000	MW-24-1	15.0	8.6	0.6	0.5 U	0.5 U	0.5 U	0.6	5.1	270.0		
MW-24 Screen 1	Jul/Aug 2000	MW-24-1	18.0	7.7	0.9	0.5 U	0.5 U	0.5 U	0.5 U	4.5	440.0		
MW-24 Screen 1	Sep/Oct 2000	MW-24-1	28.0	8.4	1.1	0.5 U	0.5 U	0.6	0.6	5.5	590.0		
MW-24 Screen 1	Jan/Feb 2001	MW-24-1	12.1	5.5	0.6	0.5 U	0.4 J	0.4 J	1.5	7.5	4.0 U	1,4-Dioxane 2-Butanone	3.6 0.7 J
MW-24 Screen 1	Apr 2001	MW-24-1	12.6	6.5	0.5 U	0.5 U	0.4 J	0.5 U	NA	6.0	433.0		
MW-24 Screen 1	Jul 2001	MW-24-1	6.5	2.9	0.3 J	0.5 U	0.4 J	0.8	0.5 U	6.4	440.0		
MW-24 Screen 1	Oct 2001	MW-24-1	13.8	5.5	0.6	0.5 U	0.5 U	0.5	0.5 U	3.8	673.0		
MW-24 Screen 1	Jan/Feb 2002	MW-24-1	24.2	7.6	1.5	0.5 U	0.5 J	0.7	0.5 U	9.3	1460.0	1,4-Dioxane	3.0
MW-24 Screen 1	Apr/May 2002	MW-24-1	26.0	6.8	1.6	0.5 U	0.5 U	0.8	0.5 U	9.3	1280.0	Methylene chloride	0.5 J
MW-24 Screen 1	Jul 2002	MW-24-1	21.6	5.9	1.3	0.5 U	0.5 U	0.7	0.5 U	9.3	1230.0 J		
MW-24 Screen 1	Oct/Nov 2002	MW-24-1	22.2	8.3	1.2	0.5 U	0.4 J	1.0	0.5 U	13.4	985.0		
MW-24 Screen 1	Jan/Feb 2003	MW-24-1	4.7	1.7	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	2.4	257.0		
MW-24 Screen 1	Apr/May 2003	MW-24-1	7.5	2.9	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	5.2	854.0	1,4-Dioxane 4-Methyl-2-pentanone	3.6 4.0 J
MW-24 Screen 1	Jul/Aug 2003	MW-24-1	22.1	4.8	1.5	0.5 U	0.5 U	0.8	0.5 U	10.2	2450.0	4-Methyl-2-pentanone Methylene chloride	0.3 J 0.4 J
MW-24 Screen 1	Oct/Nov 2003	MW-24-1	19.1	3.7	1.6	0.5 U	0.5 U	0.7	0.5 U	6.8	2760.0 J		
MW-24 Screen 1	Feb 2004	MW-24-1	6.7	1.6	0.5	0.5 U	0.5 U	0.5 U	0.5 U	3.4	1120.0 J		
MW-24 Screen 1	Apr/May 2004	MW-24-1	8.3	1.9	0.8	0.5 U	0.5 U	0.5 U	0.5 U	3.9	2240.0	1,4-Dioxane	3.2
MW-24 Screen 1	Jul/Aug 2004	MW-24-1	16.7	2.4	1.7	0.5 U	0.5 U	0.5 U	0.5 U	5.9	2170.0		
MW-24 Screen 1	Oct/Nov 2004	MW-24-1	7.8	1.6	0.9	0.5 U	0.5 U	0.5 U	0.5 U	4.2	4880.0		
MW-24 Screen 1	Jan/Feb 2005	MW-24-1	10.0	1.8	0.9	0.5 U	0.5 U	0.5 U	0.5 U	3.9	1050.0		
MW-24 Screen 1	Apr/May 2005	MW-24-1	8.9	0.4 J	2.8	0.5 U	0.5 U	0.7	0.5 U	4.8	4090.0	1,4-Dioxane	2.2
MW-24 Screen 1	Jul/Sep 2005	MW-24-1	0.9	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	1.0	683.0	m,p-Xylene	0.5
MW-24 Screen 1	Jul/Sep 2005	DUPE-1-3Q05	NA	NA	NA	NA	NA	NA	NA	NA	670.0		
MW-24 Screen 1	Oct/Nov 2005	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	104.0		
MW-24 Screen 1	Mar/Apr 2006	MW-24-1	0.6	0.5 U	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5	230.0		
MW-24 Screen 1	May/Jun 2006	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	46.0	1,4-Dioxane NDMA	1.0 J 0.0 U
MW-24 Screen 1	May/Jun 2006	DUPE-8-2Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	44.0	1,4-Dioxane	1.0 J
MW-24 Screen 1	Aug/Sep 2006	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	35.0	Methylene chloride	1.0
MW-24 Screen 1	Oct/Dec 2006	MW-24-1	1.5	0.5 U	1.5	0.5 U	0.5 U	0.5 U	0.5 U	1.0	590.0		
MW-24 Screen 1	Mar/Apr 2007	MW-24-1	11.0 J	0.5 U	5.9	0.5 U	0.5 U	1.7	0.5 U	4.0	1900.0		
MW-24 Screen 1	Mar/Apr 2007	DUPE-5-1Q07	14.0 J	0.3 J	7.4	0.5 U	0.5 U	1.9	0.5 U	4.8	2000.0		
MW-24 Screen 1	Jun/Jul 2007	MW-24-1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	970.0	1,4-Dioxane	1.1 J
MW-24 Screen 1	Aug/Sep 2007	MW-24-1	5.8	0.5 U	4.5	0.5 U	0.5 U	0.7	0.5 U	4.4	1300.0	Bromodichloromethane Bromoform Dibromochloromethane	1.5 1.0 1.7

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 1	Oct/Dec 2007	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.4**	**81.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane**	**2.9** **2.5** **3.5** **0.3 J**
MW-24 Screen 1	Oct/Dec 2007	DUPE-3-4Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**	**78.0**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane** **Dibromomethane**	**3.4** **2.7** **4.1** **0.3 J**
MW-24 Screen 1	Jan/Feb 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**12.0**	**Bromodichloromethane**	**1.6**
MW-24 Screen 1	Jan/Feb 2008	DUPE-5-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**13.0**	**Bromodichloromethane**	**1.2**
MW-24 Screen 1	Apr/May 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.8**	**8.2**	**1,4-Dioxane** **Bromodichloromethane** **Dibromochloromethane**	**1.1 J** **3.3** **0.4 J**
MW-24 Screen 1	Apr/May 2008	DUPE-4-2Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.5**	**9.4**	**1,4-Dioxane** **Bromodichloromethane** **Dibromochloromethane**	**1.0 J** **3.0** **0.4 J**
MW-24 Screen 1	Jul/Aug 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.0**	**1.1**	**Bromodichloromethane**	**5.3 J**
MW-24 Screen 1	Oct/Nov 2008	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**		
MW-24 Screen 1	Jan/Feb 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.6**	**326.0**		
MW-24 Screen 1	Apr/May 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**3.6**	**1,4-Dioxane** **NDMA**	**1.0** **0.0 J**
MW-24 Screen 1	Apr/May 2009	DUPE-02-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**	**4.0**	**1,4-Dioxane**	**1.0**
MW-24 Screen 1	Jul/Aug 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**4.0**	**4.0**	**Bromodichloromethane**	**0.9**
MW-24 Screen 1	Nov/Dec 2009	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**1.1 J**		
MW-24 Screen 1	Feb 2010	MW-24-1	**0.8**	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**	**232.0**		
MW-24 Screen 1	Feb 2010	DUPE-5-1Q10	**0.8**	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**	**228.0**		
MW-24 Screen 1	Apr/May 2010	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-24 Screen 1	Jul/Aug 2010	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	**5.8**		
MW-24 Screen 1	Oct/Nov 2010	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	**9.2**		
MW-24 Screen 1	Feb/Mar 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.4**	**14.3**		
MW-24 Screen 1	Apr/May 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.1**	**10.4**	**1,4-Dioxane** **NDMA**	**1.1** **0.0 J**
MW-24 Screen 1	Aug/Sep 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.4**	**12.2**		
MW-24 Screen 1	Nov/Dec 2011	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.1**	**4.6**		
MW-24 Screen 1	Jan/Feb 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	**5.8**		
MW-24 Screen 1	Apr/May 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**3.2**	**1,4-Dioxane**	**0.9 J**
MW-24 Screen 1	Aug/Sep 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.5**	**3.9 J**	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.2** **0.3 J** **0.9**
MW-24 Screen 1	Nov 2012	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.1**	4.0 U	**Bromodichloromethane** **Dibromochloromethane**	**4.8** **2.7**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 1	Jan/Feb 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	7.2	4.0 U	Benzene Bromodichloromethane Methylene chloride Methyl-tert-butyl ether (MTBE) Styrene	0.1 J 2.6 0.6 0.2 J 0.2 J
MW-24 Screen 1	Apr/May 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.3	4.0 U	Bromodichloromethane Carbon disulfide	0.9 0.4 J
MW-24 Screen 1	Jul 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	4.0 U	Bromodichloromethane	0.2 J
MW-24 Screen 1	Oct/Nov 2013	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5.0 J	2.3 J	Bromodichloromethane	0.2 J
MW-24 Screen 1	Jan/Feb 2014	MW-24-1	0.7	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.2 J	7.6	160.0	Bromodichloromethane	1.0
MW-24 Screen 1	Apr/May 2014	MW-24-1	0.5 U	0.5 U	0.2 J	0.5 U	0.5 U	0.5 U	0.5 U	5.9	45.0		
MW-24 Screen 1	Jul/Aug 2014	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.0	4.0 U		
MW-24 Screen 1	Oct 2014	MW-24-1	0.3 J	0.5 U	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1.8	140.0		
MW-24 Screen 1	Jan/Feb 2015	MW-24-1	1.0	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	3.5	100.0		
MW-24 Screen 1	April/May 2015	MW-24-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	66.0		
MW-24 Screen 2	June/July 1997	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.3	NA		
MW-24 Screen 2	Sep/Oct 1997	MW-24-2	13.0	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	3.8	200.0		
MW-24 Screen 2	Jan/Feb 1998	MW-24-2	6.9	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	110.0		
MW-24 Screen 2	Apr/May 1998	MW-24-2	29.0	3.3	0.9	0.5 U	0.5 U	1.4	0.5 U	9.4	480.0		
MW-24 Screen 2	Jul/Aug 1998	MW-24-2	58.0	4.2	1.5	0.5 U	0.5 U	2.0	0.5 U	8.4	500.0		
MW-24 Screen 2	Oct/Nov 1998	MW-24-2	19.0	2.3	0.8	0.5 U	0.5 U	0.8	0.5 U	5.9	490.0		
MW-24 Screen 2	Feb/Mar 1999	MW-24-2	30.0 E	3.0	1.0	0.5 U	0.5 U	1.5	0.5 U	6.6	580.0		
MW-24 Screen 2	May/Jun 1999	MW-24-2	33.0	4.3	1.3	0.5 U	0.5 U	1.8	0.5 U	7.7	690.0		
MW-24 Screen 2	Aug 1999	MW-24-2	35.0	3.6	0.9	0.5 U	0.5 U	1.4	0.5 U	7.5	700.0		
MW-24 Screen 2	Nov/Dec 1999	MW-24-2	25.0	3.7	0.9	0.5 U	0.5 U	1.4	0.5 U	7.4	570.0		
MW-24 Screen 2	Mar/Apr 2000	MW-24-2	28.0	4.3	1.1	0.5 U	0.5 U	1.9	0.5 U	8.0	570.0		
MW-24 Screen 2	Jul/Aug 2000	MW-24-2	23.0 E	3.3	0.8	0.5 U	0.5 U	1.2	0.5 U	7.7	530.0		
MW-24 Screen 2	Sep/Oct 2000	MW-24-2	21.0	3.0	0.8	0.5 U	0.5 U	1.4	0.5 U	6.6	430.0		
MW-24 Screen 2	Jan/Feb 2001	MW-24-2	0.5 J	0.5 U	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	42.0		
MW-24 Screen 2	Apr 2001	MW-24-2	10.6	2.0	0.5 U	0.5 U	0.4 J	0.6	NA	6.2	433.0		
MW-24 Screen 2	Jul 2001	MW-24-2	15.2	2.4	0.5	0.5 U	0.4 J	0.8	0.5 U	6.4	420.0		
MW-24 Screen 2	Oct 2001	MW-24-2	8.6	0.9	0.5 U	0.5 U	0.5 U	0.9	0.5 U	3.5	386.0		
MW-24 Screen 2	Jan/Feb 2002	MW-24-2	0.5 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.6		
MW-24 Screen 2	Apr/May 2002	MW-24-2	10.8	1.6	0.5 J	0.5 U	0.5 U	0.6	0.5 U	4.3	249.0	Methylene chloride	0.6 J
MW-24 Screen 2	Jul 2002	MW-24-2	10.6	1.7	0.5 U	0.5 U	0.5 U	0.7	0.5 U	4.6	246.0 J		
MW-24 Screen 2	Oct/Nov 2002	MW-24-2	0.5 U	0.5 U	0.4 J	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 2	Jan/Feb 2003	MW-24-2	2.6	0.6	0.5 J	0.3	0.5 U	0.5 U	0.5 U	1.1	106.0	TPH - Gasoline	20.0 J
MW-24 Screen 2	Apr/May 2003	MW-24-2	8.9	1.6	0.3 J	0.5 U	0.5 U	0.5	0.5 U	3.8	195.0	4-Methyl-2-pentanone	4.0 J
MW-24 Screen 2	Apr/May 2003	DUPE-4-2Q03	4.1	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.3	199.0	4-Methyl-2-pentanone Methylene chloride	5.0 J 2.5
MW-24 Screen 2	Jul/Aug 2003	MW-24-2	4.7	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.4	148.0	Methylene chloride	0.3 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 2	Oct/Nov 2003	MW-24-2	3.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.4	155.0 J		
MW-24 Screen 2	Feb 2004	MW-24-2	3.1	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.5	107.0		
MW-24 Screen 2	Apr/May 2004	MW-24-2	1.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	110.0		
MW-24 Screen 2	Jul/Aug 2004	MW-24-2	4.1	0.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.7	99.7		
MW-24 Screen 2	Oct/Nov 2004	MW-24-2	0.5 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 2	Jan/Feb 2005	MW-24-2	4.4	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.3	56.2		
MW-24 Screen 2	Apr/May 2005	MW-24-2	0.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	87.5		
MW-24 Screen 2	Jul/Sep 2005	MW-24-2	0.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	79.1		
MW-24 Screen 2	Oct/Nov 2005	MW-24-2	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	71.5		
MW-24 Screen 2	Mar/Apr 2006	MW-24-2	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0	59.0		
MW-24 Screen 2	Mar/Apr 2006	DUPE-2-1Q06	1.6	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	62.0		
MW-24 Screen 2	May/Jun 2006	MW-24-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	73.0		
MW-24 Screen 2	Aug/Sep 2006	MW-24-2	2.0	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.8	2.0 U		
MW-24 Screen 2	Oct/Dec 2006	MW-24-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	43.0		
MW-24 Screen 2	Mar/Apr 2007	MW-24-2	1.5 J	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	51.0		
MW-24 Screen 2	Jun/Jul 2007	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	43.0		
MW-24 Screen 2	Aug/Sep 2007	MW-24-2	0.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	35.0		
MW-24 Screen 2	Oct/Dec 2007	MW-24-2	1.1	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	36.0		
MW-24 Screen 2	Jan/Feb 2008	MW-24-2	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 J	23.0		
MW-24 Screen 2	Jan/Feb 2008	DUPE-4-1Q08	0.6	0.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	25.0		
MW-24 Screen 2	Apr/May 2008	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J	27.0		
MW-24 Screen 2	Jul/Aug 2008	MW-24-2	0.7 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	16.4		
MW-24 Screen 2	Oct/Nov 2008	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.1		
MW-24 Screen 2	Jan/Feb 2009	MW-24-2	0.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.6		
MW-24 Screen 2	Apr/May 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	12.9		
MW-24 Screen 2	Jul/Aug 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.2		
MW-24 Screen 2	Nov/Dec 2009	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.6 J		
MW-24 Screen 2	Feb 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	9.8		
MW-24 Screen 2	Apr/May 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	8.6		
MW-24 Screen 2	Jul/Aug 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.1		
MW-24 Screen 2	Jul/Aug 2010	DUPE-7-3Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10.5		
MW-24 Screen 2	Oct/Nov 2010	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	11.1		
MW-24 Screen 2	Feb/Mar 2011	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	14.0		
MW-24 Screen 2	Apr/May 2011	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.2		
MW-24 Screen 2	Apr/May 2011	DUPE-1-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	17.5		
MW-24 Screen 2	Aug/Sep 2011	MW-24-2	1.3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7	33.0		
MW-24 Screen 2	Nov/Dec 2011	MW-24-2	1.7	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.9	38.5		
MW-24 Screen 2	Jan/Feb 2012	MW-24-2	1.0	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	33.3		
MW-24 Screen 2	Apr/May 2012	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20.1		
MW-24 Screen 2	Aug/Sep 2012	MW-24-2	0.3 J	0.1 J	0.1 J	0.1 J	0.5 U	0.5 U	0.5 U	0.3 J	14.0		
MW-24 Screen 2	Nov 2012	MW-24-2	0.4 J	0.1 J	0.2 J	0.2 J	0.5 U	0.5 U	0.5 U	0.4 J	8.7	Bromodichloromethane	0.2 J

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 2	Nov 2012	DUPE-3-4Q12	**0.2 J**	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.3 J**	**8.4**	**Bromodichloromethane**	**0.1 J**
MW-24 Screen 2	Jan/Feb 2013	MW-24-2	**0.2 J**	0.5 U	**0.2 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	**9.9**	**Bromodichloromethane**	**0.2 J**
MW-24 Screen 2	Apr/May 2013	MW-24-2	**0.6**	**0.2 J**	**0.4 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.1**	**11.0**	**Bromodichloromethane**	**0.5**
MW-24 Screen 2	Jul 2013	MW-24-2	**0.3 J**	**0.1 J**	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.6**	**10.0**	**Bromodichloromethane**	**0.4 J**
MW-24 Screen 2	Oct/Nov 2013	MW-24-2	**0.4 J**	**0.2 J**	**0.3 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	**1.1**	**9.7**	**Bromodichloromethane**	**0.8**
MW-24 Screen 2	Jan/Feb 2014	MW-24-2	0.5 U	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.7**	**8.0**	**Bromodichloromethane**	**0.7**
MW-24 Screen 2	Apr/May 2014	MW-24-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**8.5**	**Bromodichloromethane**	**0.9**
MW-24 Screen 2	Apr/May 2014	DUP-2-2Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**8.1**	**Bromodichloromethane** **Chloromethane**	**0.8** **0.5**
MW-24 Screen 2	Jul/Aug 2014	MW-24-2	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**1.1**	**6.0**	**Bromodichloromethane**	**1.0**
MW-24 Screen 2	Oct 2014	MW-24-2	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.8**	**5.4**	**Bromodichloromethane**	**0.6**
MW-24 Screen 2	Jan/Feb 2015	MW-24-2	0.5 U	0.5 U	**0.2 J**	**0.2 J**	**0.2 J**	0.5 U	0.5 U	**0.5**	**3.3**	**Bromodichloromethane**	**0.4 J**
MW-24 Screen 2	April/May 2015	MW-24-2	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	**0.7**	**4.1**	**1,2-Dichlorobenzene** **Bromodichloromethane**	**0.1 J** **0.5 J**
MW-24 Screen 3	June/July 1997	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**	NA	**Bromodichloromethane** **Bromoform** **Dibromochloromethane**	**1.1** **0.7** **1.3**
MW-24 Screen 3	Sep/Oct 1997	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jan/Feb 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Apr/May 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul/Aug 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 1998	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Feb/Mar 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	May/Jun 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Aug 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Nov/Dec 1999	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Mar/Apr 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul/Aug 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Sep/Oct 2000	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jan/Feb 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Apr 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	4.0 U		
MW-24 Screen 3	Jul 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul 2001	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct 2001	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jan/Feb 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methylene chloride**	**1.4**
MW-24 Screen 3	Apr/May 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichloropropane** **Methylene chloride**	**0.8** **0.4 J**
MW-24 Screen 3	Jul 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 2002	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.6 J**
MW-24 Screen 3	Jan/Feb 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.6**		
MW-24 Screen 3	Apr/May 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 3	Jul/Aug 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 2003	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Feb 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 UJ		
MW-24 Screen 3	Apr/May 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul/Aug 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 2004	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jan/Feb 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-24 Screen 3	Apr/May 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul/Sep 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct/Nov 2005	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Mar/Apr 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	May/Jun 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Aug/Sep 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Oct/Dec 2006	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Mar/Apr 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**m,p-Xylene**	**1.0 J**
MW-24 Screen 3	Jun/Jul 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Aug/Sep 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Oct/Dec 2007	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Jan/Feb 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 3	Apr/May 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene** **Ethylbenzene** **Methyl-tert-butyl ether (MTBE)** **Styrene** **Vinyl chloride**	**2.7** **1.0** **2.0** **1.1** **2.0**
MW-24 Screen 3	Jul/Aug 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Oct/Nov 2008	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Oct/Nov 2008	DUPE-08-4Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Jan/Feb 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**20.3**		
MW-24 Screen 3	Apr/May 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Apr/May 2009	DUPE-01-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Jul/Aug 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Nov/Dec 2009	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**27.9 J**		
MW-24 Screen 3	Feb 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Apr/May 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Jul/Aug 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Oct/Nov 2010	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Feb/Mar 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Apr/May 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Aug/Sep 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Nov/Dec 2011	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Nov/Dec 2011	DUPE-7-4Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 3	Jan/Feb 2012	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Apr/May 2012	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Apr/May 2012	DUPE-2-2Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 3	Aug/Sep 2012	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Aug/Sep 2012	DUPE-6-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Nov 2012	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jan/Feb 2013	MW-24-3	0.5 U	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Apr/May 2013	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.6 J**
MW-24 Screen 3	Jul 2013	MW-24-3	0.5 U	0.5 U	**0.2 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24 Screen 3	Oct/Nov 2013	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.4 J**
MW-24 Screen 3	Jan/Feb 2014	MW-24-3	0.5 U	0.5 U	**0.1 J**	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Apr/May 2014	MW-24-3	0.5 U	0.5 U	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Jul/Aug 2014	MW-24-3	0.5 U	0.5 U	**0.1 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 3	Oct 2014	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24 Screen 3	Jan/Feb 2015	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24 Screen 3	April/May 2015	MW-24-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24 Screen 4	June/July 1997	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0**	NA	**Bromodichloromethane** **Dibromochloromethane**	**0.5** **0.7**
MW-24 Screen 4	Sep/Oct 1997	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Jan/Feb 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Apr/May 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Jul/Aug 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 1998	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Feb/Mar 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	May/Jun 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Nov/Dec 1999	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Mar/Apr 2000	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA		
MW-24 Screen 4	Jul/Aug 2000	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Jan/Feb 2001	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Methyl-tert-butyl ether (MTBE)**	**0.5 J**
MW-24 Screen 4	Jan/Feb 2002	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Apr/May 2002	MW-24-4	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-24 Screen 4	Apr/May 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-24 Screen 4	Oct/Nov 2003	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2003	DUPE-1-4Q03	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Apr/May 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2004	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Apr/May 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Jul/Sep 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	Oct/Nov 2005	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 4	May/Jun 2006	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 4	Oct/Dec 2006	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 4	Jun/Jul 2007	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Oct/Dec 2007	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 4	Apr/May 2008	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 4	Oct/Nov 2008	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.8**		
MW-24 Screen 4	Apr/May 2009	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Nov/Dec 2009	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Apr/May 2010	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**		
MW-24 Screen 4	Oct/Nov 2010	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Oct/Nov 2010	DUPE-06-4Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Apr/May 2011	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Nov/Dec 2011	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Apr/May 2012	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 4	Nov 2012	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.2 J**
MW-24 Screen 4	Apr/May 2013	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.2 J**
MW-24 Screen 4	Oct/Nov 2013	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**
MW-24 Screen 4	Apr/May 2014	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Styrene**	**0.1 J**
MW-24 Screen 4	Oct 2014	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.1 J** **0.2 J**
MW-24 Screen 4	Oct 2014	DUP-8-4Q14	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.2 J**
MW-24 Screen 4	April/May 2015	MW-24-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Ethylbenzene** **Styrene**	**0.2 J** **0.3 J**
MW-24 Screen 5	Sep/Oct 1997	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Jan/Feb 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Apr/May 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Jul/Aug 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Oct/Nov 1998	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Feb/Mar 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	May/Jun 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Nov/Dec 1999	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Jul/Aug 2000	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Jan/Feb 2001	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Jan/Feb 2002	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Jan/Feb 2002	DUP	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Apr/May 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**4-Methyl-2-pentanone**	**5.0 J**
MW-24 Screen 5	Oct/Nov 2003	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Apr/May 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Oct/Nov 2004	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-24 Screen 5	Apr/May 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Jul/Sep 2005	MW-24-5	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-24 Screen 5	Jul/Sep 2005	DUPE-10-9/9/05	NA	NA	NA	NA	NA	NA	NA	NA	4.0 U		
MW-24 Screen 5	Oct/Nov 2005	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	May/Jun 2006	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 5	Oct/Dec 2006	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U	**Benzene** **Methyl-tert-butyl ether (MTBE)** **Styrene**	**0.6** **0.7** **0.5**
MW-24 Screen 5	Jun/Jul 2007	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 5	Oct/Dec 2007	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 5	Apr/May 2008	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-24 Screen 5	Oct/Nov 2008	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 5	Apr/May 2009	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 5	Nov/Dec 2009	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 5	Apr/May 2010	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 5	Oct/Nov 2010	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 5	Apr/May 2011	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 5	Nov/Dec 2011	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 5	Apr/May 2012	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-24 Screen 5	Nov 2012	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Apr/May 2013	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Oct/Nov 2013	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Apr/May 2014	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	Oct 2014	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-24 Screen 5	April/May 2015	MW-24-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 1	Jan/Feb 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichloropropane** **m,p-Xylene**	**0.0 J** **0.3 J**
MW-25 Screen 1	Apr/May 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-25 Screen 1	Jul/Sep 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.7**		
MW-25 Screen 1	Oct/Nov 2005	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.9**	**Methylene chloride**	**0.6**
MW-25 Screen 1	Mar/Apr 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.2**		
MW-25 Screen 1	May/Jun 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.3**		
MW-25 Screen 1	Aug/Sep 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.7**		
MW-25 Screen 1	Oct/Dec 2006	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**		
MW-25 Screen 1	Oct/Dec 2006	DUPE-6-4Q06	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0**		
MW-25 Screen 1	Mar/Apr 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.9 J**
MW-25 Screen 1	Jun/Jul 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.5**		
MW-25 Screen 1	Jun/Jul 2007	DUPE-6-2Q07	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 1	Aug/Sep 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.3**		
MW-25 Screen 1	Oct/Dec 2007	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**		
MW-25 Screen 1	Jan/Feb 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.2**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 1	Jan/Feb 2008	DUPE-3-1Q08	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25 Screen 1	Apr/May 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0 J**		
MW-25 Screen 1	Jul/Aug 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.2**		
MW-25 Screen 1	Oct/Nov 2008	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.1**		
MW-25 Screen 1	Jan/Feb 2009	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.1**		
MW-25 Screen 1	Jan/Feb 2009	DUPE-02-1Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.8**		
MW-25 Screen 1	Apr/May 2009	MW-25-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.3**		
MW-25 Screen 1	Jul/Aug 2009	MW-25-1	0.5 U	**1.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.5**		
MW-25 Screen 1	Nov/Dec 2009	MW-25-1	0.5 U	**3.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**10.2**		
MW-25 Screen 1	Feb 2010	MW-25-1	0.5 U	**3.1**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**10.0**		
MW-25 Screen 1	Apr/May 2010	MW-25-1	0.5 U	**1.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**		
MW-25 Screen 1	Jul/Aug 2010	MW-25-1	0.5 U	**3.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**10.6**		
MW-25 Screen 1	Oct/Nov 2010	MW-25-1	0.5 U	**2.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.5**		
MW-25 Screen 1	Feb/Mar 2011	MW-25-1	0.5 U	**5.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.7**		
MW-25 Screen 1	Apr/May 2011	MW-25-1	0.5 U	**3.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.2**		
MW-25 Screen 1	Aug/Sep 2011	MW-25-1	0.5 U	**6.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**8.3**		
MW-25 Screen 1	Nov/Dec 2011	MW-25-1	0.5 U	**5.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.8**		
MW-25 Screen 1	Jan/Feb 2012	MW-25-1	0.5 U	**5.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.6 J**		
MW-25 Screen 1	Apr/May 2012	MW-25-1	0.5 U	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.6**		
MW-25 Screen 1	Aug/Sep 2012	MW-25-1	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**12.0**		
MW-25 Screen 1	Nov 2012	MW-25-1	0.5 U	**1.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**6.0**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-25 Screen 1	Jan/Feb 2013	MW-25-1	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.3**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-25 Screen 1	Apr/May 2013	MW-25-1	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**9.2**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-25 Screen 1	Jul 2013	MW-25-1	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-25 Screen 1	Oct/Nov 2013	MW-25-1	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-25 Screen 1	Jan/Feb 2014	MW-25-1	0.5 U	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-25 Screen 1	Apr/May 2014	MW-25-1	0.5 U	**2.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.2 J**
MW-25 Screen 1	Jul/Aug 2014	MW-25-1	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**11.0**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-25 Screen 1	Oct 2014	MW-25-1	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.5**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25 Screen 1	Oct 2014	DUP-4-4Q14	0.5 U	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**9.3**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25 Screen 1	Jan/Feb 2015	MW-25-1	0.5 UJ	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.5**	**Methyl-tert-butyl ether (MTBE)**	**0.4 J**
MW-25 Screen 1	April/May 2015	MW-25-1	0.5 U	**1.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**9.3**	**Methyl-tert-butyl ether (MTBE)**	**0.3 J**
MW-25 Screen 2	Jan/Feb 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichloropropane** **m,p-Xylene**	**0.0 J** **0.5 J**
MW-25 Screen 2	Apr/May 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25 Screen 2	Apr/May 2005	DUPE-6-2Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.4**		
MW-25 Screen 2	Jul/Sep 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.4**		
MW-25 Screen 2	Oct/Nov 2005	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.5**	**Methylene chloride**	**0.9**
MW-25 Screen 2	Mar/Apr 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.0**		
MW-25 Screen 2	May/Jun 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25 Screen 2	Aug/Sep 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 2	Oct/Dec 2006	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25 Screen 2	Mar/Apr 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25 Screen 2	Jun/Jul 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**14.0**		
MW-25 Screen 2	Aug/Sep 2007	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25 Screen 2	Oct/Dec 2007	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**18.0**		
MW-25 Screen 2	Jan/Feb 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25 Screen 2	Apr/May 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25 Screen 2	Jul/Aug 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.1**		
MW-25 Screen 2	Oct/Nov 2008	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.6**		
MW-25 Screen 2	Jan/Feb 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.2**		
MW-25 Screen 2	Apr/May 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.4**		
MW-25 Screen 2	Jul/Aug 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.1**		
MW-25 Screen 2	Nov/Dec 2009	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.3**		
MW-25 Screen 2	Feb 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.7**		
MW-25 Screen 2	Apr/May 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.7**		
MW-25 Screen 2	Apr/May 2010	DUPE-7-2Q10	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.4**		
MW-25 Screen 2	Jul/Aug 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.1**		
MW-25 Screen 2	Oct/Nov 2010	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.5**		
MW-25 Screen 2	Feb/Mar 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		
MW-25 Screen 2	Apr/May 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.3**		
MW-25 Screen 2	Apr/May 2011	DUPE-4-2Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.1**		
MW-25 Screen 2	Aug/Sep 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.3**		
MW-25 Screen 2	Aug/Sep 2011	DUPE-05-3Q11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**13.2**		
MW-25 Screen 2	Nov/Dec 2011	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.6**		
MW-25 Screen 2	Jan/Feb 2012	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.8 J**		
MW-25 Screen 2	Apr/May 2012	MW-25-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.6**		
MW-25 Screen 2	Aug/Sep 2012	MW-25-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**17.0**		
MW-25 Screen 2	Nov 2012	MW-25-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**11.0**		
MW-25 Screen 2	Jan/Feb 2013	MW-25-2	0.5 U	**0.1 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25 Screen 2	Apr/May 2013	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**14.0**		
MW-25 Screen 2	Jul 2013	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**16.0**		
MW-25 Screen 2	Oct/Nov 2013	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**15.0**		
MW-25 Screen 2	Oct/Nov 2013	DUPE-4-4Q13	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**16.0**		
MW-25 Screen 2	Jan/Feb 2014	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25 Screen 2	Apr/May 2014	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**14.0**		
MW-25 Screen 2	Jul/Aug 2014	MW-25-2	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**15.0**		
MW-25 Screen 2	Jul/Aug 2014	DUP-4-3Q14	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**15.0**		
MW-25 Screen 2	Oct 2014	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**14.0**		
MW-25 Screen 2	Jan/Feb 2015	MW-25-2	0.5 UJ	**0.3 J**	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**15.0**		
MW-25 Screen 2	April/May 2015	MW-25-2	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**14.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 3	Jan/Feb 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.5**	**1,2,3-Trichloropropane** **m,p-Xylene**	**0.0 J** **0.7**
MW-25 Screen 3	Apr/May 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.4**		
MW-25 Screen 3	Jul/Sep 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**14.3**		
MW-25 Screen 3	Oct/Nov 2005	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**	**Methylene chloride**	**0.7**
MW-25 Screen 3	Mar/Apr 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**9.7**		
MW-25 Screen 3	May/Jun 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	4.0 U		
MW-25 Screen 3	Aug/Sep 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**13.0**		
MW-25 Screen 3	Oct/Dec 2006	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**11.0**		
MW-25 Screen 3	Mar/Apr 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**9.3**	**m,p-Xylene**	**0.9 J**
MW-25 Screen 3	Jun/Jul 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3 J**		
MW-25 Screen 3	Aug/Sep 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**10.0**		
MW-25 Screen 3	Oct/Dec 2007	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**15.0**		
MW-25 Screen 3	Jan/Feb 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**11.0**		
MW-25 Screen 3	Apr/May 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.0**	**13.0**		
MW-25 Screen 3	Jul/Aug 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**8.9**		
MW-25 Screen 3	Oct/Nov 2008	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**7.9**		
MW-25 Screen 3	Jan/Feb 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**8.2**		
MW-25 Screen 3	Apr/May 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**8.4**		
MW-25 Screen 3	Apr/May 2009	DUPE-04-2Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**8.4**		
MW-25 Screen 3	Jul/Aug 2009	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.1**		
MW-25 Screen 3	Nov/Dec 2009	MW-25-3	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.0**		
MW-25 Screen 3	Feb 2010	MW-25-3	0.5 U	0.5 U	**2.4**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.8**		
MW-25 Screen 3	Apr/May 2010	MW-25-3	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.3**		
MW-25 Screen 3	Jul/Aug 2010	MW-25-3	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**10.5**		
MW-25 Screen 3	Oct/Nov 2010	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25 Screen 3	Feb/Mar 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**9.8**		
MW-25 Screen 3	Apr/May 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.8**	**8.5**		
MW-25 Screen 3	Aug/Sep 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**9.1**		
MW-25 Screen 3	Nov/Dec 2011	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**8.5**		
MW-25 Screen 3	Jan/Feb 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.3 J**		
MW-25 Screen 3	Apr/May 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.6**		
MW-25 Screen 3	Aug/Sep 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**11.0**		
MW-25 Screen 3	Aug/Sep 2012	DUPE-2-3Q12	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**11.0**		
MW-25 Screen 3	Nov 2012	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**6.0**		
MW-25 Screen 3	Jan/Feb 2013	MW-25-3	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.7**	**11.0**		
MW-25 Screen 3	Apr/May 2013	MW-25-3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**0.4 J**	**8.4**		
MW-25 Screen 3	Jul 2013	MW-25-3	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**		
MW-25 Screen 3	Jul 2013	DUPE-4-3Q13	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5 J**	**11.0**		
MW-25 Screen 3	Oct/Nov 2013	MW-25-3	0.5 U	0.5 U	**0.2 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**13.0**		
MW-25 Screen 3	Jan/Feb 2014	MW-25-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**12.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 3	Apr/May 2014	MW-25-3	0.5 U	**0.1 J**	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**11.0**		
MW-25 Screen 3	Jul/Aug 2014	MW-25-3	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**12.0**		
MW-25 Screen 3	Oct 2014	MW-25-3	0.5 U	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**10.0**		
MW-25 Screen 3	Jan/Feb 2015	MW-25-3	0.5 UJ	0.5 U	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**9.8**		
MW-25 Screen 3	April/May 2015	MW-25-3	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**10.0**		
MW-25 Screen 3	April/May 2015	DUP-4-2Q15	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.6**	**11.0**		
MW-25 Screen 4	Jan/Feb 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**	**1,2,3-Trichloropropane** **m,p-Xylene**	**0.0 J** **0.5**
MW-25 Screen 4	Apr/May 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-25 Screen 4	Jul/Sep 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25 Screen 4	Oct/Nov 2005	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**	**Methylene chloride**	**1.0**
MW-25 Screen 4	Mar/Apr 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25 Screen 4	May/Jun 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**		
MW-25 Screen 4	Aug/Sep 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**		
MW-25 Screen 4	Oct/Dec 2006	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.9**		
MW-25 Screen 4	Mar/Apr 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.5**		
MW-25 Screen 4	Jun/Jul 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 4	Aug/Sep 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.5 U		
MW-25 Screen 4	Oct/Dec 2007	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.5**		
MW-25 Screen 4	Jan/Feb 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.9**		
MW-25 Screen 4	Apr/May 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.4**		
MW-25 Screen 4	Jul/Aug 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.8**		
MW-25 Screen 4	Oct/Nov 2008	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**6.6**		
MW-25 Screen 4	Jan/Feb 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25 Screen 4	Apr/May 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.2**		
MW-25 Screen 4	Jul/Aug 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25 Screen 4	Nov/Dec 2009	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25 Screen 4	Nov/Dec 2009	DUPE-07-4Q09	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.4**		
MW-25 Screen 4	Feb 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**		
MW-25 Screen 4	Apr/May 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.1**		
MW-25 Screen 4	Jul/Aug 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.0**		
MW-25 Screen 4	Oct/Nov 2010	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.3**		
MW-25 Screen 4	Feb/Mar 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.3**		
MW-25 Screen 4	Apr/May 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**		
MW-25 Screen 4	Aug/Sep 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.6**		
MW-25 Screen 4	Nov/Dec 2011	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.0**		
MW-25 Screen 4	Jan/Feb 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.8 J**		
MW-25 Screen 4	Apr/May 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25 Screen 4	Aug/Sep 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**		
MW-25 Screen 4	Nov 2012	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**5.6**		
MW-25 Screen 4	Jan/Feb 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**19.0**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 4	Jan/Feb 2013	DUP-2-1Q13	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.9**		
MW-25 Screen 4	Apr/May 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**7.3**	**Carbon disulfide**	**0.5 J**
MW-25 Screen 4	Jul 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**		
MW-25 Screen 4	Oct/Nov 2013	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**	**Carbon disulfide**	**0.5 J**
MW-25 Screen 4	Jan/Feb 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25 Screen 4	Apr/May 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**8.5**		
MW-25 Screen 4	Jul/Aug 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**11.0**		
MW-25 Screen 4	Oct 2014	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.1**		
MW-25 Screen 4	Jan/Feb 2015	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**10.0**		
MW-25 Screen 4	April/May 2015	MW-25-4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**9.3**		
MW-25 Screen 5	Jan/Feb 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**1,2,3-Trichloropropane** **Ethylbenzene** **m,p-Xylene** **o-Xylene** **Toluene**	**0.0 J** **0.6** **1.3** **0.4 J** **0.4 J**
MW-25 Screen 5	Apr/May 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Jul/Sep 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Oct/Nov 2005	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Mar/Apr 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	May/Jun 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Aug/Sep 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Oct/Dec 2006	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Mar/Apr 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Jun/Jul 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Aug/Sep 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Oct/Dec 2007	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Jan/Feb 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Apr/May 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-25 Screen 5	Jul/Aug 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**33.8**		
MW-25 Screen 5	Oct/Nov 2008	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**16.5**		
MW-25 Screen 5	Jan/Feb 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Apr/May 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Jul/Aug 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Nov/Dec 2009	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**12.0**		
MW-25 Screen 5	Feb 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Apr/May 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**44.5**		
MW-25 Screen 5	Jul/Aug 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Oct/Nov 2010	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Feb/Mar 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Apr/May 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**39.2**		
MW-25 Screen 5	Aug/Sep 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-25 Screen 5	Nov/Dec 2011	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Jan/Feb 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**54.8 J**		
MW-25 Screen 5	Apr/May 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-25 Screen 5	Aug/Sep 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Nov 2012	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Jan/Feb 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Apr/May 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Jul 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Oct/Nov 2013	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.7 J**
MW-25 Screen 5	Jan/Feb 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-25 Screen 5	Apr/May 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**Carbon disulfide**	**0.5 J**
MW-25 Screen 5	Jul/Aug 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Oct 2014	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	Jan/Feb 2015	MW-25-5	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-25 Screen 5	April/May 2015	MW-25-5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Apr/May 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.4 J**
MW-26 Screen 1	Jul/Sep 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Jul/Sep 2005	DUPE-6-3Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Oct/Nov 2005	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Mar/Apr 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	May/Jun 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Aug/Sep 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Oct/Dec 2006	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Mar/Apr 2007	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Jun/Jul 2007	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Aug/Sep 2007	MW-26-1	0.5 U	0.5 U	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Oct/Dec 2007	MW-26-1	0.5 U	0.5 U	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.7**		
MW-26 Screen 1	Jan/Feb 2008	MW-26-1	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.2**		
MW-26 Screen 1	Apr/May 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 1	Jul/Aug 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.0**		
MW-26 Screen 1	Oct/Nov 2008	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7**		
MW-26 Screen 1	Jan/Feb 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**		
MW-26 Screen 1	Apr/May 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**1.7 J**		
MW-26 Screen 1	Jul/Aug 2009	MW-26-1	0.5 U	0.5 U	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.1**		
MW-26 Screen 1	Nov/Dec 2009	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-26 Screen 1	Feb 2010	MW-26-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-26 Screen 1	Apr/May 2010	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.8**		
MW-26 Screen 1	Jul/Aug 2010	MW-26-1	0.5 U	0.5 U	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-26 Screen 1	Oct/Nov 2010	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-26 Screen 1	Oct/Nov 2010	DUPE-08-4Q10	0.5 U	0.5 U	**0.8**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.5**		
MW-26 Screen 1	Feb/Mar 2011	MW-26-1	0.5 U	**0.6**	**2.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.3**		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-26 Screen 1	Apr/May 2011	MW-26-1	0.5 U	0.5 U	**0.9**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.0**		
MW-26 Screen 1	Aug/Sep 2011	MW-26-1	0.5 U	**0.6**	**1.6**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.2**		
MW-26 Screen 1	Nov/Dec 2011	MW-26-1	0.5 U	0.5 U	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**		
MW-26 Screen 1	Jan/Feb 2012	MW-26-1	0.5 U	0.5 U	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9 J**		
MW-26 Screen 1	Apr/May 2012	MW-26-1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**3.9**		
MW-26 Screen 1	Aug/Sep 2012	MW-26-1	0.5 U	**0.2 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.4**		
MW-26 Screen 1	Nov 2012	MW-26-1	0.5 U	**0.3 J**	**0.8**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**Bromodichloromethane**	**0.2 J**
MW-26 Screen 1	Nov 2012	DUPE-2-4Q12	0.5 U	**0.3 J**	**0.6**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	4.0 U	**Bromodichloromethane**	**0.1 J**
MW-26 Screen 1	Jan/Feb 2013	MW-26-1	0.5 U	**0.3 J**	**1.0**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.6**		
MW-26 Screen 1	Apr/May 2013	MW-26-1	0.5 U	**0.3 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.6 J**	**cis-1,2-Dichloroethene**	**0.1 J**
MW-26 Screen 1	Jul 2013	MW-26-1	0.5 U	**0.6**	**1.2**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.4 J**	4.0 U	**cis-1,2-Dichloroethene**	**0.1 J**
MW-26 Screen 1	Oct/Nov 2013	MW-26-1	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.5**		
MW-26 Screen 1	Oct/Nov 2013	DUPE-3-4Q13	0.5 U	**0.4 J**	**0.5 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**4.2**		
MW-26 Screen 1	Jan/Feb 2014	MW-26-1	0.5 U	**0.4 J**	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-26 Screen 1	Apr/May 2014	MW-26-1	0.5 U	**0.4 J**	**0.5**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.5 J**		
MW-26 Screen 1	Jul/Aug 2014	MW-26-1	0.5 U	**0.4 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**1.9 J**		
MW-26 Screen 1	Oct 2014	MW-26-1	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.3 J**	**2.2 J**		
MW-26 Screen 1	Oct 2014	DUP-6-4Q14	0.5 U	**0.1 J**	**0.3 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**1.9 J**		
MW-26 Screen 1	Jan/Feb 2015	MW-26-1	0.5 U	**0.6**	**1.3**	0.5 U	0.5 U	0.5 U	0.5 U	**0.5**	**2.9 J**		
MW-26 Screen 1	Jan/Feb 2015	DUP-2-1Q15	0.5 U	**0.5**	**1.4**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.9 J**		
MW-26 Screen 1	Jan/Feb 2015	DUP-2-1Q15	0.5 U	**0.5**	**1.4**	**0.1 J**	0.5 U	0.5 U	0.5 U	**0.5 J**	**2.9 J**		
MW-26 Screen 1	April/May 2015	MW-26-1	0.5 U	**0.3 J**	**0.7**	0.5 U	0.5 U	0.5 U	0.5 U	**0.2 J**	**2.9 J**		
MW-26 Screen 2	Apr/May 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U	**m,p-Xylene**	**0.3 J**
MW-26 Screen 2	Jul/Sep 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Oct/Nov 2005	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.4**	4.0 U	**Bromodichloromethane** **Chloromethane** **Dibromochloromethane** **Methylene chloride**	**2.1** **0.3 J** **1.5** **1.2**
MW-26 Screen 2	Oct/Nov 2005	DUPE-7-4Q05	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	**2.3**	4.0 U	**Bromodichloromethane** **Dibromochloromethane** **Methylene chloride**	**1.9** **1.3** **1.4**
MW-26 Screen 2	Mar/Apr 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	May/Jun 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26 Screen 2	Aug/Sep 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26 Screen 2	Oct/Dec 2006	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Mar/Apr 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26 Screen 2	Jun/Jul 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26 Screen 2	Aug/Sep 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26 Screen 2	Oct/Dec 2007	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26 Screen 2	Jan/Feb 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		
MW-26 Screen 2	Apr/May 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2.0 U		

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-26 Screen 2	Jul/Aug 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Oct/Nov 2008	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Jan/Feb 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Apr/May 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Jul/Aug 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Nov/Dec 2009	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Feb 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Apr/May 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Jul/Aug 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Oct/Nov 2010	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Feb/Mar 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Apr/May 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Aug/Sep 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Nov/Dec 2011	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Jan/Feb 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Apr/May 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U		
MW-26 Screen 2	Aug/Sep 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Nov 2012	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Jan/Feb 2013	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Apr/May 2013	MW-26-2	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	4.0 U		
MW-26 Screen 2	Jul 2013	MW-26-2	0.5 U	0.5 U	**0.4 J**	0.5 U	0.5 U	0.5 U	0.5 U	**0.1 J**	**1.4 J**		
MW-26 Screen 2	Oct/Nov 2013	MW-26-2	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.1**	**3.3 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.3 J**
MW-26 Screen 2	Jan/Feb 2014	MW-26-2	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**2.6 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.3 J**
MW-26 Screen 2	Apr/May 2014	MW-26-2	0.5 U	**0.3 J**	**2.2**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**2.3 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.1 J**
MW-26 Screen 2	Jul/Aug 2014	MW-26-2	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.3**	**3.1 J**	**Bromodichloromethane** **cis-1,2-Dichloroethene**	**0.2 J** **0.2 J**

Sample Location	Sampling Event	Sample Number	Carbon tetrachloride	TCE	PCE	1,1-DCA	1,2-DCA	1,1-DCE	Freon 113	Chloroform	Perchlorate	Other Volatile Organic Compounds and 1,4-Dioxane, NDMA, NDPA, 1,2,3-TCP	
MW-26 Screen 2	Oct 2014	MW-26-2	0.5 U	**0.3 J**	**1.9**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**2.9 J**	**cis-1,2-Dichloroethene**	**0.2 J**
MW-26 Screen 2	Jan/Feb 2015	MW-26-2	0.5 U	**0.3 J**	**2.0**	0.5 U	0.5 U	0.5 U	0.5 U	**1.2**	**2.3 J**	**cis-1,2-Dichloroethene**	**0.3 J**
MW-26 Screen 2	April/May 2015	MW-26-2	0.5 U	**0.2 J**	**1.1**	0.5 U	0.5 U	0.5 U	0.5 U	**0.9**	**2.6 J**		
California Maximum Contaminant Level (MCL)			0.5	5	5	5	0.5	6	1200	TTHM	6.0		
EPA Region IX Maximum Contaminant Level			5	5	5	NE	5	7	NE	TTHM	NE		

Notes

DUPE	Field Duplicate
NA	Not analyzed
NE	Not established
TTHM	Chloroform is regulated under the state and federal MCL of 80 µg/L for Total Trihalomethanes (TTHMs); the MCL applies to the sum of all four trihalomethanes (Bromodichloromethane, Bromoform, Dibromochloromethane, and Chloroform) as an annual average
B	Analyte is present in method blank
E	Analyte concentration is above calibration range
J	Analyte concentration is an estimated value
U	Analyte was analyzed for but not detected at or above the stated limit
UB	Analyte was analyzed for but not detected; analyte is present in method blank
UJ	Analyte was analyzed for but not detected; analyte concentration is an estimated value

TABLE 2A
SUMMARY OF METALS DETECTED
DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L; except for Hexavalent Chromium, which is reported in mg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-1	Aug/Sep 1996	MW-1	NA	NA	10.0 U	NA
MW-1	Aug/Sep 1996	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Oct/Nov 1996	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Feb/Mar 1997	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	June/July 1997	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Sep/Oct 1997	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Jan/Feb 1998	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Apr/May 1998	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Jul/Aug 1998	MW-1	5.0 U	**9.100**	**55.0**	0.005 U
MW-1	Oct/Nov 1998	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Feb/Mar 1999	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	May/Jun 1999	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Nov/Dec 1999	MW-1	NA	NA	10.0 U	0.005 U
MW-1	Jul/Aug 2000	MW-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-1	Jan/Feb 2001	MW-1	5.0 U	**0.040 J**	**2.1 J**	0.010 U
MW-1	Jan/Feb 2001	DUP	5.0 U	**0.030 J**	**2.7 J**	0.010 U
MW-1	Jan/Feb 2002	MW-1	**1.5 B**	1.000 U	**2.7 J**	0.010 U
MW-1	Apr/May 2003	MW-1	5.0 U	**0.150 J**	**2.3**	0.010 U
MW-1	Oct/Nov 2003	MW-1	NA	NA	**2.4 J**	0.010 U
MW-1	Apr/May 2004	MW-1	2.3 U	**0.010 J**	**10.0**	0.010 U
MW-1	Oct/Nov 2004	MW-1	NA	NA	**13.9**	0.010 U
MW-1	Apr/May 2005	MW-1	**1.6 J**	**0.260 J**	**6.0**	0.010 U
MW-1	Apr/May 2005	DUPE-2-2Q05	5.0 U	**0.260 J**	**6.7**	0.010 U
MW-1	Oct/Nov 2005	MW-1	NA	NA	**8.6**	0.010 U
MW-1	May/Jun 2006	MW-1	**1.3**	1.000 U	**2.4**	0.010 U
MW-1	Oct/Dec 2006	MW-1	NA	NA	**2.2**	0.010 U
MW-1	Jun/Jul 2007	MW-1	**1.1**	1.000 U	**4.4**	0.010 U
MW-1	Jun/Jul 2007	DUPE-7-2Q07	**1.0**	1.000 U	**2.8**	0.010 U
MW-1	Oct/Dec 2007	MW-1	NA	NA	**10.4 E**	0.010 U
MW-1	Apr/May 2008	MW-1	**1.2**	1.000 U	**5.2**	0.010 U
MW-1	Oct/Nov 2008	MW-1	NA	NA	5.0 U	0.010 U
MW-1	Apr/May 2009	MW-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Nov/Dec 2009	MW-1	NA	NA	5.0 U	0.010 U
MW-1	Apr/May 2010	MW-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Apr/May 2010	DUPE-8-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Oct/Nov 2010	MW-1	NA	NA	5.0 U	0.010 U
MW-1	Apr/May 2011	MW-1	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-1	Apr/May 2011	DUPE-5-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Nov/Dec 2011	MW-1	NA	NA	5.0 U	0.010 U
MW-1	Apr/May 2012	MW-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-1	Nov 2012	MW-1	NA	NA	3.0 U	0.002 U
MW-1	Apr/May 2013	MW-1	**1.4 J**	1.000 U	3.0 U	0.002 U
MW-1	Apr/May 2013	DUP-8-2Q13	**1.1 J**	1.000 U	3.0 U	0.002 U
MW-1	Oct/Nov 2013	MW-1	NA	NA	3.0 U	0.002 U
MW-1	Apr/May 2014	MW-1	2.0 U	1.000 U	**0.5 J**	0.002 U
MW-1	Apr/May 2014	DUP-6-2Q14	**0.8 J**	1.000 U	**1.1 J**	0.002 U
MW-1	Oct 2014	MW-1	NA	NA	**0.6 J**	0.002 U
MW-1	April/May 2015	MW-1	**1.0 J**	1.000 U	1.0 U	0.002 U
MW-1	April/May 2015	Dup-8-2Q15	2.0 U	**1.000**	1.2 U	0.002 U
MW-3 Screen 1	Aug/Sep 1996	MW-3-1	NA	NA	10.0 U	NA
MW-3 Screen 1	Aug/Sep 1996	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Oct/Nov 1996	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Feb/Mar 1997	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	June/July 1997	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Sep/Oct 1997	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Jan/Feb 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Apr/May 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Jul/Aug 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Oct/Nov 1998	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Feb/Mar 1999	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	May/Jun 1999	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Nov/Dec 1999	MW-3-1	NA	NA	10.0 U	0.005 U
MW-3 Screen 1	Jul/Aug 2000	MW-3-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 1	Jan/Feb 2001	MW-3-1	5.0 U	1.000 U	**3.7 J**	0.010 U
MW-3 Screen 1	Jan/Feb 2002	MW-3-1	5.0 U	**0.060 J**	**3.3 J**	0.010 U
MW-3 Screen 1	Apr/May 2003	MW-3-1	5.0 U	1.000 U	**2.1**	0.010 U
MW-3 Screen 1	Oct/Nov 2003	MW-3-1	NA	NA	1.8 UJ	0.010 U
MW-3 Screen 1	Apr/May 2004	MW-3-1	5.0 UJ	0.120 U	**7.6**	0.010 U
MW-3 Screen 1	Apr/May 2004	DUPE-1-2Q04	5.0 UJ	**0.001 J**	**8.2**	0.010 U
MW-3 Screen 1	Oct/Nov 2004	MW-3-1	NA	NA	**12.9 J**	0.010 U
MW-3 Screen 1	Oct/Nov 2004	DUPE-1-4Q04	NA	NA	**13.0 J**	0.010 U
MW-3 Screen 1	Apr/May 2005	MW-3-1	**1.5 J**	**0.058 J**	**5.6**	0.010 U
MW-3 Screen 1	Oct/Nov 2005	MW-3-1	NA	NA	**6.0**	0.010 U
MW-3 Screen 1	May/Jun 2006	MW-3-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-3 Screen 1	Oct/Dec 2006	MW-3-1	NA	NA	**1.1 J**	0.010 U
MW-3 Screen 1	Jun/Jul 2007	MW-3-1	1.0 U	1.000 U	**1.2 J**	0.010 U
MW-3 Screen 1	Oct/Dec 2007	MW-3-1	NA	NA	**9.6**	0.010 U
MW-3 Screen 1	Apr/May 2008	MW-3-1	1.0 U	1.000 U	**4.4**	0.010 U
MW-3 Screen 1	Oct/Nov 2008	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Oct/Nov 2008	DUPE-04-4Q08	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 1	Apr/May 2009	MW-3-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Nov/Dec 2009	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Nov/Dec 2009	DUPE-02-4Q09	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Apr/May 2010	MW-3-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Oct/Nov 2010	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Oct/Nov 2010	DUPE-04-4Q10	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Apr/May 2011	MW-3-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Nov/Dec 2011	MW-3-1	NA	NA	5.0 U	0.010 U
MW-3 Screen 1	Apr/May 2012	MW-3-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Apr/May 2012	DUPE-4-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 1	Nov 2012	MW-3-1	NA	NA	3.0 U	0.002 U
MW-3 Screen 1	Apr/May 2013	MW-3-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-3 Screen 1	Oct/Nov 2013	MW-3-1	NA	NA	3.0 U	0.002 U
MW-3 Screen 1	Apr/May 2014	MW-3-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-3 Screen 1	Oct 2014	MW-3-1	NA	NA	3.0 U	0.002 U
MW-3 Screen 1	April/May 2015	MW-3-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-3 Screen 2	Aug/Sep 1996	MW-3-2	NA	NA	10.0 U	NA
MW-3 Screen 2	Aug/Sep 1996	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Oct/Nov 1996	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Feb/Mar 1997	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	June/July 1997	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Sep/Oct 1997	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Jan/Feb 1998	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Apr/May 1998	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Jul/Aug 1998	MW-3-2	5.0 U	**4.100**	10.0 U	0.005 U
MW-3 Screen 2	Oct/Nov 1998	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Feb/Mar 1999	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	May/Jun 1999	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Aug 1999	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Nov/Dec 1999	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Mar/Apr 2000	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Jul/Aug 2000	MW-3-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 2	Sep/Oct 2000	MW-3-2	NA	NA	10.0 U	0.005 U
MW-3 Screen 2	Jan/Feb 2001	MW-3-2	5.0 U	1.000 U	**3.3 J**	0.010 U
MW-3 Screen 2	Apr 2001	MW-3-2	NA	NA	NA	0.010 U
MW-3 Screen 2	Jul 2001	MW-3-2	NA	NA	**2.5 J**	UNK U
MW-3 Screen 2	Oct 2001	MW-3-2	NA	NA	**5.6**	0.010 U
MW-3 Screen 2	Jan/Feb 2002	MW-3-2	5.0 U	1.000 U	**4.4 J**	0.010 U
MW-3 Screen 2	Jan/Feb 2002	DUP	NA	1.000 U	**4.0 J**	NA
MW-3 Screen 2	Apr/May 2002	MW-3-2	NA	NA	**4.0**	0.010 U
MW-3 Screen 2	Jul 2002	MW-3-2	NA	NA	**1.0**	UNK U
MW-3 Screen 2	Oct/Nov 2002	MW-3-2	NA	NA	NA	0.010 U
MW-3 Screen 2	Jan/Feb 2003	MW-3-2	NA	NA	**2.4**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 2	Apr/May 2003	MW-3-2	5.0 U	1.000 U	**1.6**	0.010 U
MW-3 Screen 2	Apr/May 2003	DUPE-5-2Q03	5.0 U	1.000 U	**1.9**	0.010 U
MW-3 Screen 2	Jul/Aug 2003	MW-3-2	NA	NA	**2.4 J**	0.010 U
MW-3 Screen 2	Oct/Nov 2003	MW-3-2	NA	NA	1.6 UJ	0.010 U
MW-3 Screen 2	Feb 2004	MW-3-2	NA	NA	**12.0**	0.010 U
MW-3 Screen 2	Feb 2004	DUPE-1-1Q04	NA	NA	**3.5**	0.010 U
MW-3 Screen 2	Apr/May 2004	MW-3-2	5.0 UJ	0.120 U	**7.3**	0.010 U
MW-3 Screen 2	Jul/Aug 2004	MW-3-2	NA	NA	**8.8**	0.010 U
MW-3 Screen 2	Oct/Nov 2004	MW-3-2	NA	NA	**9.0 J**	0.010 U
MW-3 Screen 2	Jan/Feb 2005	MW-3-2	NA	NA	**8.7**	0.010 U
MW-3 Screen 2	Apr/May 2005	MW-3-2	5.0 U	**0.062 J**	**5.2**	0.010 U
MW-3 Screen 2	Jul/Sep 2005	MW-3-2	NA	NA	**9.8**	0.010 U
MW-3 Screen 2	Oct/Nov 2005	MW-3-2	NA	NA	**6.5**	0.010 U
MW-3 Screen 2	Mar/Apr 2006	MW-3-2	NA	NA	NA	0.010 U
MW-3 Screen 2	Mar/Apr 2006	MW-3-2	NA	NA	1.0 U	NA
MW-3 Screen 2	Mar/Apr 2006	DUPE-4-1Q06	NA	NA	NA	0.010 U
MW-3 Screen 2	Mar/Apr 2006	DUPE-4-1Q06	NA	NA	1.0 U	NA
MW-3 Screen 2	May/Jun 2006	MW-3-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-3 Screen 2	Aug/Sep 2006	MW-3-2	NA	NA	1.8 U	0.010 U
MW-3 Screen 2	Oct/Dec 2006	MW-3-2	NA	NA	**1.2**	0.010 U
MW-3 Screen 2	Mar/Apr 2007	MW-3-2	NA	NA	**1.4**	0.010 U
MW-3 Screen 2	Jun/Jul 2007	MW-3-2	1.0 U	1.000 U	**2.1**	0.010 U
MW-3 Screen 2	Jun/Jul 2007	DUPE-4-2Q07	1.0 U	1.000 U	**1.9 J**	0.010 U
MW-3 Screen 2	Aug/Sep 2007	MW-3-2	NA	NA	**12.4**	0.010 U
MW-3 Screen 2	Oct/Dec 2007	MW-3-2	NA	NA	**7.8**	0.010 U
MW-3 Screen 2	Jan/Feb 2008	MW-3-2	NA	NA	**7.6 E**	0.010 U
MW-3 Screen 2	Apr/May 2008	MW-3-2	1.0 U	1.000 U	**4.2**	0.010 U
MW-3 Screen 2	Jul/Aug 2008	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Oct/Nov 2008	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Jan/Feb 2009	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Apr/May 2009	MW-3-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Jul/Aug 2009	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Nov/Dec 2009	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Feb 2010	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Apr/May 2010	MW-3-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Apr/May 2010	DUPE-05-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Jul/Aug 2010	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Oct/Nov 2010	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Feb/Mar 2011	MW-3-2	NA	NA	**5.6**	0.010 U
MW-3 Screen 2	Apr/May 2011	MW-3-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Aug/Sep 2011	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Nov/Dec 2011	MW-3-2	NA	NA	5.0 U	0.010 U
MW-3 Screen 2	Jan/Feb 2012	MW-3-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 2	Apr/May 2012	MW-3-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 2	Aug/Sep 2012	MW-3-2	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	Nov 2012	MW-3-2	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	Jan/Feb 2013	MW-3-2	NA	NA	**0.7 J**	0.002 U
MW-3 Screen 2	Apr/May 2013	MW-3-2	2.0 U	0.120 U	3.0 U	0.002 U
MW-3 Screen 2	Jul 2013	MW-3-2	NA	NA	**0.6 J**	0.002 U
MW-3 Screen 2	Jul 2013	DUPE-5-3Q13	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	Oct/Nov 2013	MW-3-2	NA	NA	**0.7 J**	0.002 U
MW-3 Screen 2	Jan/Feb 2014	MW-3-2	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	Apr/May 2014	MW-3-2	2.0 U	1.000 U	3.0 U	**0.001 J**
MW-3 Screen 2	Jul/Aug 2014	MW-3-2	NA	NA	0.8 U	0.001 U
MW-3 Screen 2	Oct 2014	MW-3-2	NA	NA	0.7 U	0.002 U
MW-3 Screen 2	Jan/Feb 2015	MW-3-2	NA	NA	3.0 U	0.002 U
MW-3 Screen 2	April/May 2015	MW-3-2	2.0 U	1.000 U	**0.6 J**	0.002 U
MW-3 Screen 3	Aug/Sep 1996	MW-3-3	NA	NA	10.0 U	NA
MW-3 Screen 3	Aug/Sep 1996	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Oct/Nov 1996	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Feb/Mar 1997	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	June/July 1997	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Sep/Oct 1997	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Jan/Feb 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Apr/May 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Jul/Aug 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Oct/Nov 1998	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Feb/Mar 1999	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	May/Jun 1999	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Aug 1999	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Nov/Dec 1999	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Mar/Apr 2000	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Jul/Aug 2000	MW-3-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 3	Sep/Oct 2000	MW-3-3	NA	NA	10.0 U	0.005 U
MW-3 Screen 3	Jan/Feb 2001	MW-3-3	5.0 U	1.000 U	**3.3 J**	0.010 U
MW-3 Screen 3	Apr 2001	MW-3-3	NA	NA	NA	0.010 U
MW-3 Screen 3	Jul 2001	MW-3-3	NA	NA	**2.4 J**	UNK U
MW-3 Screen 3	Oct 2001	MW-3-3	NA	NA	**3.3**	0.010 U
MW-3 Screen 3	Oct 2001	DUP	NA	NA	**3.3**	NA
MW-3 Screen 3	Jan/Feb 2002	MW-3-3	5.0 U	1.000 U	**3.4 J**	0.010 U
MW-3 Screen 3	Apr/May 2002	MW-3-3	NA	NA	**4.0**	0.010 U
MW-3 Screen 3	Jul 2002	MW-3-3	NA	NA	**4.0**	UNK U
MW-3 Screen 3	Oct/Nov 2002	MW-3-3	NA	NA	NA	0.010 U
MW-3 Screen 3	Dec 2002	MW-3-3	NA	NA	NA	0.000 U
MW-3 Screen 3	Jan/Feb 2003	MW-3-3	**1.4**	**0.300**	**2.4**	0.010 U
MW-3 Screen 3	Apr/May 2003	MW-3-3	5.0 U	1.000 U	**0.8 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 3	Jul/Aug 2003	MW-3-3	NA	NA	**2.0 J**	0.010 U
MW-3 Screen 3	Oct/Nov 2003	MW-3-3	NA	NA	2.0 UJ	0.010 U
MW-3 Screen 3	Feb 2004	MW-3-3	NA	NA	**2.6**	0.010 U
MW-3 Screen 3	Apr/May 2004	MW-3-3	4.8 UJ	0.120 U	**4.8**	0.010 U
MW-3 Screen 3	Jul/Aug 2004	MW-3-3	NA	NA	**7.2**	0.010 U
MW-3 Screen 3	Jul/Aug 2004	DUPE-4-3Q04	NA	NA	**7.4**	0.010 U
MW-3 Screen 3	Oct/Nov 2004	MW-3-3	NA	NA	**7.1 J**	0.010 U
MW-3 Screen 3	Jan/Feb 2005	MW-3-3	NA	NA	**5.7**	0.010 U
MW-3 Screen 3	Apr/May 2005	MW-3-3	**1.1 J**	**0.052 J**	**5.5**	0.010 U
MW-3 Screen 3	Jul/Sep 2005	MW-3-3	NA	NA	**6.9**	0.010 U
MW-3 Screen 3	Oct/Nov 2005	MW-3-3	NA	NA	**5.8**	0.010 U
MW-3 Screen 3	Mar/Apr 2006	MW-3-3	NA	NA	NA	0.010 U
MW-3 Screen 3	Mar/Apr 2006	MW-3-3	NA	NA	1.0 U	NA
MW-3 Screen 3	May/Jun 2006	MW-3-3	**1.4**	1.000 U	1.0 U	0.010 U
MW-3 Screen 3	Aug/Sep 2006	MW-3-3	NA	NA	2.0 U	0.010 U
MW-3 Screen 3	Oct/Dec 2006	MW-3-3	NA	NA	**1.3**	0.010 U
MW-3 Screen 3	Oct/Dec 2006	DUPE-2-4Q06	NA	NA	**1.1**	0.010 U
MW-3 Screen 3	Mar/Apr 2007	MW-3-3	NA	NA	1.0 U	0.010 U
MW-3 Screen 3	Jun/Jul 2007	MW-3-3	**1.5**	1.000 U	**1.1**	0.010 U
MW-3 Screen 3	Aug/Sep 2007	MW-3-3	NA	NA	**8.7**	0.010 U
MW-3 Screen 3	Oct/Dec 2007	MW-3-3	NA	NA	**6.5**	0.010 U
MW-3 Screen 3	Oct/Dec 2007	DUPE 1-4Q07	NA	NA	**6.5**	0.010 U
MW-3 Screen 3	Jan/Feb 2008	MW-3-3	NA	NA	**6.0 E**	0.010 U
MW-3 Screen 3	Apr/May 2008	MW-3-3	**1.0**	1.000 U	**2.5**	0.010 U
MW-3 Screen 3	Jul/Aug 2008	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Oct/Nov 2008	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Jan/Feb 2009	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Jan/Feb 2009	DUPE-05-1Q09	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Apr/May 2009	MW-3-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 3	Jul/Aug 2009	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Nov/Dec 2009	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Feb 2010	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Apr/May 2010	MW-3-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 3	Jul/Aug 2010	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Oct/Nov 2010	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Feb/Mar 2011	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Apr/May 2011	MW-3-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 3	Aug/Sep 2011	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Nov/Dec 2011	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Jan/Feb 2012	MW-3-3	NA	NA	5.0 U	0.010 U
MW-3 Screen 3	Apr/May 2012	MW-3-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 3	Aug/Sep 2012	MW-3-3	NA	NA	3.0 U	0.002 U
MW-3 Screen 3	Nov 2012	MW-3-3	NA	NA	**2.1 J**	**0.002**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 3	Jan/Feb 2013	MW-3-3	NA	NA	**2.5 J**	0.002 U
MW-3 Screen 3	Apr/May 2013	MW-3-3	**3.0**	1.000 U	**2.3 J**	**0.002 J**
MW-3 Screen 3	Jul 2013	MW-3-3	NA	NA	**2.4 J**	0.002 U
MW-3 Screen 3	Oct/Nov 2013	MW-3-3	NA	NA	**1.8 J**	**0.002 J**
MW-3 Screen 3	Jan/Feb 2014	MW-3-3	NA	NA	**1.4 J**	0.002 U
MW-3 Screen 3	Jan/Feb 2014	DUPE-3-1Q14	NA	NA	**6.3**	0.002 U
MW-3 Screen 3	Apr/May 2014	MW-3-3	**3.2**	1.000 U	3.4 U	**0.001 J**
MW-3 Screen 3	Jul/Aug 2014	MW-3-3	NA	NA	3.0 U	0.001 U
MW-3 Screen 3	Jul/Aug 2014	DUP-5-3Q14	NA	NA	**4.5**	0.001 U
MW-3 Screen 3	Oct 2014	MW-3-3	NA	NA	4.4 U	0.002 U
MW-3 Screen 3	Jan/Feb 2015	MW-3-3	NA	NA	**2.3**	0.002 U
MW-3 Screen 3	April/May 2015	MW-3-3	**2.4**	1.000 U	**2.3 J**	0.002 U
MW-3 Screen 4	Aug/Sep 1996	MW-3-4	NA	NA	10.0 U	NA
MW-3 Screen 4	Aug/Sep 1996	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Oct/Nov 1996	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Feb/Mar 1997	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	June/July 1997	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Sep/Oct 1997	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Jan/Feb 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Apr/May 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Jul/Aug 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Oct/Nov 1998	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Feb/Mar 1999	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	May/Jun 1999	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Aug 1999	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Nov/Dec 1999	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Mar/Apr 2000	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Jul/Aug 2000	MW-3-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 4	Sep/Oct 2000	MW-3-4	NA	NA	10.0 U	0.005 U
MW-3 Screen 4	Jan/Feb 2001	MW-3-4	**4.1 B**	1.000 U	**4.0 J**	0.010 U
MW-3 Screen 4	Apr 2001	MW-3-4	NA	NA	NA	0.010 U
MW-3 Screen 4	Jul 2001	MW-3-4	NA	NA	**3.9 J**	UNK U
MW-3 Screen 4	Oct 2001	MW-3-4	NA	NA	**4.9**	0.010 U
MW-3 Screen 4	Jan/Feb 2002	MW-3-4	**4.5 B**	4.000 U	**0.6 J**	0.010 U
MW-3 Screen 4	Apr/May 2002	MW-3-4	NA	NA	**5.0**	0.010 U
MW-3 Screen 4	Apr/May 2002	DUP	NA	NA	**4.0**	0.010 U
MW-3 Screen 4	Jul 2002	MW-3-4	NA	NA	**4.0**	UNK U
MW-3 Screen 4	Jul 2002	DUP	NA	NA	**4.0**	UNK U
MW-3 Screen 4	Oct/Nov 2002	MW-3-4	NA	NA	NA	0.010 U
MW-3 Screen 4	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-3 Screen 4	Jan/Feb 2003	MW-3-4	NA	NA	**2.3**	0.010 U
MW-3 Screen 4	Apr/May 2003	MW-3-4	5.0 U	1.000 U	**1.7**	0.010 U
MW-3 Screen 4	Jul/Aug 2003	MW-3-4	NA	NA	**1.8 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 4	Oct/Nov 2003	MW-3-4	NA	NA	1.9 UJ	0.010 U
MW-3 Screen 4	Feb 2004	MW-3-4	NA	NA	**4.8**	0.010 U
MW-3 Screen 4	Apr/May 2004	MW-3-4	3.7 UJ	0.014 U	**7.6**	0.010 U
MW-3 Screen 4	Jul/Aug 2004	MW-3-4	NA	NA	**6.6**	0.010 U
MW-3 Screen 4	Oct/Nov 2004	MW-3-4	NA	NA	**7.7 J**	0.010 U
MW-3 Screen 4	Jan/Feb 2005	MW-3-4	NA	NA	**8.6**	0.010 U
MW-3 Screen 4	Apr/May 2005	MW-3-4	**2.0 J**	**0.110 J**	**6.0**	0.010 U
MW-3 Screen 4	Jul/Sep 2005	MW-3-4	NA	NA	**6.9**	0.010 U
MW-3 Screen 4	Oct/Nov 2005	MW-3-4	NA	NA	**7.2**	0.010 U
MW-3 Screen 4	Oct/Nov 2005	DUPE-3-4Q05	NA	NA	**6.9**	0.010 U
MW-3 Screen 4	Mar/Apr 2006	MW-3-4	NA	NA	NA	0.010 U
MW-3 Screen 4	Mar/Apr 2006	MW-3-4	NA	NA	1.0 U	NA
MW-3 Screen 4	May/Jun 2006	MW-3-4	**2.0**	1.000 U	1.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2006	MW-3-4	NA	NA	2.5 U	0.010 U
MW-3 Screen 4	Oct/Dec 2006	MW-3-4	NA	NA	**1.2**	0.010 U
MW-3 Screen 4	Mar/Apr 2007	MW-3-4	NA	NA	**1.2**	0.010 U
MW-3 Screen 4	Jun/Jul 2007	MW-3-4	**3.7**	1.000 U	1.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2007	MW-3-4	NA	NA	**11.3**	0.010 U
MW-3 Screen 4	Oct/Dec 2007	MW-3-4	NA	NA	**6.9**	0.010 U
MW-3 Screen 4	Jan/Feb 2008	MW-3-4	NA	NA	**7.2 E**	0.010 U
MW-3 Screen 4	Apr/May 2008	MW-3-4	**2.3**	1.000 U	**5.0**	0.010 U
MW-3 Screen 4	Jul/Aug 2008	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Oct/Nov 2008	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Jan/Feb 2009	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Apr/May 2009	MW-3-4	**2.2**	5.000 U	5.0 U	0.010 U
MW-3 Screen 4	Jul/Aug 2009	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Nov/Dec 2009	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Feb 2010	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Feb 2010	DUPE-3-1Q10	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Apr/May 2010	MW-3-4	**2.6**	5.000 U	5.0 U	0.010 U
MW-3 Screen 4	Jul/Aug 2010	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Oct/Nov 2010	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Feb/Mar 2011	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Apr/May 2011	MW-3-4	**2.6**	5.000 U	5.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2011	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Nov/Dec 2011	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Nov/Dec 2011	DUPE-3-4Q11	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Jan/Feb 2012	MW-3-4	NA	NA	5.0 U	0.010 U
MW-3 Screen 4	Apr/May 2012	MW-3-4	**6.3**	5.000 U	5.0 U	0.010 U
MW-3 Screen 4	Aug/Sep 2012	MW-3-4	NA	NA	**0.8 J**	0.002 U
MW-3 Screen 4	Nov 2012	MW-3-4	NA	NA	**3.0**	**0.001 J**
MW-3 Screen 4	Jan/Feb 2013	MW-3-4	NA	NA	**10.0**	0.005 U
MW-3 Screen 4	Apr/May 2013	MW-3-4	**18.0**	1.000 U	**34.0**	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 4	Jul 2013	MW-3-4	NA	NA	**22.0**	0.002 U
MW-3 Screen 4	Oct/Nov 2013	MW-3-4	NA	NA	**3.1**	0.002 U
MW-3 Screen 4	Jan/Feb 2014	MW-3-4	NA	NA	**6.2**	**0.001 J**
MW-3 Screen 4	Apr/May 2014	MW-3-4	**14.0**	1.000 U	**15.0**	**0.001 J**
MW-3 Screen 4	Jul/Aug 2014	MW-3-4	NA	NA	**6.9**	0.001 U
MW-3 Screen 4	Oct 2014	MW-3-4	NA	NA	**13.0**	0.002 U
MW-3 Screen 4	Jan/Feb 2015	MW-3-4	NA	NA	**76.0**	0.002 U
MW-3 Screen 4	April/May 2015	MW-3-4	**8.1**	1.000 U	**10.0**	0.002 U
MW-3 Screen 5	Aug/Sep 1996	MW-3-5	NA	NA	10.0 U	NA
MW-3 Screen 5	Aug/Sep 1996	MW-3-5	**11.0**	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Oct/Nov 1996	MW-3-5	**7.0**	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Feb/Mar 1997	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	June/July 1997	MW-3-5	**7.0**	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Sep/Oct 1997	MW-3-5	**10.0**	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Jan/Feb 1998	MW-3-5	**9.1**	**7.600**	10.0 U	0.005 U
MW-3 Screen 5	Apr/May 1998	MW-3-5	5.0 U	**2.000**	10.0 U	0.005 U
MW-3 Screen 5	Jul/Aug 1998	MW-3-5	**5.9**	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Oct/Nov 1998	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Feb/Mar 1999	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	May/Jun 1999	MW-3-5	**5.7**	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Nov/Dec 1999	MW-3-5	NA	NA	10.0 U	0.005 U
MW-3 Screen 5	Jul/Aug 2000	MW-3-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-3 Screen 5	Jan/Feb 2001	MW-3-5	**6.2**	1.000 U	**2.4 J**	0.010 U
MW-3 Screen 5	Jan/Feb 2002	MW-3-5	**4.7 B**	1.000 U	**1.7 J**	0.010 U
MW-3 Screen 5	Jan/Feb 2003	MW-3-5	**0.5**	**1.100**	**4.1**	0.000 U
MW-3 Screen 5	Apr/May 2003	MW-3-5	**4.3 J**	1.000 U	**0.5 J**	0.010 U
MW-3 Screen 5	Oct/Nov 2003	MW-3-5	NA	NA	0.7 UJ	0.010 U
MW-3 Screen 5	Apr/May 2004	MW-3-5	6.4 UJ	**0.140 J**	**4.9**	0.010 U
MW-3 Screen 5	Oct/Nov 2004	MW-3-5	NA	NA	**2.8 J**	0.010 U
MW-3 Screen 5	Apr/May 2005	MW-3-5	**2.1 J**	**0.055 J**	**4.9**	0.010 U
MW-3 Screen 5	Oct/Nov 2005	MW-3-5	NA	NA	**6.3**	0.010 U
MW-3 Screen 5	May/Jun 2006	MW-3-5	**3.1**	1.000 U	1.0 U	0.010 U
MW-3 Screen 5	Oct/Dec 2006	MW-3-5	NA	NA	**1.4**	0.010 U
MW-3 Screen 5	Jun/Jul 2007	MW-3-5	**3.1**	1.000 U	1.0 U	0.010 U
MW-3 Screen 5	Oct/Dec 2007	MW-3-5	NA	NA	**6.0**	0.010 U
MW-3 Screen 5	Apr/May 2008	MW-3-5	**2.4**	1.000 U	**4.8**	0.010 U
MW-3 Screen 5	Oct/Nov 2008	MW-3-5	NA	NA	5.0 U	0.010 U
MW-3 Screen 5	Apr/May 2009	MW-3-5	**2.6**	5.000 U	5.0 U	0.010 U
MW-3 Screen 5	Nov/Dec 2009	MW-3-5	NA	NA	5.0 U	0.010 U
MW-3 Screen 5	Apr/May 2010	MW-3-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 5	Oct/Nov 2010	MW-3-5	NA	NA	5.0 U	0.010 U
MW-3 Screen 5	Apr/May 2011	MW-3-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-3 Screen 5	Nov/Dec 2011	MW-3-5	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-3 Screen 5	Apr/May 2012	MW-3-5	**3.9**	5.000 U	5.0 U	0.010 U
MW-3 Screen 5	Nov 2012	MW-3-5	NA	NA	**9.2**	0.002 U
MW-3 Screen 5	Apr/May 2013	MW-3-5	**1.7 J**	1.000 U	**1.6 J**	0.002 U
MW-3 Screen 5	Oct/Nov 2013	MW-3-5	NA	NA	**7.3**	**0.001 J**
MW-3 Screen 5	Apr/May 2014	MW-3-5	**7.7**	1.000 U	**11.0**	**0.001 J**
MW-3 Screen 5	Oct 2014	MW-3-5	NA	NA	**30.0**	0.002 U
MW-3 Screen 5	April/May 2015	MW-3-5	**2.1**	1.000 U	**3.3**	0.002 U
MW-3 Screen 5	April/May 2015	DUP-6-2Q15	**13.0**	1.000 U	**24.0**	0.002 U
MW-4 Screen 1	Aug/Sep 1996	MW-4-1	NA	NA	10.0 U	NA
MW-4 Screen 1	Aug/Sep 1996	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Oct/Nov 1996	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Feb/Mar 1997	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	June/July 1997	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Sep/Oct 1997	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Jan/Feb 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Apr/May 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Jul/Aug 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Oct/Nov 1998	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Feb/Mar 1999	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	May/Jun 1999	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Aug 1999	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Nov/Dec 1999	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Mar/Apr 2000	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Jul/Aug 2000	MW-4-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 1	Sep/Oct 2000	MW-4-1	NA	NA	10.0 U	0.005 U
MW-4 Screen 1	Jan/Feb 2001	MW-4-1	5.0 U	1.000 U	**4.3 J**	0.010 U
MW-4 Screen 1	Apr 2001	MW-4-1	NA	NA	NA	0.010 U
MW-4 Screen 1	Jul 2001	MW-4-1	NA	NA	5.0 U	UNK U
MW-4 Screen 1	Oct 2001	MW-4-1	NA	NA	**3.3**	0.010 U
MW-4 Screen 1	Oct 2001	DUP	NA	NA	**3.8**	0.010 U
MW-4 Screen 1	Jan/Feb 2002	MW-4-1	**2.9 B**	1.000 U	**3.4 J**	0.010 U
MW-4 Screen 1	Apr/May 2002	MW-4-1	NA	NA	**1.0**	0.010 U
MW-4 Screen 1	Jul 2002	MW-4-1	NA	NA	**4.0**	UNK U
MW-4 Screen 1	Oct/Nov 2002	MW-4-1	NA	NA	NA	0.010 U
MW-4 Screen 1	Dec 2002	MW-4-1	**1.2**	**0.200**	**3.7**	NA
MW-4 Screen 1	Jan/Feb 2003	MW-4-1	NA	NA	**2.2**	0.000 U
MW-4 Screen 1	Apr/May 2003	MW-4-1	5.0 U	1.000 U	**3.4 J**	0.010 U
MW-4 Screen 1	Jul/Aug 2003	MW-4-1	NA	NA	**2.7 J**	0.010 U
MW-4 Screen 1	Jul/Aug 2003	DUPE-3-3Q03	NA	NA	**2.5 J**	0.010 U
MW-4 Screen 1	Oct/Nov 2003	MW-4-1	NA	NA	**2.6**	0.010 U
MW-4 Screen 1	Feb 2004	MW-4-1	NA	NA	**4.4**	0.010 U
MW-4 Screen 1	Apr/May 2004	MW-4-1	5.0 UJ	**0.330 J**	0.6 UJ	**0.006 J**
MW-4 Screen 1	Jul/Aug 2004	MW-4-1	NA	NA	0.8 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 1	Oct/Nov 2004	MW-4-1	NA	NA	**12.4 J**	0.010 U
MW-4 Screen 1	Jan/Feb 2005	MW-4-1	NA	NA	**0.2**	0.010 U
MW-4 Screen 1	Apr/May 2005	MW-4-1	5.0 U	**0.031 J**	**4.9**	0.010 U
MW-4 Screen 1	Jul/Sep 2005	MW-4-1	NA	NA	**4.9**	0.010 U
MW-4 Screen 1	Oct/Nov 2005	MW-4-1	NA	NA	**6.1**	0.010 U
MW-4 Screen 1	Mar/Apr 2006	MW-4-1	NA	NA	1.0 U	0.010 U
MW-4 Screen 1	May/Jun 2006	MW-4-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 1	Aug/Sep 2006	MW-4-1	NA	NA	**1.7 J**	0.010 U
MW-4 Screen 1	Aug/Sep 2006	DUPE-1-3Q06	NA	NA	**1.8 J**	0.010 U
MW-4 Screen 1	Oct/Dec 2006	MW-4-1	NA	NA	**1.5 J**	0.010 U
MW-4 Screen 1	Mar/Apr 2007	MW-4-1	NA	NA	**1.7**	0.010 U
MW-4 Screen 1	Jun/Jul 2007	MW-4-1	1.0 U	1.000 U	**1.7**	0.010 U
MW-4 Screen 1	Aug/Sep 2007	MW-4-1	NA	NA	**3.0**	0.010 U
MW-4 Screen 1	Aug/Sep 2007	DUPE-1-3Q07	NA	NA	**2.6**	0.010 U
MW-4 Screen 1	Oct/Dec 2007	MW-4-1	NA	NA	**15.7**	0.010 U
MW-4 Screen 1	Jan/Feb 2008	MW-4-1	NA	NA	**8.2 E**	0.010 U
MW-4 Screen 1	Jan/Feb 2008	DUPE-2-1Q08	NA	NA	**8.0 E**	0.010 U
MW-4 Screen 1	Apr/May 2008	MW-4-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 1	Apr/May 2008	DUPE-1-2Q08	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2008	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Oct/Nov 2008	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Jan/Feb 2009	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Apr/May 2009	MW-4-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2009	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Nov/Dec 2009	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Feb 2010	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Apr/May 2010	MW-4-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2010	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Jul/Aug 2010	DUPE-3-3Q10	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Oct/Nov 2010	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Feb/Mar 2011	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Apr/May 2011	MW-4-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 1	Aug/Sep 2011	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Nov/Dec 2011	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Jan/Feb 2012	MW-4-1	NA	NA	5.0 U	0.010 U
MW-4 Screen 1	Apr/May 2012	MW-4-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 1	Aug/Sep 2012	MW-4-1	NA	NA	3.0 U	0.002 U
MW-4 Screen 1	Nov 2012	MW-4-1	NA	NA	3.0 U	0.002 U
MW-4 Screen 1	Jan/Feb 2013	MW-4-1	NA	NA	**0.7 J**	0.002 U
MW-4 Screen 1	Apr/May 2013	MW-4-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-4 Screen 1	Jul 2013	MW-4-1	NA	NA	**0.6 J**	0.002 U
MW-4 Screen 1	Oct/Nov 2013	MW-4-1	NA	NA	3.0 U	0.002 U
MW-4 Screen 1	Jan/Feb 2014	MW-4-1	NA	NA	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 1	Apr/May 2014	MW-4-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-4 Screen 1	Jul/Aug 2014	MW-4-1	NA	NA	3.0 UJ	0.002 U
MW-4 Screen 1	Oct 2014	MW-4-1	NA	NA	3.0 U	0.002 U
MW-4 Screen 1	Jan/Feb 2015	MW-4-1	NA	NA	**0.5 J**	0.002 U
MW-4 Screen 1	April/May 2015	MW-4-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	NA	NA	10.0 U	NA
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	NA	NA	**21.0**	**0.006 J**
MW-4 Screen 2	Aug/Sep 1996	MW-4-2	5.0 U	2.000 U	**23.0**	**0.006 J**
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	5.0 U	2.000 U	**14.0**	0.005 U
MW-4 Screen 2	Oct/Nov 1996	MW-4-2	5.0 U	2.000 U	**16.0**	0.005 U
MW-4 Screen 2	Feb/Mar 1997	MW-4-2	5.0 U	2.000 U	**11.0**	0.005 U
MW-4 Screen 2	June/July 1997	MW-4-2	5.0 U	2.000 U	**11.0**	0.005 U
MW-4 Screen 2	June/July 1997	MW-4-2	5.0 U	2.000 U	**13.0**	0.005 U
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	5.0 U	2.000 U	**11.0**	0.005 U
MW-4 Screen 2	Sep/Oct 1997	MW-4-2	5.0 U	2.000 U	**12.0**	0.005 U
MW-4 Screen 2	Jan/Feb 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Apr/May 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Jul/Aug 1998	MW-4-2	5.0 U	2.000 U	**11.0**	0.005 U
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	5.0 U	2.000 U	**10.0**	0.005 U
MW-4 Screen 2	Oct/Nov 1998	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Feb/Mar 1999	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	May/Jun 1999	MW-4-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 2	Aug 1999	MW-4-2	NA	NA	**10.0**	0.005 U
MW-4 Screen 2	Aug 1999	MW-4-2	NA	NA	10.0 U	0.005 U
MW-4 Screen 2	Nov/Dec 1999	MW-4-2	NA	NA	10.0 U	0.005 U
MW-4 Screen 2	Mar/Apr 2000	MW-4-2	NA	NA	10.0 U	0.005 U
MW-4 Screen 2	Jul/Aug 2000	MW-4-2	5.0 U	2.000 U	**13.0**	0.005 U
MW-4 Screen 2	Jul/Aug 2000	DUP	5.0 U	2.000 U	**14.0**	0.005 U
MW-4 Screen 2	Sep/Oct 2000	MW-4-2	NA	NA	**25.0**	0.005 U
MW-4 Screen 2	Sep/Oct 2000	DUP	NA	NA	**24.0**	0.005 U
MW-4 Screen 2	Jan/Feb 2001	MW-4-2	5.0 U	1.000 U	**11.0**	0.010 U
MW-4 Screen 2	Apr 2001	MW-4-2	NA	NA	NA	0.010 U
MW-4 Screen 2	Jul 2001	MW-4-2	NA	NA	**8.6**	UNK U
MW-4 Screen 2	Oct 2001	MW-4-2	NA	NA	**8.6**	0.010 U
MW-4 Screen 2	Oct 2001	DUP	NA	NA	**8.5**	NA
MW-4 Screen 2	Jan/Feb 2002	MW-4-2	**2.4 B**	1.000 U	**10.9**	0.010 U
MW-4 Screen 2	Apr/May 2002	MW-4-2	NA	NA	**6.0**	0.010 U
MW-4 Screen 2	Jul 2002	MW-4-2	NA	NA	**3.0**	UNK U
MW-4 Screen 2	Oct/Nov 2002	MW-4-2	NA	NA	NA	0.010 U
MW-4 Screen 2	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-4 Screen 2	Dec 2002	MW-4-2	**1.0**	**0.100 J**	**4.0**	NA
MW-4 Screen 2	Jan/Feb 2003	MW-4-2	NA	NA	**4.8**	0.000 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 2	Apr/May 2003	MW-4-2	5.0 U	1.000 U	**6.4 J**	0.010 U
MW-4 Screen 2	Jul/Aug 2003	MW-4-2	NA	NA	**5.2 J**	0.010 U
MW-4 Screen 2	Oct/Nov 2003	MW-4-2	NA	NA	**3.7**	0.010 U
MW-4 Screen 2	Feb 2004	MW-4-2	NA	NA	**6.7**	0.010 U
MW-4 Screen 2	Apr/May 2004	MW-4-2	5.0 UJ	0.270 UJ	**3.8 J**	**0.004 J**
MW-4 Screen 2	Apr/May 2004	DUPE-3-2Q04	5.0 UJ	0.082 UJ	**4.3 J**	**0.006 J**
MW-4 Screen 2	Jul/Aug 2004	MW-4-2	NA	NA	**13.9**	**0.007 J**
MW-4 Screen 2	Oct/Nov 2004	MW-4-2	NA	NA	**15.6 J**	0.010 U
MW-4 Screen 2	Oct/Nov 2004	DUPE-3-4Q04	NA	NA	**13.5 J**	0.010 U
MW-4 Screen 2	Jan/Feb 2005	MW-4-2	NA	NA	**13.7**	0.010 U
MW-4 Screen 2	Apr/May 2005	MW-4-2	**1.0 J**	**0.050 J**	**7.3**	0.010 U
MW-4 Screen 2	Jul/Sep 2005	MW-4-2	NA	NA	**9.0**	0.010 U
MW-4 Screen 2	Jul/Sep 2005	DUPE-3-3Q05	NA	NA	**11.7**	0.010 U
MW-4 Screen 2	Oct/Nov 2005	MW-4-2	NA	NA	**12.6**	0.010 U
MW-4 Screen 2	Mar/Apr 2006	MW-4-2	NA	NA	**2.8**	0.010 U
MW-4 Screen 2	May/Jun 2006	MW-4-2	1.0 U	1.000 U	**2.4**	0.010 U
MW-4 Screen 2	Aug/Sep 2006	MW-4-2	NA	NA	**2.2 J**	0.010 U
MW-4 Screen 2	Oct/Dec 2006	MW-4-2	NA	NA	**3.3 J**	0.010 U
MW-4 Screen 2	Oct/Dec 2006	DUPE-3-4Q06	NA	NA	**3.2 J**	0.010 U
MW-4 Screen 2	Mar/Apr 2007	MW-4-2	NA	NA	**2.8**	0.010 U
MW-4 Screen 2	Jun/Jul 2007	MW-4-2	**1.2**	1.000 U	**2.9 J**	0.010 U
MW-4 Screen 2	Aug/Sep 2007	MW-4-2	NA	NA	**13.5**	0.010 U
MW-4 Screen 2	Oct/Dec 2007	MW-4-2	NA	NA	**15.2**	0.010 U
MW-4 Screen 2	Jan/Feb 2008	MW-4-2	NA	NA	**9.1 E**	0.010 U
MW-4 Screen 2	Apr/May 2008	MW-4-2	1.0 U	1.000 U	**1.8 J**	0.010 U
MW-4 Screen 2	Jul/Aug 2008	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Oct/Nov 2008	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Jan/Feb 2009	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Apr/May 2009	MW-4-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 2	Jul/Aug 2009	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Jul/Aug 2009	DUPE-6-3Q09	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Nov/Dec 2009	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Feb 2010	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Apr/May 2010	MW-4-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 2	Jul/Aug 2010	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Oct/Nov 2010	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Feb/Mar 2011	MW-4-2	NA	NA	**6.7**	0.010 U
MW-4 Screen 2	Feb/Mar 2011	DUPE-04-1Q11	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Apr/May 2011	MW-4-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 2	Aug/Sep 2011	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Nov/Dec 2011	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Jan/Feb 2012	MW-4-2	NA	NA	5.0 U	0.010 U
MW-4 Screen 2	Apr/May 2012	MW-4-2	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 2	Aug/Sep 2012	MW-4-2	NA	NA	**2.4 J**	0.002 U
MW-4 Screen 2	Nov 2012	MW-4-2	NA	NA	**4.5**	0.002 U
MW-4 Screen 2	Jan/Feb 2013	MW-4-2	NA	NA	**5.6**	0.002 U
MW-4 Screen 2	Apr/May 2013	MW-4-2	2.0 U	1.000 U	**3.5**	0.002 U
MW-4 Screen 2	Jul 2013	MW-4-2	NA	NA	**3.2**	**0.002 J**
MW-4 Screen 2	Oct/Nov 2013	MW-4-2	NA	NA	**12.0**	0.002 U
MW-4 Screen 2	Jan/Feb 2014	MW-4-2	NA	NA	**2.4 J**	**0.001 J**
MW-4 Screen 2	Apr/May 2014	MW-4-2	**1.2 J**	1.000 U	**16.0**	**0.001 J**
MW-4 Screen 2	Jul/Aug 2014	MW-4-2	NA	NA	2.8 U	0.002 U
MW-4 Screen 2	Oct 2014	MW-4-2	NA	NA	**3.9**	0.002 U
MW-4 Screen 2	Jan/Feb 2015	MW-4-2	NA	NA	**2.1 J**	0.002 U
MW-4 Screen 2	April/May 2015	MW-4-2	2.0 U	1.000 U	**8.3**	0.002 U
MW-4 Screen 3	Aug/Sep 1996	MW-4-3	NA	NA	10.0 U	NA
MW-4 Screen 3	Aug/Sep 1996	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Oct/Nov 1996	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Feb/Mar 1997	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	June/July 1997	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Sep/Oct 1997	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Jan/Feb 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Apr/May 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Jul/Aug 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Oct/Nov 1998	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Feb/Mar 1999	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	May/Jun 1999	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Aug 1999	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Nov/Dec 1999	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Mar/Apr 2000	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Jul/Aug 2000	MW-4-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 3	Sep/Oct 2000	MW-4-3	NA	NA	10.0 U	0.005 U
MW-4 Screen 3	Jan/Feb 2001	MW-4-3	5.0 U	1.000 U	**5.1**	0.010 U
MW-4 Screen 3	Apr 2001	MW-4-3	NA	NA	NA	0.010 U
MW-4 Screen 3	Jul 2001	MW-4-3	NA	NA	**2.8 J**	UNK U
MW-4 Screen 3	Oct 2001	MW-4-3	NA	NA	**5.5**	0.010 U
MW-4 Screen 3	Jan/Feb 2002	MW-4-3	**2.4 B**	1.000 U	**3.4 J**	0.010 U
MW-4 Screen 3	Jan/Feb 2002	DUP	**1.9 B**	NA	NA	0.010 U
MW-4 Screen 3	Apr/May 2002	MW-4-3	NA	NA	1.0 U	0.010 U
MW-4 Screen 3	Jul 2002	MW-4-3	NA	NA	UNK000 U	UNK U
MW-4 Screen 3	Oct/Nov 2002	MW-4-3	NA	NA	NA	0.010 U
MW-4 Screen 3	Jan/Feb 2003	MW-4-3	NA	NA	**4.3**	0.010 U
MW-4 Screen 3	Apr/May 2003	MW-4-3	5.0 U	1.000 U	**3.8 J**	0.010 U
MW-4 Screen 3	Jul/Aug 2003	MW-4-3	NA	NA	0.4 U	0.010 U
MW-4 Screen 3	Oct/Nov 2003	MW-4-3	NA	NA	0.4 U	0.010 U
MW-4 Screen 3	Feb 2004	MW-4-3	NA	NA	1.0 UJ	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 3	Apr/May 2004	MW-4-3	5.0 UJ	**0.430 J**	0.2 UJ	0.010 U
MW-4 Screen 3	Jul/Aug 2004	MW-4-3	NA	NA	**1.0**	0.010 U
MW-4 Screen 3	Oct/Nov 2004	MW-4-3	NA	NA	0.6 UJ	0.010 U
MW-4 Screen 3	Jan/Feb 2005	MW-4-3	NA	NA	**0.1 J**	0.010 U
MW-4 Screen 3	Apr/May 2005	MW-4-3	**1.3 J**	**0.340 J**	**0.5 J**	0.010 U
MW-4 Screen 3	Jul/Sep 2005	MW-4-3	NA	NA	**0.7 J**	0.010 U
MW-4 Screen 3	Oct/Nov 2005	MW-4-3	NA	NA	**0.9 J**	0.010 U
MW-4 Screen 3	Mar/Apr 2006	MW-4-3	NA	NA	1.0 U	0.010 U
MW-4 Screen 3	May/Jun 2006	MW-4-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2006	MW-4-3	NA	NA	**1.0 J**	0.010 U
MW-4 Screen 3	Oct/Dec 2006	MW-4-3	NA	NA	**1.3 J**	0.010 U
MW-4 Screen 3	Mar/Apr 2007	MW-4-3	NA	NA	**2.0**	0.010 U
MW-4 Screen 3	Jun/Jul 2007	MW-4-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2007	MW-4-3	NA	NA	2.0 U	0.010 U
MW-4 Screen 3	Oct/Dec 2007	MW-4-3	NA	NA	1.0 U	0.010 U
MW-4 Screen 3	Jan/Feb 2008	MW-4-3	NA	NA	1.0 U	**0.004 J**
MW-4 Screen 3	Apr/May 2008	MW-4-3	1.0 U	1.000 U	**1.0**	0.010 U
MW-4 Screen 3	Jul/Aug 2008	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Jul/Aug 2008	DUPE-5-3Q08	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Oct/Nov 2008	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Jan/Feb 2009	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Apr/May 2009	MW-4-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 3	Jul/Aug 2009	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Nov/Dec 2009	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Nov/Dec 2009	DUPE-05-4Q09	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Feb 2010	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Apr/May 2010	MW-4-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 3	Jul/Aug 2010	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Oct/Nov 2010	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Feb/Mar 2011	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Apr/May 2011	MW-4-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2011	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Nov/Dec 2011	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Jan/Feb 2012	MW-4-3	NA	NA	5.0 U	0.010 U
MW-4 Screen 3	Apr/May 2012	MW-4-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 3	Aug/Sep 2012	MW-4-3	NA	NA	3.0 U	**0.003 J**
MW-4 Screen 3	Nov 2012	MW-4-3	NA	NA	**2.1 J**	**0.001 J**
MW-4 Screen 3	Jan/Feb 2013	MW-4-3	NA	NA	**3.5**	**0.001 J**
MW-4 Screen 3	Jan/Feb 2013	DUP-4-1Q13	NA	NA	**3.4**	**0.001 J**
MW-4 Screen 3	Apr/May 2013	MW-4-3	**1.0 J**	1.000 U	**1.2 J**	0.002 U
MW-4 Screen 3	Jul 2013	MW-4-3	NA	NA	**1.0 J**	0.002 U
MW-4 Screen 3	Oct/Nov 2013	MW-4-3	NA	NA	**1.9 J**	0.002 U
MW-4 Screen 3	Jan/Feb 2014	MW-4-3	NA	NA	**1.0 J**	**0.001 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 3	Jan/Feb 2014	DUP-1-1Q14	NA	NA	**1.1 J**	**0.001 J**
MW-4 Screen 3	Apr/May 2014	MW-4-3	**1.4 J**	1.000 U	2.3 U	0.002 U
MW-4 Screen 3	Jul/Aug 2014	MW-4-3	NA	NA	2.5 U	0.002 U
MW-4 Screen 3	Jul/Aug 2014	DUP-7-3Q14	NA	NA	3.1 U	0.002 U
MW-4 Screen 3	Oct 2014	MW-4-3	NA	NA	**1.0 J**	0.004 U
MW-4 Screen 3	Jan/Feb 2015	MW-4-3	NA	NA	**0.8 J**	0.004 U
MW-4 Screen 3	April/May 2015	MW-4-3	2.0 U	1.000 U	1.5 U	0.002 U
MW-4 Screen 4	Aug/Sep 1996	MW-4-4	NA	NA	10.0 U	NA
MW-4 Screen 4	Aug/Sep 1996	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Oct/Nov 1996	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Feb/Mar 1997	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	June/July 1997	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Sep/Oct 1997	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Jan/Feb 1998	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Apr/May 1998	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Jul/Aug 1998	MW-4-4	5.0 U	**7.300**	10.0 U	0.005 U
MW-4 Screen 4	Oct/Nov 1998	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Feb/Mar 1999	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	May/Jun 1999	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Aug 1999	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Nov/Dec 1999	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Mar/Apr 2000	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Jul/Aug 2000	MW-4-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 4	Sep/Oct 2000	MW-4-4	NA	NA	10.0 U	0.005 U
MW-4 Screen 4	Jan/Feb 2001	MW-4-4	5.0 U	1.000 U	5.0 U	0.010 U
MW-4 Screen 4	Apr 2001	MW-4-4	NA	NA	NA	0.010 U
MW-4 Screen 4	Jul 2001	MW-4-4	NA	NA	**5.2**	UNK U
MW-4 Screen 4	Oct 2001	MW-4-4	NA	NA	**7.3**	0.010 U
MW-4 Screen 4	Jan/Feb 2002	MW-4-4	**3.2 B**	1.000 U	**6.5**	0.010 U
MW-4 Screen 4	Apr/May 2002	MW-4-4	NA	NA	**4.0**	0.010 U
MW-4 Screen 4	Jul 2002	MW-4-4	NA	NA	**7.0**	UNK U
MW-4 Screen 4	Oct/Nov 2002	MW-4-4	NA	NA	NA	0.010 U
MW-4 Screen 4	Apr/May 2003	MW-4-4	5.0 U	1.000 U	**3.5 J**	0.010 U
MW-4 Screen 4	Apr/May 2003	DUPE-1-2Q03	5.0 U	1.000 U	**2.8 J**	0.010 U
MW-4 Screen 4	Oct/Nov 2003	MW-4-4	NA	NA	**2.4**	0.010 U
MW-4 Screen 4	Apr/May 2004	MW-4-4	5.0 UJ	**0.310 J**	1.1 UJ	0.010 U
MW-4 Screen 4	Oct/Nov 2004	MW-4-4	NA	NA	**10.6 J**	0.010 U
MW-4 Screen 4	Apr/May 2005	MW-4-4	**1.5 J**	**0.044 J**	**3.8**	0.010 U
MW-4 Screen 4	Oct/Nov 2005	MW-4-4	NA	NA	**8.5**	0.010 U
MW-4 Screen 4	Oct/Nov 2005	DUPE-5-4Q05	NA	NA	**7.8**	0.010 U
MW-4 Screen 4	May/Jun 2006	MW-4-4	1.0 U	1.000 U	**1.3**	0.010 U
MW-4 Screen 4	Oct/Dec 2006	MW-4-4	NA	NA	**2.7 J**	0.010 U
MW-4 Screen 4	Jun/Jul 2007	MW-4-4	**1.2**	1.000 U	**3.5 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 4	Oct/Dec 2007	MW-4-4	NA	NA	**9.8**	0.010 U
MW-4 Screen 4	Apr/May 2008	MW-4-4	**1.1**	1.000 U	**1.2 J**	0.010 U
MW-4 Screen 4	Oct/Nov 2008	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2009	MW-4-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 4	Nov/Dec 2009	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2010	MW-4-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2010	DUPE-02-2Q10	NA	NA	NA	0.010 U
MW-4 Screen 4	Oct/Nov 2010	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2011	MW-4-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 4	Nov/Dec 2011	MW-4-4	NA	NA	5.0 U	0.010 U
MW-4 Screen 4	Apr/May 2012	MW-4-4	**4.5**	5.000 U	5.0 U	0.010 U
MW-4 Screen 4	Nov 2012	MW-4-4	NA	NA	**1.3 J**	0.002 U
MW-4 Screen 4	Apr/May 2013	MW-4-4	**0.8 J**	1.000 U	**0.9 J**	0.002 U
MW-4 Screen 4	Oct/Nov 2013	MW-4-4	NA	NA	**1.1 J**	0.002 U
MW-4 Screen 4	Apr/May 2014	MW-4-4	2.0 U	1.000 U	2.0 U	0.001 U
MW-4 Screen 4	Oct 2014	MW-4-4	NA	NA	**0.9 J**	0.002 U
MW-4 Screen 4	Oct 2014	DUP-3-4Q14	NA	NA	**0.8 J**	0.002 U
MW-4 Screen 4	April/May 2015	MW-4-4	**1.2 J**	1.000 U	2.9 U	0.002 U
MW-4 Screen 4	April/May 2015	DUP-2-2Q15	**1.0 J**	1.000 U	1.9 U	0.002 U
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	NA	NA	10.0 U	NA
MW-4 Screen 5	Aug/Sep 1996	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Oct/Nov 1996	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Feb/Mar 1997	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	June/July 1997	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Sep/Oct 1997	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Jan/Feb 1998	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Apr/May 1998	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Jul/Aug 1998	MW-4-5	**5.1**	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Oct/Nov 1998	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Feb/Mar 1999	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	May/Jun 1999	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Aug 1999	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Nov/Dec 1999	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Mar/Apr 2000	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Jul/Aug 2000	MW-4-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-4 Screen 5	Sep/Oct 2000	MW-4-5	NA	NA	10.0 U	0.005 U
MW-4 Screen 5	Jan/Feb 2001	MW-4-5	5.0 U	1.000 U	**3.5 J**	0.010 U
MW-4 Screen 5	Apr 2001	MW-4-5	NA	NA	NA	0.010 U
MW-4 Screen 5	Jul 2001	MW-4-5	NA	NA	**11.9**	UNK U
MW-4 Screen 5	Oct 2001	MW-4-5	NA	NA	**7.9**	0.010 U
MW-4 Screen 5	Jan/Feb 2002	MW-4-5	**3.9 B**	1.000 U	**6.4**	0.010 U
MW-4 Screen 5	Jan/Feb 2002	DUP	NA	1.000 U	**6.4**	NA
MW-4 Screen 5	Apr/May 2002	MW-4-5	NA	NA	**5.0**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-4 Screen 5	Jul 2002	MW-4-5	NA	NA	**3.0**	UNK U
MW-4 Screen 5	Oct/Nov 2002	MW-4-5	NA	NA	NA	0.010 U
MW-4 Screen 5	Dec 2002	MW-4-5	**0.9**	**0.063 J**	**1.8**	NA
MW-4 Screen 5	Jan/Feb 2003	MW-4-5	NA	NA	NA	0.000 U
MW-4 Screen 5	Apr/May 2003	MW-4-5	5.0 U	1.000 U	**3.0 J**	0.010 U
MW-4 Screen 5	Oct/Nov 2003	MW-4-5	NA	NA	**3.5 J**	0.010 U
MW-4 Screen 5	Oct/Nov 2003	DUPE-3-4Q03	NA	NA	**5.6**	0.010 U
MW-4 Screen 5	Apr/May 2004	MW-4-5	5.0 UJ	0.230 UJ	**6.6 J**	0.010 U
MW-4 Screen 5	Oct/Nov 2004	MW-4-5	NA	NA	**9.3 J**	0.010 U
MW-4 Screen 5	Apr/May 2005	MW-4-5	**1.1 J**	**0.061 J**	**3.2**	0.010 U
MW-4 Screen 5	Oct/Nov 2005	MW-4-5	NA	NA	**8.9**	0.010 U
MW-4 Screen 5	May/Jun 2006	MW-4-5	1.0 U	1.000 U	**1.9**	**0.004 J**
MW-4 Screen 5	Oct/Dec 2006	MW-4-5	NA	NA	**2.6 J**	0.010 U
MW-4 Screen 5	Jun/Jul 2007	MW-4-5	1.0 U	1.000 U	**2.5 J**	0.010 U
MW-4 Screen 5	Oct/Dec 2007	MW-4-5	NA	NA	**9.6**	**0.005 J**
MW-4 Screen 5	Apr/May 2008	MW-4-5	1.0 U	1.000 U	**2.6 J**	0.010 U
MW-4 Screen 5	Oct/Nov 2008	MW-4-5	NA	NA	5.0 U	0.010 U
MW-4 Screen 5	Apr/May 2009	MW-4-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 5	Nov/Dec 2009	MW-4-5	NA	NA	**5.2 J**	0.010 U
MW-4 Screen 5	Apr/May 2010	MW-4-5	**2.2**	5.000 U	**9.4**	0.010 U
MW-4 Screen 5	Oct/Nov 2010	MW-4-5	NA	NA	5.0 U	0.010 U
MW-4 Screen 5	Apr/May 2011	MW-4-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 5	Nov/Dec 2011	MW-4-5	NA	NA	5.0 U	0.010 U
MW-4 Screen 5	Apr/May 2012	MW-4-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-4 Screen 5	Nov 2012	MW-4-5	NA	NA	3.0 U	0.002 U
MW-4 Screen 5	Apr/May 2013	MW-4-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-4 Screen 5	Oct/Nov 2013	MW-4-5	NA	NA	3.0 U	0.002 U
MW-4 Screen 5	Apr/May 2014	MW-4-5	2.0 U	1.000 U	3.0 U	0.001 U
MW-4 Screen 5	Oct 2014	MW-4-5	NA	NA	3.0 U	**0.001 J**
MW-4 Screen 5	April/May 2015	MW-4-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-5	Aug/Sep 1996	MW-5	NA	NA	10.0 U	NA
MW-5	Aug/Sep 1996	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Oct/Nov 1996	MW-5	5.0 U	**2.600**	10.0 U	0.005 U
MW-5	Feb/Mar 1997	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	June/July 1997	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Sep/Oct 1997	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Jan/Feb 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Apr/May 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Jul/Aug 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Oct/Nov 1998	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Feb/Mar 1999	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	May/Jun 1999	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Aug 1999	MW-5	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-5	Nov/Dec 1999	MW-5	NA	NA	10.0 U	0.005 U
MW-5	Mar/Apr 2000	MW-5	NA	NA	10.0 U	0.005 U
MW-5	Jul/Aug 2000	MW-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-5	Jul/Aug 2000	MW-5	5.0 U	2.000 U	**12.0**	0.005 U
MW-5	Sep/Oct 2000	MW-5	NA	NA	10.0 U	0.005 U
MW-5	Sep/Oct 2000	MW-5	NA	NA	**20.0**	0.005 U
MW-5	Jan/Feb 2001	MW-5	5.0 U	1.000 U	**5.5**	0.010 U
MW-5	Jul 2001	MW-5	NA	NA	**3.0 J**	UNK U
MW-5	Jul 2001	DUP	NA	NA	**3.1 J**	UNK U
MW-5	Oct 2001	MW-5	NA	NA	**7.4**	0.010 U
MW-5	Oct 2001	DUP	NA	NA	**6.5**	0.010 U
MW-5	Jan/Feb 2002	MW-5	5.0 U	**0.170 J**	**6.8**	0.010 U
MW-5	Apr/May 2002	MW-5	NA	NA	**8.0**	0.010 U
MW-5	Jul 2002	MW-5	NA	NA	**5.0**	UNK U
MW-5	Oct/Nov 2002	MW-5	NA	NA	NA	0.010 U
MW-5	Jan/Feb 2003	MW-5	NA	NA	**6.8**	0.010 U
MW-5	Apr/May 2003	MW-5	5.0 U	1.000 U	**3.1 J**	0.010 U
MW-5	Jul/Aug 2003	MW-5	NA	NA	**3.1 J**	0.010 U
MW-5	Oct/Nov 2003	MW-5	NA	NA	**2.8 J**	0.010 U
MW-5	Feb 2004	MW-5	NA	NA	**5.1**	0.010 U
MW-5	Apr/May 2004	MW-5	5.0 U	**0.120 J**	**1.9**	0.010 U
MW-5	Jul/Aug 2004	MW-5	NA	NA	**10.9 J**	0.010 U
MW-5	Jul/Aug 2004	DUPE-5-3Q04	NA	NA	**11.6 J**	0.010 U
MW-5	Oct/Nov 2004	MW-5	NA	NA	**11.7 J**	0.010 U
MW-5	Jan/Feb 2005	MW-5	NA	NA	**4.5**	0.010 U
MW-5	Jan/Feb 2005	DUPE-5-1Q05	NA	NA	**5.6**	0.010 U
MW-5	Apr/May 2005	MW-5	5.0 U	**0.028 J**	**7.7**	0.010 U
MW-5	Jul/Sep 2005	MW-5	NA	NA	**6.4 J**	0.010 U
MW-5	Jul/Sep 2005	DUPE-8-3Q05	NA	NA	**6.2 J**	0.010 U
MW-5	Oct/Nov 2005	MW-5	NA	NA	**6.2 J**	0.010 U
MW-5	Mar/Apr 2006	MW-5	NA	NA	1.0 U	0.010 U
MW-5	May/Jun 2006	MW-5	1.0 U	1.000 U	**1.2**	0.010 U
MW-5	Aug/Sep 2006	MW-5	NA	NA	2.0 U	0.010 U
MW-5	Oct/Dec 2006	MW-5	NA	NA	**3.1**	0.010 U
MW-5	Mar/Apr 2007	MW-5	NA	NA	**8.6**	0.010 U
MW-5	Jun/Jul 2007	MW-5	1.0 U	**2.720**	**15.7**	0.010 U
MW-5	Aug/Sep 2007	MW-5	NA	NA	**14.7**	0.010 U
MW-5	Oct/Dec 2007	MW-5	NA	NA	**6.5 E**	0.010 U
MW-5	Oct/Dec 2007	DUPE-8-4Q07	NA	NA	**6.8 E**	0.010 U
MW-5	Jan/Feb 2008	MW-5	NA	NA	**9.7 E**	**0.005 J**
MW-5	Apr/May 2008	MW-5	1.0 U	1.000 U	**2.9**	0.010 U
MW-5	Apr/May 2008	DUPE-8-2Q08	1.0 U	1.000 U	**3.6**	0.010 U
MW-5	Jul/Aug 2008	MW-5	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-5	Oct/Nov 2008	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Jan/Feb 2009	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Apr/May 2009	MW-5	2.0 U	5.000 U	**5.1**	0.010 U
MW-5	Jul/Aug 2009	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Nov/Dec 2009	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Feb 2010	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Feb 2010	DUPE-6-1Q10	NA	NA	5.0 U	0.010 U
MW-5	Apr/May 2010	MW-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Jul/Aug 2010	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Oct/Nov 2010	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Feb/Mar 2011	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Apr/May 2011	MW-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Apr/May 2011	DUPE-6-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Aug/Sep 2011	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Nov/Dec 2011	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Jan/Feb 2012	MW-5	NA	NA	5.0 U	0.010 U
MW-5	Apr/May 2012	MW-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Apr/May 2012	DUPE-7-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-5	Aug/Sep 2012	MW-5	NA	NA	3.0 U	0.002 U
MW-5	Nov 2012	MW-5	NA	NA	**1.1 J**	0.002 U
MW-5	Jan/Feb 2013	MW-5	NA	NA	3.0 U	0.002 U
MW-5	Apr/May 2013	MW-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-5	Jul 2013	MW-5	NA	NA	0.8 U	0.002 U
MW-5	Oct/Nov 2013	MW-5	NA	NA	3.0 U	0.002 U
MW-5	Jan/Feb 2014	MW-5	NA	NA	**0.7 J**	0.002 U
MW-5	Jan/Feb 2014	DUPE-6-1Q14	NA	NA	**0.7 J**	0.002 U
MW-5	Apr/May 2014	MW-5	2.0 U	1.000 U	**0.8 J**	0.002 U
MW-5	Jul/Aug 2014	MW-5	NA	NA	**7.8**	0.002 U
MW-5	Oct 2014	MW-5	NA	NA	**2.7 J**	**0.001 J**
MW-5	Jan/Feb 2015	MW-5	NA	NA	**2.4 J**	**0.001 J**
MW-5	April/May 2015	MW-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-6	Aug/Sep 1996	MW-6	NA	NA	10.0 U	NA
MW-6	Aug/Sep 1996	MW-6	5.0 U	2.000 U	**50.0**	0.005 U
MW-6	Oct/Nov 1996	MW-6	5.0 U	2.000 U	**11.0**	0.005 U
MW-6	Feb/Mar 1997	MW-6	5.0 U	2.000 U	**14.0**	0.005 U
MW-6	June/July 1997	MW-6	5.0 U	2.000 U	**19.0**	0.005 U
MW-6	Sep/Oct 1997	MW-6	5.0 U	2.000 U	10.0 U	0.005 U
MW-6	Jan/Feb 1998	MW-6	5.0 U	2.000 U	10.0 U	0.005 U
MW-6	Apr/May 1998	MW-6	5.0 U	2.000 U	**12.0**	0.005 U
MW-6	Jul/Aug 1998	MW-6	5.0 U	2.000 U	**13.0**	0.005 U
MW-6	Oct/Nov 1998	MW-6	5.0 U	2.000 U	**37.0**	0.005 U
MW-6	Feb/Mar 1999	MW-6	5.0 U	2.000 U	**17.0**	0.005 U
MW-6	May/Jun 1999	MW-6	5.0 U	2.000 U	**36.0**	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-6	Aug 1999	MW-6	NA	NA	**310.0**	0.005 U
MW-6	Nov/Dec 1999	MW-6	NA	NA	**12.0**	0.005 U
MW-6	Mar/Apr 2000	MW-6	NA	NA	**82.0**	0.005 U
MW-6	Jul/Aug 2000	MW-6	5.0 U	2.000 U	**51.0**	0.005 U
MW-6	Sep/Oct 2000	MW-6	NA	NA	**22.0**	0.005 U
MW-6	Jan/Feb 2001	MW-6	**2.2 B**	1.000 U	**11.0**	0.010 U
MW-6	Jul 2001	MW-6	NA	NA	**20.9**	UNK U
MW-6	Jul 2001	DUP	NA	NA	**21.8**	NA
MW-6	Oct 2001	MW-6	NA	NA	**33.8**	0.010 U
MW-6	Oct 2001	DUP	NA	NA	**31.7**	0.010 U
MW-6	Jan/Feb 2002	MW-6	**3.4 B**	**0.060 J**	**10.1 J**	0.010 U
MW-6	Apr/May 2002	MW-6	NA	NA	**27.0**	0.010 U
MW-6	Jul 2002	MW-6	NA	NA	**15.0**	UNK U
MW-6	Oct/Nov 2002	MW-6	NA	NA	NA	0.010 U
MW-6	Jan/Feb 2003	MW-6	NA	NA	**6.4**	0.010 U
MW-6	Apr/May 2003	MW-6	5.0 U	1.000 U	**7.1 J**	0.010 U
MW-6	Jul/Aug 2003	MW-6	NA	NA	**6.6 J**	0.010 U
MW-6	Oct/Nov 2003	MW-6	NA	NA	**9.9 J**	0.010 U
MW-6	Feb 2004	MW-6	NA	NA	**10.0**	0.010 U
MW-6	Apr/May 2004	MW-6	2.0 U	**0.180**	**7.8**	0.010 U
MW-6	Jul/Aug 2004	MW-6	NA	NA	**28.4 J**	0.010 U
MW-6	Oct/Nov 2004	MW-6	NA	NA	**21.0 J**	0.010 U
MW-6	Jan/Feb 2005	MW-6	NA	NA	**20.0**	0.010 U
MW-6	Apr/May 2005	MW-6	**1.9 J**	**0.030 J**	**13.6**	0.010 U
MW-6	Apr/May 2005	DUPE-8-2Q05	**2.0 J**	**0.034 J**	**13.0**	0.010 U
MW-6	Jul/Sep 2005	MW-6	NA	NA	**13.8 J**	0.010 U
MW-6	Oct/Nov 2005	MW-6	NA	NA	**13.0 J**	0.010 U
MW-6	Mar/Apr 2006	MW-6	NA	NA	**4.9 J**	0.010 U
MW-6	Mar/Apr 2006	DUPE-8-1Q06	NA	NA	**4.9 J**	0.010 U
MW-6	May/Jun 2006	MW-6	1.0 U	1.000 U	**7.5**	0.010 U
MW-6	Aug/Sep 2006	MW-6	NA	NA	**3.7**	0.010 U
MW-6	Aug/Sep 2006	DUPE-6-3Q06	NA	NA	**5.4**	0.010 U
MW-6	Oct/Dec 2006	MW-6	NA	NA	5.8 U	0.010 U
MW-6	Mar/Apr 2007	MW-6	NA	NA	**10.1**	0.010 U
MW-6	Jun/Jul 2007	MW-6	1.0 U	**1.270**	**2.3**	0.010 U
MW-6	Aug/Sep 2007	MW-6	NA	NA	**15.1**	0.010 U
MW-6	Aug/Sep 2007	DUPE-4-3Q07	NA	NA	**15.9**	0.010 U
MW-6	Oct/Dec 2007	MW-6	NA	NA	**7.5 E**	0.010 U
MW-6	Jan/Feb 2008	MW-6	NA	NA	**5.1 E**	**0.006 J**
MW-6	Apr/May 2008	MW-6	1.0 U	1.000 U	**6.4**	0.010 U
MW-6	Jul/Aug 2008	MW-6	NA	NA	**9.9**	0.010 U
MW-6	Oct/Nov 2008	MW-6	NA	NA	**14.0**	0.010 U
MW-6	Jan/Feb 2009	MW-6	NA	NA	**18.0**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-6	Apr/May 2009	MW-6	2.0 U	5.000 U	**23.0**	0.010 U
MW-6	Jul/Aug 2009	MW-6	NA	NA	**48.0**	0.010 U
MW-6	Nov/Dec 2009	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Feb 2010	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Apr/May 2010	MW-6	2.0 U	5.000 U	5.0 U	0.010 U
MW-6	Jul/Aug 2010	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Oct/Nov 2010	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Feb/Mar 2011	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Apr/May 2011	MW-6	2.0 U	5.000 U	5.0 U	0.010 U
MW-6	Apr/May 2011	DUPE-7-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-6	Aug/Sep 2011	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Aug/Sep 2011	DUPE-7-3Q11	NA	NA	5.0 U	NA
MW-6	Nov/Dec 2011	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Jan/Feb 2012	MW-6	NA	NA	5.0 U	0.010 U
MW-6	Jan/Feb 2012	DUPE-5-1Q12	NA	NA	5.0 U	0.010 U
MW-6	Apr/May 2012	MW-6	**2.5**	5.000 U	**83.0**	0.010 U
MW-6	Aug/Sep 2012	MW-6	NA	NA	**2.3 J**	0.002 U
MW-6	Nov 2012	MW-6	NA	NA	**2.2 J**	**0.001 J**
MW-6	Nov 2012	DUPE-5-4Q12	NA	NA	**2.5 J**	**0.001 J**
MW-6	Jan/Feb 2013	MW-6	NA	NA	**1.6 J**	0.002 U
MW-6	Apr/May 2013	MW-6	2.0 U	1.000 U	**5.1**	**0.002 J**
MW-6	Apr/May 2013	DUP-7-2Q13	2.0 U	1.000 U	**1.1 J**	**0.001 J**
MW-6	Jul 2013	MW-6	NA	NA	2.9 U	0.002 U
MW-6	Oct/Nov 2013	MW-6	NA	NA	**39.0**	0.001 U
MW-6	Jan/Feb 2014	MW-6	NA	NA	**8.1**	0.002 U
MW-6	Apr/May 2014	MW-6	2.0 U	1.000 U	**190.0**	**0.002 J**
MW-6	Jul/Aug 2014	MW-6	NA	NA	**26.0**	0.002 U
MW-6	Oct 2014	MW-6	NA	NA	**270.0**	**0.001 J**
MW-6	Jan/Feb 2015	MW-6	NA	NA	**78.0**	**0.002 J**
MW-6	Jan/Feb 2015	DUP-4-1Q15	NA	NA	**73.0**	**0.002 J**
MW-6	pril/May 2015 201	MW-6	**0.8 J**	1.000 U	**820.0**	**0.002 J**
MW-7	Aug/Sep 1996	MW-7	NA	NA	**10.0**	NA
MW-7	Aug/Sep 1996	MW-7	NA	NA	10.0 U	NA
MW-7	Aug/Sep 1996	MW-7	NA	NA	**12.0**	**0.011**
MW-7	Aug/Sep 1996	MW-7	5.0 U	2.000 U	**13.0**	**0.007**
MW-7	Oct/Nov 1996	MW-7	5.0 U	2.000 U	**19.0**	**0.019**
MW-7	Feb/Mar 1997	MW-7	5.0 U	2.000 U	10.0 U	**0.010**
MW-7	June/July 1997	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Sep/Oct 1997	MW-7	5.0 U	2.000 U	**18.0**	**0.030**
MW-7	Jan/Feb 1998	MW-7	5.0 U	2.000 U	**12.0**	0.005 U
MW-7	Apr/May 1998	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Jul/Aug 1998	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	Oct/Nov 1998	MW-7	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-7	Feb/Mar 1999	MW-7	5.0 U	2.000 U	10.0 U	0.005 U
MW-7	May/Jun 1999	MW-7	5.0 U	2.000 U	**11.0**	0.005 U
MW-7	Aug 1999	MW-7	NA	NA	10.0 U	**0.005**
MW-7	Nov/Dec 1999	MW-7	NA	NA	**10.0**	**0.007**
MW-7	Mar/Apr 2000	MW-7	NA	NA	**12.0**	**0.008**
MW-7	Jul/Aug 2000	MW-7	5.0 U	2.000 U	**14.0**	0.005 U
MW-7	Jan/Feb 2002	MW-7	**2.2 B**	NA	NA	0.010 U
MW-7	Apr/May 2002	MW-7	NA	NA	**9.0**	0.010 U
MW-7	Jul 2002	MW-7	NA	NA	**6.0**	UNK U
MW-7	Oct/Nov 2002	MW-7	NA	NA	NA	0.010 U
MW-7	Jan/Feb 2003	MW-7	**0.6**	**0.064 J**	**6.4**	**0.002**
MW-7	Jan/Feb 2003	DUPE-6-1Q03	NA	NA	**7.3**	0.010 U
MW-7	Apr/May 2003	MW-7	5.0 U	1.000 U	**4.9**	0.010 U
MW-7	Jul/Aug 2003	MW-7	NA	NA	**4.6 J**	0.010 U
MW-7	Oct/Nov 2003	MW-7	NA	NA	**5.0 J**	0.010 U
MW-7	Feb 2004	MW-7	NA	NA	**5.7**	0.010 U
MW-7	Apr/May 2004	MW-7	5.0 U	**0.460**	**11.2**	0.010 U
MW-7	Apr/May 2004	DUPE-7-2Q04	5.0 U	**0.510**	**11.7**	0.010 U
MW-7	Jul/Aug 2004	MW-7	NA	NA	**8.7 J**	0.010 U
MW-7	Oct/Nov 2004	MW-7	NA	NA	**11.2 J**	0.010 U
MW-7	Jan/Feb 2005	MW-7	NA	NA	**7.6**	0.010 U
MW-7	Apr/May 2005	MW-7	**2.1 J**	**0.053 J**	**11.5**	0.010 U
MW-7	Jul/Sep 2005	MW-7	NA	NA	**9.1 J**	0.010 U
MW-7	Oct/Nov 2005	MW-7	NA	NA	**7.8**	0.010 U
MW-7	Oct/Nov 2005	DUPE-8-4Q05	NA	NA	**8.2**	0.010 U
MW-7	Mar/Apr 2006	MW-7	NA	NA	**1.1 J**	0.010 U
MW-7	May/Jun 2006	MW-7	1.0 U	1.000 U	**1.1**	0.010 U
MW-7	Aug/Sep 2006	MW-7	NA	NA	**2.9**	0.010 U
MW-7	Oct/Dec 2006	MW-7	NA	NA	**2.8**	0.010 U
MW-7	Mar/Apr 2007	MW-7	NA	NA	**10.6**	**0.005 J**
MW-7	Jun/Jul 2007	MW-7	1.0 U	**1.700 J**	**11.3**	**0.006 J**
MW-7	Jun/Jul 2007	DUPE-8-2Q07	1.0 U	**2.450 J**	**10.6**	**0.009 J**
MW-7	Aug/Sep 2007	MW-7	NA	NA	**14.5**	0.010 U
MW-7	Oct/Dec 2007	MW-7	NA	NA	**13.1**	0.010 U
MW-7	Oct/Dec 2007	DUPE-4-4Q07	NA	NA	**13.3**	0.010 U
MW-7	Jan/Feb 2008	MW-7	NA	NA	**9.5 J**	**0.012**
MW-7	Jan/Feb 2008	DUPE-6-1Q08	NA	NA	**9.1 J**	**0.013**
MW-7	Apr/May 2008	MW-7	1.0 U	1.000 U	**18.2 E**	0.010 U
MW-7	Apr/May 2008	DUPE-5-2Q08	1.0 U	1.000 U	**15.6 E**	0.010 U
MW-7	Jul/Aug 2008	MW-7	NA	NA	**6.5**	0.010 U
MW-7	Oct/Nov 2008	MW-7	NA	NA	**7.6**	0.010 U
MW-7	Jan/Feb 2009	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Jan/Feb 2009	DUPE-06-1Q09	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-7	Apr/May 2009	MW-7	2.0 U	5.000 U	**11.0**	**0.013**
MW-7	Jul/Aug 2009	MW-7	NA	NA	**11.0 J**	**0.008 J**
MW-7	Nov/Dec 2009	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Feb 2010	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Apr/May 2010	MW-7	2.0 U	5.000 U	**5.2**	0.010 U
MW-7	Jul/Aug 2010	MW-7	NA	NA	**6.0**	**0.007**
MW-7	Oct/Nov 2010	MW-7	NA	NA	5.0 U	NA
MW-7	Feb/Mar 2011	MW-7	NA	NA	**15.0**	**0.012**
MW-7	Apr/May 2011	MW-7	2.0 U	5.000 U	**15.0**	**0.014**
MW-7	Aug/Sep 2011	MW-7	NA	NA	**79.0**	0.010 U
MW-7	Nov/Dec 2011	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Jan/Feb 2012	MW-7	NA	NA	5.0 U	0.010 U
MW-7	Apr/May 2012	MW-7	2.0 U	5.000 U	5.0 U	0.010 U
MW-7	Aug/Sep 2012	MW-7	NA	NA	**73.0**	0.002 U
MW-7	Nov 2012	MW-7	NA	NA	**9.0**	**0.002 J**
MW-7	Jan/Feb 2013	MW-7	NA	NA	**12.0**	**0.010 J**
MW-7	Jan/Feb 2013	DUP-7-1Q13	NA	NA	**13.0**	**0.009 J**
MW-7	Apr/May 2013	MW-7	**0.9 J**	1.000 U	**16.0 J**	**0.014**
MW-7	Apr/May 2013	DUP-6-2Q13	**0.9 J**	1.000 U	**17.0 J**	**0.013**
MW-7	Jul 2013	MW-7	NA	NA	**17.0**	**0.004**
MW-7	Oct/Nov 2013	MW-7	NA	NA	**16.0**	**0.004**
MW-7	Jan/Feb 2014	MW-7	NA	NA	**49.0**	**0.002**
MW-7	Jan/Feb 2014	DUPE-5-1Q14	NA	NA	**42.0**	**0.001 J**
MW-7	Apr/May 2014	MW-7	2.0 U	**0.100 J**	**15.0**	**0.007**
MW-7	Apr/May 2014	DUP-8-2Q14	2.0 U	1.000 U	**16.0**	**0.007**
MW-7	Jul/Aug 2014	MW-7	NA	NA	**9100.0**	0.002 U
MW-7	Jan/Feb 2015	MW-7	NA	NA	**49.0**	**0.004**
MW-7	Jan/Feb 2015	DUP-7-1Q15	NA	NA	**57.0**	**0.004**
MW-7	April/May 2015	MW-7	**0.8 J**	1.000 U	**83.0**	**0.007 J**
MW-8	Aug/Sep 1996	MW-8	NA	NA	10.0 U	NA
MW-8	Aug/Sep 1996	MW-8	5.0 U	2.000 U	10.0 U	**0.009 J**
MW-8	Oct/Nov 1996	MW-8	5.0 U	**2.400**	10.0 U	0.005 U
MW-8	Feb/Mar 1997	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	June/July 1997	MW-8	5.0 U	**2.300**	10.0 U	0.005 U
MW-8	Sep/Oct 1997	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Jan/Feb 1998	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Apr/May 1998	MW-8	5.0 U	2.000 U	**13.0**	0.005 U
MW-8	Jul/Aug 1998	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Oct/Nov 1998	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Feb/Mar 1999	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	May/Jun 1999	MW-8	5.0 U	2.000 U	10.0 U	0.005 U
MW-8	Aug 1999	MW-8	NA	NA	**14.0**	0.005 U
MW-8	Nov/Dec 1999	MW-8	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-8	Mar/Apr 2000	MW-8	NA	NA	10.0 U	0.005 U
MW-8	Jul/Aug 2000	MW-8	5.0 U	2.000 U	**16.0**	0.005 U
MW-8	Jul/Aug 2000	MW-8	5.0 U	2.000 U	**41.0**	**0.019**
MW-8	Sep/Oct 2000	MW-8	NA	NA	10.0 U	0.005 U
MW-8	Sep/Oct 2000	MW-8	NA	NA	**36.0**	**0.028**
MW-8	Jan/Feb 2001	MW-8	5.0 U	**0.220 J**	**6.9**	0.010 U
MW-8	Jul 2001	MW-8	NA	NA	**3.2 J**	UNK U
MW-8	Jul 2001	DUP	NA	NA	**3.2 J**	NA
MW-8	Oct 2001	MW-8	NA	NA	**4.7**	0.010 U
MW-8	Oct 2001	DUP	NA	NA	**4.5**	NA
MW-8	Jan/Feb 2002	MW-8	5.0 U	**0.370 J**	**6.9**	0.010 U
MW-8	Jan/Feb 2002	DUP	NA	**0.400 J**	**7.1**	NA
MW-8	Apr/May 2002	MW-8	NA	NA	**4.0**	0.010 U
MW-8	Jul 2002	MW-8	NA	NA	**28.0**	UNK U
MW-8	Oct/Nov 2002	MW-8	NA	NA	NA	0.010 U
MW-8	Jan/Feb 2003	MW-8	**1.0**	**0.100 J**	**0.5**	0.000 U
MW-8	Apr/May 2003	MW-8	**2.0 J**	1.000 U	**1.4 J**	0.010 U
MW-8	Jul/Aug 2003	MW-8	NA	NA	**3.6 J**	0.010 U
MW-8	Oct/Nov 2003	MW-8	NA	NA	1.5 UJ	**0.008 J**
MW-8	Oct/Nov 2003	DUPE-7-4Q03	NA	NA	1.8 UJ	0.010 U
MW-8	Feb 2004	MW-8	NA	NA	**4.0**	0.010 U
MW-8	Apr/May 2004	MW-8	5.0 U	0.024 U	**6.0**	0.010 U
MW-8	Jul/Aug 2004	MW-8	NA	NA	**9.8 J**	0.010 U
MW-8	Oct/Nov 2004	MW-8	NA	NA	**8.5 J**	0.010 U
MW-8	Jan/Feb 2005	MW-8	NA	NA	**8.4**	0.010 U
MW-8	Jan/Feb 2005	DUPE-6-1Q05	NA	NA	**8.5**	0.010 U
MW-8	Apr/May 2005	MW-8	**1.7 J**	**0.025 J**	**7.3**	0.010 U
MW-8	Jul/Sep 2005	MW-8	NA	NA	**9.1**	0.010 U
MW-8	Oct/Nov 2005	MW-8	NA	NA	**9.5**	0.010 U
MW-8	Mar/Apr 2006	MW-8	NA	NA	**1.2 J**	0.010 U
MW-8	May/Jun 2006	MW-8	1.0 U	1.000 U	**12.6**	0.010 U
MW-8	Aug/Sep 2006	MW-8	NA	NA	**2.9**	0.010 U
MW-8	Aug/Sep 2006	DUPE-5-3Q06	NA	NA	**22.2**	0.010 U
MW-8	Oct/Dec 2006	MW-8	NA	NA	**11.7**	0.010 U
MW-8	Mar/Apr 2007	MW-8	NA	NA	**12.7**	0.010 U
MW-8	Jun/Jul 2007	MW-8	1.0 U	**3.240**	**13.2**	0.010 U
MW-8	Aug/Sep 2007	MW-8	NA	NA	**18.4**	0.010 U
MW-8	Aug/Sep 2007	DUPE-7-3Q07	NA	NA	**16.8**	0.010 U
MW-8	Oct/Dec 2007	MW-8	NA	NA	**16.3**	0.010 U
MW-8	Jan/Feb 2008	MW-8	NA	NA	**5.0 E**	**0.005 J**
MW-8	Jan/Feb 2008	DUPE-7-02/13/08	NA	NA	**15.1 E**	**0.004 J**
MW-8	Apr/May 2008	MW-8	**1.0**	**1.800**	**8.8 E**	**0.007 J**
MW-8	Jul/Aug 2008	MW-8	NA	NA	**7.5**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-8	Oct/Nov 2008	MW-8	NA	NA	**13.0**	0.010 U
MW-8	Jan/Feb 2009	MW-8	NA	NA	**6.2**	0.010 U
MW-8	Apr/May 2009	MW-8	2.0 U	**12.000**	**7.5**	0.010 U
MW-8	Jul/Aug 2009	MW-8	NA	NA	**5.3**	0.010 U
MW-8	Nov/Dec 2009	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Feb 2010	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Apr/May 2010	MW-8	2.0 U	5.000 U	5.0 U	0.010 U
MW-8	Jul/Aug 2010	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Jul/Aug 2010	DUPE-1-3Q10	NA	NA	5.0 U	0.010 U
MW-8	Oct/Nov 2010	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Feb/Mar 2011	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Apr/May 2011	MW-8	2.0 U	5.000 U	5.0 U	0.010 U
MW-8	Apr/May 2011	DUPE-8-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-8	Aug/Sep 2011	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Nov/Dec 2011	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Jan/Feb 2012	MW-8	NA	NA	5.0 U	0.010 U
MW-8	Apr/May 2012	MW-8	2.0 U	5.000 U	5.0 U	0.010 U
MW-8	Aug/Sep 2012	MW-8	NA	NA	**3.7**	0.002 U
MW-8	Nov 2012	MW-8	NA	NA	**1.5 J**	**0.001 J**
MW-8	Nov 2012	DUPE-8-4Q12	NA	NA	**1.4 J**	0.002 U
MW-8	Jan/Feb 2013	MW-8	NA	NA	**0.6 J**	0.002 U
MW-8	Jan/Feb 2013	DUP-6-1Q13	NA	NA	3.0 U	0.002 U
MW-8	Apr/May 2013	MW-8	**0.9 J**	1.000 U	**0.7 J**	0.002 U
MW-8	Jul 2013	MW-8	NA	NA	1.5 U	0.002 U
MW-8	Oct/Nov 2013	MW-8	NA	NA	**2.4 J**	**0.001 J**
MW-8	Oct/Nov 2013	DUPE-5-4Q13	NA	NA	**2.1 J**	**0.001 J**
MW-8	Jan/Feb 2014	MW-8	NA	NA	**3.0**	**0.001 J**
MW-8	Jan/Feb 2014	DUPE-7-1Q14	NA	NA	**3.4**	**0.001 J**
MW-8	Apr/May 2014	MW-8	2.0 U	1.000 U	**1.7 J**	**0.001 J**
MW-8	Jul/Aug 2014	MW-8	NA	NA	**18.0**	**0.003**
MW-8	Oct 2014	MW-8	NA	NA	**20.0**	**0.008**
MW-8	Jan/Feb 2015	MW-8	**0.7 J**	1.000 U	**29.0**	**0.009**
MW-8	April/May 2015	MW-8	NA	NA	**7.6**	**0.005 J**
MW-9	Aug/Sep 1996	MW-9	NA	NA	10.0 U	NA
MW-9	Aug/Sep 1996	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Oct/Nov 1996	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Feb/Mar 1997	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	June/July 1997	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Sep/Oct 1997	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Jan/Feb 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Apr/May 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Jul/Aug 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Oct/Nov 1998	MW-9	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-9	Feb/Mar 1999	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	May/Jun 1999	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Nov/Dec 1999	MW-9	NA	NA	10.0 U	0.005 U
MW-9	Jul/Aug 2000	MW-9	5.0 U	2.000 U	10.0 U	0.005 U
MW-9	Jan/Feb 2001	MW-9	**2.6 B**	1.000 U	**2.0 J**	0.010 U
MW-9	Jan/Feb 2002	MW-9	**2.3 B**	1.000 U	**3.9 J**	0.010 U
MW-9	Apr/May 2003	MW-9	**2.1 J**	**0.480 J**	**4.3**	0.010 U
MW-9	Oct/Nov 2003	MW-9	NA	NA	**5.5 J**	0.010 U
MW-9	Apr/May 2004	MW-9	5.0 U	**1.900**	**9.2**	0.010 U
MW-9	Oct/Nov 2004	MW-9	NA	NA	**14.5**	0.010 U
MW-9	Apr/May 2005	MW-9	**1.2 J**	**0.650 J**	**2.3**	0.010 U
MW-9	Apr/May 2005	DUPE-3-2Q05	5.0 U	**0.550 J**	**2.1**	0.010 U
MW-9	Oct/Nov 2005	MW-9	NA	NA	**4.5**	0.010 U
MW-9	May/Jun 2006	MW-9	1.0 U	**2.530**	**1.6**	0.010 U
MW-9	Oct/Dec 2006	MW-9	NA	NA	**3.6**	0.010 U
MW-9	Oct/Dec 2006	DUPE-7-4Q06	NA	NA	3.9 U	0.010 U
MW-9	Jun/Jul 2007	MW-9	1.0 U	**2.020**	**6.6**	0.010 U
MW-9	Oct/Dec 2007	MW-9	NA	NA	**11.3 E**	0.010 U
MW-9	Apr/May 2008	MW-9	1.0 U	**1.310**	**4.4**	0.010 U
MW-9	Oct/Nov 2008	MW-9	NA	NA	5.0 U	0.010 U
MW-9	Apr/May 2009	MW-9	2.0 U	5.000 U	5.0 U	0.010 U
MW-9	Nov/Dec 2009	MW-9	NA	NA	**13.0**	0.010 U
MW-9	Nov/Dec 2009	DUPE-8-4Q09	NA	NA	**7.8**	0.010 U
MW-9	Apr/May 2010	MW-9	2.0 U	5.000 U	5.0 U	0.010 U
MW-9	Oct/Nov 2010	MW-9	NA	NA	5.0 U	0.010 U
MW-9	Apr/May 2011	MW-9	2.0 U	5.000 U	5.0 U	0.010 U
MW-9	Nov/Dec 2011	MW-9	NA	NA	5.0 U	**0.006 J**
MW-9	Apr/May 2012	MW-9	2.0 U	5.000 U	5.0 U	0.010 U
MW-9	Nov 2012	MW-9	NA	NA	**0.7 J**	0.002 U
MW-9	Apr/May 2013	MW-9	**1.0 J**	1.000 U	**0.7 J**	0.002 U
MW-9	Apr/May 2014	MW-9	2.0 U	1.000 U	3.0 U	0.002 U
MW-9	Apr/May 2014	DUP-5-2Q14	2.0 U	1.000 U	**0.6 J**	0.002 U
MW-9	Oct 2014	MW-9	NA	NA	**3.0**	0.002 U
MW-9	April/May 2015	MW-9	2.0 U	1.000 U	2.5 U	0.002 U
MW-10	Aug/Sep 1996	MW-10	NA	NA	10.0 U	NA
MW-10	Aug/Sep 1996	MW-10	NA	NA	**12.0**	**0.017**
MW-10	Aug/Sep 1996	MW-10	NA	NA	**20.0**	NA
MW-10	Aug/Sep 1996	MW-10	5.0 U	2.000 U	**11.0**	**0.010**
MW-10	Oct/Nov 1996	MW-10	5.0 U	2.000 U	**10.0**	0.005 U
MW-10	Oct/Nov 1996	MW-10	5.0 U	**2.900**	**11.0**	0.005 U
MW-10	Feb/Mar 1997	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	June/July 1997	MW-10	5.0 U	2.000 U	**13.0**	0.005 U
MW-10	June/July 1997	MW-10	5.0 U	2.000 U	**14.0**	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-10	Sep/Oct 1997	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Jan/Feb 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Apr/May 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Apr/May 1998	MW-10	5.0 U	**8.300**	**10.0**	0.005 U
MW-10	Jul/Aug 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Oct/Nov 1998	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Feb/Mar 1999	MW-10	5.0 U	2.000 U	**12.0**	0.005 U
MW-10	Feb/Mar 1999	MW-10	5.0 U	2.000 U	**14.0**	0.005 U
MW-10	May/Jun 1999	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Aug 1999	MW-10	NA	NA	10.0 U	0.005 U
MW-10	Nov/Dec 1999	MW-10	NA	NA	**26.0**	0.005 U
MW-10	Mar/Apr 2000	MW-10	NA	NA	**34.0**	0.005 U
MW-10	Mar/Apr 2000	MW-10	NA	NA	**41.0**	0.005 U
MW-10	Jul/Aug 2000	MW-10	5.0 U	2.000 U	10.0 U	0.005 U
MW-10	Jul/Aug 2000	MW-10	5.0 U	2.000 U	10.0 U	**0.006**
MW-10	Sep/Oct 2000	MW-10	NA	NA	10.0 U	0.005 U
MW-10	Sep/Oct 2000	DUP	NA	NA	**29.0**	0.005 U
MW-10	Jan/Feb 2001	MW-10	5.0 U	1.000 U	**11.0**	0.010 U
MW-10	Jul 2001	MW-10	NA	NA	**16.3**	UNK U
MW-10	Jul 2001	DUP	NA	NA	**19.8**	UNK U
MW-10	Oct 2001	MW-10	NA	NA	**12.9**	0.010 U
MW-10	Oct 2001	DUP	NA	NA	**10.4**	0.010 U
MW-10	Jan/Feb 2002	MW-10	**1.8 B**	**0.030 J**	**8.2**	0.010 U
MW-10	Apr/May 2002	MW-10	NA	NA	**8.0**	0.010 U
MW-10	Jul 2002	MW-10	NA	NA	**13.0**	UNK U
MW-10	Oct/Nov 2002	MW-10	NA	NA	NA	0.010 U
MW-10	Jan/Feb 2003	MW-10	**0.5**	**0.300**	**4.5**	**0.001**
MW-10	Apr/May 2003	MW-10	5.0 U	**0.150 J**	**8.1 J**	0.010 U
MW-10	Jul/Aug 2003	MW-10	NA	NA	**11.0 J**	0.010 U
MW-10	Oct/Nov 2003	MW-10	NA	NA	**7.6 J**	0.010 U
MW-10	Feb 2004	MW-10	NA	NA	**24.0**	0.010 U
MW-10	Apr/May 2004	MW-10	5.0 U	0.009 U	**21.3**	0.010 U
MW-10	Jul/Aug 2004	MW-10	NA	NA	**24.2 J**	0.010 U
MW-10	Jul/Aug 2004	DUPE-6-3Q04	NA	NA	**23.8 J**	0.010 U
MW-10	Oct/Nov 2004	MW-10	NA	NA	**17.0 J**	**0.004 J**
MW-10	Oct/Nov 2004	DUP-6-11/18/04	NA	NA	**16.7 J**	0.010 U
MW-10	Jan/Feb 2005	MW-10	NA	NA	**20.0**	0.010 U
MW-10	Apr/May 2005	MW-10	5.0 U	**0.031 J**	**21.1**	**0.011**
MW-10	Apr/May 2005	DUPE-9-2Q05	5.0 U	**0.025 J**	**22.2**	**0.011**
MW-10	Jul/Sep 2005	MW-10	NA	NA	**25.4 J**	**0.014**
MW-10	Jul/Sep 2005	DUPE-7-3Q05	NA	NA	**24.6 J**	**0.014**
MW-10	Oct/Nov 2005	MW-10	NA	NA	**25.4**	**0.014**
MW-10	Mar/Apr 2006	MW-10	NA	NA	**14.8 J**	**0.010**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-10	May/Jun 2006	MW-10	2.5 U	1.000 U	**20.5**	**0.008 J**
MW-10	Aug/Sep 2006	MW-10	NA	NA	**22.6**	0.010 U
MW-10	Oct/Dec 2006	MW-10	NA	NA	**14.6**	0.010 U
MW-10	Oct/Dec 2006	DUPE-8-4Q06	NA	NA	**14.0**	0.010 U
MW-10	Mar/Apr 2007	MW-10	NA	NA	**47.5**	0.010 U
MW-10	Jun/Jul 2007	MW-10	1.0 U	**1.110**	**14.0**	0.010 U
MW-10	Aug/Sep 2007	MW-10	NA	NA	**19.5**	0.010 U
MW-10	Oct/Dec 2007	MW-10	NA	NA	**26.2 E**	0.010 U
MW-10	Oct/Dec 2007	DUPE-7-4Q07	NA	NA	**24.0 E**	0.010 U
MW-10	Jan/Feb 2008	MW-10	NA	NA	**29.3 E**	0.010 U
MW-10	Apr/May 2008	MW-10	1.0 U	**4.470**	**8.5 E**	0.010 U
MW-10	Jul/Aug 2008	MW-10	NA	NA	**17.0**	0.010 U
MW-10	Oct/Nov 2008	MW-10	NA	NA	**22.0**	0.010 U
MW-10	Jan/Feb 2009	MW-10	NA	NA	**15.0**	0.010 U
MW-10	Jan/Feb 2009	DUPE-07-1Q09	NA	NA	**11.0**	0.010 U
MW-10	Apr/May 2009	MW-10	2.0 U	5.000 U	**11.0**	0.010 U
MW-10	Jul/Aug 2009	MW-10	NA	NA	**6.6**	0.010 U
MW-10	Nov/Dec 2009	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Feb 2010	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Apr/May 2010	MW-10	2.0 U	5.000 U	**5.5**	0.010 U
MW-10	Jul/Aug 2010	MW-10	NA	NA	**7.6**	**0.013**
MW-10	Oct/Nov 2010	MW-10	NA	NA	**5.7**	0.010 U
MW-10	Feb/Mar 2011	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Feb/Mar 2011	DUPE-7-1Q11	NA	NA	5.0 U	0.010 U
MW-10	Apr/May 2011	MW-10	2.0 U	5.000 U	5.0 U	0.010 U
MW-10	Aug/Sep 2011	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Nov/Dec 2011	MW-10	NA	NA	**5.4**	0.010 U
MW-10	Jan/Feb 2012	MW-10	NA	NA	5.0 U	0.010 U
MW-10	Apr/May 2012	MW-10	2.0 U	5.000 U	5.0 U	0.010 U
MW-10	Aug/Sep 2012	MW-10	NA	NA	**23.0 J**	0.002 U
MW-10	Nov 2012	MW-10	NA	NA	**21.0**	**0.006 J**
MW-10	Jan/Feb 2013	MW-10	NA	NA	**5.8**	**0.003 J**
MW-10	Apr/May 2013	MW-10	2.0 U	1.000 U	**5.2**	**0.004**
MW-10	Jul 2013	MW-10	NA	NA	3.3 U	**0.002 J**
MW-10	Oct/Nov 2013	MW-10	NA	NA	**2.9 J**	0.001 U
MW-10	Oct/Nov 2013	DUPE-8-4Q13	NA	NA	**3.4**	0.001 U
MW-10	Jan/Feb 2014	MW-10	NA	NA	7.9 U	0.002 U
MW-10	Apr/May 2014	MW-10	2.0 U	1.000 U	**2.4 J**	**0.001 J**
MW-10	Jul/Aug 2014	MW-10	NA	NA	**5.7**	**0.001 J**
MW-10	Oct 2014	MW-10	NA	NA	**10.0**	0.002 U
MW-10	Jan/Feb 2015	MW-10	NA	NA	**4.7 J**	**0.001 J**
MW-10	April/May 2015	MW-10	2.0 U	1.000 U	**3.4**	0.010 U
MW-11 Screen 1	Aug/Sep 1996	MW-11-1	NA	NA	10.0 U	NA

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 1	Aug/Sep 1996	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Oct/Nov 1996	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Feb/Mar 1997	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	June/July 1997	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Sep/Oct 1997	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Jan/Feb 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Apr/May 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Jul/Aug 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Oct/Nov 1998	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Feb/Mar 1999	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	May/Jun 1999	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Aug 1999	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Nov/Dec 1999	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Mar/Apr 2000	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Jul/Aug 2000	MW-11-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 1	Sep/Oct 2000	MW-11-1	NA	NA	10.0 U	0.005 U
MW-11 Screen 1	Jan/Feb 2001	MW-11-1	5.0 U	1.000 U	**5.0**	0.010 U
MW-11 Screen 1	Jul 2001	MW-11-1	NA	NA	**2.2 J**	UNK U
MW-11 Screen 1	Oct 2001	MW-11-1	NA	NA	**3.5**	0.010 U
MW-11 Screen 1	Jan/Feb 2002	MW-11-1	5.0 U	**0.040 J**	**3.8 J**	0.010 U
MW-11 Screen 1	Apr/May 2002	MW-11-1	NA	NA	**5.0**	0.010 U
MW-11 Screen 1	Jul 2002	MW-11-1	NA	NA	**4.0**	UNK U
MW-11 Screen 1	Oct/Nov 2002	MW-11-1	NA	NA	NA	0.010 U
MW-11 Screen 1	Jan/Feb 2003	MW-11-1	NA	NA	**2.6**	0.010 U
MW-11 Screen 1	Apr/May 2003	MW-11-1	5.0 U	1.000 U	**1.3**	0.010 U
MW-11 Screen 1	Jul/Aug 2003	MW-11-1	NA	NA	**2.0 J**	0.010 U
MW-11 Screen 1	Oct/Nov 2003	MW-11-1	NA	NA	**2.0 J**	0.010 U
MW-11 Screen 1	Feb 2004	MW-11-1	NA	NA	**3.7**	0.010 U
MW-11 Screen 1	Apr/May 2004	MW-11-1	5.0 U	0.027 U	**7.4**	0.010 U
MW-11 Screen 1	Jul/Aug 2004	MW-11-1	NA	NA	**10.1**	0.010 U
MW-11 Screen 1	Oct/Nov 2004	MW-11-1	NA	NA	**9.4 J**	0.010 U
MW-11 Screen 1	Jan/Feb 2005	MW-11-1	NA	NA	**7.6**	0.010 U
MW-11 Screen 1	Apr/May 2005	MW-11-1	5.0 U	**0.068 J**	**9.8**	0.010 U
MW-11 Screen 1	Jul/Sep 2005	MW-11-1	NA	NA	**6.7**	0.010 U
MW-11 Screen 1	Oct/Nov 2005	MW-11-1	NA	NA	**7.7**	0.010 U
MW-11 Screen 1	Mar/Apr 2006	MW-11-1	NA	NA	1.0 U	0.010 U
MW-11 Screen 1	May/Jun 2006	MW-11-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 2006	MW-11-1	NA	NA	**1.5 J**	0.010 U
MW-11 Screen 1	Oct/Dec 2006	MW-11-1	NA	NA	**3.3**	0.010 U
MW-11 Screen 1	Oct/Dec 2006	DUPE-4-4Q06	NA	NA	**3.3**	0.010 U
MW-11 Screen 1	Mar/Apr 2007	MW-11-1	NA	NA	1.0 U	0.010 U
MW-11 Screen 1	Jun/Jul 2007	MW-11-1	**1.0**	1.000 U	**10.4**	0.010 U
MW-11 Screen 1	Aug/Sep 2007	MW-11-1	NA	NA	**15.8**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 1	Oct/Dec 2007	MW-11-1	NA	NA	**9.4**	0.010 U
MW-11 Screen 1	Jan/Feb 2008	MW-11-1	NA	NA	**9.5 E**	0.010 U
MW-11 Screen 1	Jan/Feb 2008	DUPE-1-1Q08	NA	NA	**8.6 E**	0.010 U
MW-11 Screen 1	Apr/May 2008	MW-11-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 1	Jul/Aug 2008	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Oct/Nov 2008	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Jan/Feb 2009	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Apr/May 2009	MW-11-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 1	Jul/Aug 2009	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Nov/Dec 2009	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Feb 2010	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Feb 2010	DUPE-4-1Q10	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Apr/May 2010	MW-11-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 1	Jul/Aug 2010	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Oct/Nov 2010	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Feb/Mar 2011	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Apr/May 2011	MW-11-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 2011	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 2011	DUPE-06-3Q11	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Nov/Dec 2011	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Jan/Feb 2012	MW-11-1	NA	NA	5.0 U	0.010 U
MW-11 Screen 1	Apr/May 2012	MW-11-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 1	Aug/Sep 2012	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Nov 2012	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Jan/Feb 2013	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Apr/May 2013	MW-11-1	**1.8 J**	1.000 U	**0.5 J**	0.002 U
MW-11 Screen 1	Apr/May 2013	DUP-5-2Q13	2.0 U	1.000 U	3.0 U	0.002 U
MW-11 Screen 1	Jul 2013	MW-11-1	NA	NA	**3.6**	0.002 U
MW-11 Screen 1	Oct/Nov 2013	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Jan/Feb 2014	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Apr/May 2014	MW-11-1	2.0 U	1.000 U	3.0 U	0.001 U
MW-11 Screen 1	Jul/Aug 2014	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Oct 2014	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	Jan/Feb 2015	MW-11-1	NA	NA	3.0 U	0.002 U
MW-11 Screen 1	April/May 2015	MW-11-1	2.0 U	1.000 U	1.1 U	0.002 U
MW-11 Screen 2	Aug/Sep 1996	MW-11-2	NA	NA	10.0 U	NA
MW-11 Screen 2	Aug/Sep 1996	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Oct/Nov 1996	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Feb/Mar 1997	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	June/July 1997	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Sep/Oct 1997	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Jan/Feb 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Apr/May 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 2	Jul/Aug 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Oct/Nov 1998	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Feb/Mar 1999	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	May/Jun 1999	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Aug 1999	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Nov/Dec 1999	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Mar/Apr 2000	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Jul/Aug 2000	MW-11-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 2	Sep/Oct 2000	MW-11-2	NA	NA	10.0 U	0.005 U
MW-11 Screen 2	Jan/Feb 2001	MW-11-2	5.0 U	1.000 U	**3.5 J**	0.010 U
MW-11 Screen 2	Jul 2001	MW-11-2	NA	NA	**3.0 J**	UNK U
MW-11 Screen 2	Oct 2001	MW-11-2	NA	NA	**3.5**	0.010 U
MW-11 Screen 2	Jan/Feb 2002	MW-11-2	**1.6 B**	1.000 U	**3.2 J**	0.010 U
MW-11 Screen 2	Apr/May 2002	MW-11-2	NA	NA	**5.0**	0.010 U
MW-11 Screen 2	Jul 2002	MW-11-2	NA	NA	**4.0**	UNK U
MW-11 Screen 2	Oct/Nov 2002	MW-11-2	NA	NA	NA	0.010 U
MW-11 Screen 2	Jan/Feb 2003	MW-11-2	NA	NA	**2.3**	0.010 U
MW-11 Screen 2	Apr/May 2003	MW-11-2	5.0 U	1.000 U	**0.8 J**	0.010 U
MW-11 Screen 2	Jul/Aug 2003	MW-11-2	NA	NA	**1.5 J**	0.010 U
MW-11 Screen 2	Oct/Nov 2003	MW-11-2	NA	NA	1.0 UJ	0.010 U
MW-11 Screen 2	Feb 2004	MW-11-2	NA	NA	**3.4**	0.010 U
MW-11 Screen 2	Apr/May 2004	MW-11-2	5.0 U	0.120 U	**5.7**	0.010 U
MW-11 Screen 2	Jul/Aug 2004	MW-11-2	NA	NA	**9.1**	0.010 U
MW-11 Screen 2	Oct/Nov 2004	MW-11-2	NA	NA	**8.4 J**	0.010 U
MW-11 Screen 2	Jan/Feb 2005	MW-11-2	NA	NA	**6.0**	0.010 U
MW-11 Screen 2	Apr/May 2005	MW-11-2	5.0 U	**0.044 J**	**8.7**	0.010 U
MW-11 Screen 2	Jul/Sep 2005	MW-11-2	NA	NA	**6.9**	0.010 U
MW-11 Screen 2	Jul/Sep 2005	DUPE-4-3Q05	NA	NA	**7.8**	0.010 U
MW-11 Screen 2	Oct/Nov 2005	MW-11-2	NA	NA	**8.7**	0.010 U
MW-11 Screen 2	Mar/Apr 2006	MW-11-2	NA	NA	1.0 U	0.010 U
MW-11 Screen 2	Mar/Apr 2006	DUPE-7-1Q06	NA	NA	1.0 U	0.010 U
MW-11 Screen 2	May/Jun 2006	MW-11-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 2	Aug/Sep 2006	MW-11-2	NA	NA	**1.6 J**	0.010 U
MW-11 Screen 2	Oct/Dec 2006	MW-11-2	NA	NA	**3.3**	0.010 U
MW-11 Screen 2	Mar/Apr 2007	MW-11-2	NA	NA	1.0 U	0.010 U
MW-11 Screen 2	Jun/Jul 2007	MW-11-2	**1.1**	1.000 U	**9.1**	0.010 U
MW-11 Screen 2	Aug/Sep 2007	MW-11-2	NA	NA	**11.9**	0.010 U
MW-11 Screen 2	Oct/Dec 2007	MW-11-2	NA	NA	**7.4**	0.010 U
MW-11 Screen 2	Oct/Dec 2007	DUPE-2-4Q07	NA	NA	**3.9**	**0.006 J**
MW-11 Screen 2	Jan/Feb 2008	MW-11-2	NA	NA	**7.7 E**	0.010 U
MW-11 Screen 2	Apr/May 2008	MW-11-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 2	Jul/Aug 2008	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Oct/Nov 2008	MW-11-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 2	Jan/Feb 2009	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Apr/May 2009	MW-11-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 2	Jul/Aug 2009	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Nov/Dec 2009	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Feb 2010	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Apr/May 2010	MW-11-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 2	Jul/Aug 2010	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Oct/Nov 2010	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Feb/Mar 2011	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Apr/May 2011	MW-11-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 2	Aug/Sep 2011	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Nov/Dec 2011	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Nov/Dec 2011	DUP-8-4Q11	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Jan/Feb 2012	MW-11-2	NA	NA	5.0 U	0.010 U
MW-11 Screen 2	Apr/May 2012	MW-11-2	**3.2**	5.000 U	5.0 U	0.010 U
MW-11 Screen 2	Aug/Sep 2012	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Nov 2012	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Jan/Feb 2013	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Apr/May 2013	MW-11-2	**1.2 J**	1.000 U	3.0 U	**0.001 J**
MW-11 Screen 2	Jul 2013	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Jul 2013	DUPE-6-3Q13	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Oct/Nov 2013	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Jan/Feb 2014	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Apr/May 2014	MW-11-2	**0.7 J**	1.000 U	**0.9 J**	0.001 U
MW-11 Screen 2	Jul/Aug 2014	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Oct 2014	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	Jan/Feb 2015	MW-11-2	NA	NA	3.0 U	0.002 U
MW-11 Screen 2	April/May 2015	MW-11-2	**1.0 J**	1.000 U	1.9 U	0.002 U
MW-11 Screen 3	Aug/Sep 1996	MW-11-3	NA	NA	10.0 U	NA
MW-11 Screen 3	Aug/Sep 1996	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Oct/Nov 1996	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Feb/Mar 1997	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	June/July 1997	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Sep/Oct 1997	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Jan/Feb 1998	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Apr/May 1998	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Jul/Aug 1998	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Oct/Nov 1998	MW-11-3	5.0 U	**8.000**	10.0 U	0.005 U
MW-11 Screen 3	Feb/Mar 1999	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	May/Jun 1999	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Aug 1999	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Nov/Dec 1999	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Mar/Apr 2000	MW-11-3	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 3	Jul/Aug 2000	MW-11-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 3	Sep/Oct 2000	MW-11-3	NA	NA	10.0 U	0.005 U
MW-11 Screen 3	Jan/Feb 2001	MW-11-3	5.0 U	1.000 U	**3.3 J**	0.010 U
MW-11 Screen 3	Jul 2001	MW-11-3	NA	NA	**3.6 J**	UNK U
MW-11 Screen 3	Oct 2001	MW-11-3	NA	NA	**4.1**	0.010 U
MW-11 Screen 3	Jan/Feb 2002	MW-11-3	**2.5 B**	1.000 U	**3.2 J**	0.010 U
MW-11 Screen 3	Jan/Feb 2002	DUP	NA	**0.030 J**	**3.0 J**	NA
MW-11 Screen 3	Apr/May 2002	MW-11-3	NA	NA	**6.0**	0.010 U
MW-11 Screen 3	Jul 2002	MW-11-3	NA	NA	**5.0**	UNK U
MW-11 Screen 3	Oct/Nov 2002	MW-11-3	NA	NA	NA	0.010 U
MW-11 Screen 3	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-11 Screen 3	Jan/Feb 2003	MW-11-3	NA	NA	**2.3**	0.010 U
MW-11 Screen 3	Apr/May 2003	MW-11-3	5.0 U	1.000 U	**1.5**	0.010 U
MW-11 Screen 3	Jul/Aug 2003	MW-11-3	NA	NA	**2.3 J**	0.010 U
MW-11 Screen 3	Oct/Nov 2003	MW-11-3	NA	NA	**3.4 J**	0.010 U
MW-11 Screen 3	Feb 2004	MW-11-3	NA	NA	**4.0**	0.010 U
MW-11 Screen 3	Apr/May 2004	MW-11-3	5.0 U	0.055 U	1.1 U	0.010 U
MW-11 Screen 3	Apr/May 2004	DUPE-5-2Q04	5.0 U	0.049 U	0.7 U	**0.005 J**
MW-11 Screen 3	Jul/Aug 2004	MW-11-3	NA	NA	**9.6**	0.010 U
MW-11 Screen 3	Oct/Nov 2004	MW-11-3	NA	NA	**9.1 J**	0.010 U
MW-11 Screen 3	Oct/Nov 2004	DUPE-5-4Q04	NA	NA	**1.9 J**	0.010 U
MW-11 Screen 3	Jan/Feb 2005	MW-11-3	NA	NA	**6.1**	0.010 U
MW-11 Screen 3	Apr/May 2005	MW-11-3	5.0 U	**0.110 J**	**7.6**	0.010 U
MW-11 Screen 3	Apr/May 2005	DUPE-7-2Q05	5.0 U	**0.055 J**	**8.1**	0.010 U
MW-11 Screen 3	Jul/Sep 2005	MW-11-3	NA	NA	**5.0**	0.010 U
MW-11 Screen 3	Oct/Nov 2005	MW-11-3	NA	NA	**5.6**	0.010 U
MW-11 Screen 3	Mar/Apr 2006	MW-11-3	NA	NA	1.0 U	0.010 U
MW-11 Screen 3	May/Jun 2006	MW-11-3	**1.1**	1.000 U	1.0 U	0.010 U
MW-11 Screen 3	May/Jun 2006	DUPE-7-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 3	Aug/Sep 2006	MW-11-3	NA	NA	**1.5 J**	0.010 U
MW-11 Screen 3	Oct/Dec 2006	MW-11-3	NA	NA	**2.4**	0.010 U
MW-11 Screen 3	Mar/Apr 2007	MW-11-3	NA	NA	1.0 U	0.010 U
MW-11 Screen 3	Jun/Jul 2007	MW-11-3	1.0 U	1.000 U	**1.9 J**	0.010 U
MW-11 Screen 3	Aug/Sep 2007	MW-11-3	NA	NA	**11.0**	0.010 U
MW-11 Screen 3	Oct/Dec 2007	MW-11-3	NA	NA	**7.2**	0.010 U
MW-11 Screen 3	Jan/Feb 2008	MW-11-3	NA	NA	**8.0 E**	0.010 U
MW-11 Screen 3	Apr/May 2008	MW-11-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 3	Jul/Aug 2008	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Oct/Nov 2008	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Jan/Feb 2009	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Apr/May 2009	MW-11-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 3	Jul/Aug 2009	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Nov/Dec 2009	MW-11-3	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 3	Feb 2010	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Apr/May 2010	MW-11-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 3	Jul/Aug 2010	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Jul/Aug 2010	DUPE-5-3Q10	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Oct/Nov 2010	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Feb/Mar 2011	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Apr/May 2011	MW-11-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 3	Aug/Sep 2011	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Nov/Dec 2011	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Jan/Feb 2012	MW-11-3	NA	NA	5.0 U	0.010 U
MW-11 Screen 3	Apr/May 2012	MW-11-3	**4.7**	5.000 U	**5.2**	0.010 U
MW-11 Screen 3	Aug/Sep 2012	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Aug/Sep 2012	DUPE-3-3Q12	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Nov 2012	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Nov 2012	DUPE-4-4Q12	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Jan/Feb 2013	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Apr/May 2013	MW-11-3	**1.4 J**	1.000 U	**0.9 J**	0.002 U
MW-11 Screen 3	Jul 2013	MW-11-3	NA	NA	**0.5 J**	0.002 U
MW-11 Screen 3	Oct/Nov 2013	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Jan/Feb 2014	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Apr/May 2014	MW-11-3	**1.9 J**	1.000 U	1.0 U	0.001 U
MW-11 Screen 3	Jul/Aug 2014	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	Oct 2014	MW-11-3	NA	NA	**0.6 J**	0.002 U
MW-11 Screen 3	Jan/Feb 2015	MW-11-3	NA	NA	3.0 U	0.002 U
MW-11 Screen 3	April/May 2015	MW-11-3	**0.7 J**	1.000 U	1.1 U	0.002 U
MW-11 Screen 4	Aug/Sep 1996	MW-11-4	NA	NA	10.0 U	NA
MW-11 Screen 4	Aug/Sep 1996	MW-11-4	5.0 U	2.000 U	10.0 U	**0.006 J**
MW-11 Screen 4	Oct/Nov 1996	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Feb/Mar 1997	MW-11-4	5.0 U	**9.300**	10.0 U	0.005 U
MW-11 Screen 4	June/July 1997	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Sep/Oct 1997	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Jan/Feb 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Apr/May 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Jul/Aug 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Oct/Nov 1998	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Feb/Mar 1999	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	May/Jun 1999	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Nov/Dec 1999	MW-11-4	NA	NA	10.0 U	0.005 U
MW-11 Screen 4	Jul/Aug 2000	MW-11-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 4	Jan/Feb 2001	MW-11-4	5.0 U	1.000 U	**2.0 J**	0.010 U
MW-11 Screen 4	Jan/Feb 2002	MW-11-4	5.0 U	**0.220 J**	**2.1**	0.010 U
MW-11 Screen 4	Jan/Feb 2003	MW-11-4	NA	NA	NA	0.010 U
MW-11 Screen 4	Apr/May 2003	MW-11-4	5.0 U	1.000 U	**0.3 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 4	Oct/Nov 2003	MW-11-4	NA	NA	0.8 UJ	0.010 U
MW-11 Screen 4	Apr/May 2004	MW-11-4	5.0 U	**0.005 J**	**2.2**	**0.004 J**
MW-11 Screen 4	Oct/Nov 2004	MW-11-4	NA	NA	**5.2 J**	0.010 U
MW-11 Screen 4	Apr/May 2005	MW-11-4	5.0 U	**0.091 J**	**3.8**	0.010 U
MW-11 Screen 4	Jul/Sep 2005	MW-11-4	NA	NA	**2.7**	0.010 U
MW-11 Screen 4	Oct/Nov 2005	MW-11-4	NA	NA	**3.6**	0.010 U
MW-11 Screen 4	May/Jun 2006	MW-11-4	1.0 U	1.000 U	1.0 U	0.010 U
MW-11 Screen 4	Oct/Dec 2006	MW-11-4	NA	NA	**1.9**	0.010 U
MW-11 Screen 4	Jun/Jul 2007	MW-11-4	1.0 U	1.000 U	**1.4 J**	0.010 U
MW-11 Screen 4	Oct/Dec 2007	MW-11-4	NA	NA	**4.1**	0.010 U
MW-11 Screen 4	Apr/May 2008	MW-11-4	1.0 U	1.000 U	**1.7**	0.010 U
MW-11 Screen 4	Oct/Nov 2008	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Oct/Nov 2008	DUPE-07-4Q08	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Apr/May 2009	MW-11-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 4	Nov/Dec 2009	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Apr/May 2010	MW-11-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 4	Oct/Nov 2010	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Apr/May 2011	MW-11-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 4	Nov/Dec 2011	MW-11-4	NA	NA	5.0 U	0.010 U
MW-11 Screen 4	Apr/May 2012	MW-11-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-11 Screen 4	Nov 2012	MW-11-4	NA	NA	3.0 U	0.002 U
MW-11 Screen 4	Apr/May 2013	MW-11-4	**0.7 J**	1.000 U	**1.3 J**	0.002 U
MW-11 Screen 4	Oct/Nov 2013	MW-11-4	NA	NA	3.0 U	0.002 U
MW-11 Screen 4	Apr/May 2014	MW-11-4	2.0 U	1.000 U	0.9 U	0.001 U
MW-11 Screen 4	Oct 2014	MW-11-4	NA	NA	3.0 U	0.002 U
MW-11 Screen 4	April/May 2015	MW-11-4	2.0 U	1.000 U	0.8 U	0.002 UJ
MW-11 Screen 5	Aug/Sep 1996	MW-11-5	NA	NA	10.0 U	NA
MW-11 Screen 5	Aug/Sep 1996	MW-11-5	**7.0**	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Oct/Nov 1996	MW-11-5	**5.0**	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Feb/Mar 1997	MW-11-5	5.0 U	**2.400**	10.0 U	0.005 U
MW-11 Screen 5	June/July 1997	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Sep/Oct 1997	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Jan/Feb 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Apr/May 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Jul/Aug 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Oct/Nov 1998	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Feb/Mar 1999	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	May/Jun 1999	MW-11-5	**5.3**	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Nov/Dec 1999	MW-11-5	NA	NA	10.0 U	0.005 U
MW-11 Screen 5	Jul/Aug 2000	MW-11-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-11 Screen 5	Jan/Feb 2001	MW-11-5	**6.0**	1.000 U	**2.8 J**	0.010 U
MW-11 Screen 5	Jan/Feb 2001	DUP	**5.8**	1.000 U	**2.6 J**	0.010 U
MW-11 Screen 5	Jan/Feb 2002	MW-11-5	**5.0**	**0.160 J**	**2.3 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-11 Screen 5	Apr/May 2003	MW-11-5	5.0 U	1.000 U	**1.1**	0.010 U
MW-11 Screen 5	Oct/Nov 2003	MW-11-5	NA	NA	**1.5 J**	0.010 U
MW-11 Screen 5	Apr/May 2004	MW-11-5	5.0 U	0.099 U	0.7 U	**0.004 J**
MW-11 Screen 5	Oct/Nov 2004	MW-11-5	NA	NA	**1.8 J**	0.010 U
MW-11 Screen 5	Apr/May 2005	MW-11-5	5.0 U	**0.330 J**	**5.7**	0.010 U
MW-11 Screen 5	Oct/Nov 2005	MW-11-5	NA	NA	**5.1**	0.010 U
MW-11 Screen 5	Oct/Nov 2005	DUPE-6-4Q05	NA	NA	**5.5**	0.010 U
MW-11 Screen 5	May/Jun 2006	MW-11-5	**6.1**	1.000 U	1.0 U	0.010 U
MW-11 Screen 5	Oct/Dec 2006	MW-11-5	NA	NA	**1.4**	0.010 U
MW-11 Screen 5	Jun/Jul 2007	MW-11-5	**6.0**	1.000 U	**1.8 J**	0.010 U
MW-11 Screen 5	Oct/Dec 2007	MW-11-5	NA	NA	**1.8**	**0.008 J**
MW-11 Screen 5	Apr/May 2008	MW-11-5	**6.2**	1.000 U	**2.4**	0.010 U
MW-11 Screen 5	Oct/Nov 2008	MW-11-5	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Apr/May 2009	MW-11-5	**5.1**	5.000 U	5.0 U	0.010 U
MW-11 Screen 5	Nov/Dec 2009	MW-11-5	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Apr/May 2010	MW-11-5	**5.0**	5.000 U	5.0 U	0.010 U
MW-11 Screen 5	Oct/Nov 2010	MW-11-5	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Apr/May 2011	MW-11-5	**6.2**	5.000 U	5.0 U	0.010 U
MW-11 Screen 5	Nov/Dec 2011	MW-11-5	NA	NA	5.0 U	0.010 U
MW-11 Screen 5	Apr/May 2012	MW-11-5	**10.0**	5.000 U	**5.7**	0.010 U
MW-11 Screen 5	Nov 2012	MW-11-5	NA	NA	**0.9 J**	0.002 U
MW-11 Screen 5	Apr/May 2013	MW-11-5	**6.9**	**0.140 J**	**1.7 J**	0.002 U
MW-11 Screen 5	Oct/Nov 2013	MW-11-5	NA	NA	3.0 U	0.002 U
MW-11 Screen 5	Apr/May 2014	MW-11-5	**5.8**	**1.200**	**4.0**	0.001 U
MW-11 Screen 5	Oct 2014	MW-11-5	NA	NA	**1.2 J**	0.002 U
MW-11 Screen 5	April/May 2015	MW-11-5	**6.1**	**0.370 J**	2.4 U	0.002 UJ
MW-12 Screen 1	Aug/Sep 1996	MW-12-1	NA	NA	10.0 U	NA
MW-12 Screen 1	Aug/Sep 1996	MW-12-1	5.0 U	**4.400**	10.0 U	0.005 U
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Feb/Mar 1997	MW-12-1	5.0 U	**3.200**	10.0 U	0.005 U
MW-12 Screen 1	June/July 1997	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Jan/Feb 1998	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Apr/May 1998	MW-12-1	5.0 U	2.000 U	**10.0**	0.005 U
MW-12 Screen 1	Jul/Aug 1998	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Oct/Nov 1998	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Feb/Mar 1999	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	May/Jun 1999	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Aug 1999	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Nov/Dec 1999	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Mar/Apr 2000	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Jul/Aug 2000	MW-12-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 1	Sep/Oct 2000	MW-12-1	NA	NA	10.0 U	0.005 U
MW-12 Screen 1	Jan/Feb 2001	MW-12-1	5.0 U	1.000 U	**8.3**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 1	Jul 2001	MW-12-1	NA	NA	**8.8**	UNK U
MW-12 Screen 1	Oct 2001	MW-12-1	NA	NA	**6.7**	0.010 U
MW-12 Screen 1	Jan/Feb 2002	MW-12-1	5.0 U	1.000 U	**4.0 J**	0.010 U
MW-12 Screen 1	Apr/May 2002	MW-12-1	NA	NA	**5.0**	0.010 U
MW-12 Screen 1	Jul 2002	MW-12-1	NA	NA	**5.0**	UNK U
MW-12 Screen 1	Oct/Nov 2002	MW-12-1	NA	NA	NA	0.010 U
MW-12 Screen 1	Jan/Feb 2003	MW-12-1	NA	NA	**6.0**	0.010 U
MW-12 Screen 1	Apr/May 2003	MW-12-1	5.0 U	1.000 U	**9.7**	0.010 U
MW-12 Screen 1	Jul/Aug 2003	MW-12-1	NA	NA	**8.0 J**	0.010 U
MW-12 Screen 1	Oct/Nov 2003	MW-12-1	NA	NA	**8.1 J**	0.010 U
MW-12 Screen 1	Oct/Nov 2003	DUPE-4-4Q03	NA	NA	**8.4 J**	0.010 U
MW-12 Screen 1	Feb 2004	MW-12-1	NA	NA	**9.5**	0.010 U
MW-12 Screen 1	Apr/May 2004	MW-12-1	5.0 U	0.043 U	**2.6**	**0.004 J**
MW-12 Screen 1	Jul/Aug 2004	MW-12-1	NA	NA	**11.7**	0.010 U
MW-12 Screen 1	Oct/Nov 2004	MW-12-1	NA	NA	**14.6 J**	0.010 U
MW-12 Screen 1	Jan/Feb 2005	MW-12-1	NA	NA	**7.1**	0.010 U
MW-12 Screen 1	Apr/May 2005	MW-12-1	5.0 U	**0.029 J**	**6.8**	0.010 U
MW-12 Screen 1	Jul/Sep 2005	MW-12-1	NA	NA	**10.1**	0.010 U
MW-12 Screen 1	Oct/Nov 2005	MW-12-1	NA	NA	**8.1**	0.010 U
MW-12 Screen 1	Mar/Apr 2006	MW-12-1	NA	NA	**1.6**	0.010 U
MW-12 Screen 1	Mar/Apr 2006	DUPE-6-1Q06	NA	NA	**1.6**	0.010 U
MW-12 Screen 1	May/Jun 2006	MW-12-1	1.0 U	1.000 U	**2.0 J**	**0.004 J**
MW-12 Screen 1	Aug/Sep 2006	MW-12-1	NA	NA	3.6 U	0.010 U
MW-12 Screen 1	Oct/Dec 2006	MW-12-1	NA	NA	**4.3**	0.010 U
MW-12 Screen 1	Mar/Apr 2007	MW-12-1	NA	NA	**3.1 J**	0.010 U
MW-12 Screen 1	Jun/Jul 2007	MW-12-1	1.0 U	1.000 U	**5.2 J**	0.010 U
MW-12 Screen 1	Jun/Jul 2007	DUPE-5-2Q07	1.0 U	1.000 U	**5.4 J**	0.010 U
MW-12 Screen 1	Aug/Sep 2007	MW-12-1	NA	NA	**16.6**	0.010 U
MW-12 Screen 1	Oct/Dec 2007	MW-12-1	NA	NA	**10.2**	0.010 U
MW-12 Screen 1	Jan/Feb 2008	MW-12-1	NA	NA	**2.2**	0.010 U
MW-12 Screen 1	Apr/May 2008	MW-12-1	1.0 U	1.000 U	**8.1**	0.010 U
MW-12 Screen 1	Jul/Aug 2008	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Oct/Nov 2008	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Jan/Feb 2009	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Apr/May 2009	MW-12-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 1	Jul/Aug 2009	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Nov/Dec 2009	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Feb 2010	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Apr/May 2010	MW-12-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 1	Jul/Aug 2010	MW-12-1	NA	NA	**6.5**	0.010 U
MW-12 Screen 1	Oct/Nov 2010	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Feb/Mar 2011	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Apr/May 2011	MW-12-1	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 1	Aug/Sep 2011	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Nov/Dec 2011	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Jan/Feb 2012	MW-12-1	NA	NA	5.0 U	0.010 U
MW-12 Screen 1	Apr/May 2012	MW-12-1	2.0 U	5.000 U	5.0 U	**0.003 J**
MW-12 Screen 1	Aug/Sep 2012	MW-12-1	NA	NA	3.0 U	0.002 U
MW-12 Screen 1	Aug/Sep 2012	DUPE-5-3Q12	NA	NA	3.0 U	0.002 U
MW-12 Screen 1	Nov 2012	MW-12-1	NA	NA	3.0 U	0.002 U
MW-12 Screen 1	Jan/Feb 2013	MW-12-1	NA	NA	**1.1 J**	0.002 U
MW-12 Screen 1	Apr/May 2013	MW-12-1	2.0 U	1.000 U	**0.6 J**	0.002 U
MW-12 Screen 1	Jul 2013	MW-12-1	NA	NA	**1.0 J**	0.002 U
MW-12 Screen 1	Oct/Nov 2013	MW-12-1	NA	NA	**1.9 J**	**0.001 J**
MW-12 Screen 1	Jan/Feb 2014	MW-12-1	NA	NA	3.0 U	0.002 U
MW-12 Screen 1	Apr/May 2014	MW-12-1	2.0 U	1.000 U	**1.1 J**	0.002 U
MW-12 Screen 1	Apr/May 2014	DUP-4-2Q14	2.0 U	1.000 U	**1.1 J**	0.002 U
MW-12 Screen 1	Jan/Feb 2015	MW-12-1	NA	NA	**2.3 J**	**0.002 J**
MW-12 Screen 1	April/May 2015	MW-12-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	NA	NA	10.0 U	NA
MW-12 Screen 2	Aug/Sep 1996	MW-12-2	5.0 U	**24.000**	10.0 U	0.005 U
MW-12 Screen 2	Oct/Nov 1996	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Feb/Mar 1997	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	June/July 1997	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Sep/Oct 1997	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Jan/Feb 1998	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Apr/May 1998	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	5.0 U	**2.700**	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 1998	MW-12-2	5.0 U	**5.800**	10.0 U	0.005 U
MW-12 Screen 2	Oct/Nov 1998	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Feb/Mar 1999	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	May/Jun 1999	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Aug 1999	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Nov/Dec 1999	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Mar/Apr 2000	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 2000	MW-12-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Jul/Aug 2000	DUP	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 2	Sep/Oct 2000	MW-12-2	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Sep/Oct 2000	DUP	NA	NA	10.0 U	0.005 U
MW-12 Screen 2	Jan/Feb 2001	MW-12-2	5.0 U	1.000 U	**4.8 J**	0.010 U
MW-12 Screen 2	Jul 2001	MW-12-2	NA	NA	**5.0**	UNK U
MW-12 Screen 2	Oct 2001	MW-12-2	NA	NA	**7.4**	0.010 U
MW-12 Screen 2	Oct 2001	DUP	NA	NA	**6.6**	0.010 U
MW-12 Screen 2	Jan/Feb 2002	MW-12-2	5.0 U	1.000 U	**3.0 J**	0.010 U
MW-12 Screen 2	Jan/Feb 2002	DUP	**1.7 B**	1.000 U	**4.1 J**	0.010 U
MW-12 Screen 2	Apr/May 2002	MW-12-2	NA	NA	**7.0**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 2	Jul 2002	MW-12-2	NA	NA	**3.0**	UNK U
MW-12 Screen 2	Oct/Nov 2002	MW-12-2	NA	NA	NA	0.010 U
MW-12 Screen 2	Jan/Feb 2003	MW-12-2	NA	NA	**3.8**	0.010 U
MW-12 Screen 2	Jan/Feb 2003	DUPE-4-1Q03	NA	NA	**4.0**	0.010 U
MW-12 Screen 2	Apr/May 2003	MW-12-2	5.0 U	1.000 U	**2.9**	0.010 U
MW-12 Screen 2	Jul/Aug 2003	MW-12-2	NA	NA	**3.8 J**	0.010 U
MW-12 Screen 2	Oct/Nov 2003	MW-12-2	NA	NA	**2.9 J**	0.010 U
MW-12 Screen 2	Feb 2004	MW-12-2	NA	NA	**4.4**	0.010 U
MW-12 Screen 2	Apr/May 2004	MW-12-2	5.0 U	0.120 U	**10.9**	0.010 U
MW-12 Screen 2	Jul/Aug 2004	MW-12-2	NA	NA	**12.0**	0.010 U
MW-12 Screen 2	Oct/Nov 2004	MW-12-2	NA	NA	**13.1 J**	0.010 U
MW-12 Screen 2	Jan/Feb 2005	MW-12-2	NA	NA	**7.1**	0.010 U
MW-12 Screen 2	Apr/May 2005	MW-12-2	5.0 U	**0.036 J**	**6.6**	0.010 U
MW-12 Screen 2	Jul/Sep 2005	MW-12-2	NA	NA	**10.2**	0.010 U
MW-12 Screen 2	Oct/Nov 2005	MW-12-2	NA	NA	**9.7**	0.010 U
MW-12 Screen 2	Mar/Apr 2006	MW-12-2	NA	NA	**1.7**	0.010 U
MW-12 Screen 2	May/Jun 2006	MW-12-2	1.0 U	1.000 U	**1.4 J**	0.010 U
MW-12 Screen 2	Aug/Sep 2006	MW-12-2	NA	NA	2.1 U	**0.004 J**
MW-12 Screen 2	Oct/Dec 2006	MW-12-2	NA	NA	**3.3**	0.010 U
MW-12 Screen 2	Mar/Apr 2007	MW-12-2	NA	NA	**1.2 J**	0.010 U
MW-12 Screen 2	Jun/Jul 2007	MW-12-2	1.0 U	1.000 U	**2.2 J**	0.010 U
MW-12 Screen 2	Aug/Sep 2007	MW-12-2	NA	NA	**15.7**	0.010 U
MW-12 Screen 2	Oct/Dec 2007	MW-12-2	NA	NA	**9.5**	0.010 U
MW-12 Screen 2	Jan/Feb 2008	MW-12-2	NA	NA	**1.0**	0.010 U
MW-12 Screen 2	Apr/May 2008	MW-12-2	1.0 U	1.000 U	**5.8**	0.010 U
MW-12 Screen 2	Jul/Aug 2008	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2008	DUPE-7-3Q08	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Oct/Nov 2008	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jan/Feb 2009	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2009	MW-12-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2009	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2009	DUPE-7-3Q09	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Nov/Dec 2009	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Feb 2010	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2010	MW-12-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2010	DUPE-03-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Jul/Aug 2010	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Oct/Nov 2010	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Feb/Mar 2011	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Apr/May 2011	MW-12-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Aug/Sep 2011	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Nov/Dec 2011	MW-12-2	NA	NA	5.0 U	0.010 U
MW-12 Screen 2	Jan/Feb 2012	MW-12-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 2	Apr/May 2012	MW-12-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 2	Aug/Sep 2012	MW-12-2	NA	NA	**0.6 J**	0.002 U
MW-12 Screen 2	Nov 2012	MW-12-2	NA	NA	**1.0 J**	0.002 U
MW-12 Screen 2	Jan/Feb 2013	MW-12-2	NA	NA	**2.0 J**	0.002 U
MW-12 Screen 2	Apr/May 2013	MW-12-2	**0.8 J**	1.000 U	**1.1 J**	0.002 U
MW-12 Screen 2	Apr/May 2013	DUP-4-2Q13	2.0 U	1.000 U	**1.2 J**	0.002 U
MW-12 Screen 2	Jul 2013	MW-12-2	NA	NA	**1.6 J**	0.002 U
MW-12 Screen 2	Oct/Nov 2013	MW-12-2	NA	NA	**1.0 J**	0.002 U
MW-12 Screen 2	Jan/Feb 2014	MW-12-2	NA	NA	**1.0 J**	0.002 U
MW-12 Screen 2	Apr/May 2014	MW-12-2	2.0 U	1.000 U	**1.0 J**	0.002 U
MW-12 Screen 2	Jul/Aug 2014	MW-12-2	NA	NA	2.6 U	0.002 U
MW-12 Screen 2	Oct 2014	MW-12-2	NA	NA	**2.8 J**	0.002 U
MW-12 Screen 2	Jan/Feb 2015	MW-12-2	NA	NA	**0.9 J**	**0.002 J**
MW-12 Screen 2	April/May 2015	MW-12-2	2.0 U	1.000 U	**0.7 J**	0.002 U
MW-12 Screen 3	Aug/Sep 1996	MW-12-3	NA	NA	10.0 U	NA
MW-12 Screen 3	Aug/Sep 1996	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Oct/Nov 1996	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Feb/Mar 1997	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	June/July 1997	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Sep/Oct 1997	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Jan/Feb 1998	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Apr/May 1998	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Jul/Aug 1998	MW-12-3	5.0 U	**18.000**	10.0 U	0.005 U
MW-12 Screen 3	Oct/Nov 1998	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Feb/Mar 1999	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	May/Jun 1999	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Aug 1999	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Nov/Dec 1999	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Mar/Apr 2000	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Jul/Aug 2000	MW-12-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 3	Sep/Oct 2000	MW-12-3	NA	NA	10.0 U	0.005 U
MW-12 Screen 3	Jan/Feb 2001	MW-12-3	5.0 U	1.000 U	**4.6 J**	0.010 U
MW-12 Screen 3	Jul 2001	MW-12-3	NA	NA	**2.5 J**	UNK U
MW-12 Screen 3	Oct 2001	MW-12-3	NA	NA	**6.4**	0.010 U
MW-12 Screen 3	Oct 2001	DUP	NA	NA	**6.0**	NA
MW-12 Screen 3	Jan/Feb 2002	MW-12-3	5.0 U	**0.070 J**	**4.0 J**	0.010 U
MW-12 Screen 3	Jan/Feb 2002	DUP	NA	**0.040 J**	**4.0 J**	NA
MW-12 Screen 3	Apr/May 2002	MW-12-3	NA	NA	**4.0**	0.010 U
MW-12 Screen 3	Apr/May 2002	DUP	NA	NA	**5.0**	0.010 U
MW-12 Screen 3	Jul 2002	MW-12-3	NA	NA	**2.0**	UNK U
MW-12 Screen 3	Jul 2002	DUP	NA	NA	**4.0**	UNK U
MW-12 Screen 3	Oct/Nov 2002	MW-12-3	NA	NA	NA	0.010 U
MW-12 Screen 3	Jan/Feb 2003	MW-12-3	**0.7**	**0.090 J**	**3.9**	0.000 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 3	Apr/May 2003	MW-12-3	5.0 U	1.000 U	**1.3**	0.010 U
MW-12 Screen 3	Apr/May 2003	DUPE-6-2Q03	5.0 U	1.000 U	**1.3**	0.010 U
MW-12 Screen 3	Jul/Aug 2003	MW-12-3	NA	NA	**2.4 J**	0.010 U
MW-12 Screen 3	Oct/Nov 2003	MW-12-3	NA	NA	1.6 UJ	0.010 U
MW-12 Screen 3	Feb 2004	MW-12-3	NA	NA	1.0 U	0.010 U
MW-12 Screen 3	Apr/May 2004	MW-12-3	5.0 U	0.014 U	**6.2**	0.010 U
MW-12 Screen 3	Jul/Aug 2004	MW-12-3	NA	NA	**6.5**	0.010 U
MW-12 Screen 3	Oct/Nov 2004	MW-12-3	NA	NA	**8.8 J**	0.010 U
MW-12 Screen 3	Jan/Feb 2005	MW-12-3	NA	NA	**5.1**	0.010 U
MW-12 Screen 3	Apr/May 2005	MW-12-3	5.0 U	**0.068 J**	**5.1**	0.010 U
MW-12 Screen 3	Jul/Sep 2005	MW-12-3	NA	NA	**6.7**	0.010 U
MW-12 Screen 3	Oct/Nov 2005	MW-12-3	NA	NA	**6.0**	0.010 U
MW-12 Screen 3	Mar/Apr 2006	MW-12-3	NA	NA	1.0 U	0.010 U
MW-12 Screen 3	May/Jun 2006	MW-12-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-12 Screen 3	Aug/Sep 2006	MW-12-3	NA	NA	1.9 U	**0.008 J**
MW-12 Screen 3	Oct/Dec 2006	MW-12-3	NA	NA	**1.5**	0.010 U
MW-12 Screen 3	Mar/Apr 2007	MW-12-3	NA	NA	1.0 U	0.010 U
MW-12 Screen 3	Jun/Jul 2007	MW-12-3	1.0 U	1.000 U	**1.2 J**	0.010 U
MW-12 Screen 3	Aug/Sep 2007	MW-12-3	NA	NA	**12.3**	0.010 U
MW-12 Screen 3	Oct/Dec 2007	MW-12-3	NA	NA	**8.0**	0.010 U
MW-12 Screen 3	Jan/Feb 2008	MW-12-3	NA	NA	**1.2**	0.010 U
MW-12 Screen 3	Apr/May 2008	MW-12-3	1.0 U	1.000 U	**4.4**	0.010 U
MW-12 Screen 3	Jul/Aug 2008	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Oct/Nov 2008	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Jan/Feb 2009	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2009	MW-12-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2009	DUPE-07-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Jul/Aug 2009	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Nov/Dec 2009	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Nov/Dec 2009	DUPE-06-4Q09	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Feb 2010	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2010	MW-12-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Jul/Aug 2010	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Oct/Nov 2010	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Oct/Nov 2010	DUPE-05-4Q10	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Feb/Mar 2011	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2011	MW-12-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Aug/Sep 2011	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Nov/Dec 2011	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Jan/Feb 2012	MW-12-3	NA	NA	5.0 U	0.010 U
MW-12 Screen 3	Apr/May 2012	MW-12-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 3	Aug/Sep 2012	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	Nov 2012	MW-12-3	NA	NA	3.0 U	**0.001 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 3	Jan/Feb 2013	MW-12-3	NA	NA	**1.1 J**	0.002 U
MW-12 Screen 3	Apr/May 2013	MW-12-3	**1.3 J**	1.000 U	3.0 U	0.002 U
MW-12 Screen 3	Jul 2013	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	Oct/Nov 2013	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	Jan/Feb 2014	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	Apr/May 2014	MW-12-3	**0.8 J**	1.000 U	3.0 U	0.002 U
MW-12 Screen 3	Jul/Aug 2014	MW-12-3	NA	NA	1.1 U	0.002 U
MW-12 Screen 3	Oct 2014	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	Oct 2014	DUP-7-4Q14	NA	NA	**0.6 J**	0.002 U
MW-12 Screen 3	Jan/Feb 2015	MW-12-3	NA	NA	3.0 U	0.002 U
MW-12 Screen 3	April/May 2015	MW-12-3	2.0 U	1.000 U	3.0 U	0.002 U
MW-12 Screen 4	Aug/Sep 1996	MW-12-4	NA	NA	10.0 U	NA
MW-12 Screen 4	Aug/Sep 1996	MW-12-4	5.0 U	**4.500**	10.0 U	0.005 U
MW-12 Screen 4	Oct/Nov 1996	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Feb/Mar 1997	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	June/July 1997	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Sep/Oct 1997	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Jan/Feb 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Apr/May 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Jul/Aug 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Oct/Nov 1998	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Feb/Mar 1999	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	May/Jun 1999	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Nov/Dec 1999	MW-12-4	NA	NA	10.0 U	0.005 U
MW-12 Screen 4	Jul/Aug 2000	MW-12-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 4	Jan/Feb 2001	MW-12-4	5.0 U	1.000 U	**5.9**	0.010 U
MW-12 Screen 4	Jan/Feb 2002	MW-12-4	5.0 U	1.000 U	**3.9 J**	0.010 U
MW-12 Screen 4	Jan/Feb 2003	MW-12-4	NA	NA	NA	0.010 U
MW-12 Screen 4	Apr/May 2003	MW-12-4	5.0 U	1.000 U	**1.3**	0.010 U
MW-12 Screen 4	Oct/Nov 2003	MW-12-4	NA	NA	**2.8 J**	0.010 U
MW-12 Screen 4	Apr/May 2004	MW-12-4	5.0 U	0.120 U	**9.0**	0.010 U
MW-12 Screen 4	Apr/May 2004	DUPE-4-2Q04	5.0 U	**0.001 J**	**8.2**	**0.004 J**
MW-12 Screen 4	Oct/Nov 2004	MW-12-4	NA	NA	**12.1 J**	0.010 U
MW-12 Screen 4	Oct/Nov 2004	DUPE-4-4Q04	NA	NA	**12.8 J**	0.010 U
MW-12 Screen 4	Apr/May 2005	MW-12-4	5.0 U	**0.016 J**	**5.5**	0.010 U
MW-12 Screen 4	Jul/Sep 2005	MW-12-4	NA	NA	**10.1**	0.010 U
MW-12 Screen 4	Oct/Nov 2005	MW-12-4	NA	NA	**6.4**	0.010 U
MW-12 Screen 4	May/Jun 2006	MW-12-4	**1.5 J**	1.000 U	1.0 U	0.010 U
MW-12 Screen 4	Oct/Dec 2006	MW-12-4	NA	NA	**2.6**	0.010 U
MW-12 Screen 4	Jun/Jul 2007	MW-12-4	**1.9**	1.000 U	**2.0 J**	0.010 U
MW-12 Screen 4	Oct/Dec 2007	MW-12-4	NA	NA	**10.2**	0.010 U
MW-12 Screen 4	Apr/May 2008	MW-12-4	**1.8**	1.000 U	**4.7**	0.010 U
MW-12 Screen 4	Oct/Nov 2008	MW-12-4	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 4	Apr/May 2009	MW-12-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 4	Nov/Dec 2009	MW-12-4	NA	NA	5.0 U	0.010 U
MW-12 Screen 4	Apr/May 2010	MW-12-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 4	Oct/Nov 2010	MW-12-4	NA	NA	5.0 U	0.010 U
MW-12 Screen 4	Apr/May 2011	MW-12-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 4	Nov/Dec 2011	MW-12-4	NA	NA	5.0 U	0.010 U
MW-12 Screen 4	Apr/May 2012	MW-12-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 4	Nov 2012	MW-12-4	NA	NA	3.0 U	**0.001 J**
MW-12 Screen 4	Apr/May 2013	MW-12-4	**1.7 J**	1.000 U	**0.8 J**	**0.001 J**
MW-12 Screen 4	Oct/Nov 2013	MW-12-4	NA	NA	**0.9 J**	**0.001 J**
MW-12 Screen 4	Apr/May 2014	MW-12-4	**2.3**	1.000 U	3.0 U	0.002 U
MW-12 Screen 4	Oct 2014	MW-12-4	NA	NA	**0.8 J**	0.002 U
MW-12 Screen 4	April/May 2015	MW-12-4	**1.4 J**	1.000 U	3.0 U	0.002 U
MW-12 Screen 4	April/May 2015	DUP-5-2Q15	**1.2 J**	1.000 U	3.0 U	0.002 U
MW-12 Screen 5	Aug/Sep 1996	MW-12-5	NA	NA	10.0 U	NA
MW-12 Screen 5	Aug/Sep 1996	MW-12-5	5.0 U	2.000 U	10.0 U	**0.006 J**
MW-12 Screen 5	Oct/Nov 1996	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Feb/Mar 1997	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	June/July 1997	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Sep/Oct 1997	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Jan/Feb 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Apr/May 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Jul/Aug 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Oct/Nov 1998	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Feb/Mar 1999	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	May/Jun 1999	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Nov/Dec 1999	MW-12-5	NA	NA	10.0 U	0.005 U
MW-12 Screen 5	Jul/Aug 2000	MW-12-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-12 Screen 5	Jan/Feb 2001	MW-12-5	**2.7 B**	1.000 U	**6.4**	0.010 U
MW-12 Screen 5	Jan/Feb 2001	DUP	5.0 U	1.000 U	**5.2**	0.010 U
MW-12 Screen 5	Jan/Feb 2002	MW-12-5	**1.8 B**	**1.050**	**4.3 J**	0.010 U
MW-12 Screen 5	Jan/Feb 2003	MW-12-5	**0.6**	**0.200**	**1.2**	0.000 U
MW-12 Screen 5	Apr/May 2003	MW-12-5	5.0 U	1.000 U	**1.2**	0.010 U
MW-12 Screen 5	Oct/Nov 2003	MW-12-5	NA	NA	**4.7 J**	0.010 U
MW-12 Screen 5	Apr/May 2004	MW-12-5	5.0 U	0.048 U	**1.8**	**0.005 J**
MW-12 Screen 5	Oct/Nov 2004	MW-12-5	NA	NA	**3.8 J**	0.010 U
MW-12 Screen 5	Apr/May 2005	MW-12-5	5.0 U	**0.034 J**	**5.4**	0.010 U
MW-12 Screen 5	Jul/Sep 2005	MW-12-5	NA	NA	**9.9**	0.010 U
MW-12 Screen 5	Oct/Nov 2005	MW-12-5	NA	NA	**7.4**	0.010 U
MW-12 Screen 5	May/Jun 2006	MW-12-5	**2.2 J**	1.000 U	**1.7 J**	0.010 U
MW-12 Screen 5	Oct/Dec 2006	MW-12-5	NA	NA	**5.0**	0.010 U
MW-12 Screen 5	Jun/Jul 2007	MW-12-5	**2.0**	1.000 U	**3.0**	0.010 U
MW-12 Screen 5	Oct/Dec 2007	MW-12-5	NA	NA	**9.3**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-12 Screen 5	Apr/May 2008	MW-12-5	**2.3**	1.000 U	**10.6**	0.010 U
MW-12 Screen 5	Oct/Nov 2008	MW-12-5	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Apr/May 2009	MW-12-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 5	Nov/Dec 2009	MW-12-5	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Apr/May 2010	MW-12-5	**2.1**	5.000 U	5.0 U	0.010 U
MW-12 Screen 5	Oct/Nov 2010	MW-12-5	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Apr/May 2011	MW-12-5	**2.9**	5.000 U	5.0 U	0.010 U
MW-12 Screen 5	Nov/Dec 2011	MW-12-5	NA	NA	5.0 U	0.010 U
MW-12 Screen 5	Apr/May 2012	MW-12-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-12 Screen 5	Nov 2012	MW-12-5	NA	NA	**2.2 J**	**0.003**
MW-12 Screen 5	Apr/May 2013	MW-12-5	**2.2**	1.000 U	**1.8 J**	**0.002**
MW-12 Screen 5	Oct/Nov 2013	MW-12-5	NA	NA	**1.5 J**	**0.002 J**
MW-12 Screen 5	Apr/May 2014	MW-12-5	**1.9 J**	1.000 U	**1.8 J**	**0.001 J**
MW-12 Screen 5	Oct 2014	MW-12-5	NA	NA	**2.7 J**	**0.001 J**
MW-12 Screen 5	April/May 2015	MW-12-5	**1.5 J**	1.000 U	**0.9 J**	**0.001 J**
MW-13	Aug/Sep 1996	MW-13	NA	NA	**44.0**	NA
MW-13	Aug/Sep 1996	MW-13	5.0 U	2.000 U	**46.0**	**0.047**
MW-13	Oct/Nov 1996	MW-13	5.0 U	**4.500**	**30.0**	**0.031**
MW-13	Oct/Nov 1996	MW-13	5.0 U	**5.400**	**31.0**	**0.028**
MW-13	Feb/Mar 1997	MW-13	5.0 U	2.000 U	**32.0**	**0.035**
MW-13	June/July 1997	MW-13	5.0 U	2.000 U	**36.0**	**0.037**
MW-13	June/July 1997	MW-13	5.0 U	2.000 U	**38.0**	**0.037**
MW-13	Sep/Oct 1997	MW-13	5.0 U	2.000 U	**50.0**	**0.045**
MW-13	Sep/Oct 1997	MW-13	5.0 U	2.000 U	**55.0**	**0.045**
MW-13	Jan/Feb 1998	MW-13	5.0 U	2.000 U	**43.0**	**0.035**
MW-13	Jan/Feb 1998	MW-13	5.0 U	**2.800**	**40.0**	**0.036**
MW-13	Apr/May 1998	MW-13	5.0 U	2.000 U	**80.0**	**0.024**
MW-13	Apr/May 1998	MW-13	5.0 U	2.000 U	**82.0**	**0.024**
MW-13	Jul/Aug 1998	MW-13	5.0 U	2.000 U	**25.0**	**0.023**
MW-13	Oct/Nov 1998	MW-13	5.0 U	2.000 U	**36.0**	**0.029**
MW-13	Oct/Nov 1998	MW-13	5.0 U	2.000 U	**37.0**	**0.029**
MW-13	Feb/Mar 1999	MW-13	5.0 U	2.000 U	**27.0**	**0.018**
MW-13	Feb/Mar 1999	MW-13	5.0 U	2.000 U	**30.0**	**0.019**
MW-13	May/Jun 1999	MW-13	5.0 U	2.000 U	**24.0**	**0.024**
MW-13	May/Jun 1999	MW-13	5.0 U	2.000 U	**25.0**	**0.025**
MW-13	Aug 1999	MW-13	NA	NA	**33.0**	**0.031**
MW-13	Aug 1999	MW-13	NA	NA	**37.0**	**0.031**
MW-13	Nov/Dec 1999	MW-13	NA	NA	**33.0**	**0.029**
MW-13	Nov/Dec 1999	MW-13	NA	NA	**34.0**	**0.029**
MW-13	Mar/Apr 2000	MW-13	NA	NA	**32.0**	**0.029**
MW-13	Mar/Apr 2000	MW-13	NA	NA	**34.0**	**0.030**
MW-13	Jan/Feb 2001	MW-13	5.0 U	1.000 U	**110.0**	**0.032**
MW-13	Jul 2001	MW-13	NA	NA	**13.7**	UNK U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-13	Jul 2001	DUP	NA	NA	**13.4**	NA
MW-13	Oct 2001	MW-13	NA	NA	**33.2**	**0.028**
MW-13	Oct 2001	DUP	NA	NA	**35.6**	NA
MW-13	Jan/Feb 2002	MW-13	**2.7 B**	1.000 U	**11.8 J**	**0.034**
MW-13	Apr/May 2002	MW-13	NA	NA	**58.0**	**0.037**
MW-13	Jul 2002	MW-13	NA	NA	**28.0**	**0.010**
MW-13	Jul 2002	DUP	NA	NA	**28.0**	**0.010**
MW-13	Oct/Nov 2002	MW-13	NA	NA	NA	**0.050**
MW-13	Jan/Feb 2003	MW-13	NA	NA	**90.0**	**0.055**
MW-13	Apr/May 2003	MW-13	5.0 U	1.000 U	**16.0 J**	**0.024**
MW-13	Jul/Aug 2003	MW-13	NA	NA	**8.5 J**	0.010 U
MW-13	Oct/Nov 2003	MW-13	NA	NA	**18.0 J**	**0.020**
MW-13	Feb 2004	MW-13	NA	NA	**63.0**	**0.052**
MW-13	Apr/May 2004	MW-13	5.0 U	0.120 U	**31.5**	**0.024**
MW-13	Jul/Aug 2004	MW-13	NA	NA	**26.1 J**	**0.011**
MW-13	Oct/Nov 2004	MW-13	NA	NA	**55.1 J**	**0.048**
MW-13	Jan/Feb 2005	MW-13	NA	NA	**50.9**	**0.032**
MW-13	Apr/May 2005	MW-13	**1.3 J**	**0.039 J**	**25.7**	**0.020**
MW-13	Jul/Sep 2005	MW-13	NA	NA	**31.7**	**0.024**
MW-13	Oct/Nov 2005	MW-13	NA	NA	**89.9**	**0.013**
MW-13	Mar/Apr 2006	MW-13	NA	NA	**48.2 J**	**0.024**
MW-13	May/Jun 2006	MW-13	1.0 U	1.000 U	**16.2**	**0.008 J**
MW-13	May/Jun 2006	DUPE-9-2Q06	1.0 U	1.000 U	**17.1**	0.010 U
MW-13	Aug/Sep 2006	MW-13	NA	NA	**14.8**	**0.008 J**
MW-13	Aug/Sep 2006	DUPE-3-3Q06	NA	NA	**15.7**	**0.008 J**
MW-13	Oct/Dec 2006	MW-13	NA	NA	**131.0**	**0.084**
MW-13	Mar/Apr 2007	MW-13	NA	NA	**70.3**	**0.041**
MW-13	Jun/Jul 2007	MW-13	1.0 U	**22.200**	**66.2 J**	**0.066**
MW-13	Aug/Sep 2007	MW-13	NA	NA	**83.2**	**0.070**
MW-13	Aug/Sep 2007	DUPE-6-3Q07	NA	NA	**85.7**	**0.060**
MW-13	Oct/Dec 2007	MW-13	NA	NA	**37.9**	**0.020**
MW-13	Oct/Dec 2007	DUPE-6-4Q07	NA	NA	**38.5**	**0.020**
MW-13	Jan/Feb 2008	MW-13	NA	NA	**13.8 E**	**0.008 J**
MW-13	Apr/May 2008	MW-13	1.0 U	1.000 U	**51.6 E**	**0.058**
MW-13	Jul/Aug 2008	MW-13	NA	NA	**51.0**	**0.039**
MW-13	Oct/Nov 2008	MW-13	NA	NA	**88.0**	**0.033**
MW-13	Jan/Feb 2009	MW-13	NA	NA	**31.0**	0.010 U
MW-13	Apr/May 2009	MW-13	2.0 U	**10.000**	**33.0**	**0.028**
MW-13	Jul/Aug 2009	MW-13	NA	NA	**31.0**	**0.031**
MW-13	Nov/Dec 2009	MW-13	NA	NA	**12.0**	0.010 U
MW-13	Feb 2010	MW-13	NA	NA	5.0 U	NA
MW-13	Apr/May 2010	MW-13	2.0 U	5.000 U	**22.0**	**0.022**
MW-13	Jul/Aug 2010	MW-13	NA	NA	**12.0**	**0.015**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-13	Oct/Nov 2010	MW-13	NA	NA	**8.1**	**0.009 J**
MW-13	Feb/Mar 2011	MW-13	NA	NA	**15.0**	**0.008 J**
MW-13	Apr/May 2011	MW-13	2.0 U	5.000 U	**15.0**	**0.009 J**
MW-13	Aug/Sep 2011	MW-13	NA	NA	**6.0**	**0.006 J**
MW-13	Nov/Dec 2011	MW-13	NA	NA	**14.0 J**	**0.005 J**
MW-13	Jan/Feb 2012	MW-13	NA	NA	**5.8**	**0.007 J**
MW-13	Jan/Feb 2012	DUPE-6-1Q12	NA	NA	**5.6**	**0.008 J**
MW-13	Apr/May 2012	MW-13	2.0 U	5.000 U	**11.0**	**0.008 J**
MW-13	Aug/Sep 2012	MW-13	NA	NA	**11.0**	**0.005**
MW-13	Nov 2012	MW-13	NA	NA	**23.0**	**0.007**
MW-13	Nov 2012	DUPE-7-4Q12	NA	NA	**43.0**	**0.007**
MW-13	Jan/Feb 2013	MW-13	NA	NA	**17.0**	**0.006**
MW-13	Jan/Feb 2013	DUP-5-1Q13	NA	NA	**15.0**	**0.006**
MW-13	Apr/May 2013	MW-13	**0.7 J**	**0.100 J**	**14.0 J**	**0.005**
MW-13	Jul 2013	MW-13	NA	NA	**140.0**	**0.004**
MW-13	Oct/Nov 2013	MW-13	NA	NA	**67.0**	**0.002 J**
MW-13	Jan/Feb 2014	MW-13	NA	NA	**150.0**	0.002 U
MW-13	Jan/Feb 2014	DUPE-4-1Q14	NA	NA	**150.0**	0.002 U
MW-13	Apr/May 2014	MW-13	2.0 U	1.000 U	**220.0**	0.002 U
MW-13	Jul/Aug 2014	MW-13	NA	NA	**51000.0**	0.002 U
MW-14 Screen 1	Aug/Sep 1996	MW-14-1	NA	NA	10.0 U	NA
MW-14 Screen 1	Aug/Sep 1996	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Oct/Nov 1996	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Feb/Mar 1997	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	June/July 1997	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Sep/Oct 1997	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Jan/Feb 1998	MW-14-1	5.0 U	**4.300**	10.0 U	0.005 U
MW-14 Screen 1	Apr/May 1998	MW-14-1	5.0 U	2.000 U	**11.0**	0.005 U
MW-14 Screen 1	Jul/Aug 1998	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Oct/Nov 1998	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Feb/Mar 1999	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	May/Jun 1999	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Aug 1999	MW-14-1	NA	NA	10.0 U	0.005 U
MW-14 Screen 1	Mar/Apr 2000	MW-14-1	NA	NA	10.0 U	0.005 U
MW-14 Screen 1	Jul/Aug 2000	MW-14-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 1	Sep/Oct 2000	MW-14-1	NA	NA	10.0 U	0.005 U
MW-14 Screen 1	Jan/Feb 2001	MW-14-1	5.0 U	1.000 U	**5.0 J**	0.010 U
MW-14 Screen 1	Apr 2001	MW-14-1	NA	NA	NA	0.010 U
MW-14 Screen 1	Apr 2001	DUP	NA	NA	NA	0.010 U
MW-14 Screen 1	Jul 2001	MW-14-1	NA	NA	**2.6 J**	UNK U
MW-14 Screen 1	Oct 2001	MW-14-1	NA	NA	**11.7**	0.010 U
MW-14 Screen 1	Jan/Feb 2002	MW-14-1	5.0 U	1.000 U	**4.9 J**	0.010 U
MW-14 Screen 1	Apr/May 2002	MW-14-1	NA	NA	**9.0**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 1	Jul 2002	MW-14-1	NA	NA	**7.0**	UNK U
MW-14 Screen 1	Oct/Nov 2002	MW-14-1	NA	NA	NA	0.010 U
MW-14 Screen 1	Jan/Feb 2003	MW-14-1	NA	NA	**3.5**	0.010 U
MW-14 Screen 1	Apr/May 2003	MW-14-1	5.0 U	1.000 U	**4.6 J**	0.010 U
MW-14 Screen 1	Jul/Aug 2003	MW-14-1	NA	NA	**3.9 J**	0.010 U
MW-14 Screen 1	Oct/Nov 2003	MW-14-1	NA	NA	0.0 UJ	0.010 U
MW-14 Screen 1	Feb 2004	MW-14-1	NA	NA	**4.4**	0.010 U
MW-14 Screen 1	Feb 2004	DUPE-3-1Q04	NA	NA	**5.3**	0.010 U
MW-14 Screen 1	Apr/May 2004	MW-14-1	5.0 UJ	0.120 U	**15.0**	0.010 U
MW-14 Screen 1	Jul/Aug 2004	MW-14-1	NA	NA	**12.8 J**	0.010 U
MW-14 Screen 1	Oct/Nov 2004	MW-14-1	NA	NA	**13.5 J**	0.010 U
MW-14 Screen 1	Jan/Feb 2005	MW-14-1	NA	NA	**12.0**	0.010 U
MW-14 Screen 1	Apr/May 2005	MW-14-1	**1.8 J**	**0.100 J**	**8.3**	0.010 U
MW-14 Screen 1	Jul/Sep 2005	MW-14-1	NA	NA	**11.5**	0.010 U
MW-14 Screen 1	Oct/Nov 2005	MW-14-1	NA	NA	**10.8**	0.010 U
MW-14 Screen 1	Oct/Nov 2005	DUPE-4-4Q05	NA	NA	**11.9**	0.010 U
MW-14 Screen 1	Mar/Apr 2006	MW-14-1	NA	NA	**1.6**	0.010 U
MW-14 Screen 1	May/Jun 2006	MW-14-1	1.0 U	1.000 U	**1.7 J**	0.010 U
MW-14 Screen 1	Aug/Sep 2006	MW-14-1	NA	NA	2.3 U	0.010 U
MW-14 Screen 1	Oct/Dec 2006	MW-14-1	NA	NA	**1.8**	0.010 U
MW-14 Screen 1	Mar/Apr 2007	MW-14-1	NA	NA	1.0 U	NA
MW-14 Screen 1	Jun/Jul 2007	MW-14-1	**1.3**	1.000 U	**2.8**	0.010 U
MW-14 Screen 1	Aug/Sep 2007	MW-14-1	NA	NA	**11.2 E**	0.010 U
MW-14 Screen 1	Oct/Dec 2007	MW-14-1	NA	NA	**10.4 E**	0.010 U
MW-14 Screen 1	Jan/Feb 2008	MW-14-1	NA	NA	1.0 U	0.010 U
MW-14 Screen 1	Apr/May 2008	MW-14-1	1.0 U	1.000 U	**9.2**	0.010 U
MW-14 Screen 1	Jul/Aug 2008	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Oct/Nov 2008	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Jan/Feb 2009	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Apr/May 2009	MW-14-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 1	Jul/Aug 2009	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Jul/Aug 2009	DUPE-2-3Q09	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Nov/Dec 2009	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Feb 2010	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Apr/May 2010	MW-14-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 1	Jul/Aug 2010	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Oct/Nov 2010	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Feb/Mar 2011	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Feb/Mar 2011	DUPE-02-1Q11	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Apr/May 2011	MW-14-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 1	Aug/Sep 2011	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Aug/Sep 2011	DUPE-02-3Q11	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Nov/Dec 2011	MW-14-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 1	Jan/Feb 2012	MW-14-1	NA	NA	5.0 U	0.010 U
MW-14 Screen 1	Apr/May 2012	MW-14-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 1	Aug/Sep 2012	MW-14-1	NA	NA	**0.9 J**	0.002 U
MW-14 Screen 1	Nov 2012	MW-14-1	NA	NA	3.0 U	0.002 U
MW-14 Screen 1	Jan/Feb 2013	MW-14-1	NA	NA	**1.3 J**	0.002 U
MW-14 Screen 1	Apr/May 2013	MW-14-1	2.0 U	1.000 U	**0.8 J**	**0.009**
MW-14 Screen 1	Jul 2013	MW-14-1	NA	NA	**1.3 J**	0.002 U
MW-14 Screen 1	Oct/Nov 2013	MW-14-1	NA	NA	**0.8 J**	0.002 U
MW-14 Screen 1	Oct/Nov 2013	DUPE-2-4Q13	NA	NA	**1.0 J**	0.002 U
MW-14 Screen 1	Jan/Feb 2014	MW-14-1	NA	NA	3.0 U	**0.001 J**
MW-14 Screen 1	Apr/May 2014	MW-14-1	2.0 U	1.000 U	0.7 U	0.002 U
MW-14 Screen 1	Jul/Aug 2014	MW-14-1	NA	NA	**0.5 J**	**0.001 J**
MW-14 Screen 1	Jan/Feb 2015	MW-14-1	NA	NA	**6.4**	0.002 U
MW-14 Screen 1	April/May 2015	MW-14-1	2.0 U	1.000 U	**24.0**	0.002 U
MW-14 Screen 2	Aug/Sep 1996	MW-14-2	NA	NA	10.0 U	NA
MW-14 Screen 2	Aug/Sep 1996	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Oct/Nov 1996	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Feb/Mar 1997	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	June/July 1997	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Sep/Oct 1997	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Jan/Feb 1998	MW-14-2	5.0 U	**2.700**	10.0 U	0.005 U
MW-14 Screen 2	Apr/May 1998	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Jul/Aug 1998	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Oct/Nov 1998	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Feb/Mar 1999	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	May/Jun 1999	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Aug 1999	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Nov/Dec 1999	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Mar/Apr 2000	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Jul/Aug 2000	MW-14-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 2	Sep/Oct 2000	MW-14-2	NA	NA	10.0 U	0.005 U
MW-14 Screen 2	Jan/Feb 2001	MW-14-2	5.0 U	1.000 U	**5.0 J**	0.010 U
MW-14 Screen 2	Apr 2001	MW-14-2	NA	NA	NA	0.010 U
MW-14 Screen 2	Jul 2001	MW-14-2	NA	NA	**4.1 J**	UNK U
MW-14 Screen 2	Jul 2001	DUP	NA	NA	**1.0 J**	UNK U
MW-14 Screen 2	Oct 2001	MW-14-2	NA	NA	**8.4**	0.010 U
MW-14 Screen 2	Jan/Feb 2002	MW-14-2	5.0 U	1.000 U	**4.9 J**	0.010 U
MW-14 Screen 2	Apr/May 2002	MW-14-2	NA	NA	**2.0**	0.010 U
MW-14 Screen 2	Jul 2002	MW-14-2	NA	NA	**8.0**	UNK U
MW-14 Screen 2	Oct/Nov 2002	MW-14-2	NA	NA	NA	0.010 U
MW-14 Screen 2	Dec 2002	MW-14-2	0.5 U	**0.079 J**	3.5 U	0.000 U
MW-14 Screen 2	Jan/Feb 2003	MW-14-2	NA	NA	**3.7**	0.010 U
MW-14 Screen 2	Apr/May 2003	MW-14-2	5.0 U	1.000 U	**4.4 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 2	Jul/Aug 2003	MW-14-2	NA	NA	**1.9 J**	0.010 U
MW-14 Screen 2	Oct/Nov 2003	MW-14-2	NA	NA	**2.3 J**	0.010 U
MW-14 Screen 2	Feb 2004	MW-14-2	NA	NA	**2.9**	0.010 U
MW-14 Screen 2	Apr/May 2004	MW-14-2	2.6 UJ	0.120 U	**11.0**	0.010 U
MW-14 Screen 2	Jul/Aug 2004	MW-14-2	NA	NA	**6.9 J**	0.010 U
MW-14 Screen 2	Oct/Nov 2004	MW-14-2	NA	NA	**10.7 J**	0.010 U
MW-14 Screen 2	Jan/Feb 2005	MW-14-2	NA	NA	**10.7**	0.010 U
MW-14 Screen 2	Apr/May 2005	MW-14-2	5.0 U	**0.087 J**	**7.6**	0.010 U
MW-14 Screen 2	Jul/Sep 2005	MW-14-2	NA	NA	**10.4**	0.010 U
MW-14 Screen 2	Oct/Nov 2005	MW-14-2	NA	NA	**9.8**	0.010 U
MW-14 Screen 2	Mar/Apr 2006	MW-14-2	NA	NA	**1.0**	0.010 U
MW-14 Screen 2	May/Jun 2006	MW-14-2	1.0 U	1.000 U	**1.5 J**	0.010 U
MW-14 Screen 2	Aug/Sep 2006	MW-14-2	NA	NA	2.8 U	0.010 U
MW-14 Screen 2	Oct/Dec 2006	MW-14-2	NA	NA	**1.5**	0.010 U
MW-14 Screen 2	Mar/Apr 2007	MW-14-2	NA	NA	**1.8**	NA
MW-14 Screen 2	Jun/Jul 2007	MW-14-2	**1.3**	1.000 U	**3.6**	0.010 U
MW-14 Screen 2	Aug/Sep 2007	MW-14-2	NA	NA	**15.3 E**	0.010 U
MW-14 Screen 2	Oct/Dec 2007	MW-14-2	NA	NA	**14.5 E**	0.010 U
MW-14 Screen 2	Jan/Feb 2008	MW-14-2	NA	NA	**8.8**	0.010 U
MW-14 Screen 2	Apr/May 2008	MW-14-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2008	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2008	DUPE-01-3Q08	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Oct/Nov 2008	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Jan/Feb 2009	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Apr/May 2009	MW-14-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2009	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Nov/Dec 2009	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Feb 2010	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Apr/May 2010	MW-14-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 2	Jul/Aug 2010	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Oct/Nov 2010	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Oct/Nov 2010	DUPE-02-4Q10	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Feb/Mar 2011	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Apr/May 2011	MW-14-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 2	Aug/Sep 2011	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Nov/Dec 2011	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Jan/Feb 2012	MW-14-2	NA	NA	5.0 U	0.010 U
MW-14 Screen 2	Apr/May 2012	MW-14-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 2	Aug/Sep 2012	MW-14-2	NA	NA	**0.7 J**	0.002 U
MW-14 Screen 2	Nov 2012	MW-14-2	NA	NA	3.0 U	0.002 U
MW-14 Screen 2	Jan/Feb 2013	MW-14-2	NA	NA	**0.7 J**	0.002 U
MW-14 Screen 2	Apr/May 2013	MW-14-2	2.0 U	1.000 U	3.0 U	0.002 U
MW-14 Screen 2	Jul 2013	MW-14-2	NA	NA	**1.3 J**	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 2	Jul 2013	DUPE-2-3Q13	NA	NA	**1.3 J**	0.002 U
MW-14 Screen 2	Oct/Nov 2013	MW-14-2	NA	NA	3.0 U	0.002 U
MW-14 Screen 2	Jan/Feb 2014	MW-14-2	NA	NA	3.0 U	0.002 U
MW-14 Screen 2	Apr/May 2014	MW-14-2	2.0 U	1.000 U	2.2 U	0.002 U
MW-14 Screen 2	Apr/May 2014	DUP-1-2Q14	2.0 U	1.000 U	3.0 U	0.002 U
MW-14 Screen 2	Jul/Aug 2014	MW-14-2	NA	NA	3.0 U	0.002 U
MW-14 Screen 2	Oct 2014	MW-14-2	NA	NA	0.7 U	0.002 U
MW-14 Screen 2	Jan/Feb 2015	MW-14-2	NA	NA	**1.2 J**	0.002 U
MW-14 Screen 2	April/May 2015	MW-14-2	2.0 U	1.000 U	**0.7 J**	0.002 U
MW-14 Screen 3	Aug/Sep 1996	MW-14-3	NA	NA	10.0 U	NA
MW-14 Screen 3	Aug/Sep 1996	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Oct/Nov 1996	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Feb/Mar 1997	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	June/July 1997	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Sep/Oct 1997	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Jan/Feb 1998	MW-14-3	5.0 U	**2.800**	**26.0**	0.005 U
MW-14 Screen 3	Apr/May 1998	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Jul/Aug 1998	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Oct/Nov 1998	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Feb/Mar 1999	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	May/Jun 1999	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Aug 1999	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Nov/Dec 1999	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Mar/Apr 2000	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Jul/Aug 2000	MW-14-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 3	Sep/Oct 2000	MW-14-3	NA	NA	10.0 U	0.005 U
MW-14 Screen 3	Jan/Feb 2001	MW-14-3	5.0 U	1.000 U	**3.8 J**	0.010 U
MW-14 Screen 3	Apr 2001	MW-14-3	NA	NA	NA	0.010 U
MW-14 Screen 3	Jul 2001	MW-14-3	NA	NA	**4.3 J**	UNK U
MW-14 Screen 3	Jul 2001	DUP	NA	NA	**4.0 J**	NA
MW-14 Screen 3	Oct 2001	MW-14-3	NA	NA	**6.7**	0.010 U
MW-14 Screen 3	Oct 2001	DUP	NA	NA	**7.1**	NA
MW-14 Screen 3	Jan/Feb 2002	MW-14-3	5.0 U	1.000 U	**3.9 J**	0.010 U
MW-14 Screen 3	Apr/May 2002	MW-14-3	NA	NA	**6.0**	0.010 U
MW-14 Screen 3	Jul 2002	MW-14-3	NA	NA	**7.0**	UNK U
MW-14 Screen 3	Oct/Nov 2002	MW-14-3	NA	NA	NA	0.010 U
MW-14 Screen 3	Jan/Feb 2003	MW-14-3	NA	NA	**3.6**	0.010 U
MW-14 Screen 3	Apr/May 2003	MW-14-3	5.0 U	1.000 U	**3.2 J**	0.010 U
MW-14 Screen 3	Apr/May 2003	DUPE-2-2Q03	5.0 U	1.000 U	**2.6 J**	0.010 U
MW-14 Screen 3	Jul/Aug 2003	MW-14-3	NA	NA	**3.6 J**	0.010 U
MW-14 Screen 3	Jul/Aug 2003	DUPE-4-3-Q03	NA	NA	**3.4 J**	0.010 U
MW-14 Screen 3	Oct/Nov 2003	MW-14-3	NA	NA	**2.7 J**	0.010 U
MW-14 Screen 3	Feb 2004	MW-14-3	NA	NA	**3.9**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 3	Apr/May 2004	MW-14-3	2.9 UJ	0.120 U	**10.1**	0.010 U
MW-14 Screen 3	Jul/Aug 2004	MW-14-3	NA	NA	**5.2 J**	0.010 U
MW-14 Screen 3	Oct/Nov 2004	MW-14-3	NA	NA	**8.6 J**	0.010 U
MW-14 Screen 3	Jan/Feb 2005	MW-14-3	NA	NA	**8.6**	0.010 U
MW-14 Screen 3	Apr/May 2005	MW-14-3	**1.1 J**	**0.150 J**	**5.6**	0.010 U
MW-14 Screen 3	Jul/Sep 2005	MW-14-3	NA	NA	**8.6**	0.010 U
MW-14 Screen 3	Oct/Nov 2005	MW-14-3	NA	NA	**9.1**	0.010 U
MW-14 Screen 3	Mar/Apr 2006	MW-14-3	NA	NA	1.0 U	0.010 U
MW-14 Screen 3	May/Jun 2006	MW-14-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-14 Screen 3	Aug/Sep 2006	MW-14-3	NA	NA	2.2 U	**0.006 J**
MW-14 Screen 3	Oct/Dec 2006	MW-14-3	NA	NA	**1.1**	0.010 U
MW-14 Screen 3	Mar/Apr 2007	MW-14-3	NA	NA	1.0 U	NA
MW-14 Screen 3	Jun/Jul 2007	MW-14-3	**1.3**	1.000 U	**3.3**	0.010 U
MW-14 Screen 3	Aug/Sep 2007	MW-14-3	NA	NA	**13.6 E**	0.010 U
MW-14 Screen 3	Oct/Dec 2007	MW-14-3	NA	NA	**12.6 E**	0.010 U
MW-14 Screen 3	Jan/Feb 2008	MW-14-3	NA	NA	**7.9**	0.010 U
MW-14 Screen 3	Apr/May 2008	MW-14-3	1.0 U	1.000 U	**9.0**	0.010 U
MW-14 Screen 3	Jul/Aug 2008	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Oct/Nov 2008	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Oct/Nov 2008	DUPE-05-4Q08	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Jan/Feb 2009	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2009	MW-14-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Jul/Aug 2009	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Nov/Dec 2009	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Feb 2010	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2010	MW-14-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2010	DUPE-01-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Jul/Aug 2010	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Oct/Nov 2010	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Feb/Mar 2011	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2011	MW-14-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Aug/Sep 2011	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Nov/Dec 2011	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Jan/Feb 2012	MW-14-3	NA	NA	5.0 U	0.010 U
MW-14 Screen 3	Apr/May 2012	MW-14-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 3	Aug/Sep 2012	MW-14-3	NA	NA	**0.9 J**	0.002 U
MW-14 Screen 3	Nov 2012	MW-14-3	NA	NA	3.0 U	0.002 U
MW-14 Screen 3	Jan/Feb 2013	MW-14-3	NA	NA	**1.2 J**	0.002 U
MW-14 Screen 3	Apr/May 2013	MW-14-3	2.0 U	1.000 U	3.0 U	0.002 U
MW-14 Screen 3	Jul 2013	MW-14-3	NA	NA	**1.1 J**	0.002 U
MW-14 Screen 3	Oct/Nov 2013	MW-14-3	NA	NA	3.0 U	0.002 U
MW-14 Screen 3	Jan/Feb 2014	MW-14-3	NA	NA	**0.8 J**	**0.001 J**
MW-14 Screen 3	Apr/May 2014	MW-14-3	2.0 U	1.000 U	3.0 U	0.001 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 3	Jul/Aug 2014	MW-14-3	NA	NA	**0.9 J**	0.002 U
MW-14 Screen 3	Oct 2014	MW-14-3	NA	NA	3.0 U	0.002 U
MW-14 Screen 3	Jan/Feb 2015	MW-14-3	NA	NA	**0.8 J**	0.002 U
MW-14 Screen 3	April/May 2015	MW-14-3	2.0 U	1.000 U	1.3 U	0.002 U
MW-14 Screen 3	DUP-1-2Q15	MW-14-3	2.0 U	1.000 U	**0.7 J**	0.002 U
MW-14 Screen 4	Aug/Sep 1996	MW-14-4	NA	NA	10.0 U	NA
MW-14 Screen 4	Aug/Sep 1996	MW-14-4	5.0 U	2.000 U	10.0 U	**0.006 J**
MW-14 Screen 4	Oct/Nov 1996	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Feb/Mar 1997	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	June/July 1997	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Sep/Oct 1997	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Jan/Feb 1998	MW-14-4	5.0 U	**2.400**	10.0 U	0.005 U
MW-14 Screen 4	Apr/May 1998	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Jul/Aug 1998	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Oct/Nov 1998	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Feb/Mar 1999	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	May/Jun 1999	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Aug 1999	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Nov/Dec 1999	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Mar/Apr 2000	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Jul/Aug 2000	MW-14-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 4	Sep/Oct 2000	MW-14-4	NA	NA	10.0 U	0.005 U
MW-14 Screen 4	Jan/Feb 2001	MW-14-4	**2.2 B**	1.000 U	**5.0 J**	0.010 U
MW-14 Screen 4	Apr 2001	MW-14-4	NA	NA	NA	0.010 U
MW-14 Screen 4	Jul 2001	MW-14-4	NA	NA	**3.4 J**	UNK U
MW-14 Screen 4	Oct 2001	MW-14-4	NA	NA	**7.3**	0.010 U
MW-14 Screen 4	Jan/Feb 2002	MW-14-4	5.0 U	1.000 U	**5.6**	0.010 U
MW-14 Screen 4	Apr/May 2002	MW-14-4	NA	NA	**8.0**	0.010 U
MW-14 Screen 4	Apr/May 2002	DUP	NA	NA	**8.0**	0.010 U
MW-14 Screen 4	Jul 2002	MW-14-4	NA	NA	**8.0**	UNK U
MW-14 Screen 4	Jul 2002	DUP	NA	NA	**7.0**	UNK U
MW-14 Screen 4	Oct/Nov 2002	MW-14-4	NA	NA	NA	0.010 U
MW-14 Screen 4	Dec 2002	MW-14-4	**0.8**	0.200 U	**4.4**	**0.002**
MW-14 Screen 4	Jan/Feb 2003	MW-14-4	NA	NA	NA	0.010 U
MW-14 Screen 4	Jan/Feb 2003	DUPE-3-1Q03	NA	NA	NA	0.010 U
MW-14 Screen 4	Apr/May 2003	MW-14-4	5.0 U	1.000 U	**3.8 J**	0.010 U
MW-14 Screen 4	Jul/Aug 2003	MW-14-4	NA	NA	**1.6 J**	0.010 U
MW-14 Screen 4	Oct/Nov 2003	MW-14-4	NA	NA	**3.7 J**	0.010 U
MW-14 Screen 4	Apr/May 2004	MW-14-4	5.0 UJ	0.120 U	**9.2**	0.010 U
MW-14 Screen 4	Oct/Nov 2004	MW-14-4	NA	NA	**8.4 J**	0.010 U
MW-14 Screen 4	Apr/May 2005	MW-14-4	5.0 U	**0.130 J**	**6.3**	0.010 U
MW-14 Screen 4	Apr/May 2005	DUPE-4-2Q05	5.0 U	**0.043 J**	**6.9**	0.010 U
MW-14 Screen 4	Jul/Sep 2005	MW-14-4	NA	NA	**9.8**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 4	Oct/Nov 2005	MW-14-4	NA	NA	**8.1**	0.010 U
MW-14 Screen 4	May/Jun 2006	MW-14-4	1.0 U	1.000 U	**3.2 J**	0.010 U
MW-14 Screen 4	Oct/Dec 2006	MW-14-4	NA	NA	**3.1**	0.010 U
MW-14 Screen 4	Jun/Jul 2007	MW-14-4	**1.1**	1.000 U	**5.1**	0.010 U
MW-14 Screen 4	Oct/Dec 2007	MW-14-4	NA	NA	**11.7 E**	0.010 U
MW-14 Screen 4	Apr/May 2008	MW-14-4	1.0 U	1.000 U	**8.7**	0.010 U
MW-14 Screen 4	Oct/Nov 2008	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Apr/May 2009	MW-14-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 4	Nov/Dec 2009	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Apr/May 2010	MW-14-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 4	Oct/Nov 2010	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Apr/May 2011	MW-14-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 4	Nov/Dec 2011	MW-14-4	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Nov/Dec 2011	DUPE-5-4Q11	NA	NA	5.0 U	0.010 U
MW-14 Screen 4	Apr/May 2012	MW-14-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 4	Nov 2012	MW-14-4	NA	NA	**0.8 J**	**0.001 J**
MW-14 Screen 4	Apr/May 2013	MW-14-4	2.0 U	1.000 U	**2.1 J**	**0.001 J**
MW-14 Screen 4	Apr/May 2013	DUP-2-2Q13	2.0 U	1.000 U	**5.0**	**0.001 J**
MW-14 Screen 4	Oct/Nov 2013	MW-14-4	NA	NA	3.0 U	**0.002 J**
MW-14 Screen 4	Apr/May 2014	MW-14-4	2.0 U	1.000 U	2.1 U	0.003 U
MW-14 Screen 4	Oct 2014	MW-14-4	NA	NA	2.4 U	**0.002 J**
MW-14 Screen 4	Oct 2014	DUP-1-4Q14	NA	NA	2.5 U	**0.002 J**
MW-14 Screen 4	Apr/May 2015	MW-14-4	2.0 U	1.000 U	3.2 U	**0.001 J**
MW-14 Screen 5	Aug/Sep 1996	MW-14-5	NA	NA	10.0 U	NA
MW-14 Screen 5	Aug/Sep 1996	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Oct/Nov 1996	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Feb/Mar 1997	MW-14-5	5.0 U	**28.000**	10.0 U	0.005 U
MW-14 Screen 5	June/July 1997	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Sep/Oct 1997	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Jan/Feb 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Apr/May 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Jul/Aug 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Oct/Nov 1998	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Feb/Mar 1999	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	May/Jun 1999	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Nov/Dec 1999	MW-14-5	NA	NA	10.0 U	0.005 U
MW-14 Screen 5	Jul/Aug 2000	MW-14-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-14 Screen 5	Jan/Feb 2001	MW-14-5	**2.7 B**	1.000 U	**2.8 J**	0.010 U
MW-14 Screen 5	Jan/Feb 2002	MW-14-5	5.0 U	1.000 U	**2.1 J**	0.010 U
MW-14 Screen 5	Jan/Feb 2003	MW-14-5	NA	NA	NA	0.010 U
MW-14 Screen 5	Apr/May 2003	MW-14-5	5.0 U	1.000 U	**2.1 J**	0.010 U
MW-14 Screen 5	Oct/Nov 2003	MW-14-5	NA	NA	1.8 UJ	0.010 U
MW-14 Screen 5	Apr/May 2004	MW-14-5	3.2 UJ	0.120 U	**5.8**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-14 Screen 5	Oct/Nov 2004	MW-14-5	NA	NA	**4.5 J**	0.010 U
MW-14 Screen 5	Oct/Nov 2004	DUPE-2-4Q04	NA	NA	**6.3 J**	0.010 U
MW-14 Screen 5	Apr/May 2005	MW-14-5	**3.0 J**	**0.040 J**	**3.9**	0.010 U
MW-14 Screen 5	Jul/Sep 2005	MW-14-5	NA	NA	**7.6**	0.010 U
MW-14 Screen 5	Oct/Nov 2005	MW-14-5	NA	NA	**5.1**	0.010 U
MW-14 Screen 5	May/Jun 2006	MW-14-5	**1.6 J**	1.000 U	1.0 U	0.010 U
MW-14 Screen 5	Oct/Dec 2006	MW-14-5	NA	NA	**1.6**	0.010 U
MW-14 Screen 5	Jun/Jul 2007	MW-14-5	**1.2**	1.000 U	**2.5**	0.010 U
MW-14 Screen 5	Oct/Dec 2007	MW-14-5	NA	NA	**7.7 E**	0.010 U
MW-14 Screen 5	Apr/May 2008	MW-14-5	**1.3**	1.000 U	**5.5**	0.010 U
MW-14 Screen 5	Oct/Nov 2008	MW-14-5	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Apr/May 2009	MW-14-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 5	Nov/Dec 2009	MW-14-5	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Apr/May 2010	MW-14-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 5	Oct/Nov 2010	MW-14-5	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Apr/May 2011	MW-14-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 5	Nov/Dec 2011	MW-14-5	NA	NA	5.0 U	0.010 U
MW-14 Screen 5	Apr/May 2012	MW-14-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-14 Screen 5	Nov 2012	MW-14-5	NA	NA	3.0 U	0.002 U
MW-14 Screen 5	Apr/May 2013	MW-14-5	**1.3 J**	1.000 U	3.0 U	0.002 U
MW-14 Screen 5	Oct/Nov 2013	MW-14-5	NA	NA	3.0 U	0.002 U
MW-14 Screen 5	Apr/May 2014	MW-14-5	**1.0 J**	0.660 U	3.0 U	0.001 U
MW-14 Screen 5	Oct 2014	MW-14-5	NA	NA	3.0 U	0.002 U
MW-14 Screen 5	April/May 2015	MW-14-5	**1.0 J**	1.000 U	1.6 U	0.002 U
MW-15	Aug/Sep 1996	MW-15	NA	NA	10.0 U	NA
MW-15	Aug/Sep 1996	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Oct/Nov 1996	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Feb/Mar 1997	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	June/July 1997	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Sep/Oct 1997	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Jan/Feb 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Apr/May 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Jul/Aug 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Oct/Nov 1998	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Feb/Mar 1999	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	May/Jun 1999	MW-15	5.0 U	2.000 U	10.0 U	0.005 U
MW-15	Nov/Dec 1999	MW-15	NA	NA	10.0 U	0.005 U
MW-15	Jan/Feb 2001	MW-15	5.0 U	1.000 U	**3.7 J**	0.010 U
MW-15	Jan/Feb 2002	MW-15	**3.0 B**	1.000 U	**12.7**	0.010 U
MW-15	Jan/Feb 2002	DUP	**3.4 B**	1.000 U	**10.3**	0.010 U
MW-15	Jan/Feb 2003	MW-15	NA	NA	**6.3**	0.010 U
MW-15	Apr/May 2003	MW-15	**2.1 J**	**0.150 J**	**3.9 J**	0.010 U
MW-15	Jul/Aug 2003	MW-15	NA	NA	**3.9 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-15	Jul/Aug 2003	DUPE-6-3Q03	NA	NA	**3.6 J**	0.010 U
MW-15	Oct/Nov 2003	MW-15	NA	NA	**3.4 J**	0.010 U
MW-15	Oct/Nov 2003	DUPE-2-4Q03	NA	NA	**3.4 J**	0.010 U
MW-15	Feb 2004	MW-15	NA	NA	**1.3**	0.010 U
MW-15	Apr/May 2004	MW-15	3.2 U	**0.036 J**	**12.1**	0.010 U
MW-15	Apr/May 2004	DUPE-6-2Q04	5.0 U	**0.049 J**	**11.6**	0.010 U
MW-15	Jul/Aug 2004	MW-15	NA	NA	**12.6 J**	0.010 U
MW-15	Oct/Nov 2004	MW-15	NA	NA	**21.0**	0.010 U
MW-15	Oct/Nov 2004	DUPE-7-11/22/04	NA	NA	**12.0**	0.010 U
MW-15	Jan/Feb 2005	MW-15	NA	NA	**10.0**	0.010 U
MW-15	Apr/May 2005	MW-15	**1.5 J**	**0.490 J**	**5.7**	**0.009 J**
MW-15	Jul/Sep 2005	MW-15	NA	NA	**9.9 J**	0.010 U
MW-15	Jul/Sep 2005	DUPE-9A-3Q05	NA	NA	**6.9 J**	0.010 U
MW-15	Oct/Nov 2005	MW-15	NA	NA	**7.7 J**	0.010 U
MW-15	Mar/Apr 2006	MW-15	NA	NA	**1.5**	0.010 U
MW-15	May/Jun 2006	MW-15	1.0 U	**2.360**	**3.8**	0.010 U
MW-15	Aug/Sep 2006	MW-15	NA	NA	**6.0**	0.010 U
MW-15	Aug/Sep 2006	DUPE-7-3Q06	NA	NA	2.0 U	0.010 U
MW-15	Oct/Dec 2006	MW-15	NA	NA	**3.3**	0.010 U
MW-15	Mar/Apr 2007	MW-15	NA	NA	**8.4**	0.010 U
MW-15	Mar/Apr 2007	DUPE-8-1Q07	NA	NA	**8.1**	0.010 U
MW-15	Jun/Jul 2007	MW-15	1.0 U	**1.960**	**5.6**	0.010 U
MW-15	Aug/Sep 2007	MW-15	NA	NA	**11.7**	0.010 U
MW-15	Aug/Sep 2007	DUPE-3-3Q07	NA	NA	**12.3**	0.010 U
MW-15	Oct/Dec 2007	MW-15	NA	NA	**14.0**	0.010 U
MW-15	Jan/Feb 2008	MW-15	NA	NA	**19.1 E**	0.010 U
MW-15	Apr/May 2008	MW-15	**1.8**	1.000 U	**16.2 E**	0.010 U
MW-15	Apr/May 2008	DUPE-7-2Q08	**1.7**	**1.340**	**9.9 E**	0.010 U
MW-15	Jul/Aug 2008	MW-15	NA	NA	**5.1**	0.010 U
MW-15	Oct/Nov 2008	MW-15	NA	NA	**7.6**	0.010 U
MW-15	Jan/Feb 2009	MW-15	NA	NA	**15.0**	0.010 U
MW-15	Apr/May 2009	MW-15	2.0 U	**17.000**	**6.8**	0.010 U
MW-15	Jul/Aug 2009	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Nov/Dec 2009	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Feb 2010	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Feb 2010	DUPE-7-1Q10	NA	NA	5.0 U	0.010 U
MW-15	Apr/May 2010	MW-15	2.0 U	5.000 U	5.0 U	0.010 U
MW-15	Jul/Aug 2010	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Oct/Nov 2010	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Feb/Mar 2011	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Apr/May 2011	MW-15	2.0 U	5.000 U	5.0 U	0.010 U
MW-15	Aug/Sep 2011	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Nov/Dec 2011	MW-15	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-15	Jan/Feb 2012	MW-15	NA	NA	5.0 U	0.010 U
MW-15	Apr/May 2012	MW-15	2.0 U	5.000 U	5.0 U	0.010 U
MW-15	Aug/Sep 2012	MW-15	NA	NA	3.0 U	0.002 U
MW-15	Nov 2012	MW-15	NA	NA	**0.9 J**	0.002 U
MW-15	Nov 2012	DUPE-6-4Q12	NA	NA	3.0 U	0.002 U
MW-15	Jan/Feb 2013	MW-15	NA	NA	**0.6 J**	0.002 U
MW-15	Apr/May 2013	MW-15	**1.5 J**	1.000 U	**0.5 J**	0.002 U
MW-15	Jul 2013	MW-15	NA	NA	**4.2**	0.002 U
MW-15	Oct/Nov 2013	MW-15	NA	NA	3.0 U	0.002 U
MW-15	Oct/Nov 2013	DUPE-6-4Q13	NA	NA	3.0 U	0.002 U
MW-15	Jan/Feb 2014	MW-15	NA	NA	3.0 U	0.002 U
MW-15	Apr/May 2014	MW-15	**1.0 J**	1.000 U	**1.0 J**	0.002 U
MW-15	Apr/May 2014	DUP-7-2Q14	**1.0 J**	1.000 U	**1.4 J**	0.002 U
MW-15	Jul/Aug 2014	MW-15	NA	NA	2.7 U	0.002 U
MW-15	Oct 2014	MW-15	NA	NA	**0.8 J**	0.002 U
MW-15	Jan/Feb 2015	MW-15	NA	NA	**3.2 J**	0.002 U
MW-15	Jan/Feb 2015	DUP-5-1Q15	NA	NA	**0.9 J**	0.002 U
MW-15	April/May 2015	MW-15	2.0 U	1.000 U	1.2 U	0.002 U
MW-16	Aug/Sep 1996	MW-16	NA	NA	10.0 U	NA
MW-16	Aug/Sep 1996	MW-16	5.0 U	2.000 U	**18.0**	0.005 U
MW-16	Feb/Mar 1997	MW-16	5.0 U	2.000 U	10.0 U	**0.007**
MW-16	June/July 1997	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Apr/May 1998	MW-16	5.0 U	2.000 U	**14.0**	0.005 U
MW-16	Jul/Aug 1998	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Oct/Nov 1998	MW-16	5.0 U	2.000 U	**13.0**	0.005 U
MW-16	Feb/Mar 1999	MW-16	5.0 U	2.000 U	**13.0**	**0.005**
MW-16	May/Jun 1999	MW-16	5.0 U	2.000 U	10.0 U	0.005 U
MW-16	Aug 1999	MW-16	NA	NA	10.0 U	**0.007**
MW-16	Nov/Dec 1999	MW-16	NA	NA	10.0 U	**0.006**
MW-16	Mar/Apr 2000	MW-16	NA	NA	10.0 U	0.005 U
MW-16	Jan/Feb 2001	MW-16	**2.4 B**	1.000 U	**7.8**	0.010 U
MW-16	Jul 2001	MW-16	NA	NA	**13.0 J**	UNK U
MW-16	Jul 2001	DUP	NA	NA	**9.9 J**	UNK U
MW-16	Oct 2001	MW-16	NA	NA	**140.8**	0.010 U
MW-16	Jan/Feb 2002	MW-16	**2.8 B**	**0.220 J**	**14.4**	0.010 U
MW-16	Jan/Feb 2002	DUP	**3.1 B**	**0.200 J**	**14.0**	0.010 U
MW-16	Apr/May 2002	MW-16	NA	NA	**9.0**	0.010 U
MW-16	Apr/May 2002	DUP	NA	NA	**11.0**	0.010 U
MW-16	Jul 2002	MW-16	NA	NA	**11.0**	UNK U
MW-16	Oct/Nov 2002	MW-16	NA	NA	NA	0.010 U
MW-16	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-16	Jan/Feb 2003	MW-16	**1.2**	**0.100 J**	**2.0**	0.000 U
MW-16	Apr/May 2003	MW-16	5.0 U	1.000 U	**4.5 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-16	Jul/Aug 2003	MW-16	NA	NA	**2.7 J**	0.010 U
MW-16	Oct/Nov 2003	MW-16	NA	NA	**3.3 J**	0.010 U
MW-16	Feb 2004	MW-16	NA	NA	**8.2**	0.010 U
MW-16	Apr/May 2004	MW-16	1.7 U	0.120 U	**9.2**	0.010 U
MW-16	Jul/Aug 2004	MW-16	NA	NA	**9.1 J**	0.010 U
MW-16	Oct/Nov 2004	MW-16	NA	NA	**11.6 J**	0.010 U
MW-16	Jan/Feb 2005	MW-16	NA	NA	**14.9**	0.010 U
MW-16	Jan/Feb 2005	DUPE-7-1Q05	NA	NA	**14.4**	0.010 U
MW-16	Apr/May 2005	MW-16	**1.6 J**	**0.032 J**	**7.3**	0.010 U
MW-16	Jul/Sep 2005	MW-16	NA	NA	**38.0 J**	0.010 U
MW-16	Oct/Nov 2005	MW-16	NA	NA	**7.6 J**	0.010 U
MW-16	Mar/Apr 2006	MW-16	NA	NA	**13.9 J**	**0.005 J**
MW-16	May/Jun 2006	MW-16	1.0 U	1.000 U	**7.5 J**	0.010 U
MW-16	Aug/Sep 2006	MW-16	NA	NA	**8.4**	0.010 U
MW-16	Aug/Sep 2006	DUPE-4-3Q06	NA	NA	**2.1**	0.010 U
MW-16	Oct/Dec 2006	MW-16	NA	NA	**73.7**	0.010 U
MW-16	Mar/Apr 2007	MW-16	NA	NA	**11.3**	0.010 U
MW-16	Mar/Apr 2007	DUPE-7-1Q07	NA	NA	**10.5**	0.010 U
MW-16	Jun/Jul 2007	MW-16	**1.9**	1.000 U	**9.4**	0.010 U
MW-16	Aug/Sep 2007	MW-16	NA	NA	**12.7**	0.010 U
MW-16	Aug/Sep 2007	DUPE-5-3Q07	NA	NA	**13.0**	0.010 U
MW-16	Oct/Dec 2007	MW-16	NA	NA	**10.8**	0.010 U
MW-16	Oct/Dec 2007	DUPE-5-4Q07	NA	NA	**10.1**	0.010 U
MW-16	Jan/Feb 2008	MW-16	NA	NA	**2.0 J**	0.010 U
MW-16	Apr/May 2008	MW-16	**2.5**	1.000 U	**18.1 E**	**0.017**
MW-16	Apr/May 2008	DUPE-6-2Q08	**2.3**	1.000 U	**17.4 E**	**0.021**
MW-16	Jul/Aug 2008	MW-16	NA	NA	**8.1**	0.010 U
MW-16	Oct/Nov 2008	MW-16	NA	NA	**5.8**	0.010 U
MW-16	Jan/Feb 2009	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Apr/May 2009	MW-16	2.0 U	**13.000**	**28.0**	**0.025**
MW-16	Jul/Aug 2009	MW-16	NA	NA	**16.0 J**	**0.013**
MW-16	Nov/Dec 2009	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Feb 2010	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Apr/May 2010	MW-16	**3.6**	5.000 U	**17.0**	**0.018**
MW-16	Jul/Aug 2010	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Oct/Nov 2010	MW-16	NA	NA	**32.0**	NA
MW-16	Feb/Mar 2011	MW-16	NA	NA	**29.0**	**0.027**
MW-16	Apr/May 2011	MW-16	**4.7**	5.000 U	**5.9**	**0.005 J**
MW-16	Aug/Sep 2011	MW-16	NA	NA	**5.1**	0.010 U
MW-16	Nov/Dec 2011	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Jan/Feb 2012	MW-16	NA	NA	5.0 U	0.010 U
MW-16	Jan/Feb 2012	DUPE-7-1Q12	NA	NA	5.0 U	0.010 U
MW-16	Apr/May 2012	MW-16	**6.7**	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-16	Apr/May 2012	DUPE-8-2Q12	**6.8**	5.000 U	5.0 U	0.010 U
MW-16	Aug/Sep 2012	MW-16	NA	NA	**93.0**	**0.006**
MW-16	Nov 2012	MW-16	NA	NA	**18.0**	**0.016**
MW-16	Jan/Feb 2013	MW-16	NA	NA	**17.0**	**0.018 J**
MW-16	Apr/May 2013	MW-16	**4.8**	1.000 U	**14.0**	**0.010**
MW-16	Jul 2013	MW-16	NA	NA	**15.0**	**0.014**
MW-16	Oct/Nov 2013	MW-16	NA	NA	**260.0**	**0.014**
MW-16	Oct/Nov 2013	DUPE-7-4Q13	NA	NA	**180.0**	**0.014**
MW-16	Jan/Feb 2014	MW-16	NA	NA	**410.0**	**0.015**
MW-16	Apr/May 2014	MW-16	**11.0**	**3.200**	**690.0**	**0.007**
MW-16	Jul/Aug 2014	MW-16	NA	NA	**2900.0**	**0.002**
MW-16	Jan/Feb 2015	MW-16	NA	NA	NA	**0.004**
MW-16	Jan/Feb 2015	DUP-6-1Q15	NA	NA	NA	**0.004**
MW-17 Screen 1	Aug/Sep 1996	MW-17-1	5.0 U	2.000 U	NA	NA
MW-17 Screen 1	Oct/Nov 1996	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Feb/Mar 1997	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	June/July 1997	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Sep/Oct 1997	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Jan/Feb 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Apr/May 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Jul/Aug 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Oct/Nov 1998	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Feb/Mar 1999	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	May/Jun 1999	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Nov/Dec 1999	MW-17-1	NA	NA	10.0 U	0.005 U
MW-17 Screen 1	Jul/Aug 2000	MW-17-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 1	Jan/Feb 2001	MW-17-1	5.0 U	1.000 U	**1.7 J**	0.010 U
MW-17 Screen 1	Jan/Feb 2002	MW-17-1	5.0 U	**0.030 J**	**2.9 J**	0.010 U
MW-17 Screen 1	Apr/May 2003	MW-17-1	5.0 U	1.000 U	**2.9**	0.010 U
MW-17 Screen 1	Oct/Nov 2003	MW-17-1	NA	NA	**2.1 J**	0.010 U
MW-17 Screen 1	Apr/May 2004	MW-17-1	5.0 U	0.120 U	**7.3**	0.010 U
MW-17 Screen 1	Oct/Nov 2004	MW-17-1	NA	NA	**8.9 J**	0.010 U
MW-17 Screen 1	Apr/May 2005	MW-17-1	5.0 U	**0.023 J**	**5.1**	0.010 U
MW-17 Screen 1	Oct/Nov 2005	MW-17-1	NA	NA	**5.8**	0.010 U
MW-17 Screen 1	May/Jun 2006	MW-17-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-17 Screen 1	May/Jun 2006	DUPE-3-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-17 Screen 1	Oct/Dec 2006	MW-17-1	NA	NA	1.0 U	0.010 U
MW-17 Screen 1	Jun/Jul 2007	MW-17-1	1.0 U	1.000 U	**7.1**	0.010 U
MW-17 Screen 1	Oct/Dec 2007	MW-17-1	NA	NA	**12.4 E**	0.010 U
MW-17 Screen 1	Apr/May 2008	MW-17-1	1.0 U	1.000 U	**2.2**	0.010 U
MW-17 Screen 1	Oct/Nov 2008	MW-17-1	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2009	MW-17-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Nov/Dec 2009	MW-17-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 1	Nov/Dec 2009	DUPE-03-4Q09	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2010	MW-17-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2010	DUPE-6-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Oct/Nov 2010	MW-17-1	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2011	MW-17-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Nov/Dec 2011	MW-17-1	NA	NA	5.0 U	0.010 U
MW-17 Screen 1	Apr/May 2012	MW-17-1	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 1	Nov 2012	MW-17-1	NA	NA	3.0 U	0.002 U
MW-17 Screen 1	Apr/May 2013	MW-17-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-17 Screen 1	Oct/Nov 2013	MW-17-1	NA	NA	3.0 U	0.002 U
MW-17 Screen 1	Apr/May 2014	MW-17-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-17 Screen 1	Apr/May 2015	MW-17-1	2.0 U	1.000 U	3.0 U	0.010 U
MW-17 Screen 2	Jan/Feb 1996	MW-17-2	5.0 U	2.000 U	10.0 U	NA
MW-17 Screen 2	Jan/Feb 1996	MW-17-2	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 2	Aug/Sep 1996	MW-17-2	5.0 U	2.000 U	NA	NA
MW-17 Screen 2	Oct/Nov 1996	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Feb/Mar 1997	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	June/July 1997	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Sep/Oct 1997	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Jan/Feb 1998	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Apr/May 1998	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Jul/Aug 1998	MW-17-2	5.0 U	**6.700**	10.0 U	0.005 U
MW-17 Screen 2	Oct/Nov 1998	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Feb/Mar 1999	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	May/Jun 1999	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Aug 1999	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Nov/Dec 1999	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Mar/Apr 2000	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Jul/Aug 2000	MW-17-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 2	Sep/Oct 2000	MW-17-2	NA	NA	10.0 U	0.005 U
MW-17 Screen 2	Jan/Feb 2001	MW-17-2	5.0 U	1.000 U	**2.8 J**	0.010 U
MW-17 Screen 2	Jan/Feb 2001	DUP	5.0 U	1.000 U	**1.6 J**	0.010 U
MW-17 Screen 2	Apr 2001	MW-17-2	NA	NA	NA	0.010 U
MW-17 Screen 2	Apr 2001	DUP	NA	NA	NA	0.010 U
MW-17 Screen 2	Jul 2001	MW-17-2	NA	NA	NA	UNK U
MW-17 Screen 2	Oct 2001	MW-17-2	NA	NA	**5.0**	0.010 U
MW-17 Screen 2	Jan/Feb 2002	MW-17-2	5.0 U	**0.030 J**	**2.5 J**	0.010 U
MW-17 Screen 2	Jan/Feb 2002	DUP	NA	1.000 U	**3.0 J**	NA
MW-17 Screen 2	Apr/May 2002	MW-17-2	NA	NA	**3.0**	0.010 U
MW-17 Screen 2	Jul 2002	MW-17-2	NA	NA	**2.0**	UNK U
MW-17 Screen 2	Oct/Nov 2002	MW-17-2	NA	NA	NA	0.010 U
MW-17 Screen 2	Jan/Feb 2003	MW-17-2	NA	NA	**2.1**	0.010 U
MW-17 Screen 2	Apr/May 2003	MW-17-2	5.0 U	**0.140 J**	**2.0**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 2	Jul/Aug 2003	MW-17-2	NA	NA	**2.6 J**	0.010 U
MW-17 Screen 2	Oct/Nov 2003	MW-17-2	NA	NA	**2.8 J**	0.010 U
MW-17 Screen 2	Feb 2004	MW-17-2	NA	NA	**3.2**	0.010 U
MW-17 Screen 2	Apr/May 2004	MW-17-2	5.0 U	0.009 U	**7.6**	0.010 U
MW-17 Screen 2	Jul/Aug 2004	MW-17-2	NA	NA	**10.0**	0.010 U
MW-17 Screen 2	Oct/Nov 2004	MW-17-2	NA	NA	**11.8 J**	0.010 U
MW-17 Screen 2	Jan/Feb 2005	MW-17-2	NA	NA	**7.6**	0.010 U
MW-17 Screen 2	Jan/Feb 2005	DUPE-3-1Q05	NA	NA	**8.1**	0.010 U
MW-17 Screen 2	Apr/May 2005	MW-17-2	5.0 U	**0.032 J**	**8.6**	0.010 U
MW-17 Screen 2	Jul/Sep 2005	MW-17-2	NA	NA	**9.6**	0.010 U
MW-17 Screen 2	Oct/Nov 2005	MW-17-2	NA	NA	**8.8**	0.010 U
MW-17 Screen 2	Mar/Apr 2006	MW-17-2	NA	NA	1.0 U	0.010 U
MW-17 Screen 2	May/Jun 2006	MW-17-2	1.0 U	1.000 U	**1.6 J**	0.010 U
MW-17 Screen 2	Aug/Sep 2006	MW-17-2	NA	NA	2.9 U	0.010 U
MW-17 Screen 2	Oct/Dec 2006	MW-17-2	NA	NA	**3.3**	0.010 U
MW-17 Screen 2	Oct/Dec 2006	DUPE-1-4Q06	NA	NA	**2.4**	0.010 U
MW-17 Screen 2	Mar/Apr 2007	MW-17-2	NA	NA	**1.7**	NA
MW-17 Screen 2	Mar/Apr 2007	DUPE-1-1Q07	NA	NA	**1.8**	NA
MW-17 Screen 2	Jun/Jul 2007	MW-17-2	1.0 U	1.000 U	**10.2**	0.010 U
MW-17 Screen 2	Aug/Sep 2007	MW-17-2	NA	NA	**14.1 E**	0.010 U
MW-17 Screen 2	Oct/Dec 2007	MW-17-2	NA	NA	**14.8 E**	0.010 U
MW-17 Screen 2	Jan/Feb 2008	MW-17-2	NA	NA	**10.4**	0.010 U
MW-17 Screen 2	Apr/May 2008	MW-17-2	1.0 U	1.000 U	**3.0**	0.010 U
MW-17 Screen 2	Jul/Aug 2008	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Oct/Nov 2008	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Jan/Feb 2009	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Apr/May 2009	MW-17-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 2	Jul/Aug 2009	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Nov/Dec 2009	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Feb 2010	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Apr/May 2010	MW-17-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 2	Jul/Aug 2010	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Oct/Nov 2010	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Feb/Mar 2011	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Apr/May 2011	MW-17-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 2	Aug/Sep 2011	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Nov/Dec 2011	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Jan/Feb 2012	MW-17-2	NA	NA	5.0 U	0.010 U
MW-17 Screen 2	Apr/May 2012	MW-17-2	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 2	Aug/Sep 2012	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Nov 2012	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Jan/Feb 2013	MW-17-2	NA	NA	**0.6 J**	0.002 U
MW-17 Screen 2	Apr/May 2013	MW-17-2	2.0 U	1.000 U	**0.7 J**	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 2	Jul 2013	MW-17-2	NA	NA	**0.7 J**	0.002 U
MW-17 Screen 2	Oct/Nov 2013	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Jan/Feb 2014	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Apr/May 2014	MW-17-2	2.0 U	1.000 U	3.0 U	0.002 U
MW-17 Screen 2	Jul/Aug 2014	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Oct 2014	MW-17-2	NA	NA	3.0 U	0.004 U
MW-17 Screen 2	Jan/Feb 2015	MW-17-2	NA	NA	3.0 U	0.002 U
MW-17 Screen 2	Apr/May 2015	MW-17-2	2.0 U	1.000 U	3.0 U	0.010 U
MW-17 Screen 3	Jan/Feb 1996	MW-17-3	5.0 U	2.000 U	10.0 U	NA
MW-17 Screen 3	Jan/Feb 1996	MW-17-3	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 3	Aug/Sep 1996	MW-17-3	5.0 U	**2.300**	NA	NA
MW-17 Screen 3	Oct/Nov 1996	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Feb/Mar 1997	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	June/July 1997	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Sep/Oct 1997	MW-17-3	NA	NA	NA	**0.008**
MW-17 Screen 3	Sep/Oct 1997	MW-17-3	5.0 U	2.000 U	10.0 U	**0.006**
MW-17 Screen 3	Jan/Feb 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Apr/May 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Jul/Aug 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Oct/Nov 1998	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Feb/Mar 1999	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	May/Jun 1999	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Aug 1999	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Nov/Dec 1999	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Mar/Apr 2000	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Jul/Aug 2000	MW-17-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 3	Sep/Oct 2000	MW-17-3	NA	NA	10.0 U	0.005 U
MW-17 Screen 3	Jan/Feb 2001	MW-17-3	**3.2 B**	1.000 U	**3.2 J**	0.010 U
MW-17 Screen 3	Apr 2001	MW-17-3	NA	NA	NA	0.010 U
MW-17 Screen 3	Jul 2001	MW-17-3	NA	NA	**5.0**	UNK U
MW-17 Screen 3	Oct 2001	MW-17-3	NA	NA	**6.3**	0.010 U
MW-17 Screen 3	Jan/Feb 2002	MW-17-3	**2.0 B**	**0.770 J**	**4.6 J**	0.010 U
MW-17 Screen 3	Apr/May 2002	MW-17-3	NA	NA	**4.0**	0.010 U
MW-17 Screen 3	Jul 2002	MW-17-3	NA	NA	**6.0**	UNK U
MW-17 Screen 3	Oct/Nov 2002	MW-17-3	NA	NA	NA	0.010 U
MW-17 Screen 3	Dec 2002	MW-17-3	**2.1**	**0.100 J**	**2.8**	0.000 U
MW-17 Screen 3	Jan/Feb 2003	MW-17-3	NA	NA	**3.8**	0.010 U
MW-17 Screen 3	Apr/May 2003	MW-17-3	5.0 U	**0.160 J**	**3.0**	0.010 U
MW-17 Screen 3	Jul/Aug 2003	MW-17-3	NA	NA	**4.0 J**	0.010 U
MW-17 Screen 3	Oct/Nov 2003	MW-17-3	NA	NA	**3.8 J**	0.010 U
MW-17 Screen 3	Oct/Nov 2003	DUPE-5-4Q03	NA	NA	**3.7 J**	0.010 U
MW-17 Screen 3	Feb 2004	MW-17-3	NA	NA	**3.6**	0.010 U
MW-17 Screen 3	Apr/May 2004	MW-17-3	**2.5 J**	**0.001 J**	**8.1**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 3	Jul/Aug 2004	MW-17-3	NA	NA	**10.3**	0.010 U
MW-17 Screen 3	Oct/Nov 2004	MW-17-3	NA	NA	**10.2 J**	**0.006 J**
MW-17 Screen 3	Jan/Feb 2005	MW-17-3	NA	NA	**7.2**	0.010 U
MW-17 Screen 3	Apr/May 2005	MW-17-3	5.0 U	**0.097 J**	**3.1**	0.010 U
MW-17 Screen 3	Jul/Sep 2005	MW-17-3	NA	NA	**10.8**	0.010 U
MW-17 Screen 3	Oct/Nov 2005	MW-17-3	NA	NA	**11.0**	0.010 U
MW-17 Screen 3	Oct/Nov 2005	DUPE-1-4Q05	NA	NA	**9.1**	0.010 U
MW-17 Screen 3	Mar/Apr 2006	MW-17-3	NA	NA	**2.2**	0.010 U
MW-17 Screen 3	May/Jun 2006	MW-17-3	**1.1 J**	1.000 U	**3.1 J**	0.010 U
MW-17 Screen 3	Aug/Sep 2006	MW-17-3	NA	NA	4.0 U	0.010 U
MW-17 Screen 3	Oct/Dec 2006	MW-17-3	NA	NA	**2.7**	0.010 U
MW-17 Screen 3	Mar/Apr 2007	MW-17-3	NA	NA	**2.3**	NA
MW-17 Screen 3	Jun/Jul 2007	MW-17-3	**2.0**	1.000 U	**9.2**	0.010 U
MW-17 Screen 3	Jun/Jul 2007	DUPE-3-2Q07	**2.3**	1.000 U	**9.1**	0.010 U
MW-17 Screen 3	Aug/Sep 2007	MW-17-3	NA	NA	**13.9 E**	0.010 U
MW-17 Screen 3	Oct/Dec 2007	MW-17-3	NA	NA	**13.2 E**	0.010 U
MW-17 Screen 3	Jan/Feb 2008	MW-17-3	NA	NA	3.2 U	**0.004 J**
MW-17 Screen 3	Apr/May 2008	MW-17-3	**1.5**	1.000 U	**5.7**	0.010 U
MW-17 Screen 3	Jul/Aug 2008	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Oct/Nov 2008	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Jan/Feb 2009	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Apr/May 2009	MW-17-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 3	Jul/Aug 2009	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Nov/Dec 2009	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Feb 2010	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Apr/May 2010	MW-17-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 3	Jul/Aug 2010	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Oct/Nov 2010	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Feb/Mar 2011	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Apr/May 2011	MW-17-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 3	Aug/Sep 2011	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Nov/Dec 2011	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Nov/Dec 2011	DUPE-4-4Q11	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Jan/Feb 2012	MW-17-3	NA	NA	5.0 U	0.010 U
MW-17 Screen 3	Apr/May 2012	MW-17-3	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 3	Aug/Sep 2012	MW-17-3	NA	NA	**1.3 J**	0.002 U
MW-17 Screen 3	Nov 2012	MW-17-3	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Jan/Feb 2013	MW-17-3	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Apr/May 2013	MW-17-3	**1.0 J**	1.000 U	**0.6 J**	0.002 U
MW-17 Screen 3	Jul 2013	MW-17-3	NA	NA	**0.9 J**	0.002 U
MW-17 Screen 3	Oct/Nov 2013	MW-17-3	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Jan/Feb 2014	MW-17-3	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Apr/May 2014	MW-17-3	**1.0 J**	1.000 U	**1.2 J**	**0.002 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 3	Jul/Aug 2014	MW-17-3	NA	NA	3.0 U	**0.001 J**
MW-17 Screen 3	Jul/Aug 2014	DUP-2-3Q14	NA	NA	3.0 U	0.002 U
MW-17 Screen 3	Oct 2014	MW-17-3	NA	NA	**0.7 J**	0.002 U
MW-17 Screen 3	Jan/Feb 2015	MW-17-3	NA	NA	3.0 U	0.003 U
MW-17 Screen 3	Apr/May 2015	MW-17-2=3	2.0 U	1.000 U	3.0 U	0.010 U
MW-17 Screen 4	Jan/Feb 1996	MW-17-4	5.0 U	2.000 U	10.0 U	NA
MW-17 Screen 4	Jan/Feb 1996	MW-17-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 1996	MW-17-4	5.0 U	2.000 U	NA	NA
MW-17 Screen 4	Oct/Nov 1996	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Feb/Mar 1997	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	June/July 1997	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Sep/Oct 1997	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Jan/Feb 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Apr/May 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Jul/Aug 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Oct/Nov 1998	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Feb/Mar 1999	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	May/Jun 1999	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Aug 1999	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Nov/Dec 1999	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Mar/Apr 2000	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Jul/Aug 2000	MW-17-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 4	Sep/Oct 2000	MW-17-4	NA	NA	10.0 U	0.005 U
MW-17 Screen 4	Jan/Feb 2001	MW-17-4	**3.7 B**	**0.120 J**	**2.1 J**	0.010 U
MW-17 Screen 4	Apr 2001	MW-17-4	NA	NA	NA	0.010 U
MW-17 Screen 4	Jul 2001	MW-17-4	NA	NA	**3.6 J**	UNK U
MW-17 Screen 4	Oct 2001	MW-17-4	NA	NA	**5.7**	0.010 U
MW-17 Screen 4	Jan/Feb 2002	MW-17-4	**2.9 B**	**0.290 J**	**3.9 J**	0.010 U
MW-17 Screen 4	Apr/May 2002	MW-17-4	NA	NA	**4.0**	0.010 U
MW-17 Screen 4	Jul 2002	MW-17-4	NA	NA	**2.0**	UNK U
MW-17 Screen 4	Oct/Nov 2002	MW-17-4	NA	NA	NA	**0.045**
MW-17 Screen 4	Dec 2002	MW-17-4	**2.8**	0.200 U	**1.7**	0.000 U
MW-17 Screen 4	Jan/Feb 2003	MW-17-4	NA	NA	**2.5**	0.010 U
MW-17 Screen 4	Apr/May 2003	MW-17-4	**2.2 J**	**0.230 J**	**2.2**	0.010 U
MW-17 Screen 4	Jul/Aug 2003	MW-17-4	NA	NA	**1.9 J**	0.010 U
MW-17 Screen 4	Oct/Nov 2003	MW-17-4	NA	NA	1.5 UJ	0.010 U
MW-17 Screen 4	Feb 2004	MW-17-4	NA	NA	**2.1**	0.010 U
MW-17 Screen 4	Apr/May 2004	MW-17-4	**3.9 J**	**0.140**	**5.6**	0.010 U
MW-17 Screen 4	Jul/Aug 2004	MW-17-4	NA	NA	**5.7**	0.010 U
MW-17 Screen 4	Oct/Nov 2004	MW-17-4	NA	NA	**6.1 J**	0.010 U
MW-17 Screen 4	Jan/Feb 2005	MW-17-4	NA	NA	**3.7**	0.010 U
MW-17 Screen 4	Apr/May 2005	MW-17-4	5.0 U	**0.052 J**	**3.7**	0.010 U
MW-17 Screen 4	Jul/Sep 2005	MW-17-4	NA	NA	**6.1**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 4	Oct/Nov 2005	MW-17-4	NA	NA	**4.6**	0.010 U
MW-17 Screen 4	Mar/Apr 2006	MW-17-4	NA	NA	1.0 U	0.010 U
MW-17 Screen 4	May/Jun 2006	MW-17-4	**4.2 J**	1.000 U	1.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 2006	MW-17-4	NA	NA	2.9 U	0.010 U
MW-17 Screen 4	Oct/Dec 2006	MW-17-4	NA	NA	**1.1**	0.010 U
MW-17 Screen 4	Mar/Apr 2007	MW-17-4	NA	NA	1.0 U	NA
MW-17 Screen 4	Jun/Jul 2007	MW-17-4	**4.5**	1.000 U	**4.8**	0.010 U
MW-17 Screen 4	Aug/Sep 2007	MW-17-4	NA	NA	**8.7 E**	0.010 U
MW-17 Screen 4	Oct/Dec 2007	MW-17-4	NA	NA	**6.9 E**	0.010 U
MW-17 Screen 4	Jan/Feb 2008	MW-17-4	NA	NA	**5.4**	0.010 U
MW-17 Screen 4	Apr/May 2008	MW-17-4	**4.1**	1.000 U	**2.4**	0.010 U
MW-17 Screen 4	Jul/Aug 2008	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Jul/Aug 2008	DUPE-3-3Q08	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Oct/Nov 2008	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Oct/Nov 2008	DUPE-03-4Q08	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Jan/Feb 2009	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Apr/May 2009	MW-17-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 4	Jul/Aug 2009	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Nov/Dec 2009	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Feb 2010	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Apr/May 2010	MW-17-4	**3.0**	5.000 U	5.0 U	0.010 U
MW-17 Screen 4	Jul/Aug 2010	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Oct/Nov 2010	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Feb/Mar 2011	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Apr/May 2011	MW-17-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 2011	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Nov/Dec 2011	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Jan/Feb 2012	MW-17-4	NA	NA	5.0 U	0.010 U
MW-17 Screen 4	Apr/May 2012	MW-17-4	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 4	Aug/Sep 2012	MW-17-4	NA	NA	**0.9 J**	0.002 U
MW-17 Screen 4	Nov 2012	MW-17-4	NA	NA	**1.4 J**	**0.002 J**
MW-17 Screen 4	Jan/Feb 2013	MW-17-4	NA	NA	**1.8 J**	0.002 U
MW-17 Screen 4	Apr/May 2013	MW-17-4	**2.4**	1.000 U	**1.1 J**	0.002 U
MW-17 Screen 4	Jul 2013	MW-17-4	NA	NA	**0.6 J**	0.002 U
MW-17 Screen 4	Oct/Nov 2013	MW-17-4	NA	NA	**2.0 J**	**0.002 J**
MW-17 Screen 4	Jan/Feb 2014	MW-17-4	NA	NA	**4.0**	**0.003**
MW-17 Screen 4	Apr/May 2014	MW-17-4	**1.9 J**	1.000 U	**2.5 J**	**0.002**
MW-17 Screen 4	Jul/Aug 2014	MW-17-4	NA	NA	**2.8 J**	**0.002**
MW-17 Screen 4	Oct 2014	MW-17-4	NA	NA	**0.6 J**	0.002 U
MW-17 Screen 4	Jan/Feb 2015	MW-17-4	NA	NA	3.0 U	0.002 U
MW-17 Screen 4	April/May 2015	MW-17-4	**3.2**	**0.120 J**	**0.7 J**	0.010 U
MW-17 Screen 5	Jan/Feb 1996	MW-17-5	5.0 U	2.000 U	10.0 U	NA
MW-17 Screen 5	Jan/Feb 1996	MW-17-5	5.0 U	2.000 U	10.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-17 Screen 5	Aug/Sep 1996	MW-17-5	5.0 U	2.000 U	NA	NA
MW-17 Screen 5	Oct/Nov 1996	MW-17-5	5.0 U	**5.300**	10.0 U	0.005 U
MW-17 Screen 5	Feb/Mar 1997	MW-17-5	5.0 U	**2.500**	10.0 U	0.005 U
MW-17 Screen 5	June/July 1997	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Sep/Oct 1997	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Jan/Feb 1998	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Apr/May 1998	MW-17-5	5.0 U	**2.100**	10.0 U	0.005 U
MW-17 Screen 5	Jul/Aug 1998	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Oct/Nov 1998	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Feb/Mar 1999	MW-17-5	5.0 U	**7.400**	10.0 U	0.005 U
MW-17 Screen 5	May/Jun 1999	MW-17-5	5.0 U	**4.100**	10.0 U	0.005 U
MW-17 Screen 5	Nov/Dec 1999	MW-17-5	NA	NA	10.0 U	0.005 U
MW-17 Screen 5	Jul/Aug 2000	MW-17-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-17 Screen 5	Jan/Feb 2001	MW-17-5	**2.8 B**	**0.190 J**	**3.5 J**	0.010 U
MW-17 Screen 5	Jan/Feb 2002	MW-17-5	5.0 U	**2.770**	**3.7 J**	0.010 U
MW-17 Screen 5	Apr/May 2003	MW-17-5	**3.2 J**	**0.590 J**	**1.6**	0.010 U
MW-17 Screen 5	Oct/Nov 2003	MW-17-5	NA	NA	1.7 UJ	0.010 U
MW-17 Screen 5	Apr/May 2004	MW-17-5	**12.0**	**73.300**	**8.3**	0.010 U
MW-17 Screen 5	Oct/Nov 2004	MW-17-5	NA	NA	**2.2 J**	0.010 U
MW-17 Screen 5	Apr/May 2005	MW-17-5	5.0 U	**1.700**	**0.6 J**	0.010 U
MW-17 Screen 5	Oct/Nov 2005	MW-17-5	NA	NA	**0.7 J**	0.010 U
MW-17 Screen 5	May/Jun 2006	MW-17-5	**7.1 J**	**1.910 J**	**1.2 J**	0.010 U
MW-17 Screen 5	Oct/Dec 2006	MW-17-5	NA	NA	1.0 U	0.010 U
MW-17 Screen 5	Jun/Jul 2007	MW-17-5	**7.7**	**1.890**	**1.5**	0.010 U
MW-17 Screen 5	Oct/Dec 2007	MW-17-5	NA	NA	1.3 U	0.010 U
MW-17 Screen 5	Apr/May 2008	MW-17-5	**8.3**	**1.200**	**1.9**	0.010 U
MW-17 Screen 5	Oct/Nov 2008	MW-17-5	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Apr/May 2009	MW-17-5	**7.3**	5.000 U	5.0 U	0.010 U
MW-17 Screen 5	Nov/Dec 2009	MW-17-5	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Apr/May 2010	MW-17-5	**7.2**	5.000 U	5.0 U	0.010 U
MW-17 Screen 5	Oct/Nov 2010	MW-17-5	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Apr/May 2011	MW-17-5	**8.1**	5.000 U	5.0 U	0.010 U
MW-17 Screen 5	Nov/Dec 2011	MW-17-5	NA	NA	5.0 U	0.010 U
MW-17 Screen 5	Apr/May 2012	MW-17-5	5.0 U	5.000 U	5.0 U	0.010 U
MW-17 Screen 5	Nov 2012	MW-17-5	NA	NA	3.0 U	0.002 U
MW-17 Screen 5	Apr/May 2013	MW-17-5	**6.6**	**0.340 J**	3.0 U	0.002 U
MW-17 Screen 5	Oct/Nov 2013	MW-17-5	NA	NA	3.0 U	0.002 U
MW-17 Screen 5	Apr/May 2014	MW-17-5	**3.3**	**0.250 J**	**1.5 J**	0.002 U
MW-17 Screen 5	Oct 2014	MW-17-5	NA	NA	**0.7 J**	0.002 U
MW-17 Screen 5	April/May 2015	MW-17-5	**9.0**	**0.930 J**	**0.7 J**	0.010 U
MW-18 Screen 1	Aug/Sep 1996	MW-18-1	5.0 U	2.000 U	NA	NA
MW-18 Screen 1	Feb/Mar 1997	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	June/July 1997	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 1	Apr/May 1998	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Jul/Aug 1998	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Oct/Nov 1998	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Feb/Mar 1999	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	May/Jun 1999	MW-18-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 1	Apr/May 2003	MW-18-1	5.0 UJ	1.000 U	0.4 UJ	0.010 U
MW-18 Screen 1	Oct/Nov 2003	MW-18-1	NA	NA	1.5 U	0.010 U
MW-18 Screen 1	Apr/May 2004	MW-18-1	5.0 U	0.120 U	**8.4 J**	0.010 U
MW-18 Screen 1	Oct/Nov 2004	MW-18-1	NA	NA	**10.6 J**	0.010 U
MW-18 Screen 1	Apr/May 2005	MW-18-1	**5.9**	**0.098 J**	**5.9**	0.010 U
MW-18 Screen 1	Jul/Sep 2005	MW-18-1	NA	NA	**8.2**	0.010 U
MW-18 Screen 1	Oct/Nov 2005	MW-18-1	NA	NA	**4.6**	0.010 U
MW-18 Screen 1	May/Jun 2006	MW-18-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-18 Screen 1	May/Jun 2006	DUPE-4-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-18 Screen 1	Oct/Dec 2006	MW-18-1	NA	NA	**2.7 J**	0.010 U
MW-18 Screen 1	Jun/Jul 2007	MW-18-1	1.0 U	1.000 U	**6.6**	0.010 U
MW-18 Screen 1	Oct/Dec 2007	MW-18-1	NA	NA	**9.9**	0.010 U
MW-18 Screen 1	Apr/May 2008	MW-18-1	1.0 U	1.000 U	**4.1**	0.010 U
MW-18 Screen 1	Apr/May 2008	DUPE-2-2Q08	1.0 U	1.000 U	**2.2**	0.010 U
MW-18 Screen 1	Oct/Nov 2008	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Apr/May 2009	MW-18-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 1	Nov/Dec 2009	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Apr/May 2010	MW-18-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 1	Oct/Nov 2010	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Apr/May 2011	MW-18-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 1	Nov/Dec 2011	MW-18-1	NA	NA	5.0 U	0.010 U
MW-18 Screen 1	Apr/May 2012	MW-18-1	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 1	Nov 2012	MW-18-1	NA	NA	3.0 U	0.002 U
MW-18 Screen 1	Apr/May 2013	MW-18-1	2.0 U	**0.720 J**	3.0 U	0.004 U
MW-18 Screen 2	Aug/Sep 1996	MW-18-2	5.0 U	2.000 U	NA	NA
MW-18 Screen 2	Oct/Nov 1996	MW-18-2	5.0 U	**3.400**	10.0 U	0.005 U
MW-18 Screen 2	Feb/Mar 1997	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	June/July 1997	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Sep/Oct 1997	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Jan/Feb 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Apr/May 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Jul/Aug 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Oct/Nov 1998	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Feb/Mar 1999	MW-18-2	5.0 U	**5.300**	10.0 U	0.005 U
MW-18 Screen 2	May/Jun 1999	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Aug 1999	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Nov/Dec 1999	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Mar/Apr 2000	MW-18-2	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 2	Jul/Aug 2000	MW-18-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 2	Sep/Oct 2000	MW-18-2	NA	NA	10.0 U	0.005 U
MW-18 Screen 2	Jan/Feb 2001	MW-18-2	5.0 U	1.000 U	**4.0 J**	0.010 U
MW-18 Screen 2	Apr 2001	MW-18-2	NA	NA	NA	0.010 U
MW-18 Screen 2	Jul 2001	MW-18-2	NA	NA	**3.6 J**	UNK U
MW-18 Screen 2	Oct 2001	MW-18-2	NA	NA	**4.3**	0.010 U
MW-18 Screen 2	Jan/Feb 2002	MW-18-2	5.0 U	1.000 U	**2.6 J**	0.010 U
MW-18 Screen 2	Apr/May 2002	MW-18-2	NA	NA	**6.0**	0.010 U
MW-18 Screen 2	Jul 2002	MW-18-2	NA	NA	**3.0**	UNK U
MW-18 Screen 2	Oct/Nov 2002	MW-18-2	NA	NA	NA	0.010 U
MW-18 Screen 2	Jan/Feb 2003	MW-18-2	NA	NA	**3.6**	0.010 U
MW-18 Screen 2	Apr/May 2003	MW-18-2	5.0 UJ	1.000 U	1.0 UJ	0.010 U
MW-18 Screen 2	Jul/Aug 2003	MW-18-2	NA	NA	**2.1 J**	0.010 U
MW-18 Screen 2	Oct/Nov 2003	MW-18-2	NA	NA	1.9 U	0.010 U
MW-18 Screen 2	Feb 2004	MW-18-2	NA	NA	**3.5**	0.010 U
MW-18 Screen 2	Apr/May 2004	MW-18-2	5.0 U	0.120 U	**9.3 J**	0.010 U
MW-18 Screen 2	Jul/Aug 2004	MW-18-2	NA	NA	**4.6 J**	0.010 U
MW-18 Screen 2	Oct/Nov 2004	MW-18-2	NA	NA	**11.9 J**	0.010 U
MW-18 Screen 2	Jan/Feb 2005	MW-18-2	NA	NA	**5.1**	0.010 U
MW-18 Screen 2	Jan/Feb 2005	DUPE-4-1Q05	NA	NA	**6.9**	0.010 U
MW-18 Screen 2	Apr/May 2005	MW-18-2	**4.4 J**	**0.086 J**	**6.6**	0.010 U
MW-18 Screen 2	Apr/May 2005	DUPE-1-2Q05	**3.7 J**	**0.064 J**	**7.6**	0.010 U
MW-18 Screen 2	Jul/Sep 2005	MW-18-2	NA	NA	**7.7**	0.010 U
MW-18 Screen 2	Oct/Nov 2005	MW-18-2	NA	NA	**6.2**	0.010 U
MW-18 Screen 2	Mar/Apr 2006	MW-18-2	NA	NA	1.0 U	0.010 U
MW-18 Screen 2	May/Jun 2006	MW-18-2	**1.6 J**	1.000 U	1.0 U	0.010 U
MW-18 Screen 2	Aug/Sep 2006	MW-18-2	NA	NA	1.8 U	0.010 U
MW-18 Screen 2	Oct/Dec 2006	MW-18-2	NA	NA	**1.4 J**	0.010 U
MW-18 Screen 2	Mar/Apr 2007	MW-18-2	NA	NA	1.0 U	NA
MW-18 Screen 2	Mar/Apr 2007	DUPE-2-1Q07	NA	NA	1.0 U	NA
MW-18 Screen 2	Jun/Jul 2007	MW-18-2	**1.6**	1.000 U	**7.7**	0.010 U
MW-18 Screen 2	Aug/Sep 2007	MW-18-2	NA	NA	**12.4 E**	0.010 U
MW-18 Screen 2	Oct/Dec 2007	MW-18-2	NA	NA	**11.4**	0.010 U
MW-18 Screen 2	Jan/Feb 2008	MW-18-2	NA	NA	**9.1**	0.010 U
MW-18 Screen 2	Apr/May 2008	MW-18-2	**1.2**	1.000 U	**3.6**	0.010 U
MW-18 Screen 2	Jul/Aug 2008	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Oct/Nov 2008	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Jan/Feb 2009	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Apr/May 2009	MW-18-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 2	Jul/Aug 2009	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Nov/Dec 2009	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Feb 2010	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Apr/May 2010	MW-18-2	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 2	Jul/Aug 2010	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Oct/Nov 2010	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Feb/Mar 2011	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Apr/May 2011	MW-18-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 2	Aug/Sep 2011	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Aug/Sep 2011	DUPE-03-3Q11	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Nov/Dec 2011	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Jan/Feb 2012	MW-18-2	NA	NA	5.0 U	0.010 U
MW-18 Screen 2	Apr/May 2012	MW-18-2	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 2	Aug/Sep 2012	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Nov 2012	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Jan/Feb 2013	MW-18-2	NA	NA	3.0 U	0.004 U
MW-18 Screen 2	Apr/May 2013	MW-18-2	**0.9 J**	1.000 U	3.0 U	0.002 U
MW-18 Screen 2	Jul 2013	MW-18-2	NA	NA	**0.6 J**	0.002 U
MW-18 Screen 2	Oct/Nov 2013	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Jan/Feb 2014	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Apr/May 2014	MW-18-2	2.0 U	1.000 U	3.0 U	0.002 U
MW-18 Screen 2	Jul/Aug 2014	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Oct 2014	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	Jan/Feb 2015	MW-18-2	NA	NA	3.0 U	0.002 U
MW-18 Screen 2	April/May 2015	MW-18-2	**1.4 J**	1.000 U	0.7 U	0.002 U
MW-18 Screen 3	Aug/Sep 1996	MW-18-3	5.0 U	2.000 U	NA	NA
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Oct/Nov 1996	MW-18-3	5.0 U	**2.400**	10.0 U	0.005 U
MW-18 Screen 3	Feb/Mar 1997	MW-18-3	5.0 U	2.000 U	**15.0**	**0.007**
MW-18 Screen 3	June/July 1997	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Sep/Oct 1997	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Jan/Feb 1998	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Apr/May 1998	MW-18-3	5.0 U	2.000 U	**12.0**	**0.007**
MW-18 Screen 3	Jul/Aug 1998	MW-18-3	5.0 U	2.000 U	**14.0**	0.005 U
MW-18 Screen 3	Oct/Nov 1998	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Feb/Mar 1999	MW-18-3	5.0 U	2.000 U	10.0 U	**0.007**
MW-18 Screen 3	May/Jun 1999	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Aug 1999	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Nov/Dec 1999	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Mar/Apr 2000	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Jul/Aug 2000	MW-18-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 3	Sep/Oct 2000	MW-18-3	NA	NA	10.0 U	0.005 U
MW-18 Screen 3	Jan/Feb 2001	MW-18-3	5.0 U	1.000 U	**7.5**	0.010 U
MW-18 Screen 3	Apr 2001	MW-18-3	NA	NA	NA	0.010 U
MW-18 Screen 3	Jul 2001	MW-18-3	NA	NA	**6.5**	UNK U
MW-18 Screen 3	Oct 2001	MW-18-3	NA	NA	**7.7**	0.010 U
MW-18 Screen 3	Jan/Feb 2002	MW-18-3	5.0 U	1.000 U	**5.6**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 3	Jan/Feb 2002	DUP	5.0 U	1.000 U	**5.3**	0.010 U
MW-18 Screen 3	Apr/May 2002	MW-18-3	NA	NA	**10.0**	0.010 U
MW-18 Screen 3	Jul 2002	MW-18-3	NA	NA	**7.0**	**0.010**
MW-18 Screen 3	Oct/Nov 2002	MW-18-3	NA	NA	NA	0.010 U
MW-18 Screen 3	Dec 2002	MW-18-3	**1.5**	**0.058 J**	**7.2**	**0.003**
MW-18 Screen 3	Jan/Feb 2003	MW-18-3	NA	NA	**7.8**	0.010 U
MW-18 Screen 3	Apr/May 2003	MW-18-3	5.0 UJ	1.000 U	**5.4 J**	0.010 U
MW-18 Screen 3	Jul/Aug 2003	MW-18-3	NA	NA	**5.9 J**	0.010 U
MW-18 Screen 3	Oct/Nov 2003	MW-18-3	NA	NA	**5.9**	0.010 U
MW-18 Screen 3	Feb 2004	MW-18-3	NA	NA	**8.6**	0.010 U
MW-18 Screen 3	Apr/May 2004	MW-18-3	5.0 U	0.120 U	**15.5 J**	0.010 U
MW-18 Screen 3	Jul/Aug 2004	MW-18-3	NA	NA	**9.3 J**	0.010 U
MW-18 Screen 3	Oct/Nov 2004	MW-18-3	NA	NA	**19.2 J**	0.010 U
MW-18 Screen 3	Jan/Feb 2005	MW-18-3	NA	NA	**10.8**	0.010 U
MW-18 Screen 3	Apr/May 2005	MW-18-3	**6.5**	**0.082 J**	**11.7**	0.010 U
MW-18 Screen 3	Jul/Sep 2005	MW-18-3	NA	NA	**11.8**	0.010 U
MW-18 Screen 3	Oct/Nov 2005	MW-18-3	NA	NA	**14.0**	**0.005 J**
MW-18 Screen 3	Mar/Apr 2006	MW-18-3	NA	NA	**5.4 J**	0.010 U
MW-18 Screen 3	May/Jun 2006	MW-18-3	**1.7 J**	1.000 U	**6.1 J**	0.010 U
MW-18 Screen 3	Aug/Sep 2006	MW-18-3	NA	NA	**5.7**	0.010 U
MW-18 Screen 3	Oct/Dec 2006	MW-18-3	NA	NA	**5.4 J**	0.010 U
MW-18 Screen 3	Mar/Apr 2007	MW-18-3	NA	NA	**4.9**	NA
MW-18 Screen 3	Jun/Jul 2007	MW-18-3	**1.7**	1.000 U	**12.9**	0.010 U
MW-18 Screen 3	Aug/Sep 2007	MW-18-3	NA	NA	**14.2 E**	0.010 U
MW-18 Screen 3	Oct/Dec 2007	MW-18-3	NA	NA	**16.6**	0.010 U
MW-18 Screen 3	Jan/Feb 2008	MW-18-3	NA	NA	**12.9**	**0.005 J**
MW-18 Screen 3	Apr/May 2008	MW-18-3	**1.5**	1.000 U	**7.4**	0.010 U
MW-18 Screen 3	Jul/Aug 2008	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2008	DUPE-4-3Q08	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Oct/Nov 2008	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jan/Feb 2009	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Apr/May 2009	MW-18-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2009	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2009	DUPE-3-3Q09	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Nov/Dec 2009	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Feb 2010	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Apr/May 2010	MW-18-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 3	Jul/Aug 2010	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Oct/Nov 2010	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Feb/Mar 2011	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Feb/Mar 2011	DUPE-03-1Q11	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Apr/May 2011	MW-18-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 3	Aug/Sep 2011	MW-18-3	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 3	Nov/Dec 2011	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Jan/Feb 2012	MW-18-3	NA	NA	5.0 U	0.010 U
MW-18 Screen 3	Apr/May 2012	MW-18-3	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 3	Aug/Sep 2012	MW-18-3	NA	NA	**2.5 J**	**0.002 J**
MW-18 Screen 3	Aug/Sep 2012	DUPE-1-3Q12	NA	NA	**2.1 J**	**0.002 J**
MW-18 Screen 3	Nov 2012	MW-18-3	NA	NA	**1.7 J**	**0.002**
MW-18 Screen 3	Jan/Feb 2013	MW-18-3	NA	NA	**2.1 J**	0.002 U
MW-18 Screen 3	Apr/May 2013	MW-18-3	2.0 U	1.000 U	**2.2 J**	**0.001 J**
MW-18 Screen 3	Jul 2013	MW-18-3	NA	NA	**2.8 J**	**0.001 J**
MW-18 Screen 3	Oct/Nov 2013	MW-18-3	NA	NA	**2.9 J**	**0.001 J**
MW-18 Screen 3	Jan/Feb 2014	MW-18-3	NA	NA	**1.8 J**	**0.002 J**
MW-18 Screen 3	Apr/May 2014	MW-18-3	**1.0 J**	1.000 U	2.6 U	**0.002**
MW-18 Screen 3	Apr/May 2014	DUP-3-2Q14	2.0 U	1.000 U	2.7 U	**0.002**
MW-18 Screen 3	Jul/Aug 2014	MW-18-3	NA	NA	**1.9 J**	**0.002 J**
MW-18 Screen 3	Oct 2014	MW-18-3	NA	NA	2.2 U	**0.002 J**
MW-18 Screen 3	Oct 2014	DUP-5-4Q14	NA	NA	2.4 U	**0.002 J**
MW-18 Screen 3	Jan/Feb 2015	MW-18-3	NA	NA	**1.5 J**	**0.001 J**
MW-18 Screen 3	April/May 2015	MW-18-3	**1.3 J**	1.000 U	2.4 U	**0.002 J**
MW-18 Screen 4	Aug/Sep 1996	MW-18-4	5.0 U	2.000 U	NA	NA
MW-18 Screen 4	Oct/Nov 1996	MW-18-4	5.0 U	**2.500**	10.0 U	0.005 U
MW-18 Screen 4	Feb/Mar 1997	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	June/July 1997	MW-18-4	**5.0**	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Sep/Oct 1997	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Jan/Feb 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Apr/May 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Jul/Aug 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Oct/Nov 1998	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Feb/Mar 1999	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	May/Jun 1999	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Aug 1999	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Nov/Dec 1999	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Mar/Apr 2000	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Jul/Aug 2000	MW-18-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 4	Sep/Oct 2000	MW-18-4	NA	NA	10.0 U	0.005 U
MW-18 Screen 4	Jan/Feb 2001	MW-18-4	5.0 U	1.000 U	**4.3 J**	0.010 U
MW-18 Screen 4	Apr 2001	MW-18-4	NA	NA	NA	0.010 U
MW-18 Screen 4	Jul 2001	MW-18-4	NA	NA	**5.3**	UNK U
MW-18 Screen 4	Oct 2001	MW-18-4	NA	NA	**7.1**	0.010 U
MW-18 Screen 4	Jan/Feb 2002	MW-18-4	5.0 U	**0.250 J**	**5.6**	0.010 U
MW-18 Screen 4	Apr/May 2002	MW-18-4	NA	NA	**6.0**	0.010 U
MW-18 Screen 4	Jul 2002	MW-18-4	NA	NA	**4.0**	UNK U
MW-18 Screen 4	Oct/Nov 2002	MW-18-4	NA	NA	NA	0.010 U
MW-18 Screen 4	Dec 2002	MW-18-4	**1.0**	0.200 U	**3.2**	**0.001**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 4	Jan/Feb 2003	MW-18-4	NA	NA	**4.1**	0.010 U
MW-18 Screen 4	Apr/May 2003	MW-18-4	5.0 UJ	**0.140 J**	**2.0 J**	0.010 U
MW-18 Screen 4	Apr/May 2003	DUPE-7-2Q03	5.0 UJ	**0.130 J**	**2.2 J**	0.010 U
MW-18 Screen 4	Jul/Aug 2003	MW-18-4	NA	NA	**2.7 J**	0.010 U
MW-18 Screen 4	Oct/Nov 2003	MW-18-4	NA	NA	2.6 U	0.010 U
MW-18 Screen 4	Feb 2004	MW-18-4	NA	NA	**5.4**	0.010 U
MW-18 Screen 4	Apr/May 2004	MW-18-4	5.0 U	0.120 U	**6.9 J**	0.010 U
MW-18 Screen 4	Jul/Aug 2004	MW-18-4	NA	NA	**5.4 J**	0.010 U
MW-18 Screen 4	Oct/Nov 2004	MW-18-4	NA	NA	**12.9 J**	0.010 U
MW-18 Screen 4	Jan/Feb 2005	MW-18-4	NA	NA	**7.0**	0.010 U
MW-18 Screen 4	Apr/May 2005	MW-18-4	**3.6 J**	**0.036 J**	**7.4**	0.010 U
MW-18 Screen 4	Jul/Sep 2005	MW-18-4	NA	NA	**7.0**	0.010 U
MW-18 Screen 4	Oct/Nov 2005	MW-18-4	NA	NA	**7.0**	0.010 U
MW-18 Screen 4	Mar/Apr 2006	MW-18-4	NA	NA	**1.8 J**	0.010 U
MW-18 Screen 4	May/Jun 2006	MW-18-4	**1.3 J**	1.000 U	**1.9 J**	0.010 U
MW-18 Screen 4	Aug/Sep 2006	MW-18-4	NA	NA	3.1 U	0.010 U
MW-18 Screen 4	Oct/Dec 2006	MW-18-4	NA	NA	**2.3 J**	0.010 U
MW-18 Screen 4	Mar/Apr 2007	MW-18-4	NA	NA	**1.7**	NA
MW-18 Screen 4	Jun/Jul 2007	MW-18-4	**1.2**	1.000 U	**7.2**	0.010 U
MW-18 Screen 4	Aug/Sep 2007	MW-18-4	NA	NA	**9.5 E**	0.010 U
MW-18 Screen 4	Oct/Dec 2007	MW-18-4	NA	NA	**12.0**	0.010 U
MW-18 Screen 4	Jan/Feb 2008	MW-18-4	NA	NA	**9.6**	0.010 U
MW-18 Screen 4	Apr/May 2008	MW-18-4	**1.4**	1.000 U	**6.0**	0.010 U
MW-18 Screen 4	Jul/Aug 2008	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Oct/Nov 2008	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Oct/Nov 2008	DUPE-02-4Q08	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Jan/Feb 2009	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Apr/May 2009	MW-18-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 4	Jul/Aug 2009	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Nov/Dec 2009	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Feb 2010	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Feb 2010	DUPE-2-1Q10	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Apr/May 2010	MW-18-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 4	Jul/Aug 2010	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Oct/Nov 2010	MW-18-4	NA	NA	**7.1**	0.010 U
MW-18 Screen 4	Feb/Mar 2011	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Apr/May 2011	MW-18-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 4	Aug/Sep 2011	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Nov/Dec 2011	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Jan/Feb 2012	MW-18-4	NA	NA	5.0 U	0.010 U
MW-18 Screen 4	Apr/May 2012	MW-18-4	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 4	Apr/May 2012	DUPE-6-2Q12	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 4	Aug/Sep 2012	MW-18-4	NA	NA	**2.8 J**	**0.002 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 4	Nov 2012	MW-18-4	NA	NA	**2.1 J**	0.002 U
MW-18 Screen 4	Jan/Feb 2013	MW-18-4	NA	NA	**2.2 J**	0.002 U
MW-18 Screen 4	Apr/May 2013	MW-18-4	**1.2 J**	1.000 U	**1.2 J**	0.002 U
MW-18 Screen 4	Jul 2013	MW-18-4	NA	NA	**2.5 J**	0.002 U
MW-18 Screen 4	Jul 2013	DUPE-3-3Q13	NA	NA	**2.1 J**	0.002 U
MW-18 Screen 4	Oct/Nov 2013	MW-18-4	NA	NA	**3.5**	**0.001 J**
MW-18 Screen 4	Jan/Feb 2014	MW-18-4	NA	NA	**2.8 J**	**0.002**
MW-18 Screen 4	Apr/May 2014	MW-18-4	**1.5 J**	1.000 U	**3.4**	**0.002**
MW-18 Screen 4	Jul/Aug 2014	MW-18-4	NA	NA	**2.4 J**	**0.002 J**
MW-18 Screen 4	Jul/Aug 2014	DUP-3-3Q14	NA	NA	**2.4 J**	**0.002 J**
MW-18 Screen 4	Oct 2014	MW-18-4	NA	NA	1.6 U	**0.001 J**
MW-18 Screen 4	Jan/Feb 2015	MW-18-4	NA	NA	3.0 U	0.002 U
MW-18 Screen 4	April/May 2015	MW-18-4	**97% J**	100% U	1.2 U	0.002 U
MW-18 Screen 5	Aug/Sep 1996	MW-18-5	5.0 U	2.000 U	NA	NA
MW-18 Screen 5	Oct/Nov 1996	MW-18-5	5.0 U	**2.300**	10.0 U	0.005 U
MW-18 Screen 5	Feb/Mar 1997	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	June/July 1997	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Sep/Oct 1997	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Jan/Feb 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Apr/May 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Jul/Aug 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Oct/Nov 1998	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Feb/Mar 1999	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	May/Jun 1999	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Nov/Dec 1999	MW-18-5	NA	NA	10.0 U	0.005 U
MW-18 Screen 5	Jul/Aug 2000	MW-18-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-18 Screen 5	Jan/Feb 2001	MW-18-5	**2.2 B**	1.000 U	**4.1 J**	0.010 U
MW-18 Screen 5	Apr 2001	MW-18-5	NA	NA	NA	0.010 U
MW-18 Screen 5	Jul 2001	MW-18-5	NA	NA	NA	UNK U
MW-18 Screen 5	Jan/Feb 2002	MW-18-5	5.0 U	**0.060 J**	**1.8 J**	0.010 U
MW-18 Screen 5	Jan/Feb 2003	MW-18-5	NA	NA	NA	0.010 U
MW-18 Screen 5	Apr/May 2003	MW-18-5	5.0 UJ	1.000 U	0.4 UJ	0.010 U
MW-18 Screen 5	Oct/Nov 2003	MW-18-5	NA	NA	1.0 U	0.010 U
MW-18 Screen 5	Apr/May 2004	MW-18-5	5.0 U	0.120 U	**6.1 J**	0.010 U
MW-18 Screen 5	Oct/Nov 2004	MW-18-5	NA	NA	**9.0 J**	0.010 U
MW-18 Screen 5	Apr/May 2005	MW-18-5	**3.6 J**	**0.035 J**	**4.3**	0.010 U
MW-18 Screen 5	Jul/Sep 2005	MW-18-5	NA	NA	**6.9**	0.010 U
MW-18 Screen 5	Oct/Nov 2005	MW-18-5	NA	NA	**4.2**	0.010 U
MW-18 Screen 5	May/Jun 2006	MW-18-5	**1.2 J**	1.000 U	1.0 U	0.010 U
MW-18 Screen 5	Oct/Dec 2006	MW-18-5	NA	NA	**1.4 J**	0.010 U
MW-18 Screen 5	Jun/Jul 2007	MW-18-5	**1.1**	1.000 U	**5.2**	0.010 U
MW-18 Screen 5	Oct/Dec 2007	MW-18-5	NA	NA	**8.4**	0.010 U
MW-18 Screen 5	Apr/May 2008	MW-18-5	**1.0**	1.000 U	**3.2**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-18 Screen 5	Oct/Nov 2008	MW-18-5	NA	NA	5.0 U	0.010 U
MW-18 Screen 5	Apr/May 2009	MW-18-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 5	Nov/Dec 2009	MW-18-5	NA	NA	5.0 U	0.010 U
MW-18 Screen 5	Apr/May 2010	MW-18-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-18 Screen 5	Oct/Nov 2010	MW-18-5	NA	NA	5.0 U	0.010 U
MW-18 Screen 5	Apr/May 2011	MW-18-5	**2.1**	5.000 U	5.0 U	0.010 U
MW-18 Screen 5	Nov/Dec 2011	MW-18-5	NA	NA	5.0 U	0.010 U
MW-18 Screen 5	Apr/May 2012	MW-18-5	2.0 U	5.000 U	10.0 U	0.010 U
MW-18 Screen 5	Nov 2012	MW-18-5	NA	NA	3.0 U	0.002 U
MW-18 Screen 5	Apr/May 2013	MW-18-5	**1.3 J**	1.000 U	3.0 U	0.002 U
MW-18 Screen 5	Oct/Nov 2013	MW-18-5	NA	NA	3.0 U	0.002 U
MW-18 Screen 5	Apr/May 2014	MW-18-5	**1.0 J**	1.000 U	0.7 U	0.002 U
MW-18 Screen 5	Oct 2014	MW-18-5	NA	NA	3.0 U	0.002 U
MW-18 Screen 5	April/May 2015	MW-18-5	**0.8 J**	1.000 U	3.0 U	0.002 U
MW-19 Screen 1	Jan/Feb 1996	MW-19-1	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 1	Jan/Feb 1996	MW-19-1	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 1	Aug/Sep 1996	MW-19-1	5.0 U	2.000 U	NA	NA
MW-19 Screen 1	Oct/Nov 1996	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Feb/Mar 1997	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	June/July 1997	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Sep/Oct 1997	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Jan/Feb 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Apr/May 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Jul/Aug 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Oct/Nov 1998	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Feb/Mar 1999	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	May/Jun 1999	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Nov/Dec 1999	MW-19-1	NA	NA	10.0 U	0.005 U
MW-19 Screen 1	Jul/Aug 2000	MW-19-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 1	Jan/Feb 2001	MW-19-1	5.0 U	1.000 U	**3.4 J**	0.010 U
MW-19 Screen 1	Jan/Feb 2002	MW-19-1	5.0 U	1.000 U	**2.9 J**	0.010 U
MW-19 Screen 1	Jan/Feb 2003	MW-19-1	NA	NA	NA	0.010 U
MW-19 Screen 1	Apr/May 2003	MW-19-1	5.0 U	1.000 U	**1.7 J**	0.010 U
MW-19 Screen 1	Oct/Nov 2003	MW-19-1	NA	NA	1.2 U	0.010 U
MW-19 Screen 1	Apr/May 2004	MW-19-1	5.0 U	**0.230**	0.6 U	0.010 U
MW-19 Screen 1	Oct/Nov 2004	MW-19-1	NA	NA	0.2 U	0.010 U
MW-19 Screen 1	Apr/May 2005	MW-19-1	**1.7 J**	**0.033 J**	**2.5**	0.010 U
MW-19 Screen 1	Jul/Sep 2005	MW-19-1	NA	NA	**6.3**	0.010 U
MW-19 Screen 1	Oct/Nov 2005	MW-19-1	NA	NA	**5.9**	0.010 U
MW-19 Screen 1	May/Jun 2006	MW-19-1	1.0 U	1.000 U	1.0 U	**0.003 J**
MW-19 Screen 1	Oct/Dec 2006	MW-19-1	NA	NA	1.0 U	0.010 U
MW-19 Screen 1	Jun/Jul 2007	MW-19-1	1.0 U	1.000 U	**6.7**	**0.008 J**
MW-19 Screen 1	Oct/Dec 2007	MW-19-1	NA	NA	1.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 1	Apr/May 2008	MW-19-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-19 Screen 1	Oct/Nov 2008	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Apr/May 2009	MW-19-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 1	Nov/Dec 2009	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Apr/May 2010	MW-19-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 1	Oct/Nov 2010	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Apr/May 2011	MW-19-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 1	Nov/Dec 2011	MW-19-1	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Nov/Dec 2011	DUPE-2-4Q11	NA	NA	5.0 U	0.010 U
MW-19 Screen 1	Apr/May 2012	MW-19-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 1	Nov 2012	MW-19-1	NA	NA	3.0 U	0.002 U
MW-19 Screen 1	Apr/May 2013	MW-19-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-19 Screen 1	Oct/Nov 2013	MW-19-1	NA	NA	**2.3 J**	0.002 U
MW-19 Screen 1	Apr/May 2014	MW-19-1	2.0 U	1.000 U	0.6 U	0.002 U
MW-19 Screen 1	Oct 2014	MW-19-1	NA	NA	**1.0 J**	0.002 U
MW-19 Screen 1	April/May 2015	MW-19-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-19 Screen 2	Jan/Feb 1996	MW-19-2	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 2	Jan/Feb 1996	MW-19-2	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 2	Aug/Sep 1996	MW-19-2	5.0 U	2.000 U	NA	NA
MW-19 Screen 2	Oct/Nov 1996	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Feb/Mar 1997	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	June/July 1997	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Sep/Oct 1997	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Jan/Feb 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Apr/May 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Jul/Aug 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Oct/Nov 1998	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Feb/Mar 1999	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	May/Jun 1999	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Nov/Dec 1999	MW-19-2	NA	NA	10.0 U	0.005 U
MW-19 Screen 2	Jul/Aug 2000	MW-19-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 2	Jan/Feb 2001	MW-19-2	5.0 U	1.000 U	**3.6 J**	0.010 U
MW-19 Screen 2	Jan/Feb 2001	DUP	5.0 U	1.000 U	**3.5 J**	0.010 U
MW-19 Screen 2	Jan/Feb 2002	MW-19-2	5.0 U	1.000 U	**4.3 J**	0.010 U
MW-19 Screen 2	Jan/Feb 2003	MW-19-2	NA	NA	NA	0.010 U
MW-19 Screen 2	Apr/May 2003	MW-19-2	5.0 U	1.000 U	**4.2 J**	0.010 U
MW-19 Screen 2	Oct/Nov 2003	MW-19-2	NA	NA	**4.0**	0.010 U
MW-19 Screen 2	Apr/May 2004	MW-19-2	5.0 U	**0.001 J**	**10.0**	0.010 U
MW-19 Screen 2	Oct/Nov 2004	MW-19-2	NA	NA	**5.1**	0.010 U
MW-19 Screen 2	Apr/May 2005	MW-19-2	**1.8 J**	**0.027 J**	**4.3**	0.010 U
MW-19 Screen 2	Jul/Sep 2005	MW-19-2	NA	NA	**14.1**	0.010 U
MW-19 Screen 2	Oct/Nov 2005	MW-19-2	NA	NA	**11.1**	0.010 U
MW-19 Screen 2	May/Jun 2006	MW-19-2	1.0 U	1.000 U	**1.9 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 2	Oct/Dec 2006	MW-19-2	NA	NA	**1.9**	0.010 U
MW-19 Screen 2	Jun/Jul 2007	MW-19-2	**1.3**	1.000 U	**10.8**	**0.010**
MW-19 Screen 2	Oct/Dec 2007	MW-19-2	NA	NA	**3.0**	0.010 U
MW-19 Screen 2	Apr/May 2008	MW-19-2	1.0 U	1.000 U	**2.1**	0.010 U
MW-19 Screen 2	Oct/Nov 2008	MW-19-2	NA	NA	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2009	MW-19-2	2.0 U	5.000 U	**5.3**	0.010 U
MW-19 Screen 2	Nov/Dec 2009	MW-19-2	NA	NA	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2010	MW-19-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 2	Oct/Nov 2010	MW-19-2	NA	NA	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2011	MW-19-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 2	Nov/Dec 2011	MW-19-2	NA	NA	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2012	MW-19-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 2	Apr/May 2012	DUPE-5-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 2	Nov 2012	MW-19-2	NA	NA	**24.0**	**0.002 J**
MW-19 Screen 2	Apr/May 2013	MW-19-2	2.0 U	1.000 U	**1.7 J**	0.002 U
MW-19 Screen 2	Oct/Nov 2013	MW-19-2	NA	NA	**2.1 J**	0.002 U
MW-19 Screen 2	Apr/May 2014	MW-19-2	2.0 U	1.000 U	2.9 U	**0.001 J**
MW-19 Screen 2	Oct 2014	MW-19-2	NA	NA	**2.0 J**	0.002 U
MW-19 Screen 2	April/May 2015	MW-19-2	2.0 U	**0.200 J**	0.8 U	0.002 U
MW-19 Screen 3	Jan/Feb 1996	MW-19-3	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 3	Jan/Feb 1996	MW-19-3	5.0 U	**2.100**	10.0 U	0.010 U
MW-19 Screen 3	Aug/Sep 1996	MW-19-3	5.0 U	2.000 U	NA	NA
MW-19 Screen 3	Oct/Nov 1996	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Feb/Mar 1997	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	June/July 1997	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Sep/Oct 1997	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Jan/Feb 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Apr/May 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Jul/Aug 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Oct/Nov 1998	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Feb/Mar 1999	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	May/Jun 1999	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Nov/Dec 1999	MW-19-3	NA	NA	10.0 U	0.005 U
MW-19 Screen 3	Jul/Aug 2000	MW-19-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 3	Jan/Feb 2001	MW-19-3	5.0 U	1.000 U	**6.1**	0.010 U
MW-19 Screen 3	Jan/Feb 2002	MW-19-3	5.0 U	1.000 U	**5.3**	0.010 U
MW-19 Screen 3	Jan/Feb 2002	DUP	5.0 U	1.000 U	**5.6**	0.010 U
MW-19 Screen 3	Dec 2002	MW-19-3	**1.0**	**0.300**	**4.1**	**0.000**
MW-19 Screen 3	Jan/Feb 2003	MW-19-3	NA	NA	NA	0.010 U
MW-19 Screen 3	Apr/May 2003	MW-19-3	5.0 U	1.000 U	**5.0 J**	0.010 U
MW-19 Screen 3	Oct/Nov 2003	MW-19-3	NA	NA	**4.3 J**	0.010 U
MW-19 Screen 3	Apr/May 2004	MW-19-3	5.0 U	0.120 U	**10.7**	0.010 U
MW-19 Screen 3	Oct/Nov 2004	MW-19-3	NA	NA	**15.8**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 3	Apr/May 2005	MW-19-3	**4.3 J**	**0.032 J**	**4.8**	0.010 U
MW-19 Screen 3	Jul/Sep 2005	MW-19-3	NA	NA	**9.8**	0.010 U
MW-19 Screen 3	Oct/Nov 2005	MW-19-3	NA	NA	**9.2**	0.010 U
MW-19 Screen 3	May/Jun 2006	MW-19-3	1.0 U	1.000 U	**2.4 J**	**0.003 J**
MW-19 Screen 3	May/Jun 2006	DUPE-1-2Q06	1.0 U	1.000 U	**2.5 J**	**0.003 J**
MW-19 Screen 3	Oct/Dec 2006	MW-19-3	NA	NA	**2.6**	0.010 U
MW-19 Screen 3	Jun/Jul 2007	MW-19-3	**1.4**	1.000 U	**10.6**	**0.005 J**
MW-19 Screen 3	Oct/Dec 2007	MW-19-3	NA	NA	**2.8**	0.010 U
MW-19 Screen 3	Apr/May 2008	MW-19-3	**1.1**	1.000 U	**2.7**	0.010 U
MW-19 Screen 3	Oct/Nov 2008	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2009	MW-19-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Nov/Dec 2009	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2010	MW-19-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Oct/Nov 2010	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2011	MW-19-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2011	DUPE-3-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Nov/Dec 2011	MW-19-3	NA	NA	5.0 U	0.010 U
MW-19 Screen 3	Apr/May 2012	MW-19-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 3	Nov 2012	MW-19-3	NA	NA	**2.4 J**	**0.002**
MW-19 Screen 3	Nov 2012	DUPE-1-4Q12	NA	NA	**2.9 J**	**0.002**
MW-19 Screen 3	Apr/May 2013	MW-19-3	**0.9 J**	1.000 U	**1.9 J**	**0.001 J**
MW-19 Screen 3	Oct/Nov 2013	MW-19-3	NA	NA	**2.6 J**	0.002 U
MW-19 Screen 3	Apr/May 2014	MW-19-3	**1.0 J**	1.000 U	3.0 U	**0.002 J**
MW-19 Screen 3	Oct 2014	MW-19-3	NA	NA	**2.5 J**	0.002 U
MW-19 Screen 3	April/May 2015	MW-19-3	2.0 U	1.000 U	3.0 U	**0.002 J**
MW-19 Screen 4	Jan/Feb 1996	MW-19-4	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 4	Jan/Feb 1996	MW-19-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 4	Aug/Sep 1996	MW-19-4	5.0 U	2.000 U	NA	NA
MW-19 Screen 4	Oct/Nov 1996	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Feb/Mar 1997	MW-19-4	5.0 U	**2.500**	10.0 U	0.005 U
MW-19 Screen 4	June/July 1997	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Sep/Oct 1997	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Jan/Feb 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Apr/May 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Jul/Aug 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Oct/Nov 1998	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Feb/Mar 1999	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	May/Jun 1999	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Nov/Dec 1999	MW-19-4	NA	NA	10.0 U	0.005 U
MW-19 Screen 4	Jul/Aug 2000	MW-19-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 4	Jan/Feb 2001	MW-19-4	**3.2 B**	1.000 U	**2.2 J**	0.010 U
MW-19 Screen 4	Jan/Feb 2002	MW-19-4	5.0 U	1.000 U	**2.6 J**	0.010 U
MW-19 Screen 4	Jan/Feb 2003	MW-19-4	NA	NA	NA	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 4	Jan/Feb 2003	DUPE-2-1Q03	NA	NA	NA	0.010 U
MW-19 Screen 4	Apr/May 2003	MW-19-4	5.0 U	1.000 U	**2.4 J**	0.010 U
MW-19 Screen 4	Oct/Nov 2003	MW-19-4	NA	NA	2.4 U	0.010 U
MW-19 Screen 4	Apr/May 2004	MW-19-4	5.0 U	0.120 U	**7.3**	0.010 U
MW-19 Screen 4	Oct/Nov 2004	MW-19-4	NA	NA	**10.7**	0.010 U
MW-19 Screen 4	Apr/May 2005	MW-19-4	**3.1 J**	**0.019 J**	**3.2**	0.010 U
MW-19 Screen 4	Jul/Sep 2005	MW-19-4	NA	NA	**10.1**	0.010 U
MW-19 Screen 4	Oct/Nov 2005	MW-19-4	NA	NA	**8.3**	0.010 U
MW-19 Screen 4	May/Jun 2006	MW-19-4	1.0 U	1.000 U	**1.4 J**	**0.003 J**
MW-19 Screen 4	Oct/Dec 2006	MW-19-4	NA	NA	**1.6**	0.010 U
MW-19 Screen 4	Jun/Jul 2007	MW-19-4	**1.4**	1.000 U	**8.7**	0.010 U
MW-19 Screen 4	Oct/Dec 2007	MW-19-4	NA	NA	**1.2**	0.010 U
MW-19 Screen 4	Apr/May 2008	MW-19-4	**1.1**	1.000 U	**1.5**	0.010 U
MW-19 Screen 4	Oct/Nov 2008	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2009	MW-19-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2009	DUPE-08-2Q09	NA	NA	NA	0.010 U
MW-19 Screen 4	Nov/Dec 2009	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2010	MW-19-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Oct/Nov 2010	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2011	MW-19-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Nov/Dec 2011	MW-19-4	NA	NA	5.0 U	0.010 U
MW-19 Screen 4	Apr/May 2012	MW-19-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 4	Nov 2012	MW-19-4	NA	NA	**2.3 J**	**0.003**
MW-19 Screen 4	Apr/May 2013	MW-19-4	**1.3 J**	1.000 U	**1.1 J**	**0.002 J**
MW-19 Screen 4	Oct/Nov 2013	MW-19-4	NA	NA	**2.5 J**	**0.002 J**
MW-19 Screen 4	Apr/May 2014	MW-19-4	**1.3 J**	1.000 U	**2.6 J**	**0.001 J**
MW-19 Screen 4	Oct 2014	MW-19-4	NA	NA	**1.3 J**	0.002 U
MW-19 Screen 4	April/May 2015	MW-19-4	2.0 U	1.000 U	3.0 U	0.002 U
MW-19 Screen 5	Jan/Feb 1996	MW-19-5	5.0 U	2.000 U	10.0 U	NA
MW-19 Screen 5	Jan/Feb 1996	MW-19-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-19 Screen 5	Aug/Sep 1996	MW-19-5	5.0 U	2.000 U	NA	NA
MW-19 Screen 5	Oct/Nov 1996	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Feb/Mar 1997	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	June/July 1997	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Sep/Oct 1997	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Jan/Feb 1998	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Apr/May 1998	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Jul/Aug 1998	MW-19-5	5.0 U	**9.900**	10.0 U	0.005 U
MW-19 Screen 5	Oct/Nov 1998	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Feb/Mar 1999	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	May/Jun 1999	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-19 Screen 5	Nov/Dec 1999	MW-19-5	NA	NA	10.0 U	0.005 U
MW-19 Screen 5	Jul/Aug 2000	MW-19-5	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-19 Screen 5	Jan/Feb 2001	MW-19-5	5.0 U	1.000 U	**4.6 J**	0.010 U
MW-19 Screen 5	Jan/Feb 2002	MW-19-5	5.0 U	**0.050 J**	**5.1**	0.010 U
MW-19 Screen 5	Dec 2002	MW-19-5	**0.5**	**0.100 J**	**2.5**	0.000 U
MW-19 Screen 5	Jan/Feb 2003	MW-19-5	NA	NA	NA	0.010 U
MW-19 Screen 5	Apr/May 2003	MW-19-5	5.0 U	1.000 U	**2.5 J**	0.010 U
MW-19 Screen 5	Oct/Nov 2003	MW-19-5	NA	NA	1.8 U	0.010 U
MW-19 Screen 5	Apr/May 2004	MW-19-5	5.0 U	0.120 U	**5.4**	0.010 U
MW-19 Screen 5	Oct/Nov 2004	MW-19-5	NA	NA	**9.0**	0.010 U
MW-19 Screen 5	Apr/May 2005	MW-19-5	**4.1 J**	**0.077 J**	**3.6**	0.010 U
MW-19 Screen 5	Jul/Sep 2005	MW-19-5	NA	NA	**9.0**	0.010 U
MW-19 Screen 5	Oct/Nov 2005	MW-19-5	NA	NA	**6.5**	0.010 U
MW-19 Screen 5	Oct/Nov 2005	DUPE-2-4Q05	NA	NA	**6.7**	0.010 U
MW-19 Screen 5	May/Jun 2006	MW-19-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-19 Screen 5	Oct/Dec 2006	MW-19-5	NA	NA	1.0 U	0.010 U
MW-19 Screen 5	Jun/Jul 2007	MW-19-5	1.0 U	1.000 U	**8.3**	0.010 U
MW-19 Screen 5	Oct/Dec 2007	MW-19-5	NA	NA	1.0 U	0.010 U
MW-19 Screen 5	Apr/May 2008	MW-19-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-19 Screen 5	Oct/Nov 2008	MW-19-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Apr/May 2009	MW-19-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 5	Nov/Dec 2009	MW-19-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Apr/May 2010	MW-19-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 5	Oct/Nov 2010	MW-19-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Apr/May 2011	MW-19-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-19 Screen 5	Nov/Dec 2011	MW-19-5	NA	NA	5.0 U	0.010 U
MW-19 Screen 5	Apr/May 2012	MW-19-5	**3.6**	5.000 U	**5.4**	0.010 U
MW-19 Screen 5	Nov 2012	MW-19-5	NA	NA	**0.8 J**	**0.001 J**
MW-19 Screen 5	Apr/May 2013	MW-19-5	**1.1 J**	1.000 U	3.0 U	0.002 U
MW-19 Screen 5	Oct/Nov 2013	MW-19-5	NA	NA	**1.1 J**	0.002 U
MW-19 Screen 5	Apr/May 2014	MW-19-5	**1.5 J**	1.000 U	**1.4 J**	0.002 U
MW-19 Screen 5	Oct 2014	MW-19-5	NA	NA	**0.8 J**	0.002 U
MW-19 Screen 5	April/May 2015	MW-19-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-20 Screen 1	Jan/Feb 1996	MW-20-1	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 1	Jan/Feb 1996	MW-20-1	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 1996	MW-20-1	5.0 U	2.000 U	NA	NA
MW-20 Screen 1	Feb/Mar 1997	MW-20-1	5.0 U	2.000 U	2.0 U	0.005 U
MW-20 Screen 1	June/July 1997	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Jan/Feb 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Apr/May 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Jul/Aug 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Oct/Nov 1998	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Feb/Mar 1999	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	May/Jun 1999	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Aug 1999	MW-20-1	NA	NA	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 1	Nov/Dec 1999	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Mar/Apr 2000	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Jul/Aug 2000	MW-20-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 1	Sep/Oct 2000	MW-20-1	NA	NA	10.0 U	0.005 U
MW-20 Screen 1	Jan/Feb 2001	MW-20-1	5.0 U	1.000 U	**3.9 J**	0.010 U
MW-20 Screen 1	Apr 2001	MW-20-1	NA	NA	NA	0.010 U
MW-20 Screen 1	Jul 2001	MW-20-1	NA	NA	**3.1 J**	UNK U
MW-20 Screen 1	Oct 2001	MW-20-1	NA	NA	**3.6**	0.010 U
MW-20 Screen 1	Jan/Feb 2002	MW-20-1	5.0 U	**0.030 J**	**2.6 J**	0.010 U
MW-20 Screen 1	Apr/May 2002	MW-20-1	NA	NA	**5.0**	0.010 U
MW-20 Screen 1	Jul 2002	MW-20-1	NA	NA	**4.0**	UNK U
MW-20 Screen 1	Oct/Nov 2002	MW-20-1	NA	NA	NA	0.010 U
MW-20 Screen 1	Jan/Feb 2003	MW-20-1	NA	NA	**2.8**	0.010 U
MW-20 Screen 1	Jan/Feb 2003	DUPE-1-1Q03	NA	NA	**2.5**	0.010 U
MW-20 Screen 1	Apr/May 2003	MW-20-1	5.0 U	1.000 U	**2.4 J**	0.010 U
MW-20 Screen 1	Apr/May 2003	DUPE-3-2Q03	5.0 U	1.000 U	**2.1 J**	0.010 U
MW-20 Screen 1	Jul/Aug 2003	MW-20-1	NA	NA	**1.8 J**	0.010 U
MW-20 Screen 1	Oct/Nov 2003	MW-20-1	NA	NA	**1.9 J**	0.010 U
MW-20 Screen 1	Feb 2004	MW-20-1	NA	NA	**3.2**	0.010 U
MW-20 Screen 1	Apr/May 2004	MW-20-1	5.0 U	0.120 U	**6.6 J**	0.010 U
MW-20 Screen 1	Jul/Aug 2004	MW-20-1	NA	NA	**10.5**	0.010 U
MW-20 Screen 1	Oct/Nov 2004	MW-20-1	NA	0.016 U	**7.0 J**	0.010 U
MW-20 Screen 1	Jan/Feb 2005	MW-20-1	NA	NA	**3.5**	0.010 U
MW-20 Screen 1	Apr/May 2005	MW-20-1	5.0 U	**0.031 J**	**4.8**	0.010 U
MW-20 Screen 1	Jul/Sep 2005	MW-20-1	NA	NA	**7.0**	0.010 U
MW-20 Screen 1	Oct/Nov 2005	MW-20-1	NA	NA	**8.0**	0.010 U
MW-20 Screen 1	Mar/Apr 2006	MW-20-1	NA	NA	1.0 U	0.010 U
MW-20 Screen 1	May/Jun 2006	MW-20-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 2006	MW-20-1	NA	NA	**2.4 J**	**0.005 J**
MW-20 Screen 1	Oct/Dec 2006	MW-20-1	NA	NA	1.0 U	0.010 U
MW-20 Screen 1	Mar/Apr 2007	MW-20-1	NA	NA	**1.0**	NA
MW-20 Screen 1	Jun/Jul 2007	MW-20-1	1.0 U	1.000 U	**7.4**	0.010 U
MW-20 Screen 1	Jun/Jul 2007	DUPE-2-2Q07	1.0 U	1.000 U	**7.7**	**0.006 J**
MW-20 Screen 1	Aug/Sep 2007	MW-20-1	NA	NA	**10.9**	0.010 U
MW-20 Screen 1	Oct/Dec 2007	MW-20-1	NA	NA	**8.8**	0.010 U
MW-20 Screen 1	Jan/Feb 2008	MW-20-1	NA	NA	**6.8**	0.010 U
MW-20 Screen 1	Apr/May 2008	MW-20-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-20 Screen 1	Jul/Aug 2008	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Oct/Nov 2008	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Oct/Nov 2008	MW-20-1RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Jan/Feb 2009	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Jan/Feb 2009	DUPE-04-1Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Apr/May 2009	MW-20-1	5.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 1	Jul/Aug 2009	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Nov/Dec 2009	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Nov/Dec 2009	DUPE-01-4Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Feb 2010	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Apr/May 2010	MW-20-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 1	Jul/Aug 2010	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Oct/Nov 2010	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Feb/Mar 2011	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Apr/May 2011	MW-20-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 2011	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Nov/Dec 2011	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Jan/Feb 2012	MW-20-1	NA	NA	5.0 U	0.010 U
MW-20 Screen 1	Apr/May 2012	MW-20-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 1	Aug/Sep 2012	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Nov 2012	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Jan/Feb 2013	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Apr/May 2013	MW-20-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-20 Screen 1	Jul 2013	MW-20-1	NA	NA	**1.1 J**	0.002 U
MW-20 Screen 1	Oct/Nov 2013	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Jan/Feb 2014	MW-20-1	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Jan/Feb 2014	DUPE-2-1Q14	NA	NA	3.0 U	0.002 U
MW-20 Screen 1	Apr/May 2014	MW-20-1	2.0 U	1.000 U	0.8 U	0.002 U
MW-20 Screen 2	Jan/Feb 1996	MW-20-2	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 2	Jan/Feb 1996	MW-20-2	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 1996	MW-20-2	5.0 U	2.000 U	NA	NA
MW-20 Screen 2	Oct/Nov 1996	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Feb/Mar 1997	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	June/July 1997	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Sep/Oct 1997	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Jan/Feb 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Apr/May 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Jul/Aug 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Oct/Nov 1998	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Feb/Mar 1999	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	May/Jun 1999	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Aug 1999	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Nov/Dec 1999	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Mar/Apr 2000	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Jul/Aug 2000	MW-20-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 2	Sep/Oct 2000	MW-20-2	NA	NA	10.0 U	0.005 U
MW-20 Screen 2	Jan/Feb 2001	MW-20-2	5.0 U	1.000 U	**2.3 J**	0.010 U
MW-20 Screen 2	Apr 2001	MW-20-2	NA	NA	NA	0.010 U
MW-20 Screen 2	Jul 2001	MW-20-2	NA	NA	**2.1 J**	UNK U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 2	Oct 2001	MW-20-2	NA	NA	**4.4**	0.010 U
MW-20 Screen 2	Jan/Feb 2002	MW-20-2	5.0 U	1.000 U	**1.4 J**	0.010 U
MW-20 Screen 2	Apr/May 2002	MW-20-2	NA	NA	**3.0**	0.010 U
MW-20 Screen 2	Jul 2002	MW-20-2	NA	NA	**1.0**	UNK U
MW-20 Screen 2	Oct/Nov 2002	MW-20-2	NA	NA	NA	0.010 U
MW-20 Screen 2	Jan/Feb 2003	MW-20-2	NA	NA	**2.2**	0.010 U
MW-20 Screen 2	Apr/May 2003	MW-20-2	5.0 U	1.000 U	**2.1 J**	0.010 U
MW-20 Screen 2	Jul/Aug 2003	MW-20-2	NA	NA	**1.5 J**	0.010 U
MW-20 Screen 2	Oct/Nov 2003	MW-20-2	NA	NA	1.3 UJ	0.010 U
MW-20 Screen 2	Oct/Nov 2003	DUPE-6-4Q03	NA	NA	1.4 UJ	0.010 U
MW-20 Screen 2	Feb 2004	MW-20-2	NA	NA	**2.6**	0.010 U
MW-20 Screen 2	Apr/May 2004	MW-20-2	5.0 U	0.120 U	**5.1 J**	0.010 U
MW-20 Screen 2	Jul/Aug 2004	MW-20-2	NA	NA	**0.9**	0.010 U
MW-20 Screen 2	Oct/Nov 2004	MW-20-2	NA	0.120 U	**5.6 J**	0.010 U
MW-20 Screen 2	Jan/Feb 2005	MW-20-2	NA	NA	**4.2**	0.010 U
MW-20 Screen 2	Apr/May 2005	MW-20-2	5.0 U	**0.009 J**	**3.8**	0.010 U
MW-20 Screen 2	Jul/Sep 2005	MW-20-2	NA	NA	**6.3**	0.010 U
MW-20 Screen 2	Oct/Nov 2005	MW-20-2	NA	NA	**6.0**	0.010 U
MW-20 Screen 2	Mar/Apr 2006	MW-20-2	NA	NA	1.0 U	0.010 U
MW-20 Screen 2	May/Jun 2006	MW-20-2	**1.1 J**	1.000 U	1.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 2006	MW-20-2	NA	NA	**1.2 J**	0.010 U
MW-20 Screen 2	Oct/Dec 2006	MW-20-2	NA	NA	1.0 U	0.010 U
MW-20 Screen 2	Mar/Apr 2007	MW-20-2	NA	NA	1.0 U	NA
MW-20 Screen 2	Mar/Apr 2007	DUPE-3-1Q07	NA	NA	1.0 U	NA
MW-20 Screen 2	Jun/Jul 2007	MW-20-2	**1.3**	1.000 U	**5.6**	0.010 U
MW-20 Screen 2	Aug/Sep 2007	MW-20-2	NA	NA	**9.4**	0.010 U
MW-20 Screen 2	Oct/Dec 2007	MW-20-2	NA	NA	**9.3**	0.010 U
MW-20 Screen 2	Jan/Feb 2008	MW-20-2	NA	NA	**7.4**	0.010 U
MW-20 Screen 2	Apr/May 2008	MW-20-2	**1.2**	1.000 U	1.0 U	0.010 U
MW-20 Screen 2	Jul/Aug 2008	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Oct/Nov 2008	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Oct/Nov 2008	MW-20-2RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Jan/Feb 2009	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Jan/Feb 2009	DUPE-03-1Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2009	MW-20-2	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Jul/Aug 2009	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Nov/Dec 2009	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Feb 2010	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2010	MW-20-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2010	DUPE-04-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Jul/Aug 2010	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Oct/Nov 2010	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Feb/Mar 2011	MW-20-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 2	Apr/May 2011	MW-20-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 2011	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Nov/Dec 2011	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Jan/Feb 2012	MW-20-2	NA	NA	5.0 U	0.010 U
MW-20 Screen 2	Apr/May 2012	MW-20-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 2	Aug/Sep 2012	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Nov 2012	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Jan/Feb 2013	MW-20-2	NA	NA	**0.6 J**	0.002 U
MW-20 Screen 2	Apr/May 2013	MW-20-2	**0.7 J**	1.000 U	3.0 U	0.002 U
MW-20 Screen 2	Jul 2013	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Oct/Nov 2013	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Jan/Feb 2014	MW-20-2	NA	NA	3.0 U	0.002 U
MW-20 Screen 2	Apr/May 2014	MW-20-2	2.0 U	1.000 U	2.2 U	**0.001 J**
MW-20 Screen 2	Jul/Aug 2014	MW-20-2	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 2	Jul/Aug 2014	DUP-1-3Q14	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 2	Oct 2014	MW-20-2	NA	NA	**1.0 J**	0.002 U
MW-20 Screen 2	Jan/Feb 2015	MW-20-2	NA	NA	**0.7 J**	**0.001 J**
MW-20 Screen 2	April/May 2015	MW-20-2	2.0 U	1.000 U	3.0 U	0.010 U
MW-20 Screen 3	Jan/Feb 1996	MW-20-3	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 3	Jan/Feb 1996	MW-20-3	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 3	Aug/Sep 1996	MW-20-3	5.0 U	2.000 U	NA	NA
MW-20 Screen 3	Oct/Nov 1996	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Feb/Mar 1997	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	June/July 1997	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Sep/Oct 1997	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Jan/Feb 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Apr/May 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Jul/Aug 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Oct/Nov 1998	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Feb/Mar 1999	MW-20-3	5.0 U	**9.500**	10.0 U	0.005 U
MW-20 Screen 3	May/Jun 1999	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Aug 1999	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Nov/Dec 1999	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Mar/Apr 2000	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Jul/Aug 2000	MW-20-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 3	Sep/Oct 2000	MW-20-3	NA	NA	10.0 U	0.005 U
MW-20 Screen 3	Jan/Feb 2001	MW-20-3	5.0 U	1.000 U	**3.6 J**	0.010 U
MW-20 Screen 3	Apr 2001	MW-20-3	NA	NA	NA	0.010 U
MW-20 Screen 3	Jul 2001	MW-20-3	NA	NA	**4.0 J**	UNK U
MW-20 Screen 3	Oct 2001	MW-20-3	NA	NA	**7.4**	0.010 U
MW-20 Screen 3	Jan/Feb 2002	MW-20-3	5.0 U	1.000 U	**4.9 J**	0.010 U
MW-20 Screen 3	Apr/May 2002	MW-20-3	NA	NA	**7.0**	0.010 U
MW-20 Screen 3	Jul 2002	MW-20-3	NA	NA	**2.0**	UNK U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 3	Oct/Nov 2002	MW-20-3	NA	NA	NA	0.010 U
MW-20 Screen 3	Jan/Feb 2003	MW-20-3	NA	NA	1.7 U	0.010 U
MW-20 Screen 3	Apr/May 2003	MW-20-3	5.0 U	1.000 U	**4.2 J**	0.010 U
MW-20 Screen 3	Jul/Aug 2003	MW-20-3	NA	NA	**4.0 J**	0.010 U
MW-20 Screen 3	Jul/Aug 2003	DUPE-2-3Q03	NA	NA	**4.0 J**	0.010 U
MW-20 Screen 3	Oct/Nov 2003	MW-20-3	NA	NA	**2.9 J**	0.010 U
MW-20 Screen 3	Feb 2004	MW-20-3	NA	NA	**4.2**	0.010 U
MW-20 Screen 3	Apr/May 2004	MW-20-3	**2.5 J**	0.120 U	**10.5 J**	0.010 U
MW-20 Screen 3	Jul/Aug 2004	MW-20-3	NA	NA	**12.7**	0.010 U
MW-20 Screen 3	Oct/Nov 2004	MW-20-3	NA	0.120 U	**10.4 J**	0.010 U
MW-20 Screen 3	Jan/Feb 2005	MW-20-3	NA	NA	**5.5**	0.010 U
MW-20 Screen 3	Apr/May 2005	MW-20-3	5.0 U	**0.014 J**	**5.3**	0.010 U
MW-20 Screen 3	Jul/Sep 2005	MW-20-3	NA	NA	**11.6**	0.010 U
MW-20 Screen 3	Oct/Nov 2005	MW-20-3	NA	NA	**8.8**	0.010 U
MW-20 Screen 3	Mar/Apr 2006	MW-20-3	NA	NA	**2.0**	0.010 U
MW-20 Screen 3	May/Jun 2006	MW-20-3	**1.6 J**	1.000 U	**2.0 J**	**0.004 J**
MW-20 Screen 3	Aug/Sep 2006	MW-20-3	NA	NA	**2.9 J**	0.010 U
MW-20 Screen 3	Oct/Dec 2006	MW-20-3	NA	NA	**1.7**	0.010 U
MW-20 Screen 3	Mar/Apr 2007	MW-20-3	NA	NA	**1.9**	NA
MW-20 Screen 3	Jun/Jul 2007	MW-20-3	**2.0**	1.000 U	**9.7**	0.010 U
MW-20 Screen 3	Aug/Sep 2007	MW-20-3	NA	NA	**15.1**	0.010 U
MW-20 Screen 3	Oct/Dec 2007	MW-20-3	NA	NA	**11.8**	0.010 U
MW-20 Screen 3	Jan/Feb 2008	MW-20-3	NA	NA	**7.7**	0.010 U
MW-20 Screen 3	Apr/May 2008	MW-20-3	**1.4**	1.000 U	1.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2008	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Oct/Nov 2008	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Oct/Nov 2008	MW-20-3RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jan/Feb 2009	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2009	MW-20-3	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2009	DUPE-06-2Q09	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2009	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2009	DUPE-5-3Q09	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Nov/Dec 2009	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Feb 2010	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2010	MW-20-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2010	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jul/Aug 2010	DUPE-2-3Q10	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Oct/Nov 2010	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Feb/Mar 2011	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Apr/May 2011	MW-20-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Aug/Sep 2011	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Nov/Dec 2011	MW-20-3	NA	NA	5.0 U	0.010 U
MW-20 Screen 3	Jan/Feb 2012	MW-20-3	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 3	Apr/May 2012	MW-20-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 3	Aug/Sep 2012	MW-20-3	NA	NA	**0.6 J**	0.002 U
MW-20 Screen 3	Nov 2012	MW-20-3	NA	NA	3.0 U	**0.001 J**
MW-20 Screen 3	Jan/Feb 2013	MW-20-3	NA	NA	3.0 U	0.002 U
MW-20 Screen 3	Apr/May 2013	MW-20-3	**1.0 J**	1.000 U	3.0 U	0.002 U
MW-20 Screen 3	Apr/May 2013	DUP-1-2Q13	**1.1 J**	1.000 U	3.0 U	0.002 U
MW-20 Screen 3	Jul 2013	MW-20-3	NA	NA	**0.9 J**	0.002 U
MW-20 Screen 3	Oct/Nov 2013	MW-20-3	NA	NA	3.0 U	0.002 U
MW-20 Screen 3	Jan/Feb 2014	MW-20-3	NA	NA	3.0 U	0.002 U
MW-20 Screen 3	Apr/May 2014	MW-20-3	2.0 U	1.000 U	0.9 U	0.002 U
MW-20 Screen 3	Jul/Aug 2014	MW-20-3	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 3	Oct 2014	MW-20-3	NA	NA	3.0 U	0.002 U
MW-20 Screen 3	Jan/Feb 2015	MW-20-3	NA	NA	**1.0 J**	**0.001 J**
MW-20 Screen 3	April/May 2015	MW-20-3	**0.7 J**	1.000 U	3.0 U	0.010 U
MW-20 Screen 4	Jan/Feb 1996	MW-20-4	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 4	Jan/Feb 1996	MW-20-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 1996	MW-20-4	5.0 U	2.000 U	NA	NA
MW-20 Screen 4	Oct/Nov 1996	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Feb/Mar 1997	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	June/July 1997	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Sep/Oct 1997	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Jan/Feb 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Apr/May 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Jul/Aug 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Oct/Nov 1998	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Feb/Mar 1999	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	May/Jun 1999	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Aug 1999	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Nov/Dec 1999	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Mar/Apr 2000	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Jul/Aug 2000	MW-20-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 4	Sep/Oct 2000	MW-20-4	NA	NA	10.0 U	0.005 U
MW-20 Screen 4	Jan/Feb 2001	MW-20-4	5.0 U	1.000 U	**2.4 J**	0.010 U
MW-20 Screen 4	Jan/Feb 2001	DUP	5.0 U	1.000 U	**2.3 J**	0.010 U
MW-20 Screen 4	Apr 2001	MW-20-4	NA	NA	NA	0.010 U
MW-20 Screen 4	Jul 2001	MW-20-4	NA	NA	**2.4 J**	UNK U
MW-20 Screen 4	Oct 2001	MW-20-4	NA	NA	**3.1**	0.010 U
MW-20 Screen 4	Jan/Feb 2002	MW-20-4	5.0 U	1.000 U	**1.6 J**	0.010 U
MW-20 Screen 4	Apr/May 2002	MW-20-4	NA	NA	**4.0**	0.010 U
MW-20 Screen 4	Apr/May 2002	DUP	NA	NA	**4.0**	0.010 U
MW-20 Screen 4	Jul 2002	MW-20-4	NA	NA	**3.0**	UNK U
MW-20 Screen 4	Jul 2002	DUP	NA	NA	**3.0**	UNK U
MW-20 Screen 4	Oct/Nov 2002	MW-20-4	NA	NA	NA	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 4	Jan/Feb 2003	MW-20-4	NA	NA	**2.4**	0.010 U
MW-20 Screen 4	Apr/May 2003	MW-20-4	5.0 U	1.000 U	**2.2 J**	0.010 U
MW-20 Screen 4	Jul/Aug 2003	MW-20-4	NA	NA	**1.9 J**	0.010 U
MW-20 Screen 4	Oct/Nov 2003	MW-20-4	NA	NA	**1.6 J**	0.010 U
MW-20 Screen 4	Feb 2004	MW-20-4	NA	NA	**2.7**	0.010 U
MW-20 Screen 4	Apr/May 2004	MW-20-4	5.0 U	0.120 U	**6.5 J**	0.010 U
MW-20 Screen 4	Jul/Aug 2004	MW-20-4	NA	NA	**6.2**	0.010 U
MW-20 Screen 4	Oct/Nov 2004	MW-20-4	NA	0.018 U	**5.0 J**	0.010 U
MW-20 Screen 4	Jan/Feb 2005	MW-20-4	NA	NA	**3.8**	0.010 U
MW-20 Screen 4	Apr/May 2005	MW-20-4	5.0 U	**0.050 J**	**1.9**	0.010 U
MW-20 Screen 4	Jul/Sep 2005	MW-20-4	NA	NA	**5.8**	0.010 U
MW-20 Screen 4	Oct/Nov 2005	MW-20-4	NA	NA	**5.7**	0.010 U
MW-20 Screen 4	Mar/Apr 2006	MW-20-4	NA	NA	1.0 U	0.010 U
MW-20 Screen 4	May/Jun 2006	MW-20-4	**2.2 J**	1.000 U	1.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 2006	MW-20-4	NA	NA	**1.6 J**	0.010 U
MW-20 Screen 4	Oct/Dec 2006	MW-20-4	NA	NA	1.0 U	0.010 U
MW-20 Screen 4	Mar/Apr 2007	MW-20-4	NA	NA	1.0 U	NA
MW-20 Screen 4	Jun/Jul 2007	MW-20-4	**1.9**	1.000 U	**5.3**	0.010 U
MW-20 Screen 4	Aug/Sep 2007	MW-20-4	NA	NA	**8.3**	0.010 U
MW-20 Screen 4	Oct/Dec 2007	MW-20-4	NA	NA	**6.3**	0.010 U
MW-20 Screen 4	Jan/Feb 2008	MW-20-4	NA	NA	**4.7**	0.010 U
MW-20 Screen 4	Apr/May 2008	MW-20-4	**1.6**	1.000 U	1.0 U	0.010 U
MW-20 Screen 4	Jul/Aug 2008	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Oct/Nov 2008	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Oct/Nov 2008	MW-20-4RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Jan/Feb 2009	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2009	MW-20-4	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2009	DUPE-05-2Q09	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Jul/Aug 2009	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Nov/Dec 2009	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Feb 2010	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2010	MW-20-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Jul/Aug 2010	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Oct/Nov 2010	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Feb/Mar 2011	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2011	MW-20-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2011	DUPE-2-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 2011	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 2011	DUPE-04-3Q11	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Nov/Dec 2011	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Jan/Feb 2012	MW-20-4	NA	NA	5.0 U	0.010 U
MW-20 Screen 4	Apr/May 2012	MW-20-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 4	Aug/Sep 2012	MW-20-4	NA	NA	3.0 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 4	Nov 2012	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Jan/Feb 2013	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Apr/May 2013	MW-20-4	**1.8 J**	1.000 U	**2.8 J**	0.002 U
MW-20 Screen 4	Jul 2013	MW-20-4	NA	NA	**0.9 J**	0.002 U
MW-20 Screen 4	Oct/Nov 2013	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Oct/Nov 2013	DUPE-1-4Q13	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Jan/Feb 2014	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Apr/May 2014	MW-20-4	**1.1 J**	1.000 U	0.5 U	0.010 U
MW-20 Screen 4	Jul/Aug 2014	MW-20-4	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 4	Oct 2014	MW-20-4	NA	NA	3.0 U	0.002 U
MW-20 Screen 4	Jan/Feb 2015	MW-20-4	NA	NA	**1.9 J**	**0.001 J**
MW-20 Screen 4	April/May 2015	MW-20-4	**1.5 J**	1.000 U	3.0 U	0.010 U
MW-20 Screen 5	Jan/Feb 1996	MW-20-5	5.0 U	2.000 U	10.0 U	NA
MW-20 Screen 5	Jan/Feb 1996	MW-20-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 1996	MW-20-5	5.0 U	2.000 U	NA	NA
MW-20 Screen 5	Oct/Nov 1996	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Feb/Mar 1997	MW-20-5	5.0 U	**3.800**	10.0 U	0.005 U
MW-20 Screen 5	June/July 1997	MW-20-5	**6.0**	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Sep/Oct 1997	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Jan/Feb 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Apr/May 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Jul/Aug 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Oct/Nov 1998	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Feb/Mar 1999	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	May/Jun 1999	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Aug 1999	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Nov/Dec 1999	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Mar/Apr 2000	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Jul/Aug 2000	MW-20-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-20 Screen 5	Sep/Oct 2000	MW-20-5	NA	NA	10.0 U	0.005 U
MW-20 Screen 5	Jan/Feb 2001	MW-20-5	5.0 U	1.000 U	**2.4 J**	0.010 U
MW-20 Screen 5	Apr 2001	MW-20-5	NA	NA	NA	0.010 U
MW-20 Screen 5	Jul 2001	MW-20-5	NA	NA	**2.2 J**	UNK U
MW-20 Screen 5	Oct 2001	MW-20-5	NA	NA	**3.4**	0.010 U
MW-20 Screen 5	Jan/Feb 2002	MW-20-5	5.0 U	1.000 U	**2.2 J**	0.010 U
MW-20 Screen 5	Apr/May 2002	MW-20-5	NA	NA	**4.0**	0.010 U
MW-20 Screen 5	Jul 2002	MW-20-5	NA	NA	**3.0**	UNK U
MW-20 Screen 5	Oct/Nov 2002	MW-20-5	NA	NA	NA	0.010 U
MW-20 Screen 5	Jan/Feb 2003	MW-20-5	NA	NA	**2.7**	0.010 U
MW-20 Screen 5	Apr/May 2003	MW-20-5	5.0 U	1.000 U	**1.7 J**	0.010 U
MW-20 Screen 5	Jul/Aug 2003	MW-20-5	NA	NA	**1.6 J**	0.010 U
MW-20 Screen 5	Oct/Nov 2003	MW-20-5	NA	NA	1.3 UJ	0.010 U
MW-20 Screen 5	Feb 2004	MW-20-5	NA	NA	**2.8**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 5	Apr/May 2004	MW-20-5	5.0 U	0.120 U	**4.5 J**	0.010 U
MW-20 Screen 5	Jul/Aug 2004	MW-20-5	NA	NA	**6.8**	0.010 U
MW-20 Screen 5	Oct/Nov 2004	MW-20-5	NA	0.014 U	**5.2 J**	0.010 U
MW-20 Screen 5	Jan/Feb 2005	MW-20-5	NA	NA	**3.6**	0.010 U
MW-20 Screen 5	Apr/May 2005	MW-20-5	**4.6 J**	**0.032 J**	**3.4**	0.010 U
MW-20 Screen 5	Jul/Sep 2005	MW-20-5	NA	NA	**4.7**	0.010 U
MW-20 Screen 5	Oct/Nov 2005	MW-20-5	NA	NA	**5.2**	0.010 U
MW-20 Screen 5	Mar/Apr 2006	MW-20-5	NA	NA	1.0 U	0.010 U
MW-20 Screen 5	May/Jun 2006	MW-20-5	**1.1 J**	1.000 U	1.0 U	0.010 U
MW-20 Screen 5	May/Jun 2006	DUPE-2-2Q06	**1.1 J**	1.000 U	1.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 2006	MW-20-5	NA	NA	**1.6 J**	0.010 U
MW-20 Screen 5	Oct/Dec 2006	MW-20-5	NA	NA	1.0 U	0.010 U
MW-20 Screen 5	Mar/Apr 2007	MW-20-5	NA	NA	1.0 U	NA
MW-20 Screen 5	Jun/Jul 2007	MW-20-5	**1.0**	1.000 U	**4.9**	0.010 U
MW-20 Screen 5	Aug/Sep 2007	MW-20-5	NA	NA	**6.3**	0.010 U
MW-20 Screen 5	Oct/Dec 2007	MW-20-5	NA	NA	**5.0**	0.010 U
MW-20 Screen 5	Jan/Feb 2008	MW-20-5	NA	NA	**4.8**	0.010 U
MW-20 Screen 5	Apr/May 2008	MW-20-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-20 Screen 5	Jul/Aug 2008	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Oct/Nov 2008	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Oct/Nov 2008	MW-20-5RS	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Jan/Feb 2009	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Apr/May 2009	MW-20-5	5.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 5	Jul/Aug 2009	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Nov/Dec 2009	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Feb 2010	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Apr/May 2010	MW-20-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 5	Jul/Aug 2010	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Oct/Nov 2010	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Feb/Mar 2011	MW-20-5	NA	NA	**28.0**	0.010 U
MW-20 Screen 5	Apr/May 2011	MW-20-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 2011	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Nov/Dec 2011	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Jan/Feb 2012	MW-20-5	NA	NA	5.0 U	0.010 U
MW-20 Screen 5	Apr/May 2012	MW-20-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-20 Screen 5	Aug/Sep 2012	MW-20-5	NA	NA	**0.9 J**	0.002 U
MW-20 Screen 5	Nov 2012	MW-20-5	NA	NA	3.0 U	**0.001 J**
MW-20 Screen 5	Jan/Feb 2013	MW-20-5	NA	NA	3.0 U	0.002 U
MW-20 Screen 5	Apr/May 2013	MW-20-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-20 Screen 5	Jul 2013	MW-20-5	NA	NA	**1.5 J**	0.002 U
MW-20 Screen 5	Oct/Nov 2013	MW-20-5	NA	NA	3.0 U	0.002 U
MW-20 Screen 5	Jan/Feb 2014	MW-20-5	NA	NA	3.0 U	**0.001 J**
MW-20 Screen 5	Apr/May 2014	MW-20-5	2.0 U	1.000 U	0.7 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-20 Screen 5	Jul/Aug 2014	MW-20-5	NA	NA	3.0 U	0.004 UJ
MW-20 Screen 5	Oct 2014	MW-20-5	NA	NA	**0.9 J**	0.002 U
MW-20 Screen 5	Jan/Feb 2015	MW-20-5	NA	NA	**0.9 J**	**0.001 J**
MW-20 Screen 5	April/May 2015	MW-20-5	2.0 U	1.000 U	3.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 1996	MW-21-1	5.0 U	2.000 U	10.0 U	NA
MW-21 Screen 1	Jan/Feb 1996	MW-21-1	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 1	Aug/Sep 1996	MW-21-1	5.0 U	2.000 U	NA	NA
MW-21 Screen 1	Feb/Mar 1997	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	June/July 1997	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Jan/Feb 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Apr/May 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Jul/Aug 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Oct/Nov 1998	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Feb/Mar 1999	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	May/Jun 1999	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Nov/Dec 1999	MW-21-1	NA	NA	10.0 U	0.005 U
MW-21 Screen 1	Jul/Aug 2000	MW-21-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 1	Jan/Feb 2001	MW-21-1	5.0 U	1.000 U	**5.6**	0.010 U
MW-21 Screen 1	Jan/Feb 2002	MW-21-1	5.0 U	1.000 U	**4.0 J**	0.010 U
MW-21 Screen 1	Jan/Feb 2003	MW-21-1	NA	NA	**4.8**	0.010 U
MW-21 Screen 1	Apr/May 2003	MW-21-1	5.0 U	1.000 U	**3.5 J**	0.010 U
MW-21 Screen 1	Jul/Aug 2003	MW-21-1	NA	NA	**3.8 J**	0.010 U
MW-21 Screen 1	Oct/Nov 2003	MW-21-1	NA	NA	**3.0 J**	0.010 U
MW-21 Screen 1	Feb 2004	MW-21-1	NA	NA	**5.1**	0.010 U
MW-21 Screen 1	Apr/May 2004	MW-21-1	5.0 U	0.120 U	**10.9**	0.010 U
MW-21 Screen 1	Jul/Aug 2004	MW-21-1	NA	NA	**5.3 J**	0.010 U
MW-21 Screen 1	Oct/Nov 2004	MW-21-1	NA	NA	**14.1 J**	0.010 U
MW-21 Screen 1	Jan/Feb 2005	MW-21-1	NA	NA	**6.8**	0.010 U
MW-21 Screen 1	Apr/May 2005	MW-21-1	**2.7 J**	**0.056 J**	**5.7**	0.010 U
MW-21 Screen 1	Jul/Sep 2005	MW-21-1	NA	NA	**7.9**	0.010 U
MW-21 Screen 1	Oct/Nov 2005	MW-21-1	NA	NA	**8.3**	0.010 U
MW-21 Screen 1	Mar/Apr 2006	MW-21-1	NA	NA	1.0 U	0.010 U
MW-21 Screen 1	May/Jun 2006	MW-21-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-21 Screen 1	Aug/Sep 2006	MW-21-1	NA	NA	2.6 U	0.010 U
MW-21 Screen 1	Oct/Dec 2006	MW-21-1	NA	NA	**1.3**	**0.004 J**
MW-21 Screen 1	Mar/Apr 2007	MW-21-1	NA	NA	1.0 U	NA
MW-21 Screen 1	Jun/Jul 2007	MW-21-1	**1.3**	1.000 U	**9.2**	0.010 U
MW-21 Screen 1	Aug/Sep 2007	MW-21-1	NA	NA	**11.5**	0.010 U
MW-21 Screen 1	Oct/Dec 2007	MW-21-1	NA	NA	**1.4**	0.010 U
MW-21 Screen 1	Jan/Feb 2008	MW-21-1	NA	NA	**7.8**	0.010 U
MW-21 Screen 1	Apr/May 2008	MW-21-1	1.0 U	1.000 U	**1.1 J**	0.010 U
MW-21 Screen 1	Jul/Aug 2008	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Oct/Nov 2008	MW-21-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 1	Oct/Nov 2008	DUPE-01-4Q08	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 2009	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 2009	DUPE-01-1Q09	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Apr/May 2009	MW-21-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 1	Jul/Aug 2009	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Nov/Dec 2009	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Feb 2010	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Feb 2010	DUPE-1-1Q10	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Apr/May 2010	MW-21-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 1	Jul/Aug 2010	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Oct/Nov 2010	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Feb/Mar 2011	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Apr/May 2011	MW-21-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 1	Aug/Sep 2011	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Nov/Dec 2011	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Jan/Feb 2012	MW-21-1	NA	NA	5.0 U	0.010 U
MW-21 Screen 1	Apr/May 2012	MW-21-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 1	Aug/Sep 2012	MW-21-1	NA	NA	**1.4 J**	0.002 U
MW-21 Screen 1	Nov 2012	MW-21-1	NA	NA	**0.7 J**	**0.001 J**
MW-21 Screen 1	Jan/Feb 2013	MW-21-1	NA	NA	**1.7 J**	0.002 U
MW-21 Screen 1	Apr/May 2013	MW-21-1	2.0 U	1.000 U	**1.4 J**	**0.001 J**
MW-21 Screen 1	Jul 2013	MW-21-1	NA	NA	1.4 U	**0.001 J**
MW-21 Screen 1	Oct/Nov 2013	MW-21-1	NA	NA	3.9 U	0.002 U
MW-21 Screen 1	Jan/Feb 2014	MW-21-1	NA	NA	**1.8 J**	**0.002**
MW-21 Screen 1	Apr/May 2014	MW-21-1	2.0 U	1.000 U	**1.6 J**	0.002 U
MW-21 Screen 2	Aug/Sep 1996	MW-21-2	5.0 U	2.000 U	NA	NA
MW-21 Screen 2	Oct/Nov 1996	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Feb/Mar 1997	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	June/July 1997	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Sep/Oct 1997	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Jan/Feb 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Apr/May 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Jul/Aug 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Oct/Nov 1998	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Feb/Mar 1999	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	May/Jun 1999	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Nov/Dec 1999	MW-21-2	NA	NA	10.0 U	0.005 U
MW-21 Screen 2	Jul/Aug 2000	MW-21-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 2	Jan/Feb 2001	MW-21-2	5.0 U	1.000 U	**8.0**	0.010 U
MW-21 Screen 2	Jan/Feb 2002	MW-21-2	5.0 U	**0.020 J**	**5.8**	0.010 U
MW-21 Screen 2	Jan/Feb 2003	MW-21-2	NA	NA	**6.7**	0.010 U
MW-21 Screen 2	Apr/May 2003	MW-21-2	5.0 U	1.000 U	**4.7 J**	0.010 U
MW-21 Screen 2	Jul/Aug 2003	MW-21-2	NA	NA	**4.2 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 2	Oct/Nov 2003	MW-21-2	NA	NA	**4.5 J**	0.010 U
MW-21 Screen 2	Feb 2004	MW-21-2	NA	NA	**5.0**	0.010 U
MW-21 Screen 2	Apr/May 2004	MW-21-2	5.0 U	**0.013 J**	**11.7**	0.010 U
MW-21 Screen 2	Jul/Aug 2004	MW-21-2	NA	NA	**7.8 J**	0.010 U
MW-21 Screen 2	Oct/Nov 2004	MW-21-2	NA	NA	**20.8 J**	0.010 U
MW-21 Screen 2	Jan/Feb 2005	MW-21-2	NA	NA	**9.8**	0.010 U
MW-21 Screen 2	Apr/May 2005	MW-21-2	5.0 U	**0.093 J**	**5.0**	0.010 U
MW-21 Screen 2	Jul/Sep 2005	MW-21-2	NA	NA	**11.3**	0.010 U
MW-21 Screen 2	Oct/Nov 2005	MW-21-2	NA	NA	**12.5**	0.010 U
MW-21 Screen 2	Mar/Apr 2006	MW-21-2	NA	NA	**1.4**	0.010 U
MW-21 Screen 2	May/Jun 2006	MW-21-2	1.0 U	1.000 U	1.0 U	0.010 U
MW-21 Screen 2	Aug/Sep 2006	MW-21-2	NA	NA	2.0 U	0.010 U
MW-21 Screen 2	Oct/Dec 2006	MW-21-2	NA	NA	1.0 U	**0.004 J**
MW-21 Screen 2	Mar/Apr 2007	MW-21-2	NA	NA	**1.0 J**	NA
MW-21 Screen 2	Jun/Jul 2007	MW-21-2	**1.2**	1.000 U	**12.9**	0.010 U
MW-21 Screen 2	Jun/Jul 2007	DUPE-1-2Q07	**1.4**	1.000 U	**12.4**	0.010 U
MW-21 Screen 2	Aug/Sep 2007	MW-21-2	NA	NA	**15.9**	0.010 U
MW-21 Screen 2	Oct/Dec 2007	MW-21-2	NA	NA	**2.6**	0.010 U
MW-21 Screen 2	Jan/Feb 2008	MW-21-2	NA	NA	**10.0**	0.010 U
MW-21 Screen 2	Apr/May 2008	MW-21-2	1.0 U	1.000 U	**1.0 J**	0.010 U
MW-21 Screen 2	Jul/Aug 2008	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Oct/Nov 2008	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Jan/Feb 2009	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Apr/May 2009	MW-21-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 2	Jul/Aug 2009	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Nov/Dec 2009	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Feb 2010	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Apr/May 2010	MW-21-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 2	Jul/Aug 2010	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Oct/Nov 2010	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Oct/Nov 2010	DUPE-01-4Q10	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Feb/Mar 2011	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Apr/May 2011	MW-21-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 2	Aug/Sep 2011	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Nov/Dec 2011	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Nov/Dec 2011	DUPE-1-4Q11	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Jan/Feb 2012	MW-21-2	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Jan/Feb 2012	DUPE-1-1Q12	NA	NA	5.0 U	0.010 U
MW-21 Screen 2	Apr/May 2012	MW-21-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 2	Aug/Sep 2012	MW-21-2	NA	NA	3.0 U	0.002 U
MW-21 Screen 2	Nov 2012	MW-21-2	NA	NA	3.0 U	**0.001 J**
MW-21 Screen 2	Jan/Feb 2013	MW-21-2	NA	NA	3.0 U	0.002 U
MW-21 Screen 2	Apr/May 2013	MW-21-2	2.0 U	1.000 U	**3.3**	**0.001 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 2	Jul 2013	MW-21-2	NA	NA	1.2 U	0.002 U
MW-21 Screen 2	Oct/Nov 2013	MW-21-2	NA	NA	1.3 U	0.002 U
MW-21 Screen 2	Jan/Feb 2014	MW-21-2	NA	NA	3.0 U	**0.001 J**
MW-21 Screen 2	Apr/May 2014	MW-21-2	2.0 U	1.000 U	3.0 U	0.002 U
MW-21 Screen 2	Jul/Aug 2014	MW-21-2	NA	NA	0.9 U	0.001 U
MW-21 Screen 2	Oct 2014	MW-21-2	NA	NA	0.5 U	0.002 U
MW-21 Screen 2	Jan/Feb 2015	MW-21-2	NA	NA	**1.0 J**	0.002 U
MW-21 Screen 2	April/May 2015	MW-21-2	2.0 U	1.000 U	0.7 U	0.002 U
MW-21 Screen 2	April/May 2015	DUP-7-2Q15	2.0 U	1.000 U	0.6 U	0.002 U
MW-21 Screen 3	Jan/Feb 1996	MW-21-3	5.0 U	2.000 U	10.0 U	NA
MW-21 Screen 3	Jan/Feb 1996	MW-21-3	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 1996	MW-21-3	5.0 U	2.000 U	NA	NA
MW-21 Screen 3	Oct/Nov 1996	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Feb/Mar 1997	MW-21-3	5.0 U	**3.200**	10.0 U	0.005 U
MW-21 Screen 3	June/July 1997	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Sep/Oct 1997	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Jan/Feb 1998	MW-21-3	5.0 U	**3.000**	10.0 U	0.005 U
MW-21 Screen 3	Apr/May 1998	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Jul/Aug 1998	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Oct/Nov 1998	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Feb/Mar 1999	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	May/Jun 1999	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Nov/Dec 1999	MW-21-3	NA	NA	10.0 U	0.005 U
MW-21 Screen 3	Jul/Aug 2000	MW-21-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 3	Jan/Feb 2001	MW-21-3	5.0 U	1.000 U	**6.9**	0.010 U
MW-21 Screen 3	Jan/Feb 2002	MW-21-3	5.0 U	**0.050 J**	**7.0**	0.010 U
MW-21 Screen 3	Dec 2002	MW-21-3	**0.7**	**0.300**	**4.2**	**0.001**
MW-21 Screen 3	Jan/Feb 2003	MW-21-3	NA	NA	**5.9**	0.010 U
MW-21 Screen 3	Apr/May 2003	MW-21-3	5.0 U	1.000 U	**3.7 J**	0.010 U
MW-21 Screen 3	Jul/Aug 2003	MW-21-3	NA	NA	**3.7 J**	0.010 U
MW-21 Screen 3	Oct/Nov 2003	MW-21-3	NA	NA	**4.1 J**	0.010 U
MW-21 Screen 3	Feb 2004	MW-21-3	NA	NA	**4.4**	0.010 U
MW-21 Screen 3	Apr/May 2004	MW-21-3	5.0 U	0.120 U	**12.2**	0.010 U
MW-21 Screen 3	Jul/Aug 2004	MW-21-3	NA	NA	**8.2 J**	0.010 U
MW-21 Screen 3	Oct/Nov 2004	MW-21-3	NA	NA	**18.4 J**	0.010 U
MW-21 Screen 3	Jan/Feb 2005	MW-21-3	NA	NA	**8.8**	0.010 U
MW-21 Screen 3	Apr/May 2005	MW-21-3	**4.2 J**	**0.058 J**	**0.9 J**	0.010 U
MW-21 Screen 3	Jul/Sep 2005	MW-21-3	NA	NA	**12.9**	0.010 U
MW-21 Screen 3	Oct/Nov 2005	MW-21-3	NA	NA	**12.2**	0.010 U
MW-21 Screen 3	Mar/Apr 2006	MW-21-3	NA	NA	**1.5**	0.010 U
MW-21 Screen 3	May/Jun 2006	MW-21-3	1.0 U	1.000 U	1.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 2006	MW-21-3	NA	NA	2.6 U	0.010 U
MW-21 Screen 3	Oct/Dec 2006	MW-21-3	NA	NA	**1.1**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 3	Mar/Apr 2007	MW-21-3	NA	NA	**1.4 J**	NA
MW-21 Screen 3	Jun/Jul 2007	MW-21-3	**1.3**	1.000 U	**14.2**	0.010 U
MW-21 Screen 3	Aug/Sep 2007	MW-21-3	NA	NA	**16.1**	0.010 U
MW-21 Screen 3	Oct/Dec 2007	MW-21-3	NA	NA	**2.0**	0.010 U
MW-21 Screen 3	Jan/Feb 2008	MW-21-3	NA	NA	**9.9**	**0.005 J**
MW-21 Screen 3	Apr/May 2008	MW-21-3	1.0 U	1.000 U	**1.0 J**	0.010 U
MW-21 Screen 3	Jul/Aug 2008	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Oct/Nov 2008	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Jan/Feb 2009	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Apr/May 2009	MW-21-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 3	Jul/Aug 2009	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Jul/Aug 2009	DUPE-4-3Q09	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Nov/Dec 2009	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Feb 2010	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Apr/May 2010	MW-21-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 3	Jul/Aug 2010	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Oct/Nov 2010	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Feb/Mar 2011	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Apr/May 2011	MW-21-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 2011	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Nov/Dec 2011	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Jan/Feb 2012	MW-21-3	NA	NA	5.0 U	0.010 U
MW-21 Screen 3	Apr/May 2012	MW-21-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 3	Aug/Sep 2012	MW-21-3	NA	NA	**0.6 J**	0.002 U
MW-21 Screen 3	Aug/Sep 2012	DUPE-7-3Q12	NA	NA	3.0 U	0.002 U
MW-21 Screen 3	Nov 2012	MW-21-3	NA	NA	3.0 U	**0.002 J**
MW-21 Screen 3	Jan/Feb 2013	MW-21-3	NA	NA	**1.0 J**	0.002 U
MW-21 Screen 3	Apr/May 2013	MW-21-3	**0.9 J**	1.000 U	**0.7 J**	**0.001 J**
MW-21 Screen 3	Jul 2013	MW-21-3	NA	NA	1.0 U	0.002 U
MW-21 Screen 3	Oct/Nov 2013	MW-21-3	NA	NA	2.0 U	0.002 U
MW-21 Screen 3	Jan/Feb 2014	MW-21-3	NA	NA	**0.6 J**	**0.001 J**
MW-21 Screen 3	Apr/May 2014	MW-21-3	2.0 U	1.000 U	3.0 U	0.002 U
MW-21 Screen 3	Jul/Aug 2014	MW-21-3	NA	NA	1.3 U	0.001 U
MW-21 Screen 3	Oct 2014	MW-21-3	NA	NA	0.8 U	0.002 U
MW-21 Screen 3	Jan/Feb 2015	MW-21-3	NA	NA	3.0 U	0.002 U
MW-21 Screen 3	April/May 2015	MW-21-3	2.0 U	1.000 U	0.8 U	0.002 U
MW-21 Screen 4	Jan/Feb 1996	MW-21-4	5.0 U	2.000 U	10.0 U	NA
MW-21 Screen 4	Jan/Feb 1996	MW-21-4	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 4	Aug/Sep 1996	MW-21-4	5.0 U	2.000 U	NA	NA
MW-21 Screen 4	Oct/Nov 1996	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Feb/Mar 1997	MW-21-4	5.0 U	**3.500**	10.0 U	0.005 U
MW-21 Screen 4	June/July 1997	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Sep/Oct 1997	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 4	Jan/Feb 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Apr/May 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Jul/Aug 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Oct/Nov 1998	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Feb/Mar 1999	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	May/Jun 1999	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Nov/Dec 1999	MW-21-4	NA	NA	10.0 U	0.005 U
MW-21 Screen 4	Jul/Aug 2000	MW-21-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 4	Jan/Feb 2001	MW-21-4	5.0 U	1.000 U	**6.0**	0.010 U
MW-21 Screen 4	Jan/Feb 2002	MW-21-4	5.0 U	1.000 U	**6.9**	0.010 U
MW-21 Screen 4	Jan/Feb 2003	MW-21-4	NA	NA	**4.7**	0.010 U
MW-21 Screen 4	Apr/May 2003	MW-21-4	**2.2 J**	1.000 U	**3.8 J**	0.010 U
MW-21 Screen 4	Jul/Aug 2003	MW-21-4	NA	NA	**4.0 J**	0.010 U
MW-21 Screen 4	Oct/Nov 2003	MW-21-4	NA	NA	**4.3 J**	0.010 U
MW-21 Screen 4	Feb 2004	MW-21-4	NA	NA	**5.3**	0.010 U
MW-21 Screen 4	Apr/May 2004	MW-21-4	5.0 U	0.120 U	**8.3**	0.010 U
MW-21 Screen 4	Jul/Aug 2004	MW-21-4	NA	NA	**6.9 J**	0.010 U
MW-21 Screen 4	Oct/Nov 2004	MW-21-4	NA	NA	**16.5 J**	0.010 U
MW-21 Screen 4	Jan/Feb 2005	MW-21-4	NA	NA	**7.2**	0.010 U
MW-21 Screen 4	Jan/Feb 2005	DUPE-1-1Q05	NA	NA	**8.4**	0.010 U
MW-21 Screen 4	Apr/May 2005	MW-21-4	**3.5 J**	**0.052 J**	**5.6**	0.010 U
MW-21 Screen 4	Jul/Sep 2005	MW-21-4	NA	NA	**9.4**	0.010 U
MW-21 Screen 4	Oct/Nov 2005	MW-21-4	NA	NA	**9.7**	0.010 U
MW-21 Screen 4	Mar/Apr 2006	MW-21-4	NA	NA	**2.4**	0.010 U
MW-21 Screen 4	May/Jun 2006	MW-21-4	1.0 U	1.000 U	**1.5 J**	**0.004 J**
MW-21 Screen 4	Aug/Sep 2006	MW-21-4	NA	NA	3.9 U	0.010 U
MW-21 Screen 4	Oct/Dec 2006	MW-21-4	NA	NA	**2.5**	**0.006 J**
MW-21 Screen 4	Mar/Apr 2007	MW-21-4	NA	NA	**2.4 J**	NA
MW-21 Screen 4	Jun/Jul 2007	MW-21-4	**1.3**	1.000 U	**9.7**	0.010 U
MW-21 Screen 4	Aug/Sep 2007	MW-21-4	NA	NA	**13.0**	0.010 U
MW-21 Screen 4	Oct/Dec 2007	MW-21-4	NA	NA	**2.2**	0.010 U
MW-21 Screen 4	Jan/Feb 2008	MW-21-4	NA	NA	**7.1**	0.010 U
MW-21 Screen 4	Apr/May 2008	MW-21-4	1.0 U	1.000 U	**1.6 J**	0.010 U
MW-21 Screen 4	Jul/Aug 2008	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Oct/Nov 2008	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Jan/Feb 2009	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2009	MW-21-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2009	DUPE-03-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Jul/Aug 2009	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Nov/Dec 2009	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Feb 2010	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2010	MW-21-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Jul/Aug 2010	MW-21-4	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 4	Oct/Nov 2010	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Feb/Mar 2011	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Feb/Mar 2011	DUPE-01-1Q11	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2011	MW-21-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Aug/Sep 2011	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Nov/Dec 2011	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Jan/Feb 2012	MW-21-4	NA	NA	5.0 U	0.010 U
MW-21 Screen 4	Apr/May 2012	MW-21-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 4	Aug/Sep 2012	MW-21-4	NA	NA	**0.7 J**	0.002 U
MW-21 Screen 4	Nov 2012	MW-21-4	NA	NA	**0.8 J**	**0.002 J**
MW-21 Screen 4	Jan/Feb 2013	MW-21-4	NA	NA	**1.1 J**	0.002 U
MW-21 Screen 4	Apr/May 2013	MW-21-4	**0.8 J**	1.000 U	**1.5 J**	**0.001 J**
MW-21 Screen 4	Jul 2013	MW-21-4	NA	NA	**1.6 J**	0.002 U
MW-21 Screen 4	Jul 2013	DUPE-7-3Q13	NA	NA	**1.6 J**	0.002 U
MW-21 Screen 4	Oct/Nov 2013	MW-21-4	NA	NA	1.9 U	0.002 U
MW-21 Screen 4	Jan/Feb 2014	MW-21-4	NA	NA	**0.9 J**	**0.001 J**
MW-21 Screen 4	Apr/May 2014	MW-21-4	2.0 U	1.000 U	**1.2 J**	0.002 U
MW-21 Screen 4	Jul/Aug 2014	MW-21-4	NA	NA	**1.9 J**	0.002 U
MW-21 Screen 4	Jul/Aug 2014	DUP-6-3Q14	NA	NA	1.7 U	0.002 U
MW-21 Screen 4	Oct 2014	MW-21-4	NA	NA	1.2 U	0.002 U
MW-21 Screen 4	Jan/Feb 2015	MW-21-4	NA	NA	**1.3 J**	**0.001 J**
MW-21 Screen 4	April/May 2015	MW-21-4	2.0 U	1.000 U	1.5 U	**0.001 J**
MW-21 Screen 5	Jan/Feb 1996	MW-21-5	5.0 U	2.000 U	10.0 U	NA
MW-21 Screen 5	Jan/Feb 1996	MW-21-5	5.0 U	2.000 U	10.0 U	0.010 U
MW-21 Screen 5	Aug/Sep 1996	MW-21-5	5.0 U	2.000 U	NA	NA
MW-21 Screen 5	Oct/Nov 1996	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Feb/Mar 1997	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	June/July 1997	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Sep/Oct 1997	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Jan/Feb 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Apr/May 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Jul/Aug 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Oct/Nov 1998	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Feb/Mar 1999	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	May/Jun 1999	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Nov/Dec 1999	MW-21-5	NA	NA	10.0 U	0.005 U
MW-21 Screen 5	Jul/Aug 2000	MW-21-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-21 Screen 5	Jan/Feb 2001	MW-21-5	5.0 U	**0.100 J**	**6.0**	0.010 U
MW-21 Screen 5	Jan/Feb 2002	MW-21-5	5.0 U	**0.300 J**	**7.5**	0.010 U
MW-21 Screen 5	Dec 2002	MW-21-5	**1.0**	**0.600**	**9.2**	**0.002**
MW-21 Screen 5	Jan/Feb 2003	MW-21-5	NA	NA	**5.7**	0.010 U
MW-21 Screen 5	Apr/May 2003	MW-21-5	5.0 U	1.000 U	**2.7 J**	0.010 U
MW-21 Screen 5	Jul/Aug 2003	MW-21-5	NA	NA	**2.9 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 5	Oct/Nov 2003	MW-21-5	NA	NA	**4.0 J**	0.010 U
MW-21 Screen 5	Feb 2004	MW-21-5	NA	NA	**5.0**	0.010 U
MW-21 Screen 5	Apr/May 2004	MW-21-5	5.0 U	**0.026 J**	**8.3**	0.010 U
MW-21 Screen 5	Jul/Aug 2004	MW-21-5	NA	NA	**6.0 J**	0.010 U
MW-21 Screen 5	Oct/Nov 2004	MW-21-5	NA	NA	**12.7 J**	0.010 U
MW-21 Screen 5	Jan/Feb 2005	MW-21-5	NA	NA	**5.6**	0.010 U
MW-21 Screen 5	Apr/May 2005	MW-21-5	**2.1 J**	**0.069 J**	**5.5**	0.010 U
MW-21 Screen 5	Jul/Sep 2005	MW-21-5	NA	NA	**9.2**	0.010 U
MW-21 Screen 5	Oct/Nov 2005	MW-21-5	NA	NA	**9.5**	0.010 U
MW-21 Screen 5	Mar/Apr 2006	MW-21-5	NA	NA	**2.4**	0.010 U
MW-21 Screen 5	Mar/Apr 2006	DUPE-1-1Q06	NA	NA	**2.1**	0.010 U
MW-21 Screen 5	May/Jun 2006	MW-21-5	1.0 U	1.000 U	**1.5 J**	0.010 U
MW-21 Screen 5	Aug/Sep 2006	MW-21-5	NA	NA	2.9 U	0.010 U
MW-21 Screen 5	Oct/Dec 2006	MW-21-5	NA	NA	**1.8**	0.010 U
MW-21 Screen 5	Mar/Apr 2007	MW-21-5	NA	NA	**1.8 J**	NA
MW-21 Screen 5	Jun/Jul 2007	MW-21-5	**1.4**	1.000 U	**9.6**	0.010 U
MW-21 Screen 5	Aug/Sep 2007	MW-21-5	NA	NA	**10.3**	**0.005 J**
MW-21 Screen 5	Oct/Dec 2007	MW-21-5	NA	NA	**2.5**	0.010 U
MW-21 Screen 5	Jan/Feb 2008	MW-21-5	NA	NA	**7.2**	0.010 U
MW-21 Screen 5	Apr/May 2008	MW-21-5	1.0 U	1.000 U	**1.7 J**	0.010 U
MW-21 Screen 5	Jul/Aug 2008	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Oct/Nov 2008	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Jan/Feb 2009	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Apr/May 2009	MW-21-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 5	Jul/Aug 2009	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Nov/Dec 2009	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Feb 2010	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Apr/May 2010	MW-21-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 5	Jul/Aug 2010	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Oct/Nov 2010	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Feb/Mar 2011	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Apr/May 2011	MW-21-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 5	Aug/Sep 2011	MW-21-5	NA	NA	**5.8**	0.010 U
MW-21 Screen 5	Nov/Dec 2011	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Jan/Feb 2012	MW-21-5	NA	NA	5.0 U	0.010 U
MW-21 Screen 5	Apr/May 2012	MW-21-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-21 Screen 5	Aug/Sep 2012	MW-21-5	NA	NA	**0.8 J**	**0.001 J**
MW-21 Screen 5	Nov 2012	MW-21-5	NA	NA	**0.7 J**	**0.001 J**
MW-21 Screen 5	Jan/Feb 2013	MW-21-5	NA	NA	**1.5 J**	0.002 U
MW-21 Screen 5	Apr/May 2013	MW-21-5	**1.6 J**	1.000 U	**1.9 J**	**0.002 J**
MW-21 Screen 5	Jul 2013	MW-21-5	NA	NA	**1.7 J**	**0.001 J**
MW-21 Screen 5	Oct/Nov 2013	MW-21-5	NA	NA	2.3 U	**0.001 J**
MW-21 Screen 5	Jan/Feb 2014	MW-21-5	NA	NA	1.1 U	**0.002 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-21 Screen 5	Apr/May 2014	MW-21-5	2.0 U	1.000 U	**1.2 J**	0.002 U
MW-21 Screen 5	Jul/Aug 2014	MW-21-5	NA	NA	2.0 U	0.002 U
MW-21 Screen 5	Oct 2014	MW-21-5	NA	NA	1.4 U	**0.001 J**
MW-21 Screen 5	Jan/Feb 2015	MW-21-5	NA	NA	**0.8 J**	**0.001 J**
MW-21 Screen 5	April/May 2015	MW-21-5	2.0 U	1.000 U	1.6 U	**0.001 J**
MW-22 Screen 1	Sep/Oct 1997	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Jan/Feb 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Apr/May 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Jul/Aug 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Oct/Nov 1998	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Feb/Mar 1999	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	May/Jun 1999	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Aug 1999	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Nov/Dec 1999	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Mar/Apr 2000	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Jul/Aug 2000	MW-22-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 1	Sep/Oct 2000	MW-22-1	NA	NA	10.0 U	0.005 U
MW-22 Screen 1	Jan/Feb 2001	MW-22-1	5.0 U	1.000 U	**6.0**	0.010 U
MW-22 Screen 1	Apr 2001	MW-22-1	NA	NA	NA	0.010 U
MW-22 Screen 1	Apr 2001	DUP	NA	NA	NA	0.010 U
MW-22 Screen 1	Jul 2001	MW-22-1	NA	NA	**3.3 J**	UNK U
MW-22 Screen 1	Oct 2001	MW-22-1	NA	NA	**7.8**	0.010 U
MW-22 Screen 1	Jan/Feb 2002	MW-22-1	5.0 U	1.000 U	**5.1**	0.010 U
MW-22 Screen 1	Apr/May 2002	MW-22-1	NA	NA	**10.0**	0.010 U
MW-22 Screen 1	Jul 2002	MW-22-1	NA	NA	**10.0**	UNK U
MW-22 Screen 1	Oct/Nov 2002	MW-22-1	NA	NA	NA	0.010 U
MW-22 Screen 1	Jan/Feb 2003	MW-22-1	NA	NA	**4.1**	0.010 U
MW-22 Screen 1	Apr/May 2003	MW-22-1	5.0 U	1.000 U	**1.9 J**	0.010 U
MW-22 Screen 1	Jul/Aug 2003	MW-22-1	NA	NA	**4.2 J**	0.010 U
MW-22 Screen 1	Oct/Nov 2003	MW-22-1	NA	NA	**3.0 J**	0.010 U
MW-22 Screen 1	Feb 2004	MW-22-1	NA	NA	**6.8**	0.010 U
MW-22 Screen 1	Apr/May 2004	MW-22-1	5.0 UJ	0.020 U	**10.3**	0.010 U
MW-22 Screen 1	Jul/Aug 2004	MW-22-1	NA	NA	**7.3 J**	0.010 U
MW-22 Screen 1	Oct/Nov 2004	MW-22-1	NA	NA	**18.8 J**	0.010 U
MW-22 Screen 1	Jan/Feb 2005	MW-22-1	NA	NA	**0.3**	0.010 U
MW-22 Screen 1	Apr/May 2005	MW-22-1	5.0 U	**0.150 J**	**5.7**	0.010 U
MW-22 Screen 1	Jul/Sep 2005	MW-22-1	NA	NA	**9.6**	0.010 U
MW-22 Screen 1	Oct/Nov 2005	MW-22-1	NA	NA	**10.8**	0.010 U
MW-22 Screen 1	Mar/Apr 2006	MW-22-1	NA	NA	**1.8**	0.010 U
MW-22 Screen 1	May/Jun 2006	MW-22-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-22 Screen 1	May/Jun 2006	DUPE-5-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-22 Screen 1	Aug/Sep 2006	MW-22-1	NA	NA	2.1 U	**0.007 J**
MW-22 Screen 1	Oct/Dec 2006	MW-22-1	NA	NA	**3.0**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 1	Oct/Dec 2006	DUPE-5-4Q06	NA	NA	**3.8**	0.010 U
MW-22 Screen 1	Mar/Apr 2007	MW-22-1	NA	NA	**8.0 J**	0.010 U
MW-22 Screen 1	Jun/Jul 2007	MW-22-1	1.0 U	1.000 U	**10.3 J**	0.010 U
MW-22 Screen 1	Aug/Sep 2007	MW-22-1	NA	NA	**17.4**	0.010 U
MW-22 Screen 1	Oct/Dec 2007	MW-22-1	NA	NA	**14.6**	0.010 U
MW-22 Screen 1	Jan/Feb 2008	MW-22-1	NA	NA	**11.6 E**	**0.004 J**
MW-22 Screen 1	Apr/May 2008	MW-22-1	1.0 U	1.000 U	**9.2**	0.010 U
MW-22 Screen 1	Jul/Aug 2008	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Oct/Nov 2008	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Jan/Feb 2009	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2009	MW-22-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Jul/Aug 2009	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Nov/Dec 2009	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Feb 2010	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2010	MW-22-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Jul/Aug 2010	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Oct/Nov 2010	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Feb/Mar 2011	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2011	MW-22-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Aug/Sep 2011	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Nov/Dec 2011	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Jan/Feb 2012	MW-22-1	NA	NA	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2012	MW-22-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Apr/May 2012	DUPE-1-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 1	Aug/Sep 2012	MW-22-1	NA	NA	**0.6 J**	0.002 U
MW-22 Screen 1	Nov 2012	MW-22-1	NA	NA	**0.8 J**	0.002 U
MW-22 Screen 1	Jan/Feb 2013	MW-22-1	NA	NA	**1.7 J**	0.004 U
MW-22 Screen 1	Apr/May 2013	MW-22-1	2.0 U	1.000 U	**0.6 J**	0.002 U
MW-22 Screen 1	Jul 2013	MW-22-1	NA	NA	**0.9 J**	0.002 U
MW-22 Screen 1	Oct/Nov 2013	MW-22-1	NA	NA	1.0 U	0.002 U
MW-22 Screen 1	Jan/Feb 2014	MW-22-1	NA	NA	**2.7 J**	0.002 U
MW-22 Screen 1	Apr/May 2014	MW-22-1	2.0 U	1.000 U	0.7 U	0.002 U
MW-22 Screen 1	Jul/Aug 2014	MW-22-1	NA	NA	3.0 U	0.002 U
MW-22 Screen 1	Oct 2014	MW-22-1	NA	NA	**1.3 J**	0.002 U
MW-22 Screen 1	Jan/Feb 2015	MW-22-1	NA	NA	**0.9 J**	0.002 U
MW-22 Screen 1	April/May 2015	MW-22-1	2.0 U	1.000 U	**1.1 J**	0.002 U
MW-22 Screen 2	Sep/Oct 1997	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Jan/Feb 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Apr/May 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Jul/Aug 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Oct/Nov 1998	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Feb/Mar 1999	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	May/Jun 1999	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 2	Aug 1999	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Nov/Dec 1999	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Mar/Apr 2000	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Jul/Aug 2000	MW-22-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 2	Sep/Oct 2000	MW-22-2	NA	NA	10.0 U	0.005 U
MW-22 Screen 2	Jan/Feb 2001	MW-22-2	**2.9 B**	1.000 U	**4.1 J**	0.010 U
MW-22 Screen 2	Apr 2001	MW-22-2	NA	NA	NA	0.010 U
MW-22 Screen 2	Jul 2001	MW-22-2	NA	NA	**2.6 J**	UNK U
MW-22 Screen 2	Oct 2001	MW-22-2	NA	NA	**6.2**	0.010 U
MW-22 Screen 2	Jan/Feb 2002	MW-22-2	5.0 U	1.000 U	**4.5 J**	0.010 U
MW-22 Screen 2	Apr/May 2002	MW-22-2	NA	NA	**8.0**	0.010 U
MW-22 Screen 2	Jul 2002	MW-22-2	NA	NA	**6.0**	UNK U
MW-22 Screen 2	Oct/Nov 2002	MW-22-2	NA	NA	NA	0.010 U
MW-22 Screen 2	Jan/Feb 2003	MW-22-2	NA	NA	**3.5**	0.010 U
MW-22 Screen 2	Jan/Feb 2003	DUPE-5-1Q03	NA	NA	**3.2**	0.010 U
MW-22 Screen 2	Apr/May 2003	MW-22-2	5.0 U	1.000 U	0.6 UJ	0.010 U
MW-22 Screen 2	Jul/Aug 2003	MW-22-2	NA	NA	**2.7 J**	0.010 U
MW-22 Screen 2	Jul/Aug 2003	DUPE-5-3Q03	NA	NA	**2.5 J**	0.010 U
MW-22 Screen 2	Oct/Nov 2003	MW-22-2	NA	NA	0.9 UJ	0.010 U
MW-22 Screen 2	Feb 2004	MW-22-2	NA	NA	**4.7**	0.010 U
MW-22 Screen 2	Apr/May 2004	MW-22-2	5.0 UJ	0.120 U	**7.6**	0.010 U
MW-22 Screen 2	Jul/Aug 2004	MW-22-2	NA	NA	**9.8 J**	0.010 U
MW-22 Screen 2	Oct/Nov 2004	MW-22-2	NA	NA	**13.4 J**	0.010 U
MW-22 Screen 2	Jan/Feb 2005	MW-22-2	NA	NA	**4.6**	0.010 U
MW-22 Screen 2	Apr/May 2005	MW-22-2	5.0 U	**0.110 J**	**4.7**	0.010 U
MW-22 Screen 2	Jul/Sep 2005	MW-22-2	NA	NA	**7.2**	0.010 U
MW-22 Screen 2	Oct/Nov 2005	MW-22-2	NA	NA	**9.2**	0.010 U
MW-22 Screen 2	Mar/Apr 2006	MW-22-2	NA	NA	**2.8**	0.010 U
MW-22 Screen 2	May/Jun 2006	MW-22-2	**1.1 J**	1.000 U	**1.7 J**	0.010 U
MW-22 Screen 2	Aug/Sep 2006	MW-22-2	NA	NA	3.2 U	**0.008 J**
MW-22 Screen 2	Oct/Dec 2006	MW-22-2	NA	NA	**4.0**	0.010 U
MW-22 Screen 2	Mar/Apr 2007	MW-22-2	NA	NA	**8.5 J**	0.010 U
MW-22 Screen 2	Jun/Jul 2007	MW-22-2	**1.6**	1.000 U	**8.4 J**	0.010 U
MW-22 Screen 2	Aug/Sep 2007	MW-22-2	NA	NA	**13.6**	0.010 U
MW-22 Screen 2	Oct/Dec 2007	MW-22-2	NA	NA	**9.0**	0.010 U
MW-22 Screen 2	Jan/Feb 2008	MW-22-2	NA	NA	**8.7 E**	0.010 U
MW-22 Screen 2	Apr/May 2008	MW-22-2	**1.2**	1.000 U	**7.6**	0.010 U
MW-22 Screen 2	Jul/Aug 2008	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2008	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2008	DUPE-06-4Q08	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Jan/Feb 2009	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Apr/May 2009	MW-22-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 2	Jul/Aug 2009	MW-22-2	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 2	Nov/Dec 2009	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Feb 2010	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Apr/May 2010	MW-22-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 2	Jul/Aug 2010	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Jul/Aug 2010	DUPE-4-3Q10	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2010	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Oct/Nov 2010	DUPE-03-4Q10	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Feb/Mar 2011	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Apr/May 2011	MW-22-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 2	Aug/Sep 2011	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Nov/Dec 2011	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Jan/Feb 2012	MW-22-2	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Jan/Feb 2012	DUPE-4-1Q12	NA	NA	5.0 U	0.010 U
MW-22 Screen 2	Apr/May 2012	MW-22-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 2	Aug/Sep 2012	MW-22-2	NA	NA	**1.0 J**	**0.001 J**
MW-22 Screen 2	Nov 2012	MW-22-2	NA	NA	**1.4 J**	**0.001 J**
MW-22 Screen 2	Jan/Feb 2013	MW-22-2	NA	NA	**2.0 J**	0.002 U
MW-22 Screen 2	Apr/May 2013	MW-22-2	**0.9 J**	1.000 U	**1.7 J**	**0.001 J**
MW-22 Screen 2	Jul 2013	MW-22-2	NA	NA	**1.9 J**	**0.001 J**
MW-22 Screen 2	Oct/Nov 2013	MW-22-2	NA	NA	2.4 U	**0.001 J**
MW-22 Screen 2	Jan/Feb 2014	MW-22-2	NA	NA	**1.4 J**	0.002 U
MW-22 Screen 2	Apr/May 2014	MW-22-2	1.2 U	1.000 U	1.7 U	0.002 U
MW-22 Screen 2	Jul/Aug 2014	MW-22-2	NA	NA	**1.0 J**	**0.002 J**
MW-22 Screen 2	Oct 2014	MW-22-2	NA	NA	**2.0 J**	**0.001 J**
MW-22 Screen 2	Jan/Feb 2015	MW-22-2	NA	NA	**2.0 J**	**0.001 J**
MW-22 Screen 2	April/May 2015	MW-22-2	**1.1 J**	1.000 U	**1.7 J**	**0.001 J**
MW-22 Screen 3	Sep/Oct 1997	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Jan/Feb 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Apr/May 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Jul/Aug 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Oct/Nov 1998	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Feb/Mar 1999	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	May/Jun 1999	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Nov/Dec 1999	MW-22-3	NA	NA	10.0 U	0.005 U
MW-22 Screen 3	Jul/Aug 2000	MW-22-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 3	Jan/Feb 2001	MW-22-3	**2.7 B**	1.000 U	**5.6**	0.010 U
MW-22 Screen 3	Jan/Feb 2002	MW-22-3	**1.8 B**	1.000 U	**4.9 J**	0.010 U
MW-22 Screen 3	Jan/Feb 2003	MW-22-3	NA	NA	**3.6**	0.010 U
MW-22 Screen 3	Apr/May 2003	MW-22-3	5.0 U	1.000 U	0.8 UJ	0.010 U
MW-22 Screen 3	Jul/Aug 2003	MW-22-3	NA	NA	**2.9 J**	0.010 U
MW-22 Screen 3	Oct/Nov 2003	MW-22-3	NA	NA	**3.2 J**	0.010 U
MW-22 Screen 3	Feb 2004	MW-22-3	NA	NA	**6.6**	0.010 U
MW-22 Screen 3	Apr/May 2004	MW-22-3	5.0 UJ	0.120 U	**8.5**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 3	Jul/Aug 2004	MW-22-3	NA	NA	**10.0 J**	0.010 U
MW-22 Screen 3	Oct/Nov 2004	MW-22-3	NA	NA	**13.2 J**	0.010 U
MW-22 Screen 3	Jan/Feb 2005	MW-22-3	NA	NA	**4.8**	0.010 U
MW-22 Screen 3	Apr/May 2005	MW-22-3	5.0 U	**0.043 J**	**5.0**	0.010 U
MW-22 Screen 3	Apr/May 2005	DUPE-5-2Q05	5.0 U	**0.054 J**	**5.3**	0.010 U
MW-22 Screen 3	Jul/Sep 2005	MW-22-3	NA	NA	**8.2**	0.010 U
MW-22 Screen 3	Jul/Sep 2005	DUPE-5-3Q05	NA	NA	**7.7**	0.010 U
MW-22 Screen 3	Oct/Nov 2005	MW-22-3	NA	NA	**9.2**	0.010 U
MW-22 Screen 3	Mar/Apr 2006	MW-22-3	NA	NA	**3.0**	0.010 U
MW-22 Screen 3	May/Jun 2006	MW-22-3	1.0 U	1.000 U	**2.0 J**	0.010 U
MW-22 Screen 3	Aug/Sep 2006	MW-22-3	NA	NA	3.4 U	0.010 U
MW-22 Screen 3	Oct/Dec 2006	MW-22-3	NA	NA	**4.0**	0.010 U
MW-22 Screen 3	Mar/Apr 2007	MW-22-3	NA	NA	**9.6 J**	0.010 U
MW-22 Screen 3	Mar/Apr 2007	DUPE-6-1Q07	NA	NA	**8.0 J**	0.010 U
MW-22 Screen 3	Jun/Jul 2007	MW-22-3	**1.3**	1.000 U	**9.0 J**	0.010 U
MW-22 Screen 3	Aug/Sep 2007	MW-22-3	NA	NA	**14.7**	0.010 U
MW-22 Screen 3	Oct/Dec 2007	MW-22-3	NA	NA	**9.7**	**0.006 J**
MW-22 Screen 3	Jan/Feb 2008	MW-22-3	NA	NA	**9.8 E**	0.010 U
MW-22 Screen 3	Apr/May 2008	MW-22-3	**1.0**	1.000 U	**8.2**	0.010 U
MW-22 Screen 3	Jul/Aug 2008	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Oct/Nov 2008	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Jan/Feb 2009	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Apr/May 2009	MW-22-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 3	Jul/Aug 2009	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Nov/Dec 2009	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Feb 2010	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Apr/May 2010	MW-22-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 3	Jul/Aug 2010	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Oct/Nov 2010	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Feb/Mar 2011	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Apr/May 2011	MW-22-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 3	Aug/Sep 2011	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Nov/Dec 2011	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Jan/Feb 2012	MW-22-3	NA	NA	5.0 U	0.010 U
MW-22 Screen 3	Apr/May 2012	MW-22-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 3	Aug/Sep 2012	MW-22-3	NA	NA	**0.5 J**	**0.002 J**
MW-22 Screen 3	Nov 2012	MW-22-3	NA	NA	**2.3 J**	**0.002 J**
MW-22 Screen 3	Jan/Feb 2013	MW-22-3	NA	NA	**2.5 J**	**0.001 J**
MW-22 Screen 3	Apr/May 2013	MW-22-3	2.0 U	1.000 U	**2.1 J**	**0.002 J**
MW-22 Screen 3	Apr/May 2013	DUP-3-2Q13	2.0 U	1.000 U	**2.0 J**	**0.001 J**
MW-22 Screen 3	Jul 2013	MW-22-3	NA	NA	**2.7 J**	**0.002 J**
MW-22 Screen 3	Oct/Nov 2013	MW-22-3	NA	NA	3.2 U	**0.002**
MW-22 Screen 3	Jan/Feb 2014	MW-22-3	NA	NA	**1.4 J**	0.003 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 3	Apr/May 2014	MW-22-3	1.2 U	1.000 U	2.5 U	0.003 U
MW-22 Screen 3	Jul/Aug 2014	MW-22-3	NA	NA	**1.4 J**	**0.002**
MW-22 Screen 3	Oct 2014	MW-22-3	NA	NA	**2.5 J**	**0.002 J**
MW-22 Screen 3	Jan/Feb 2015	MW-22-3	NA	NA	**1.6 J**	**0.002 J**
MW-22 Screen 3	April/May 2015	MW-22-3	**1.3 J**	1.000 U	**2.4 J**	**0.001 J**
MW-22 Screen 4	Sep/Oct 1997	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Jan/Feb 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Apr/May 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Jul/Aug 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Oct/Nov 1998	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Feb/Mar 1999	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	May/Jun 1999	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Nov/Dec 1999	MW-22-4	NA	NA	10.0 U	0.005 U
MW-22 Screen 4	Jul/Aug 2000	MW-22-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 4	Jan/Feb 2001	MW-22-4	**2.3 B**	1.000 U	**4.9 J**	0.010 U
MW-22 Screen 4	Jan/Feb 2001	DUP	**3.1 B**	1.000 U	**4.3 J**	0.010 U
MW-22 Screen 4	Jan/Feb 2002	MW-22-4	**1.6 B**	1.000 U	**4.5 J**	0.010 U
MW-22 Screen 4	Apr/May 2003	MW-22-4	5.0 U	1.000 U	**2.4 J**	0.010 U
MW-22 Screen 4	Oct/Nov 2003	MW-22-4	NA	NA	**3.1 J**	0.010 U
MW-22 Screen 4	Apr/May 2004	MW-22-4	3.0 UJ	0.120 U	**8.1**	0.010 U
MW-22 Screen 4	Oct/Nov 2004	MW-22-4	NA	NA	**12.6 J**	0.010 U
MW-22 Screen 4	Apr/May 2005	MW-22-4	5.0 U	**0.100 J**	**3.1**	0.010 U
MW-22 Screen 4	Oct/Nov 2005	MW-22-4	NA	NA	**9.1**	0.010 U
MW-22 Screen 4	May/Jun 2006	MW-22-4	**1.2 J**	1.000 U	**2.9 J**	0.010 U
MW-22 Screen 4	Oct/Dec 2006	MW-22-4	NA	NA	**3.1**	0.010 U
MW-22 Screen 4	Jun/Jul 2007	MW-22-4	**1.4**	1.000 U	**9.0 J**	0.010 U
MW-22 Screen 4	Oct/Dec 2007	MW-22-4	NA	NA	**9.7**	**0.008 J**
MW-22 Screen 4	Apr/May 2008	MW-22-4	**1.2**	1.000 U	**8.2**	0.010 U
MW-22 Screen 4	Oct/Nov 2008	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Apr/May 2009	MW-22-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2009	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2009	DUPE-04-4Q09	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Apr/May 2010	MW-22-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 4	Oct/Nov 2010	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Apr/May 2011	MW-22-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2011	MW-22-4	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Nov/Dec 2011	DUPE-6-4Q11	NA	NA	5.0 U	0.010 U
MW-22 Screen 4	Apr/May 2012	MW-22-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 4	Nov 2012	MW-22-4	NA	NA	**2.5 J**	**0.002**
MW-22 Screen 4	Apr/May 2013	MW-22-4	**1.0 J**	1.000 U	**2.2 J**	**0.001 J**
MW-22 Screen 4	Oct/Nov 2013	MW-22-4	NA	NA	2.0 U	**0.002 J**
MW-22 Screen 4	Apr/May 2014	MW-22-4	1.1 U	1.000 U	1.9 U	0.002 U
MW-22 Screen 4	Oct 2014	MW-22-4	NA	NA	**2.3 J**	**0.002 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-22 Screen 4	Oct 2014	DUP-2-4Q14	NA	NA	**2.2 J**	**0.002 J**
MW-22 Screen 4	April/May 2015	MW-22-4	**1.1 J**	1.000 U	**2.0 J**	**0.001 J**
MW-22 Screen 4	April/May 2015	DUP-3-2Q15	**1.2 J**	1.000 U	**2.7 J**	**0.001 J**
MW-22 Screen 5	Sep/Oct 1997	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Jan/Feb 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Apr/May 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Jul/Aug 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Oct/Nov 1998	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Feb/Mar 1999	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	May/Jun 1999	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Nov/Dec 1999	MW-22-5	NA	NA	10.0 U	0.005 U
MW-22 Screen 5	Jul/Aug 2000	MW-22-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-22 Screen 5	Jan/Feb 2001	MW-22-5	**3.9 B**	1.000 U	**1.9 J**	0.010 U
MW-22 Screen 5	Jan/Feb 2002	MW-22-5	**1.8 B**	**0.040 J**	**1.9 J**	0.010 U
MW-22 Screen 5	Apr/May 2003	MW-22-5	5.0 U	1.000 U	1.0 UJ	0.010 U
MW-22 Screen 5	Oct/Nov 2003	MW-22-5	NA	NA	0.7 UJ	0.010 U
MW-22 Screen 5	Apr/May 2004	MW-22-5	2.7 UJ	0.017 U	**2.6 J**	**0.004 J**
MW-22 Screen 5	Apr/May 2004	DUPE-2-2Q04	5.0 UJ	0.039 U	**4.6 J**	**0.004 J**
MW-22 Screen 5	Oct/Nov 2004	MW-22-5	NA	NA	**7.0 J**	0.010 U
MW-22 Screen 5	Apr/May 2005	MW-22-5	5.0 U	**0.067 J**	**2.0**	0.010 U
MW-22 Screen 5	Oct/Nov 2005	MW-22-5	NA	NA	**4.0**	0.010 U
MW-22 Screen 5	May/Jun 2006	MW-22-5	1.0 U	1.000 U	1.0 U	0.010 U
MW-22 Screen 5	Oct/Dec 2006	MW-22-5	NA	NA	1.0 U	0.010 U
MW-22 Screen 5	Jun/Jul 2007	MW-22-5	1.0 U	1.000 U	**2.8**	0.010 U
MW-22 Screen 5	Oct/Dec 2007	MW-22-5	NA	NA	**3.3**	0.010 U
MW-22 Screen 5	Apr/May 2008	MW-22-5	1.0 U	1.000 U	**2.7**	0.010 U
MW-22 Screen 5	Oct/Nov 2008	MW-22-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 5	Apr/May 2009	MW-22-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 5	Nov/Dec 2009	MW-22-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 5	Apr/May 2010	MW-22-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 5	Oct/Nov 2010	MW-22-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 5	Apr/May 2011	MW-22-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 5	Nov/Dec 2011	MW-22-5	NA	NA	5.0 U	0.010 U
MW-22 Screen 5	Apr/May 2012	MW-22-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-22 Screen 5	Nov 2012	MW-22-5	NA	NA	3.0 U	0.002 U
MW-22 Screen 5	Apr/May 2013	MW-22-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-22 Screen 5	Oct/Nov 2013	MW-22-5	NA	NA	3.0 U	0.002 U
MW-22 Screen 5	Apr/May 2014	MW-22-5	0.7 U	1.000 U	3.0 U	0.002 U
MW-22 Screen 5	Oct 2014	MW-22-5	NA	NA	3.0 U	0.002 U
MW-22 Screen 5	April/May 2015	MW-22-5	2.0 U	1.000 U	3.0 U	0.002 U
MW-23 Screen 1	Sep/Oct 1997	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Jan/Feb 1998	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Jul/Aug 1998	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 1	Oct/Nov 1998	MW-23-1	5.0 U	2.000 U	**10.0**	0.005 U
MW-23 Screen 1	Feb/Mar 1999	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	May/Jun 1999	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Aug 1999	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Nov/Dec 1999	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Mar/Apr 2000	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Jul/Aug 2000	MW-23-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 1	Sep/Oct 2000	MW-23-1	NA	NA	10.0 U	0.005 U
MW-23 Screen 1	Jan/Feb 2001	MW-23-1	5.0 U	1.000 U	**6.2**	0.010 U
MW-23 Screen 1	Apr 2001	MW-23-1	NA	NA	NA	0.010 U
MW-23 Screen 1	Jul 2001	MW-23-1	NA	NA	**3.5 J**	UNK U
MW-23 Screen 1	Jul 2001	DUP	NA	NA	**4.0 J**	NA
MW-23 Screen 1	Oct 2001	MW-23-1	NA	NA	**6.7**	0.010 U
MW-23 Screen 1	Jan/Feb 2002	MW-23-1	**1.8 B**	1.000 U	**6.2**	0.010 U
MW-23 Screen 1	Apr/May 2002	MW-23-1	NA	NA	**7.0**	0.010 U
MW-23 Screen 1	Jul 2002	MW-23-1	NA	NA	**3.0**	UNK U
MW-23 Screen 1	Oct/Nov 2002	MW-23-1	NA	NA	NA	0.010 U
MW-23 Screen 1	Jan/Feb 2003	MW-23-1	NA	NA	**3.4**	0.010 U
MW-23 Screen 1	Apr/May 2003	MW-23-1	5.0 U	1.000 U	**4.4**	0.010 U
MW-23 Screen 1	Jul/Aug 2003	MW-23-1	NA	NA	**4.2 J**	0.010 U
MW-23 Screen 1	Oct/Nov 2003	MW-23-1	NA	NA	**4.6 J**	0.010 U
MW-23 Screen 1	Feb 2004	MW-23-1	NA	NA	**8.1**	0.010 U
MW-23 Screen 1	Apr/May 2004	MW-23-1	5.0 U	0.024 U	**11.9**	0.010 U
MW-23 Screen 1	Jul/Aug 2004	MW-23-1	NA	NA	**15.2**	0.010 U
MW-23 Screen 1	Oct/Nov 2004	MW-23-1	NA	NA	**16.4 J**	0.010 U
MW-23 Screen 1	Jan/Feb 2005	MW-23-1	NA	NA	**6.5**	0.010 U
MW-23 Screen 1	Apr/May 2005	MW-23-1	5.0 U	**0.041 J**	**1.3**	0.010 U
MW-23 Screen 1	Jul/Sep 2005	MW-23-1	NA	NA	**0.9 J**	0.010 U
MW-23 Screen 1	Oct/Nov 2005	MW-23-1	NA	NA	**11.1**	0.010 U
MW-23 Screen 1	Mar/Apr 2006	MW-23-1	NA	NA	**1.1**	0.010 U
MW-23 Screen 1	May/Jun 2006	MW-23-1	1.0 U	1.000 U	**1.5**	0.010 U
MW-23 Screen 1	May/Jun 2006	DUPE-6-2Q06	1.0 U	1.000 U	**1.2**	0.010 U
MW-23 Screen 1	Aug/Sep 2006	MW-23-1	NA	NA	2.4 U	0.020 U
MW-23 Screen 1	Oct/Dec 2006	MW-23-1	NA	NA	**2.1**	0.010 U
MW-23 Screen 1	Mar/Apr 2007	MW-23-1	NA	NA	**2.8**	0.010 U
MW-23 Screen 1	Jun/Jul 2007	MW-23-1	1.0 U	1.000 U	**3.2 J**	0.010 U
MW-23 Screen 1	Aug/Sep 2007	MW-23-1	NA	NA	**19.8**	0.010 U
MW-23 Screen 1	Oct/Dec 2007	MW-23-1	NA	NA	**1.4 E**	**0.006 J**
MW-23 Screen 1	Jan/Feb 2008	MW-23-1	NA	NA	**8.2 E**	0.010 U
MW-23 Screen 1	Apr/May 2008	MW-23-1	**1.0 J**	1.000 U	**5.4**	0.010 U
MW-23 Screen 1	Jul/Aug 2008	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Oct/Nov 2008	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Jan/Feb 2009	MW-23-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 1	Apr/May 2009	MW-23-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 1	Jul/Aug 2009	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Nov/Dec 2009	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Feb 2010	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Apr/May 2010	MW-23-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 1	Jul/Aug 2010	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Oct/Nov 2010	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Oct/Nov 2010	DUPE-07-4Q10	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Feb/Mar 2011	MW-23-1	NA	NA	**7.2**	0.010 U
MW-23 Screen 1	Apr/May 2011	MW-23-1	2.0 U	5.000 U	**7.6**	0.010 U
MW-23 Screen 1	Aug/Sep 2011	MW-23-1	NA	NA	**7.2**	0.010 U
MW-23 Screen 1	Nov/Dec 2011	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Jan/Feb 2012	MW-23-1	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Jan/Feb 2012	DUPE-3-1Q12	NA	NA	5.0 U	0.010 U
MW-23 Screen 1	Apr/May 2012	MW-23-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 1	Apr/May 2012	DUPE-3-2Q12	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 1	Aug/Sep 2012	MW-23-1	NA	NA	3.0 U	0.002 U
MW-23 Screen 1	Nov 2012	MW-23-1	NA	NA	**7.5**	0.002 U
MW-23 Screen 1	Jan/Feb 2013	MW-23-1	NA	NA	**1.6 J**	0.002 U
MW-23 Screen 1	Apr/May 2013	MW-23-1	2.0 U	1.000 U	**2.7 J**	0.002 U
MW-23 Screen 1	Jul 2013	MW-23-1	NA	NA	**7.0**	0.002 U
MW-23 Screen 1	Oct/Nov 2013	MW-23-1	NA	NA	**2.0 J**	0.002 U
MW-23 Screen 1	Jan/Feb 2014	MW-23-1	NA	NA	**1.6 J**	0.002 U
MW-23 Screen 1	Apr/May 2014	MW-23-1	2.0 U	1.000 U	1.0 U	0.001 U
MW-23 Screen 1	Jul/Aug 2014	MW-23-1	NA	NA	**1.2 J**	**0.001 J**
MW-23 Screen 1	Oct 2014	MW-23-1	NA	NA	**0.7 J**	**0.001 J**
MW-23 Screen 1	Jan/Feb 2015	MW-23-1	NA	NA	**1.0 J**	**0.002 J**
MW-23 Screen 1	April/May 2015	MW-23-1	2.0 U	1.000 U	**1.3 J**	**0.002 J**
MW-23 Screen 2	Sep/Oct 1997	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Jan/Feb 1998	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Jul/Aug 1998	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Oct/Nov 1998	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Feb/Mar 1999	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	May/Jun 1999	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Aug 1999	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Nov/Dec 1999	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Mar/Apr 2000	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Jul/Aug 2000	MW-23-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 2	Sep/Oct 2000	MW-23-2	NA	NA	10.0 U	0.005 U
MW-23 Screen 2	Jan/Feb 2001	MW-23-2	**2.7 B**	1.000 U	**5.6**	0.010 U
MW-23 Screen 2	Apr 2001	MW-23-2	NA	NA	NA	0.010 U
MW-23 Screen 2	Jul 2001	MW-23-2	NA	NA	**4.3 J**	UNK U
MW-23 Screen 2	Oct 2001	MW-23-2	NA	NA	**7.4**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 2	Oct 2001	DUP	NA	NA	**6.3**	0.010 U
MW-23 Screen 2	Jan/Feb 2002	MW-23-2	5.0 U	**0.140 J**	**4.7 J**	0.010 U
MW-23 Screen 2	Apr/May 2002	MW-23-2	NA	NA	**9.0**	0.010 U
MW-23 Screen 2	Jul 2002	MW-23-2	NA	NA	**7.0**	UNK U
MW-23 Screen 2	Oct/Nov 2002	MW-23-2	NA	NA	NA	0.010 U
MW-23 Screen 2	Jan/Feb 2003	MW-23-2	NA	NA	**3.8**	0.010 U
MW-23 Screen 2	Apr/May 2003	MW-23-2	5.0 U	1.000 U	**2.9**	0.010 U
MW-23 Screen 2	Jul/Aug 2003	MW-23-2	NA	NA	**3.9 J**	0.010 U
MW-23 Screen 2	Oct/Nov 2003	MW-23-2	NA	NA	**3.5 J**	0.010 U
MW-23 Screen 2	Feb 2004	MW-23-2	NA	NA	**5.9**	0.010 U
MW-23 Screen 2	Apr/May 2004	MW-23-2	2.5 U	**0.004 J**	**9.8**	**0.005 J**
MW-23 Screen 2	Jul/Aug 2004	MW-23-2	NA	NA	**14.1**	0.010 U
MW-23 Screen 2	Oct/Nov 2004	MW-23-2	NA	NA	**14.1 J**	0.010 U
MW-23 Screen 2	Jan/Feb 2005	MW-23-2	NA	NA	**5.0**	0.010 U
MW-23 Screen 2	Apr/May 2005	MW-23-2	5.0 U	**0.024 J**	**6.0**	0.010 U
MW-23 Screen 2	Jul/Sep 2005	MW-23-2	NA	NA	**10.7**	0.010 U
MW-23 Screen 2	Oct/Nov 2005	MW-23-2	NA	NA	**9.3**	0.010 U
MW-23 Screen 2	Mar/Apr 2006	MW-23-2	NA	NA	**1.6**	0.010 U
MW-23 Screen 2	Mar/Apr 2006	DUPE-5-1Q06	NA	NA	**1.7**	0.010 U
MW-23 Screen 2	May/Jun 2006	MW-23-2	1.0 U	1.000 U	**2.2**	0.010 U
MW-23 Screen 2	Aug/Sep 2006	MW-23-2	NA	NA	2.9 U	0.010 U
MW-23 Screen 2	Aug/Sep 2006	DUPE-2-3Q06	NA	NA	3.0 U	0.010 U
MW-23 Screen 2	Oct/Dec 2006	MW-23-2	NA	NA	2.0 U	0.010 U
MW-23 Screen 2	Mar/Apr 2007	MW-23-2	NA	NA	**2.0 J**	0.010 U
MW-23 Screen 2	Jun/Jul 2007	MW-23-2	1.0 U	1.000 U	**8.4 J**	0.010 U
MW-23 Screen 2	Aug/Sep 2007	MW-23-2	NA	NA	**14.6**	0.010 U
MW-23 Screen 2	Aug/Sep 2007	DUPE-2-3Q07	NA	NA	**14.7**	0.010 U
MW-23 Screen 2	Oct/Dec 2007	MW-23-2	NA	NA	**9.3 E**	**0.010**
MW-23 Screen 2	Jan/Feb 2008	MW-23-2	NA	NA	**6.0 E**	0.010 U
MW-23 Screen 2	Apr/May 2008	MW-23-2	**1.0 J**	1.000 U	**6.9**	0.010 U
MW-23 Screen 2	Apr/May 2008	DUPE-3-2Q08	**1.0 J**	1.000 U	**6.6**	0.010 U
MW-23 Screen 2	Jul/Aug 2008	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Oct/Nov 2008	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Jan/Feb 2009	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Apr/May 2009	MW-23-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 2	Jul/Aug 2009	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Nov/Dec 2009	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Feb 2010	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Apr/May 2010	MW-23-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 2	Jul/Aug 2010	MW-23-2	NA	NA	**5.4 J**	0.010 U
MW-23 Screen 2	Oct/Nov 2010	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Feb/Mar 2011	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Apr/May 2011	MW-23-2	2.0 U	5.000 U	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 2	Aug/Sep 2011	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Nov/Dec 2011	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Jan/Feb 2012	MW-23-2	NA	NA	5.0 U	0.010 U
MW-23 Screen 2	Apr/May 2012	MW-23-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 2	Aug/Sep 2012	MW-23-2	NA	NA	3.0 U	0.002 U
MW-23 Screen 2	Aug/Sep 2012	DUPE-4-3Q12	NA	NA	3.0 U	**0.002 J**
MW-23 Screen 2	Nov 2012	MW-23-2	NA	NA	**1.8 J**	**0.002 J**
MW-23 Screen 2	Jan/Feb 2013	MW-23-2	NA	NA	**1.6 J**	0.002 U
MW-23 Screen 2	Apr/May 2013	MW-23-2	**0.8 J**	1.000 U	**1.9 J**	**0.002 J**
MW-23 Screen 2	Jul 2013	MW-23-2	NA	NA	**1.4 J**	**0.001 J**
MW-23 Screen 2	Oct/Nov 2013	MW-23-2	NA	NA	**0.9 J**	**0.001 J**
MW-23 Screen 2	Jan/Feb 2014	MW-23-2	NA	NA	**1.2 J**	0.002 U
MW-23 Screen 2	Apr/May 2014	MW-23-2	2.0 U	1.000 U	0.6 U	0.002 U
MW-23 Screen 2	Jul/Aug 2014	MW-23-2	NA	NA	**1.3 J**	**0.001 J**
MW-23 Screen 2	Oct 2014	MW-23-2	NA	NA	**0.7 J**	**0.001 J**
MW-23 Screen 2	Jan/Feb 2015	MW-23-2	NA	NA	**1.0 J**	**0.002 J**
MW-23 Screen 2	Jan/Feb 2015	DUP-2-1Q15	NA	NA	**0.7 J**	0.002 U
MW-23 Screen 2	April/May 2015	MW-23-2	2.0 U	1.000 U	**1.3 J**	0.002 U
MW-23 Screen 3	Sep/Oct 1997	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Jan/Feb 1998	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Jul/Aug 1998	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Oct/Nov 1998	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Feb/Mar 1999	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	May/Jun 1999	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Aug 1999	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Nov/Dec 1999	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Mar/Apr 2000	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Jul/Aug 2000	MW-23-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 3	Sep/Oct 2000	MW-23-3	NA	NA	10.0 U	0.005 U
MW-23 Screen 3	Jan/Feb 2001	MW-23-3	**3.6 B**	1.000 U	**5.4**	0.010 U
MW-23 Screen 3	Apr 2001	MW-23-3	NA	NA	NA	0.010 U
MW-23 Screen 3	Jul 2001	MW-23-3	NA	NA	**4.6 J**	UNK U
MW-23 Screen 3	Oct 2001	MW-23-3	NA	NA	**5.8**	0.010 U
MW-23 Screen 3	Jan/Feb 2002	MW-23-3	5.0 U	1.000 U	**5.8**	0.010 U
MW-23 Screen 3	Jan/Feb 2002	DUP	5.0 U	1.000 U	**6.2**	0.010 U
MW-23 Screen 3	Apr/May 2002	MW-23-3	NA	NA	**6.0**	0.010 U
MW-23 Screen 3	Jul 2002	MW-23-3	NA	NA	**7.0**	UNK U
MW-23 Screen 3	Oct/Nov 2002	MW-23-3	NA	NA	NA	0.010 U
MW-23 Screen 3	Oct/Nov 2002	DUP	NA	NA	NA	0.010 U
MW-23 Screen 3	Jan/Feb 2003	MW-23-3	NA	NA	**3.9**	0.010 U
MW-23 Screen 3	Apr/May 2003	MW-23-3	5.0 U	1.000 U	**3.7**	0.010 U
MW-23 Screen 3	Jul/Aug 2003	MW-23-3	NA	NA	**3.5 J**	0.010 U
MW-23 Screen 3	Oct/Nov 2003	MW-23-3	NA	NA	**4.2 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 3	Feb 2004	MW-23-3	NA	NA	**5.2**	0.010 U
MW-23 Screen 3	Feb 2004	DUPE-4-1Q04	NA	NA	**5.0**	0.010 U
MW-23 Screen 3	Apr/May 2004	MW-23-3	5.0 U	0.120 U	**8.3**	**0.004 J**
MW-23 Screen 3	Jul/Aug 2004	MW-23-3	NA	NA	**11.2**	0.010 U
MW-23 Screen 3	Oct/Nov 2004	MW-23-3	NA	NA	**11.8 J**	0.010 U
MW-23 Screen 3	Jan/Feb 2005	MW-23-3	NA	NA	**4.8**	0.010 U
MW-23 Screen 3	Apr/May 2005	MW-23-3	5.0 U	**0.036 J**	**3.1**	0.010 U
MW-23 Screen 3	Jul/Sep 2005	MW-23-3	NA	NA	**10.6**	0.010 U
MW-23 Screen 3	Oct/Nov 2005	MW-23-3	NA	NA	**8.3**	0.010 U
MW-23 Screen 3	Mar/Apr 2006	MW-23-3	NA	NA	**2.9**	0.010 U
MW-23 Screen 3	May/Jun 2006	MW-23-3	**1.0**	1.000 U	**3.1**	0.010 U
MW-23 Screen 3	Aug/Sep 2006	MW-23-3	NA	NA	4.9 U	0.010 U
MW-23 Screen 3	Oct/Dec 2006	MW-23-3	NA	NA	**4.1**	0.010 U
MW-23 Screen 3	Mar/Apr 2007	MW-23-3	NA	NA	**3.1 J**	0.010 U
MW-23 Screen 3	Jun/Jul 2007	MW-23-3	**1.4**	1.000 U	**9.0 J**	0.010 U
MW-23 Screen 3	Aug/Sep 2007	MW-23-3	NA	NA	**11.7**	0.010 U
MW-23 Screen 3	Oct/Dec 2007	MW-23-3	NA	NA	**7.9 E**	**0.008 J**
MW-23 Screen 3	Jan/Feb 2008	MW-23-3	NA	NA	**5.9 E**	**0.004 J**
MW-23 Screen 3	Apr/May 2008	MW-23-3	**1.3 J**	1.000 U	**3.3**	0.010 U
MW-23 Screen 3	Jul/Aug 2008	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Oct/Nov 2008	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Jan/Feb 2009	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Apr/May 2009	MW-23-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 3	Jul/Aug 2009	MW-23-3	NA	NA	**5.3**	0.010 U
MW-23 Screen 3	Nov/Dec 2009	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Feb 2010	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Apr/May 2010	MW-23-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 3	Jul/Aug 2010	MW-23-3	NA	NA	**6.0 J**	0.010 U
MW-23 Screen 3	Oct/Nov 2010	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Feb/Mar 2011	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Apr/May 2011	MW-23-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 3	Aug/Sep 2011	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Nov/Dec 2011	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Jan/Feb 2012	MW-23-3	NA	NA	5.0 U	0.010 U
MW-23 Screen 3	Apr/May 2012	MW-23-3	2.0 U	5.000 U	**7.8**	0.010 U
MW-23 Screen 3	Aug/Sep 2012	MW-23-3	NA	NA	**2.5 J**	**0.003 J**
MW-23 Screen 3	Nov 2012	MW-23-3	NA	NA	**2.8 J**	**0.003**
MW-23 Screen 3	Jan/Feb 2013	MW-23-3	NA	NA	**3.2**	**0.002 J**
MW-23 Screen 3	Apr/May 2013	MW-23-3	**1.2 J**	1.000 U	**3.0**	**0.003 J**
MW-23 Screen 3	Jul 2013	MW-23-3	NA	NA	**3.1**	**0.003**
MW-23 Screen 3	Oct/Nov 2013	MW-23-3	NA	NA	**2.7 J**	**0.003**
MW-23 Screen 3	Jan/Feb 2014	MW-23-3	NA	NA	**3.1**	0.003 U
MW-23 Screen 3	Apr/May 2014	MW-23-3	**1.0 J**	1.000 U	3.1 U	0.004 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 3	Jul/Aug 2014	MW-23-3	NA	NA	**3.2**	**0.003**
MW-23 Screen 3	Oct 2014	MW-23-3	NA	NA	**2.9 J**	**0.003**
MW-23 Screen 3	Jan/Feb 2015	MW-23-3	NA	NA	**3.3**	**0.004**
MW-23 Screen 3	April/May 2015	MW-23-3	**0.8 J**	1.000 U	**3.4**	**0.002 J**
MW-23 Screen 4	Sep/Oct 1997	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Jan/Feb 1998	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Jul/Aug 1998	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Oct/Nov 1998	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Feb/Mar 1999	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	May/Jun 1999	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Aug 1999	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Nov/Dec 1999	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Mar/Apr 2000	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Jul/Aug 2000	MW-23-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 4	Sep/Oct 2000	MW-23-4	NA	NA	10.0 U	0.005 U
MW-23 Screen 4	Jan/Feb 2001	MW-23-4	**4.2 B**	**0.780 J**	**2.7 J**	0.010 U
MW-23 Screen 4	Apr 2001	MW-23-4	NA	NA	NA	0.010 U
MW-23 Screen 4	Jul 2001	MW-23-4	NA	NA	**3.8 J**	UNK U
MW-23 Screen 4	Oct 2001	MW-23-4	NA	NA	**5.9**	0.010 U
MW-23 Screen 4	Jan/Feb 2002	MW-23-4	5.0 U	1.000 U	**3.7 J**	0.010 U
MW-23 Screen 4	Apr/May 2002	MW-23-4	NA	NA	**5.0**	0.010 U
MW-23 Screen 4	Jul 2002	MW-23-4	NA	NA	**2.0**	UNK U
MW-23 Screen 4	Oct/Nov 2002	MW-23-4	NA	NA	NA	0.010 U
MW-23 Screen 4	Jan/Feb 2003	MW-23-4	NA	NA	**2.5**	0.010 U
MW-23 Screen 4	Apr/May 2003	MW-23-4	5.0 U	1.000 U	**2.2**	0.010 U
MW-23 Screen 4	Jul/Aug 2003	MW-23-4	NA	NA	**2.6 J**	0.010 U
MW-23 Screen 4	Oct/Nov 2003	MW-23-4	NA	NA	**2.6 J**	0.010 U
MW-23 Screen 4	Feb 2004	MW-23-4	NA	NA	**3.3**	0.010 U
MW-23 Screen 4	Apr/May 2004	MW-23-4	3.3 U	**0.005 J**	**6.7**	**0.004 J**
MW-23 Screen 4	Jul/Aug 2004	MW-23-4	NA	NA	**7.9**	0.010 U
MW-23 Screen 4	Oct/Nov 2004	MW-23-4	NA	NA	**9.9 J**	0.010 U
MW-23 Screen 4	Jan/Feb 2005	MW-23-4	NA	NA	**2.9**	0.010 U
MW-23 Screen 4	Apr/May 2005	MW-23-4	5.0 U	**0.019 J**	**4.2**	0.010 U
MW-23 Screen 4	Jul/Sep 2005	MW-23-4	NA	NA	**8.4**	0.010 U
MW-23 Screen 4	Oct/Nov 2005	MW-23-4	NA	NA	**7.2**	0.010 U
MW-23 Screen 4	Mar/Apr 2006	MW-23-4	NA	NA	**1.9**	0.010 U
MW-23 Screen 4	May/Jun 2006	MW-23-4	**1.7**	1.000 U	**2.3**	0.010 U
MW-23 Screen 4	Aug/Sep 2006	MW-23-4	NA	NA	3.0 U	0.010 U
MW-23 Screen 4	Oct/Dec 2006	MW-23-4	NA	NA	**3.4**	0.010 U
MW-23 Screen 4	Mar/Apr 2007	MW-23-4	NA	NA	**2.5 J**	0.010 U
MW-23 Screen 4	Jun/Jul 2007	MW-23-4	**2.0**	1.000 U	**8.1 J**	0.010 U
MW-23 Screen 4	Aug/Sep 2007	MW-23-4	NA	NA	**10.6**	0.010 U
MW-23 Screen 4	Oct/Dec 2007	MW-23-4	NA	NA	**6.1 E**	**0.009 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 4	Jan/Feb 2008	MW-23-4	NA	NA	**3.2 E**	0.010 U
MW-23 Screen 4	Apr/May 2008	MW-23-4	**1.9 J**	1.000 U	**5.2**	0.010 U
MW-23 Screen 4	Jul/Aug 2008	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Oct/Nov 2008	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Jan/Feb 2009	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Apr/May 2009	MW-23-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 4	Jul/Aug 2009	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Nov/Dec 2009	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Feb 2010	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Apr/May 2010	MW-23-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 4	Jul/Aug 2010	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Oct/Nov 2010	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Feb/Mar 2011	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Feb/Mar 2011	DUPE-05-1Q11	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Apr/May 2011	MW-23-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 4	Aug/Sep 2011	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Nov/Dec 2011	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Jan/Feb 2012	MW-23-4	NA	NA	5.0 U	0.010 U
MW-23 Screen 4	Apr/May 2012	MW-23-4	**3.3**	5.000 U	**7.1**	0.010 U
MW-23 Screen 4	Aug/Sep 2012	MW-23-4	NA	NA	**2.2 J**	**0.003 J**
MW-23 Screen 4	Nov 2012	MW-23-4	NA	NA	**3.0**	**0.003**
MW-23 Screen 4	Jan/Feb 2013	MW-23-4	NA	NA	**3.0**	**0.002 J**
MW-23 Screen 4	Jan/Feb 2013	DUP-3-1Q13	NA	NA	**3.1**	**0.002 J**
MW-23 Screen 4	Apr/May 2013	MW-23-4	**1.7 J**	1.000 U	**2.7 J**	**0.002 J**
MW-23 Screen 4	Jul 2013	MW-23-4	NA	NA	**3.3**	**0.002 J**
MW-23 Screen 4	Oct/Nov 2013	MW-23-4	NA	NA	**2.3 J**	**0.003**
MW-23 Screen 4	Jan/Feb 2014	MW-23-4	NA	NA	**2.6 J**	**0.003**
MW-23 Screen 4	Apr/May 2014	MW-23-4	**1.3 J**	1.000 U	3.1 U	0.004 U
MW-23 Screen 4	Jul/Aug 2014	MW-23-4	NA	NA	**2.8 J**	**0.003**
MW-23 Screen 4	Oct 2014	MW-23-4	NA	NA	**2.0 J**	**0.002**
MW-23 Screen 4	Jan/Feb 2015	MW-23-4	NA	NA	**2.3 J**	**0.003**
MW-23 Screen 4	April/May 2015	MW-23-4	**1.6 J**	**0.140 J**	2.0 UJ	**0.002 J**
MW-23 Screen 5	Sep/Oct 1997	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Jan/Feb 1998	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Jul/Aug 1998	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Oct/Nov 1998	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Feb/Mar 1999	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	May/Jun 1999	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Nov/Dec 1999	MW-23-5	NA	NA	10.0 U	0.005 U
MW-23 Screen 5	Jul/Aug 2000	MW-23-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-23 Screen 5	Jan/Feb 2001	MW-23-5	**6.2**	1.000 U	**2.9 J**	0.010 U
MW-23 Screen 5	Jan/Feb 2002	MW-23-5	**3.4 B**	**0.750 J**	**2.5 J**	0.010 U
MW-23 Screen 5	Apr/May 2003	MW-23-5	**3.2 J**	**0.570 J**	**1.6**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-23 Screen 5	Oct/Nov 2003	MW-23-5	NA	NA	1.8 UJ	0.010 U
MW-23 Screen 5	Apr/May 2004	MW-23-5	4.0 U	**1.200**	**7.1**	**0.004 J**
MW-23 Screen 5	Oct/Nov 2004	MW-23-5	NA	NA	**9.2 J**	0.010 U
MW-23 Screen 5	Apr/May 2005	MW-23-5	5.0 U	**0.810 J**	**3.3**	0.010 U
MW-23 Screen 5	Oct/Nov 2005	MW-23-5	NA	NA	**5.7**	0.010 U
MW-23 Screen 5	May/Jun 2006	MW-23-5	**3.0**	**1.230**	1.0 U	0.010 U
MW-23 Screen 5	Oct/Dec 2006	MW-23-5	NA	NA	**1.8**	0.010 U
MW-23 Screen 5	Jun/Jul 2007	MW-23-5	**5.3**	**1.290**	**8.1 J**	0.010 U
MW-23 Screen 5	Oct/Dec 2007	MW-23-5	NA	NA	1.0 U	0.010 U
MW-23 Screen 5	Apr/May 2008	MW-23-5	**3.9 J**	1.000 U	**3.7**	0.010 U
MW-23 Screen 5	Oct/Nov 2008	MW-23-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Apr/May 2009	MW-23-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-23 Screen 5	Nov/Dec 2009	MW-23-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Apr/May 2010	MW-23-5	**4.4**	5.000 U	5.0 U	0.010 U
MW-23 Screen 5	Oct/Nov 2010	MW-23-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Apr/May 2011	MW-23-5	**4.7**	5.000 U	5.0 U	0.010 U
MW-23 Screen 5	Nov/Dec 2011	MW-23-5	NA	NA	5.0 U	0.010 U
MW-23 Screen 5	Apr/May 2012	MW-23-5	2.0 U	5.000 U	**5.4**	0.010 U
MW-23 Screen 5	Nov 2012	MW-23-5	NA	NA	3.0 U	0.002 U
MW-23 Screen 5	Apr/May 2013	MW-23-5	**3.7**	**0.150 J**	3.0 U	0.002 U
MW-23 Screen 5	Oct/Nov 2013	MW-23-5	NA	NA	3.0 U	0.002 U
MW-23 Screen 5	Apr/May 2014	MW-23-5	2.0 U	1.000 U	0.6 U	0.001 U
MW-23 Screen 5	Oct 2014	MW-23-5	NA	NA	3.0 U	0.002 U
MW-23 Screen 5	April/May 2015	MW-23-5	**3.4**	**0.300 J**	3.0 U	0.002 U
MW-24 Screen 1	Sep/Oct 1997	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Jan/Feb 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Apr/May 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Jul/Aug 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Oct/Nov 1998	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Feb/Mar 1999	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	May/Jun 1999	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Aug 1999	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Nov/Dec 1999	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Mar/Apr 2000	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Jul/Aug 2000	MW-24-1	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 1	Sep/Oct 2000	MW-24-1	NA	NA	10.0 U	0.005 U
MW-24 Screen 1	Jan/Feb 2001	MW-24-1	5.0 U	1.000 U	**6.1**	0.010 U
MW-24 Screen 1	Apr 2001	MW-24-1	NA	NA	NA	0.010 U
MW-24 Screen 1	Jul 2001	MW-24-1	NA	NA	**3.1 J**	UNK U
MW-24 Screen 1	Oct 2001	MW-24-1	NA	NA	**5.7**	0.010 U
MW-24 Screen 1	Jan/Feb 2002	MW-24-1	**1.7 B**	**0.390 J**	**5.2**	0.010 U
MW-24 Screen 1	Apr/May 2002	MW-24-1	NA	NA	**5.0**	0.010 U
MW-24 Screen 1	Jul 2002	MW-24-1	NA	NA	**7.0**	UNK U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 1	Oct/Nov 2002	MW-24-1	NA	NA	NA	0.010 U
MW-24 Screen 1	Jan/Feb 2003	MW-24-1	NA	NA	**4.9**	0.010 U
MW-24 Screen 1	Apr/May 2003	MW-24-1	5.0 U	1.000 U	**5.7**	0.010 U
MW-24 Screen 1	Jul/Aug 2003	MW-24-1	NA	NA	**3.0**	0.010 U
MW-24 Screen 1	Oct/Nov 2003	MW-24-1	NA	NA	**4.0**	0.010 U
MW-24 Screen 1	Feb 2004	MW-24-1	NA	NA	**5.8**	0.010 U
MW-24 Screen 1	Apr/May 2004	MW-24-1	2.0 U	**0.024 J**	**7.9**	0.010 U
MW-24 Screen 1	Jul/Aug 2004	MW-24-1	NA	NA	**11.2**	0.010 U
MW-24 Screen 1	Oct/Nov 2004	MW-24-1	NA	NA	**4.3 J**	0.010 U
MW-24 Screen 1	Jan/Feb 2005	MW-24-1	NA	NA	**12.0**	0.010 U
MW-24 Screen 1	Apr/May 2005	MW-24-1	5.0 U	**0.130 J**	**6.1**	0.010 U
MW-24 Screen 1	Jul/Sep 2005	MW-24-1	NA	NA	**9.8**	0.010 U
MW-24 Screen 1	Oct/Nov 2005	MW-24-1	NA	NA	**9.3 J**	0.010 U
MW-24 Screen 1	Mar/Apr 2006	MW-24-1	NA	NA	**1.5**	0.010 U
MW-24 Screen 1	May/Jun 2006	MW-24-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-24 Screen 1	May/Jun 2006	DUPE-8-2Q06	1.0 U	1.000 U	1.0 U	0.010 U
MW-24 Screen 1	Aug/Sep 2006	MW-24-1	NA	NA	2.0 U	0.010 U
MW-24 Screen 1	Oct/Dec 2006	MW-24-1	NA	NA	2.0 U	0.010 U
MW-24 Screen 1	Mar/Apr 2007	MW-24-1	NA	NA	**8.5 J**	**0.015 J**
MW-24 Screen 1	Mar/Apr 2007	DUPE-5-1Q07	NA	NA	**7.8 J**	0.010 U
MW-24 Screen 1	Jun/Jul 2007	MW-24-1	1.0 U	1.000 U	**3.3 J**	0.010 U
MW-24 Screen 1	Aug/Sep 2007	MW-24-1	NA	NA	**5.1**	0.010 U
MW-24 Screen 1	Oct/Dec 2007	MW-24-1	NA	NA	**9.1**	0.010 U
MW-24 Screen 1	Oct/Dec 2007	DUPE-3-4Q07	NA	NA	**9.3**	0.010 U
MW-24 Screen 1	Jan/Feb 2008	MW-24-1	NA	NA	**6.7**	0.010 U
MW-24 Screen 1	Jan/Feb 2008	DUPE-5-1Q08	NA	NA	**7.4**	0.010 U
MW-24 Screen 1	Apr/May 2008	MW-24-1	1.0 U	1.000 U	**3.8 J**	0.010 U
MW-24 Screen 1	Apr/May 2008	DUPE-4-2Q08	1.0 U	1.000 U	**4.7 J**	0.010 U
MW-24 Screen 1	Jul/Aug 2008	MW-24-1	NA	NA	**11.0**	0.010 U
MW-24 Screen 1	Oct/Nov 2008	MW-24-1	NA	NA	**8.6**	0.010 U
MW-24 Screen 1	Jan/Feb 2009	MW-24-1	NA	NA	**8.6**	0.010 U
MW-24 Screen 1	Apr/May 2009	MW-24-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Apr/May 2009	DUPE-02-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Jul/Aug 2009	MW-24-1	NA	NA	**8.6**	0.010 U
MW-24 Screen 1	Nov/Dec 2009	MW-24-1	NA	NA	**13.0**	0.010 U
MW-24 Screen 1	Feb 2010	MW-24-1	NA	NA	**25.0**	NA
MW-24 Screen 1	Feb 2010	DUPE-5-1Q10	NA	NA	**13.0**	NA
MW-24 Screen 1	Apr/May 2010	MW-24-1	2.0 U	5.000 U	**12.0**	0.010 U
MW-24 Screen 1	Jul/Aug 2010	MW-24-1	NA	NA	**6.4 J**	0.010 U
MW-24 Screen 1	Oct/Nov 2010	MW-24-1	NA	NA	**6.0**	0.010 U
MW-24 Screen 1	Feb/Mar 2011	MW-24-1	NA	NA	5.0 U	0.010 U
MW-24 Screen 1	Apr/May 2011	MW-24-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Aug/Sep 2011	MW-24-1	NA	NA	**7.9**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 1	Nov/Dec 2011	MW-24-1	NA	NA	**5.8**	0.010 U
MW-24 Screen 1	Jan/Feb 2012	MW-24-1	NA	NA	5.0 U	0.010 U
MW-24 Screen 1	Apr/May 2012	MW-24-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 1	Aug/Sep 2012	MW-24-1	NA	NA	**2.7 J**	0.002 U
MW-24 Screen 1	Nov 2012	MW-24-1	NA	NA	**4.2**	**0.001 J**
MW-24 Screen 1	Jan/Feb 2013	MW-24-1	NA	NA	**19.0**	0.002 U
MW-24 Screen 1	Apr/May 2013	MW-24-1	2.0 U	1.000 U	**20.0**	**0.002**
MW-24 Screen 1	Jul 2013	MW-24-1	NA	NA	**13.0**	**0.007**
MW-24 Screen 1	Oct/Nov 2013	MW-24-1	NA	NA	**9.9**	**0.006**
MW-24 Screen 1	Jan/Feb 2014	MW-24-1	NA	NA	**16.0**	0.002 U
MW-24 Screen 1	Apr/May 2014	MW-24-1	2.0 U	1.000 U	**16.0**	**0.006**
MW-24 Screen 1	Jul/Aug 2014	MW-24-1	NA	NA	**6.1**	0.002 U
MW-24 Screen 1	Oct 2014	MW-24-1	NA	NA	**4.7**	0.002 U
MW-24 Screen 1	Jan/Feb 2015	MW-24-1	NA	NA	**8.5**	0.002 U
MW-24 Screen 1	April/May 2015	MW-24-1	2.0 U	1.000 U	**10.0**	0.002 U
MW-24 Screen 2	Sep/Oct 1997	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Jan/Feb 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Apr/May 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Jul/Aug 1998	MW-24-2	NA	2.000 U	NA	NA
MW-24 Screen 2	Jul/Aug 1998	MW-24-2	5.0 U	NA	10.0 U	0.005 U
MW-24 Screen 2	Oct/Nov 1998	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Feb/Mar 1999	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	May/Jun 1999	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Aug 1999	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Nov/Dec 1999	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Mar/Apr 2000	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Jul/Aug 2000	MW-24-2	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 2	Sep/Oct 2000	MW-24-2	NA	NA	10.0 U	0.005 U
MW-24 Screen 2	Jan/Feb 2001	MW-24-2	5.0 U	1.000 U	**3.3 J**	0.010 U
MW-24 Screen 2	Apr 2001	MW-24-2	NA	NA	NA	0.010 U
MW-24 Screen 2	Jul 2001	MW-24-2	NA	NA	**4.0 J**	UNK U
MW-24 Screen 2	Oct 2001	MW-24-2	NA	NA	**4.7**	0.010 U
MW-24 Screen 2	Jan/Feb 2002	MW-24-2	**2.2 B**	1.000 U	**3.7 J**	0.010 U
MW-24 Screen 2	Apr/May 2002	MW-24-2	NA	NA	**2.0**	0.010 U
MW-24 Screen 2	Jul 2002	MW-24-2	NA	NA	**6.0**	UNK U
MW-24 Screen 2	Oct/Nov 2002	MW-24-2	NA	NA	NA	0.010 U
MW-24 Screen 2	Jan/Feb 2003	MW-24-2	**2.0**	**0.048 J**	**2.8**	0.000 U
MW-24 Screen 2	Apr/May 2003	MW-24-2	5.0 U	1.000 U	**2.2**	0.010 U
MW-24 Screen 2	Apr/May 2003	DUPE-4-2Q03	5.0 U	1.000 U	**2.0**	0.010 U
MW-24 Screen 2	Jul/Aug 2003	MW-24-2	NA	NA	**2.0**	0.010 U
MW-24 Screen 2	Oct/Nov 2003	MW-24-2	NA	NA	2.7 U	0.010 U
MW-24 Screen 2	Feb 2004	MW-24-2	NA	NA	**2.3**	0.010 U
MW-24 Screen 2	Apr/May 2004	MW-24-2	3.5 U	0.120 U	**6.2**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 2	Jul/Aug 2004	MW-24-2	NA	NA	**9.2**	0.010 U
MW-24 Screen 2	Oct/Nov 2004	MW-24-2	NA	NA	**7.9 J**	0.010 U
MW-24 Screen 2	Jan/Feb 2005	MW-24-2	NA	NA	**8.8**	0.010 U
MW-24 Screen 2	Apr/May 2005	MW-24-2	5.0 U	**0.028 J**	**4.7**	0.010 U
MW-24 Screen 2	Jul/Sep 2005	MW-24-2	NA	NA	**7.9**	0.010 U
MW-24 Screen 2	Oct/Nov 2005	MW-24-2	NA	NA	**9.2 J**	0.010 U
MW-24 Screen 2	Mar/Apr 2006	MW-24-2	NA	NA	**2.9**	0.010 U
MW-24 Screen 2	Mar/Apr 2006	DUPE-2-1Q06	NA	NA	**3.0**	0.010 U
MW-24 Screen 2	May/Jun 2006	MW-24-2	**2.3**	1.000 U	**1.8 J**	0.010 U
MW-24 Screen 2	Aug/Sep 2006	MW-24-2	NA	NA	4.1 U	0.010 U
MW-24 Screen 2	Oct/Dec 2006	MW-24-2	NA	NA	**2.6**	0.010 U
MW-24 Screen 2	Mar/Apr 2007	MW-24-2	NA	NA	**8.0 J**	0.010 U
MW-24 Screen 2	Jun/Jul 2007	MW-24-2	**2.3**	1.000 U	**3.4 J**	0.010 U
MW-24 Screen 2	Aug/Sep 2007	MW-24-2	NA	NA	**13.1**	0.010 U
MW-24 Screen 2	Oct/Dec 2007	MW-24-2	NA	NA	**7.8**	0.010 U
MW-24 Screen 2	Jan/Feb 2008	MW-24-2	NA	NA	**5.9**	0.010 U
MW-24 Screen 2	Jan/Feb 2008	DUPE-4-1Q08	NA	NA	**5.6**	0.010 U
MW-24 Screen 2	Apr/May 2008	MW-24-2	**2.1**	1.000 U	**2.3 J**	0.010 U
MW-24 Screen 2	Jul/Aug 2008	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Oct/Nov 2008	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Jan/Feb 2009	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Apr/May 2009	MW-24-2	**2.4**	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Jul/Aug 2009	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Nov/Dec 2009	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Feb 2010	MW-24-2	NA	NA	5.0 U	NA
MW-24 Screen 2	Apr/May 2010	MW-24-2	**2.3**	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Jul/Aug 2010	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Jul/Aug 2010	DUPE-7-3Q10	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Oct/Nov 2010	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Feb/Mar 2011	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Apr/May 2011	MW-24-2	**2.1**	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Apr/May 2011	DUPE-1-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Aug/Sep 2011	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Nov/Dec 2011	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Jan/Feb 2012	MW-24-2	NA	NA	5.0 U	0.010 U
MW-24 Screen 2	Apr/May 2012	MW-24-2	**3.0**	5.000 U	5.0 U	0.010 U
MW-24 Screen 2	Aug/Sep 2012	MW-24-2	NA	NA	**1.7 J**	**0.002 J**
MW-24 Screen 2	Nov 2012	MW-24-2	NA	NA	**3.1**	**0.002**
MW-24 Screen 2	Nov 2012	DUPE-3-4Q12	NA	NA	**2.7 J**	**0.002**
MW-24 Screen 2	Jan/Feb 2013	MW-24-2	NA	NA	**2.9 J**	**0.001 J**
MW-24 Screen 2	Apr/May 2013	MW-24-2	**2.4**	1.000 U	**1.8 J**	**0.002**
MW-24 Screen 2	Jul 2013	MW-24-2	NA	NA	**2.4 J**	**0.001 J**
MW-24 Screen 2	Oct/Nov 2013	MW-24-2	NA	NA	2.3 U	**0.002 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 2	Jan/Feb 2014	MW-24-2	NA	NA	**2.6 J**	**0.002**
MW-24 Screen 2	Apr/May 2014	MW-24-2	**2.2**	1.000 U	**2.0 J**	**0.003**
MW-24 Screen 2	Apr/May 2014	DUP-2-2Q14	**2.5**	1.000 U	**2.4 J**	**0.003**
MW-24 Screen 2	Jul/Aug 2014	MW-24-2	NA	NA	**1.7 J**	**0.002**
MW-24 Screen 2	Oct 2014	MW-24-2	NA	NA	**2.6 J**	**0.002 J**
MW-24 Screen 2	Jan/Feb 2015	MW-24-2	NA	NA	**2.2 J**	**0.001 J**
MW-24 Screen 2	April/May 2015	MW-24-2	**1.7 J**	1.000 U	2.1 U	**0.001 J**
MW-24 Screen 3	Sep/Oct 1997	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Jan/Feb 1998	MW-24-3	**6.0**	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Apr/May 1998	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Jul/Aug 1998	MW-24-3	NA	2.000 U	NA	NA
MW-24 Screen 3	Jul/Aug 1998	MW-24-3	5.0 U	NA	10.0 U	0.005 U
MW-24 Screen 3	Oct/Nov 1998	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Feb/Mar 1999	MW-24-3	**6.0**	2.000 U	**13.0**	0.005 U
MW-24 Screen 3	May/Jun 1999	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Aug 1999	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Nov/Dec 1999	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Mar/Apr 2000	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Jul/Aug 2000	MW-24-3	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 3	Sep/Oct 2000	MW-24-3	NA	NA	10.0 U	0.005 U
MW-24 Screen 3	Jan/Feb 2001	MW-24-3	5.0 U	1.000 U	**3.9 J**	0.010 U
MW-24 Screen 3	Apr 2001	MW-24-3	NA	NA	NA	0.010 U
MW-24 Screen 3	Jul 2001	MW-24-3	NA	NA	**5.2**	UNK U
MW-24 Screen 3	Jul 2001	DUP	NA	NA	**4.5 J**	UNK U
MW-24 Screen 3	Oct 2001	MW-24-3	NA	NA	**6.9**	0.010 U
MW-24 Screen 3	Jan/Feb 2002	MW-24-3	**4.3 B**	**0.130 J**	**5.9**	0.010 U
MW-24 Screen 3	Apr/May 2002	MW-24-3	NA	NA	**5.0**	0.010 U
MW-24 Screen 3	Jul 2002	MW-24-3	NA	NA	**5.0**	UNK U
MW-24 Screen 3	Oct/Nov 2002	MW-24-3	NA	NA	NA	0.010 U
MW-24 Screen 3	Jan/Feb 2003	MW-24-3	NA	NA	**2.5**	0.010 U
MW-24 Screen 3	Apr/May 2003	MW-24-3	**4.4 J**	1.000 U	**2.2**	0.010 U
MW-24 Screen 3	Jul/Aug 2003	MW-24-3	NA	NA	1.3 U	0.010 U
MW-24 Screen 3	Oct/Nov 2003	MW-24-3	NA	NA	1.7 U	0.010 U
MW-24 Screen 3	Feb 2004	MW-24-3	NA	NA	**3.6**	0.010 U
MW-24 Screen 3	Apr/May 2004	MW-24-3	4.3 U	**0.012 J**	**5.1**	0.010 U
MW-24 Screen 3	Jul/Aug 2004	MW-24-3	NA	NA	**7.3**	0.010 U
MW-24 Screen 3	Oct/Nov 2004	MW-24-3	NA	NA	**7.2 J**	0.010 U
MW-24 Screen 3	Jan/Feb 2005	MW-24-3	NA	NA	**8.2**	0.010 U
MW-24 Screen 3	Apr/May 2005	MW-24-3	5.0 U	**0.046 J**	**3.6**	0.010 U
MW-24 Screen 3	Jul/Sep 2005	MW-24-3	NA	NA	**6.4**	0.010 U
MW-24 Screen 3	Oct/Nov 2005	MW-24-3	NA	NA	**7.7 J**	0.010 U
MW-24 Screen 3	Mar/Apr 2006	MW-24-3	NA	NA	**1.0**	0.010 U
MW-24 Screen 3	May/Jun 2006	MW-24-3	**2.6**	1.000 U	**1.2 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 3	Aug/Sep 2006	MW-24-3	NA	NA	4.3 U	0.010 U
MW-24 Screen 3	Oct/Dec 2006	MW-24-3	NA	NA	2.0 U	0.010 U
MW-24 Screen 3	Mar/Apr 2007	MW-24-3	NA	NA	**6.9 J**	0.010 U
MW-24 Screen 3	Jun/Jul 2007	MW-24-3	**2.8**	1.000 U	**5.9 J**	0.010 U
MW-24 Screen 3	Aug/Sep 2007	MW-24-3	NA	NA	**11.0**	0.010 U
MW-24 Screen 3	Oct/Dec 2007	MW-24-3	NA	NA	**6.1**	0.010 U
MW-24 Screen 3	Jan/Feb 2008	MW-24-3	NA	NA	**4.5**	0.010 U
MW-24 Screen 3	Apr/May 2008	MW-24-3	**2.8**	**3.620 J**	**14.5**	0.010 U
MW-24 Screen 3	Jul/Aug 2008	MW-24-3	NA	NA	**5.9**	0.010 U
MW-24 Screen 3	Oct/Nov 2008	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Oct/Nov 2008	DUPE-08-4Q08	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Jan/Feb 2009	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2009	MW-24-3	**3.0**	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2009	DUPE-01-2Q09	**3.5**	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Jul/Aug 2009	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Nov/Dec 2009	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Feb 2010	MW-24-3	NA	NA	5.0 U	NA
MW-24 Screen 3	Apr/May 2010	MW-24-3	**2.5**	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Jul/Aug 2010	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Oct/Nov 2010	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Feb/Mar 2011	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2011	MW-24-3	**3.0**	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Aug/Sep 2011	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Nov/Dec 2011	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Nov/Dec 2011	DUPE-7-4Q11	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Jan/Feb 2012	MW-24-3	NA	NA	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2012	MW-24-3	**5.2**	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Apr/May 2012	DUPE-2-2Q12	**4.9**	5.000 U	5.0 U	0.010 U
MW-24 Screen 3	Aug/Sep 2012	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Aug/Sep 2012	DUPE-6-3Q12	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Nov 2012	MW-24-3	NA	NA	**0.5 J**	0.002 U
MW-24 Screen 3	Jan/Feb 2013	MW-24-3	NA	NA	**0.7 J**	0.002 U
MW-24 Screen 3	Apr/May 2013	MW-24-3	**2.3**	1.000 U	3.0 U	0.004 U
MW-24 Screen 3	Jul 2013	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Oct/Nov 2013	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Jan/Feb 2014	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Apr/May 2014	MW-24-3	2.2 U	1.000 U	3.0 U	0.001 U
MW-24 Screen 3	Jul/Aug 2014	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Oct 2014	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	Jan/Feb 2015	MW-24-3	NA	NA	3.0 U	0.002 U
MW-24 Screen 3	April/May 2015	MW-24-3	**1.6 J**	1.000 U	1.1 U	0.010 UJ
MW-24 Screen 4	Sep/Oct 1997	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Jan/Feb 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 4	Apr/May 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Jul/Aug 1998	MW-24-4	NA	2.000 U	NA	NA
MW-24 Screen 4	Jul/Aug 1998	MW-24-4	5.0 U	NA	10.0 U	0.005 U
MW-24 Screen 4	Oct/Nov 1998	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Feb/Mar 1999	MW-24-4	5.0 U	**3.100**	10.0 U	0.005 U
MW-24 Screen 4	May/Jun 1999	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Aug 1999	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Nov/Dec 1999	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Mar/Apr 2000	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Jul/Aug 2000	MW-24-4	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 4	Sep/Oct 2000	MW-24-4	NA	NA	10.0 U	0.005 U
MW-24 Screen 4	Jan/Feb 2001	MW-24-4	5.0 U	1.000 U	**2.4 J**	0.010 U
MW-24 Screen 4	Apr 2001	MW-24-4	NA	NA	NA	0.010 U
MW-24 Screen 4	Jul 2001	MW-24-4	NA	NA	**4.0 J**	UNK U
MW-24 Screen 4	Oct 2001	MW-24-4	NA	NA	**5.2**	0.010 U
MW-24 Screen 4	Jan/Feb 2002	MW-24-4	**1.9 B**	1.000 U	**2.4 J**	0.010 U
MW-24 Screen 4	Jan/Feb 2002	DUP	NA	1.000 U	**2.0 J**	NA
MW-24 Screen 4	Apr/May 2002	MW-24-4	NA	NA	1.0 U	0.010 U
MW-24 Screen 4	Jul 2002	MW-24-4	NA	NA	**3.0**	UNK U
MW-24 Screen 4	Oct/Nov 2002	MW-24-4	NA	NA	NA	0.010 U
MW-24 Screen 4	Jan/Feb 2003	MW-24-4	NA	NA	**1.5**	0.010 U
MW-24 Screen 4	Apr/May 2003	MW-24-4	5.0 U	1.000 U	**0.3 J**	0.010 U
MW-24 Screen 4	Jul/Aug 2003	MW-24-4	NA	NA	0.7 UJ	0.010 U
MW-24 Screen 4	Oct/Nov 2003	MW-24-4	NA	NA	1.2 U	0.010 U
MW-24 Screen 4	Oct/Nov 2003	DUPE-1-4Q03	NA	NA	1.1 U	0.010 U
MW-24 Screen 4	Feb 2004	MW-24-4	NA	NA	**1.5**	0.010 U
MW-24 Screen 4	Apr/May 2004	MW-24-4	2.2 U	0.120 U	**4.3**	0.010 U
MW-24 Screen 4	Jul/Aug 2004	MW-24-4	NA	NA	**6.2**	0.010 U
MW-24 Screen 4	Oct/Nov 2004	MW-24-4	NA	NA	**4.9 J**	0.010 U
MW-24 Screen 4	Jan/Feb 2005	MW-24-4	NA	NA	**7.3**	0.010 U
MW-24 Screen 4	Apr/May 2005	MW-24-4	5.0 U	**0.077 J**	**2.6**	0.010 U
MW-24 Screen 4	Jul/Sep 2005	MW-24-4	NA	NA	**5.0**	0.010 U
MW-24 Screen 4	Oct/Nov 2005	MW-24-4	NA	NA	**5.3 J**	0.010 U
MW-24 Screen 4	Mar/Apr 2006	MW-24-4	NA	NA	1.0 U	0.010 U
MW-24 Screen 4	May/Jun 2006	MW-24-4	**2.3**	1.000 U	1.0 U	0.010 U
MW-24 Screen 4	Aug/Sep 2006	MW-24-4	NA	NA	3.3 U	0.010 U
MW-24 Screen 4	Oct/Dec 2006	MW-24-4	NA	NA	2.6 U	0.010 U
MW-24 Screen 4	Mar/Apr 2007	MW-24-4	NA	NA	**4.9 J**	**0.006 J**
MW-24 Screen 4	Jun/Jul 2007	MW-24-4	**1.5**	1.000 U	**1.3 J**	0.010 U
MW-24 Screen 4	Aug/Sep 2007	MW-24-4	NA	NA	**8.7**	0.010 U
MW-24 Screen 4	Oct/Dec 2007	MW-24-4	NA	NA	**4.1**	0.010 U
MW-24 Screen 4	Jan/Feb 2008	MW-24-4	NA	NA	**3.2**	0.010 U
MW-24 Screen 4	Apr/May 2008	MW-24-4	**1.4**	1.000 U	**1.6 J**	**0.007 J**

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 4	Jul/Aug 2008	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Oct/Nov 2008	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Jan/Feb 2009	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Apr/May 2009	MW-24-4	**3.3**	5.000 U	5.0 U	0.010 U
MW-24 Screen 4	Jul/Aug 2009	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Nov/Dec 2009	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Feb 2010	MW-24-4	NA	NA	5.0 U	NA
MW-24 Screen 4	Apr/May 2010	MW-24-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 4	Jul/Aug 2010	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Oct/Nov 2010	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Oct/Nov 2010	DUPE-06-4Q10	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Feb/Mar 2011	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Apr/May 2011	MW-24-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 4	Aug/Sep 2011	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Nov/Dec 2011	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Jan/Feb 2012	MW-24-4	NA	NA	5.0 U	0.010 U
MW-24 Screen 4	Apr/May 2012	MW-24-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 4	Aug/Sep 2012	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Nov 2012	MW-24-4	NA	NA	**0.6 J**	0.002 U
MW-24 Screen 4	Jan/Feb 2013	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Apr/May 2013	MW-24-4	**1.1 J**	1.000 U	3.0 U	0.002 U
MW-24 Screen 4	Jul 2013	MW-24-4	NA	NA	**0.6 J**	0.002 U
MW-24 Screen 4	Oct/Nov 2013	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Jan/Feb 2014	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Apr/May 2014	MW-24-4	1.3 U	1.000 U	0.6 U	0.002 U
MW-24 Screen 4	Jul/Aug 2014	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Oct 2014	MW-24-4	NA	NA	3.0 U	0.002 U
MW-24 Screen 4	Oct 2014	DUP-8-4Q14	NA	NA	**0.7 J**	0.002 U
MW-24 Screen 4	Jan/Feb 2015	MW-24-4	NA	NA	**1.4 J**	0.002 U
MW-24 Screen 4	April/May 2015	MW-24-4	**1.0 J**	1.000 U	1.0 U	0.002 U
MW-24 Screen 5	Sep/Oct 1997	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Jan/Feb 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Apr/May 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Jul/Aug 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Oct/Nov 1998	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Feb/Mar 1999	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	May/Jun 1999	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Nov/Dec 1999	MW-24-5	NA	NA	10.0 U	0.005 U
MW-24 Screen 5	Jul/Aug 2000	MW-24-5	5.0 U	2.000 U	10.0 U	0.005 U
MW-24 Screen 5	Jan/Feb 2001	MW-24-5	5.0 U	1.000 U	**5.2**	0.010 U
MW-24 Screen 5	Jan/Feb 2002	MW-24-5	**3.2 B**	1.000 U	**5.0**	0.010 U
MW-24 Screen 5	Jan/Feb 2002	DUP	**3.9 B**	1.000 U	**4.7 J**	0.010 U
MW-24 Screen 5	Apr/May 2003	MW-24-5	**2.7 J**	1.000 U	**4.1**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-24 Screen 5	Oct/Nov 2003	MW-24-5	NA	NA	**3.7**	0.010 U
MW-24 Screen 5	Apr/May 2004	MW-24-5	3.8 U	0.120 U	**7.6**	0.010 U
MW-24 Screen 5	Oct/Nov 2004	MW-24-5	NA	NA	**9.7 J**	0.010 U
MW-24 Screen 5	Apr/May 2005	MW-24-5	5.0 U	**0.077 J**	**5.6**	0.010 U
MW-24 Screen 5	Oct/Nov 2005	MW-24-5	NA	NA	**9.8 J**	0.010 U
MW-24 Screen 5	May/Jun 2006	MW-24-5	**2.5**	1.000 U	**2.7 J**	0.010 U
MW-24 Screen 5	Oct/Dec 2006	MW-24-5	NA	NA	**3.3**	0.010 U
MW-24 Screen 5	Jun/Jul 2007	MW-24-5	**2.4**	1.000 U	**3.9 J**	0.010 U
MW-24 Screen 5	Oct/Dec 2007	MW-24-5	NA	NA	**8.6**	0.010 U
MW-24 Screen 5	Apr/May 2008	MW-24-5	**2.4**	1.000 U	**3.4 J**	0.010 U
MW-24 Screen 5	Oct/Nov 2008	MW-24-5	NA	NA	5.0 U	0.010 U
MW-24 Screen 5	Apr/May 2009	MW-24-5	**3.2**	5.000 U	5.0 U	0.010 U
MW-24 Screen 5	Nov/Dec 2009	MW-24-5	NA	NA	5.0 U	0.010 U
MW-24 Screen 5	Apr/May 2010	MW-24-5	**3.0**	5.000 U	5.0 U	0.010 U
MW-24 Screen 5	Oct/Nov 2010	MW-24-5	NA	NA	5.0 U	0.010 U
MW-24 Screen 5	Apr/May 2011	MW-24-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-24 Screen 5	Nov/Dec 2011	MW-24-5	NA	NA	5.0 U	0.010 U
MW-24 Screen 5	Apr/May 2012	MW-24-5	**2.8**	5.000 U	5.0 U	0.010 U
MW-24 Screen 5	Nov 2012	MW-24-5	NA	NA	**2.9 J**	**0.002**
MW-24 Screen 5	Apr/May 2013	MW-24-5	**2.4**	0.140 U	**2.3 J**	**0.003**
MW-24 Screen 5	Oct/Nov 2013	MW-24-5	NA	NA	3.1 U	**0.001 J**
MW-24 Screen 5	Apr/May 2014	MW-24-5	2.4 U	1.000 U	2.5 U	0.003 U
MW-24 Screen 5	Oct 2014	MW-24-5	NA	NA	**1.1 J**	**0.002**
MW-24 Screen 5	April/May 2015	MW-24-5	**2.4**	1.000 U	3.0 U	0.010 UJ
MW-25 Screen 1	Jan/Feb 2005	MW-25-1	5.0 U	**0.045 J**	**4.4**	0.010 U
MW-25 Screen 1	Apr/May 2005	MW-25-1	5.0 U	**0.097 J**	**4.2**	0.010 U
MW-25 Screen 1	Jul/Sep 2005	MW-25-1	NA	NA	**6.9**	0.010 U
MW-25 Screen 1	Oct/Nov 2005	MW-25-1	NA	NA	**9.7**	0.010 U
MW-25 Screen 1	Mar/Apr 2006	MW-25-1	NA	NA	**2.3 J**	0.010 U
MW-25 Screen 1	May/Jun 2006	MW-25-1	1.0 U	1.000 U	**1.4 J**	0.010 U
MW-25 Screen 1	Aug/Sep 2006	MW-25-1	NA	NA	2.7 U	0.010 U
MW-25 Screen 1	Oct/Dec 2006	MW-25-1	NA	NA	2.4 U	0.010 U
MW-25 Screen 1	Oct/Dec 2006	DUPE-6-4Q06	NA	NA	2.9 U	0.010 U
MW-25 Screen 1	Mar/Apr 2007	MW-25-1	NA	NA	**1.8**	0.010 U
MW-25 Screen 1	Jun/Jul 2007	MW-25-1	1.0 U	1.000 U	**1.7**	0.010 U
MW-25 Screen 1	Jun/Jul 2007	DUPE-6-2Q07	1.0 U	1.000 U	**1.7**	0.010 U
MW-25 Screen 1	Aug/Sep 2007	MW-25-1	NA	NA	2.0 U	0.010 U
MW-25 Screen 1	Oct/Dec 2007	MW-25-1	NA	NA	**7.6 E**	0.010 U
MW-25 Screen 1	Jan/Feb 2008	MW-25-1	NA	NA	**9.1 E**	0.010 U
MW-25 Screen 1	Jan/Feb 2008	DUPE-3-1Q08	NA	NA	**8.5 E**	0.010 U
MW-25 Screen 1	Apr/May 2008	MW-25-1	1.0 U	1.000 U	**4.8**	0.010 U
MW-25 Screen 1	Jul/Aug 2008	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Oct/Nov 2008	MW-25-1	NA	NA	5.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 1	Jan/Feb 2009	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Jan/Feb 2009	DUPE-02-1Q09	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Apr/May 2009	MW-25-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 1	Jul/Aug 2009	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Nov/Dec 2009	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Feb 2010	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Apr/May 2010	MW-25-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 1	Jul/Aug 2010	MW-25-1	NA	NA	**7.1**	0.010 U
MW-25 Screen 1	Oct/Nov 2010	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Feb/Mar 2011	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Apr/May 2011	MW-25-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 1	Aug/Sep 2011	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Nov/Dec 2011	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Jan/Feb 2012	MW-25-1	NA	NA	5.0 U	0.010 U
MW-25 Screen 1	Apr/May 2012	MW-25-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 1	Aug/Sep 2012	MW-25-1	NA	NA	**1.5 J**	0.002 U
MW-25 Screen 1	Nov 2012	MW-25-1	NA	NA	**5.0**	0.002 U
MW-25 Screen 1	Jan/Feb 2013	MW-25-1	NA	NA	**2.1 J**	0.004 U
MW-25 Screen 1	Apr/May 2013	MW-25-1	2.0 U	1.000 U	**1.6 J**	0.002 U
MW-25 Screen 1	Jul 2013	MW-25-1	NA	NA	**1.7 J**	0.002 U
MW-25 Screen 1	Oct/Nov 2013	MW-25-1	NA	NA	2.3 U	0.002 U
MW-25 Screen 1	Jan/Feb 2014	MW-25-1	NA	NA	2.0 U	0.002 U
MW-25 Screen 1	Apr/May 2014	MW-25-1	2.0 U	1.000 U	**1.5 J**	0.002 U
MW-25 Screen 1	Jul/Aug 2014	MW-25-1	NA	NA	1.5 U	0.002 U
MW-25 Screen 1	Oct 2014	MW-25-1	NA	NA	**1.4 J**	0.002 U
MW-25 Screen 1	Oct 2014	DUP-4-4Q14	NA	NA	**1.5 J**	0.002 U
MW-25 Screen 1	Jan/Feb 2015	MW-25-1	NA	NA	**1.5 J**	0.002 U
MW-25 Screen 1	April/May 2015	MW-25-1	2.0 U	1.000 U	0.9 U	0.002 U
MW-25 Screen 2	Jan/Feb 2005	MW-25-2	5.0 U	**0.090 J**	**1.0**	0.010 U
MW-25 Screen 2	Apr/May 2005	MW-25-2	5.0 U	**0.060 J**	**3.2**	0.010 U
MW-25 Screen 2	Apr/May 2005	DUPE-6-2Q05	5.0 U	**0.053 J**	**3.5**	0.010 U
MW-25 Screen 2	Jul/Sep 2005	MW-25-2	NA	NA	**5.2**	0.010 U
MW-25 Screen 2	Oct/Nov 2005	MW-25-2	NA	NA	**6.3**	0.010 U
MW-25 Screen 2	Mar/Apr 2006	MW-25-2	NA	NA	**2.3 J**	0.010 U
MW-25 Screen 2	May/Jun 2006	MW-25-2	**1.2 J**	1.000 U	**2.3 J**	0.010 U
MW-25 Screen 2	Aug/Sep 2006	MW-25-2	NA	NA	3.4 U	0.010 U
MW-25 Screen 2	Oct/Dec 2006	MW-25-2	NA	NA	3.7 U	0.010 U
MW-25 Screen 2	Mar/Apr 2007	MW-25-2	NA	NA	**8.7 J**	0.010 U
MW-25 Screen 2	Jun/Jul 2007	MW-25-2	**1.6**	1.000 U	**5.4**	0.010 U
MW-25 Screen 2	Aug/Sep 2007	MW-25-2	NA	NA	**12.2 E**	0.010 U
MW-25 Screen 2	Oct/Dec 2007	MW-25-2	NA	NA	**10.1 E**	0.010 U
MW-25 Screen 2	Jan/Feb 2008	MW-25-2	NA	NA	**10.3 E**	0.010 U
MW-25 Screen 2	Apr/May 2008	MW-25-2	**1.2**	1.000 U	**6.5**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 2	Jul/Aug 2008	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Oct/Nov 2008	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Jan/Feb 2009	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2009	MW-25-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Jul/Aug 2009	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Nov/Dec 2009	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Feb 2010	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2010	MW-25-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2010	DUPE-7-2Q10	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Jul/Aug 2010	MW-25-2	NA	NA	**6.5 J**	0.010 U
MW-25 Screen 2	Oct/Nov 2010	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Feb/Mar 2011	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2011	MW-25-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Apr/May 2011	DUPE-4-2Q11	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Aug/Sep 2011	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Aug/Sep 2011	DUPE-05-3Q11	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Nov/Dec 2011	MW-25-2	NA	NA	5.0 U	0.010 U
MW-25 Screen 2	Jan/Feb 2012	MW-25-2	NA	NA	**5.0**	0.010 U
MW-25 Screen 2	Apr/May 2012	MW-25-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 2	Aug/Sep 2012	MW-25-2	NA	NA	**2.8 J**	**0.002 J**
MW-25 Screen 2	Nov 2012	MW-25-2	NA	NA	**2.8 J**	**0.002**
MW-25 Screen 2	Jan/Feb 2013	MW-25-2	NA	NA	**3.7**	0.004 U
MW-25 Screen 2	Apr/May 2013	MW-25-2	**0.8 J**	1.000 U	**2.8 J**	**0.002 J**
MW-25 Screen 2	Jul 2013	MW-25-2	NA	NA	**2.9 J**	**0.002 J**
MW-25 Screen 2	Oct/Nov 2013	MW-25-2	NA	NA	**2.5 J**	**0.001 J**
MW-25 Screen 2	Oct/Nov 2013	DUPE-4-4Q13	NA	NA	3.7 U	**0.001 J**
MW-25 Screen 2	Jan/Feb 2014	MW-25-2	NA	NA	**4.0**	**0.002 J**
MW-25 Screen 2	Apr/May 2014	MW-25-2	**0.8 J**	1.000 U	2.8 U	**0.002 J**
MW-25 Screen 2	Jul/Aug 2014	MW-25-2	NA	NA	**3.0**	**0.002**
MW-25 Screen 2	Jul/Aug 2014	DUP-4-3Q14	NA	NA	**2.7 J**	**0.002**
MW-25 Screen 2	Oct 2014	MW-25-2	NA	NA	**2.3 J**	**0.002**
MW-25 Screen 2	Jan/Feb 2015	MW-25-2	NA	NA	**2.4 J**	**0.003**
MW-25 Screen 2	April/May 2015	MW-25-2	**1.0 J**	1.000 U	2.6 U	**0.001 J**
MW-25 Screen 3	Jan/Feb 2005	MW-25-3	5.0 U	**0.012 J**	**5.2**	0.010 U
MW-25 Screen 3	Apr/May 2005	MW-25-3	5.0 U	**0.057 J**	**6.5**	0.010 U
MW-25 Screen 3	Jul/Sep 2005	MW-25-3	NA	NA	**8.5**	0.010 U
MW-25 Screen 3	Oct/Nov 2005	MW-25-3	NA	NA	**10.2**	0.010 U
MW-25 Screen 3	Mar/Apr 2006	MW-25-3	NA	NA	**3.9 J**	**0.020**
MW-25 Screen 3	May/Jun 2006	MW-25-3	**1.6 J**	1.000 U	**3.7 J**	0.010 U
MW-25 Screen 3	Aug/Sep 2006	MW-25-3	NA	NA	4.5 U	0.010 U
MW-25 Screen 3	Oct/Dec 2006	MW-25-3	NA	NA	**3.2**	0.010 U
MW-25 Screen 3	Mar/Apr 2007	MW-25-3	NA	NA	**9.6 J**	0.010 U
MW-25 Screen 3	Jun/Jul 2007	MW-25-3	**1.4**	1.000 U	**5.0**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 3	Aug/Sep 2007	MW-25-3	NA	NA	**13.1 E**	0.010 U
MW-25 Screen 3	Oct/Dec 2007	MW-25-3	NA	NA	**11.0 E**	0.010 U
MW-25 Screen 3	Jan/Feb 2008	MW-25-3	NA	NA	**10.5 E**	0.010 U
MW-25 Screen 3	Apr/May 2008	MW-25-3	**1.4**	1.000 U	**7.4**	0.010 U
MW-25 Screen 3	Jul/Aug 2008	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Oct/Nov 2008	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Jan/Feb 2009	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Apr/May 2009	MW-25-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Apr/May 2009	DUPE-04-2Q09	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Jul/Aug 2009	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Nov/Dec 2009	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Feb 2010	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Apr/May 2010	MW-25-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Jul/Aug 2010	MW-25-3	NA	NA	**5.9**	0.010 U
MW-25 Screen 3	Oct/Nov 2010	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Feb/Mar 2011	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Apr/May 2011	MW-25-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Aug/Sep 2011	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Nov/Dec 2011	MW-25-3	NA	NA	5.0 U	0.010 U
MW-25 Screen 3	Jan/Feb 2012	MW-25-3	NA	NA	**5.1**	0.010 U
MW-25 Screen 3	Apr/May 2012	MW-25-3	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 3	Aug/Sep 2012	MW-25-3	NA	NA	**3.2**	**0.003**
MW-25 Screen 3	Aug/Sep 2012	DUPE-2-3Q12	NA	NA	**3.2**	**0.003**
MW-25 Screen 3	Nov 2012	MW-25-3	NA	NA	**3.1**	**0.004**
MW-25 Screen 3	Jan/Feb 2013	MW-25-3	NA	NA	**3.5**	**0.001 J**
MW-25 Screen 3	Apr/May 2013	MW-25-3	**0.9 J**	**0.230 J**	**3.2**	**0.002 J**
MW-25 Screen 3	Jul 2013	MW-25-3	NA	NA	**3.3**	**0.003**
MW-25 Screen 3	Jul 2013	DUPE-4-3Q13	NA	NA	**3.1**	**0.003**
MW-25 Screen 3	Oct/Nov 2013	MW-25-3	NA	NA	**2.4 J**	**0.002**
MW-25 Screen 3	Jan/Feb 2014	MW-25-3	NA	NA	**1.8 J**	**0.003**
MW-25 Screen 3	Apr/May 2014	MW-25-3	**1.0 J**	1.000 U	2.7 U	**0.003**
MW-25 Screen 3	Jul/Aug 2014	MW-25-3	NA	NA	**3.5**	**0.003**
MW-25 Screen 3	Oct 2014	MW-25-3	NA	NA	**2.6 J**	**0.003**
MW-25 Screen 3	Jan/Feb 2015	MW-25-3	NA	NA	**3.4**	**0.003**
MW-25 Screen 3	April/May 2015	MW-25-3	**0.7 J**	1.000 U	**3.1**	**0.002 J**
MW-25 Screen 3	April/May 2015	DUP-4-2Q15	2.0 U	1.000 U	**1.7**	**0.002 J**
MW-25 Screen 4	Jan/Feb 2005	MW-25-4	5.0 U	**0.026 J**	**5.3**	0.010 U
MW-25 Screen 4	Apr/May 2005	MW-25-4	5.0 U	**0.073 J**	**6.6**	0.010 U
MW-25 Screen 4	Jul/Sep 2005	MW-25-4	NA	NA	**9.1**	0.010 U
MW-25 Screen 4	Oct/Nov 2005	MW-25-4	NA	NA	**10.4**	0.010 U
MW-25 Screen 4	Mar/Apr 2006	MW-25-4	NA	NA	**2.3 J**	0.010 U
MW-25 Screen 4	May/Jun 2006	MW-25-4	**1.4 J**	1.000 U	**2.2 J**	0.010 U
MW-25 Screen 4	Aug/Sep 2006	MW-25-4	NA	NA	3.1 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 4	Oct/Dec 2006	MW-25-4	NA	NA	**2.8 E**	0.010 U
MW-25 Screen 4	Mar/Apr 2007	MW-25-4	NA	NA	**9.5 J**	0.010 U
MW-25 Screen 4	Jun/Jul 2007	MW-25-4	**1.6**	1.000 U	**3.8**	0.010 U
MW-25 Screen 4	Aug/Sep 2007	MW-25-4	NA	NA	**12.9 E**	0.010 U
MW-25 Screen 4	Oct/Dec 2007	MW-25-4	NA	NA	**11.6 E**	0.010 U
MW-25 Screen 4	Jan/Feb 2008	MW-25-4	NA	NA	**11.1 E**	0.010 U
MW-25 Screen 4	Apr/May 2008	MW-25-4	**1.4**	1.000 U	**6.4**	0.010 U
MW-25 Screen 4	Jul/Aug 2008	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Oct/Nov 2008	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Jan/Feb 2009	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Apr/May 2009	MW-25-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 4	Jul/Aug 2009	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Nov/Dec 2009	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Nov/Dec 2009	DUPE-07-4Q09	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Feb 2010	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Apr/May 2010	MW-25-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 4	Jul/Aug 2010	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Oct/Nov 2010	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Feb/Mar 2011	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Apr/May 2011	MW-25-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 4	Aug/Sep 2011	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Nov/Dec 2011	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Jan/Feb 2012	MW-25-4	NA	NA	5.0 U	0.010 U
MW-25 Screen 4	Apr/May 2012	MW-25-4	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 4	Aug/Sep 2012	MW-25-4	NA	NA	**1.1 J**	0.002 U
MW-25 Screen 4	Nov 2012	MW-25-4	NA	NA	**1.4 J**	**0.001 J**
MW-25 Screen 4	Jan/Feb 2013	MW-25-4	NA	NA	**2.0 J**	0.002 U
MW-25 Screen 4	Jan/Feb 2013	DUP-2-1Q13	NA	NA	**1.8 J**	0.002 U
MW-25 Screen 4	Apr/May 2013	MW-25-4	**0.8 J**	1.000 U	**1.3 J**	0.002 U
MW-25 Screen 4	Jul 2013	MW-25-4	NA	NA	**1.5 J**	0.002 U
MW-25 Screen 4	Oct/Nov 2013	MW-25-4	NA	NA	**1.1 J**	0.002 U
MW-25 Screen 4	Jan/Feb 2014	MW-25-4	NA	NA	**0.9 J**	**0.001 J**
MW-25 Screen 4	Apr/May 2014	MW-25-4	**0.8 J**	1.000 U	1.4 U	**0.001 J**
MW-25 Screen 4	Jul/Aug 2014	MW-25-4	NA	NA	**1.4 J**	**0.001 J**
MW-25 Screen 4	Oct 2014	MW-25-4	NA	NA	**0.9 J**	**0.001 J**
MW-25 Screen 4	Jan/Feb 2015	MW-25-4	NA	NA	**1.4 J**	**0.001 J**
MW-25 Screen 4	April/May 2015	MW-25-4	**1.0 J**	1.000 U	**1.5 J**	0.002 U
MW-25 Screen 5	Jan/Feb 2005	MW-25-5	5.0 U	0.120 U	**2.2**	0.010 U
MW-25 Screen 5	Apr/May 2005	MW-25-5	5.0 U	**0.020 J**	**3.3**	0.010 U
MW-25 Screen 5	Jul/Sep 2005	MW-25-5	NA	NA	**6.4**	0.010 U
MW-25 Screen 5	Oct/Nov 2005	MW-25-5	NA	NA	**7.3**	0.010 U
MW-25 Screen 5	Mar/Apr 2006	MW-25-5	NA	NA	1.0 U	0.010 U
MW-25 Screen 5	May/Jun 2006	MW-25-5	**2.3 J**	1.000 U	1.0 U	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-25 Screen 5	Aug/Sep 2006	MW-25-5	NA	NA	2.7 U	0.010 U
MW-25 Screen 5	Oct/Dec 2006	MW-25-5	NA	NA	**1.7 E**	0.010 U
MW-25 Screen 5	Mar/Apr 2007	MW-25-5	NA	NA	**3.6 J**	0.010 U
MW-25 Screen 5	Jun/Jul 2007	MW-25-5	**4.4**	1.000 U	**1.6**	0.010 U
MW-25 Screen 5	Aug/Sep 2007	MW-25-5	NA	NA	**5.4 E**	0.010 U
MW-25 Screen 5	Oct/Dec 2007	MW-25-5	NA	NA	**3.8 E**	0.010 U
MW-25 Screen 5	Jan/Feb 2008	MW-25-5	NA	NA	**4.7 E**	0.010 U
MW-25 Screen 5	Apr/May 2008	MW-25-5	**3.1**	1.000 U	**2.3**	0.010 U
MW-25 Screen 5	Jul/Aug 2008	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Oct/Nov 2008	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Jan/Feb 2009	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Apr/May 2009	MW-25-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 5	Jul/Aug 2009	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Nov/Dec 2009	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Feb 2010	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Apr/May 2010	MW-25-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 5	Jul/Aug 2010	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Oct/Nov 2010	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Feb/Mar 2011	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Apr/May 2011	MW-25-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 5	Aug/Sep 2011	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Nov/Dec 2011	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Jan/Feb 2012	MW-25-5	NA	NA	5.0 U	0.010 U
MW-25 Screen 5	Apr/May 2012	MW-25-5	2.0 U	5.000 U	5.0 U	0.010 U
MW-25 Screen 5	Aug/Sep 2012	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Nov 2012	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Jan/Feb 2013	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Apr/May 2013	MW-25-5	**2.1**	**0.370 J**	3.0 U	0.002 U
MW-25 Screen 5	Jul 2013	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Oct/Nov 2013	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Jan/Feb 2014	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Apr/May 2014	MW-25-5	**1.7 J**	1.000 U	3.0 U	0.002 U
MW-25 Screen 5	Jul/Aug 2014	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	Oct 2014	MW-25-5	NA	NA	3.0 U	0.002 U
MW-25 Screen 5	April/May 2015	MW-25-5	**2.1**	1.000 U	**0.5 J**	0.002 U
MW-26 Screen 1	Apr/May 2005	MW-26-1	**3.6 J**	**0.023 J**	**7.1**	0.010 U
MW-26 Screen 1	Jul/Sep 2005	MW-26-1	NA	NA	**13.2**	0.010 U
MW-26 Screen 1	Jul/Sep 2005	DUPE-6-3Q05	NA	NA	**15.0**	0.010 U
MW-26 Screen 1	Oct/Nov 2005	MW-26-1	NA	NA	**12.0**	0.010 U
MW-26 Screen 1	Mar/Apr 2006	MW-26-1	NA	NA	1.0 U	0.010 U
MW-26 Screen 1	May/Jun 2006	MW-26-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2006	MW-26-1	NA	NA	2.0 U	0.010 U
MW-26 Screen 1	Oct/Dec 2006	MW-26-1	NA	NA	**3.3**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-26 Screen 1	Mar/Apr 2007	MW-26-1	NA	NA	**9.7**	0.010 U
MW-26 Screen 1	Jun/Jul 2007	MW-26-1	1.0 U	1.000 U	1.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2007	MW-26-1	NA	NA	**14.3 E**	0.010 U
MW-26 Screen 1	Oct/Dec 2007	MW-26-1	NA	NA	**10.4**	0.010 U
MW-26 Screen 1	Jan/Feb 2008	MW-26-1	NA	NA	**14.2 E**	0.010 U
MW-26 Screen 1	Apr/May 2008	MW-26-1	1.0 U	1.000 U	**5.4**	0.010 U
MW-26 Screen 1	Jul/Aug 2008	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Oct/Nov 2008	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Jan/Feb 2009	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2009	MW-26-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 1	Jul/Aug 2009	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Nov/Dec 2009	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Feb 2010	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2010	MW-26-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 1	Jul/Aug 2010	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Oct/Nov 2010	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Oct/Nov 2010	DUPE-08-4Q10	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Feb/Mar 2011	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2011	MW-26-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2011	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Nov/Dec 2011	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Jan/Feb 2012	MW-26-1	NA	NA	5.0 U	0.010 U
MW-26 Screen 1	Apr/May 2012	MW-26-1	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 1	Aug/Sep 2012	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Nov 2012	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Nov 2012	DUPE-2-4Q12	NA	NA	**0.5 J**	0.002 U
MW-26 Screen 1	Jan/Feb 2013	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Apr/May 2013	MW-26-1	2.0 U	**0.130 J**	**0.9 J**	0.002 U
MW-26 Screen 1	Jul 2013	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Oct/Nov 2013	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Oct/Nov 2013	DUPE-3-4Q13	NA	NA	**7.2**	0.002 U
MW-26 Screen 1	Jan/Feb 2014	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Apr/May 2014	MW-26-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-26 Screen 1	Jul/Aug 2014	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Oct 2014	MW-26-1	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Oct 2014	DUP-6-4Q14	NA	NA	3.0 U	0.002 U
MW-26 Screen 1	Jan/Feb 2015	MW-26-1	NA	NA	**0.7 J**	0.002 U
MW-26 Screen 1	April/May 2015	MW-26-1	2.0 U	1.000 U	3.0 U	0.002 U
MW-26 Screen 2	Apr/May 2005	MW-26-2	**1.3 J**	1.000 U	**11.1**	0.010 U
MW-26 Screen 2	Jul/Sep 2005	MW-26-2	NA	NA	**12.7**	0.010 U
MW-26 Screen 2	Oct/Nov 2005	MW-26-2	NA	NA	**12.8**	0.010 U
MW-26 Screen 2	Oct/Nov 2005	DUPE-7-4Q05	NA	NA	**11.9**	0.010 U
MW-26 Screen 2	Mar/Apr 2006	MW-26-2	NA	NA	**2.9 J**	0.010 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-26 Screen 2	May/Jun 2006	MW-26-2	**1.8**	1.000 U	**1.7 J**	0.010 U
MW-26 Screen 2	Aug/Sep 2006	MW-26-2	NA	NA	3.7 U	0.010 U
MW-26 Screen 2	Oct/Dec 2006	MW-26-2	NA	NA	**4.6**	0.010 U
MW-26 Screen 2	Mar/Apr 2007	MW-26-2	NA	NA	**10.0**	0.010 U
MW-26 Screen 2	Jun/Jul 2007	MW-26-2	**1.9**	1.000 U	**2.1**	0.010 U
MW-26 Screen 2	Aug/Sep 2007	MW-26-2	NA	NA	**14.4 E**	0.010 U
MW-26 Screen 2	Oct/Dec 2007	MW-26-2	NA	NA	**10.2**	0.010 U
MW-26 Screen 2	Jan/Feb 2008	MW-26-2	NA	NA	**12.9 E**	0.010 U
MW-26 Screen 2	Apr/May 2008	MW-26-2	**3.4**	1.000 U	**9.9**	0.010 U
MW-26 Screen 2	Jul/Aug 2008	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Oct/Nov 2008	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Jan/Feb 2009	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Apr/May 2009	MW-26-2	**3.0**	5.000 U	5.0 U	0.010 U
MW-26 Screen 2	Jul/Aug 2009	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Nov/Dec 2009	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Feb 2010	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Apr/May 2010	MW-26-2	**2.2**	5.000 U	5.0 U	0.010 U
MW-26 Screen 2	Jul/Aug 2010	MW-26-2	NA	NA	**6.8**	0.010 U
MW-26 Screen 2	Oct/Nov 2010	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Feb/Mar 2011	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Apr/May 2011	MW-26-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 2	Aug/Sep 2011	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Nov/Dec 2011	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Jan/Feb 2012	MW-26-2	NA	NA	5.0 U	0.010 U
MW-26 Screen 2	Apr/May 2012	MW-26-2	2.0 U	5.000 U	5.0 U	0.010 U
MW-26 Screen 2	Aug/Sep 2012	MW-26-2	NA	NA	3.0 U	0.002 U
MW-26 Screen 2	Nov 2012	MW-26-2	NA	NA	**0.8 J**	**0.001 J**
MW-26 Screen 2	Jan/Feb 2013	MW-26-2	NA	NA	**3.6**	0.002 U
MW-26 Screen 2	Apr/May 2013	MW-26-2	**1.2 J**	1.000 U	**2.9 J**	0.002 U
MW-26 Screen 2	Jul 2013	MW-26-2	NA	NA	**2.6 J**	0.002 U
MW-26 Screen 2	Oct/Nov 2013	MW-26-2	NA	NA	**2.1 J**	0.002 U
MW-26 Screen 2	Jan/Feb 2014	MW-26-2	NA	NA	3.0 U	0.001 U
MW-26 Screen 2	Apr/May 2014	MW-26-2	**2.3**	1.000 U	**5.0**	0.002 U
MW-26 Screen 2	Jul/Aug 2014	MW-26-2	NA	NA	**2.0 J**	0.002 U
MW-26 Screen 2	Oct 2014	MW-26-2	NA	NA	2.3 U	0.002 U

Sample Location	Sampling Event	Sample Number	Arsenic (µg/L)	Lead (µg/L)	Chromium, Total (µg/L)	Chromium, Hexavalent (mg/L)
MW-26 Screen 2	Jan/Feb 2015	MW-26-2	NA	NA	**2.4 J**	**0.001 J**
MW-26 Screen 2	Jan/Feb 2015	MW-26-2	**1.2 J**	1.000 U	**0.8 J**	**0.001 J**
California Maximum Contaminant Level (MCL)			10	15 *	50	0.01 **
EPA Region IX Maximum Contaminant Level			50	15 *	100	NE

Notes

DUPE	Field Duplicate
NA	Not analyzed
NE	Not established
UNK	PQL value unknown
*	Interim Action Level - California Department of Health Services
	On July 1, 2014 the State Water Resources Control Board (SWRCB) adopted an MCL for Cr(VI) of 10.0 µg/L.
B	Analyte is present in method blank
E	Analyte concentration is above calibration range
J	Analyte concentration is an estimated value
U	Analyte was analyzed for but not detected at or above the stated limit
UJ	Analyte was analyzed for but not detected; analyte concentration is an estimated value

TABLE 3A
SUMMARY OF VOLATILE ORGANIC COMPOUNDS AND PERCHLORATE REPORTED IN MUNICIPAL PRODUCTION WELLS NEAR JPL DURING THE LONG-TERM QUARTERLY GROUNDWATER SAMPLING PROGRAM

(All concentrations reported in µg/L.)

(Shaded values exceed State or Federal MCLs or action levels.)

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO.	WELL 03	5/13/96	NA	0.5 U	0.5 U	0.5 U
		6/03/96	NA	0.5 U	0.5 U	**6.1**
		6/17/96	NA	**0.6**	**0.6**	**10.0**
		8/05/96	NA	0.5 U	0.5 U	0.5 U
		9/03/96	NA	**0.9**	**0.9**	**6.2**
		10/07/96	NA	**1.2**	**1.4**	**9.1**
		11/04/96	NA	**1.1**	**2.9**	**17.5**
		12/02/96	NA	**0.7**	**0.7**	**16.8**
		1/13/97	NA	**0.5**	**0.5**	**15.9**
		5/05/97	NA	0.5 U	0.5 U	0.5 U
		6/02/97	**7.0**	**0.6**	**0.7**	**9.6**
		7/07/97	NA	0.5 U	**0.7**	**10.5**
		7/17/97	**10.0**	NA	NA	NA
		8/04/97	NA	**1.5**	**1.1**	**12.7**
		8/15/97	**9.0**	NA	NA	NA
		9/02/97	NA	**0.9**	**1.1**	**15.2**
		9/15/97	**11.1**	NA	NA	NA
		9/16/97	**13.0**	NA	NA	NA
		9/22/97	**9.5**	NA	NA	NA
		9/29/97	**11.6**	NA	NA	NA
		10/06/97	**11.5**	**0.9**	**1.1**	**13.2**
		10/13/97	**10.6**	NA	NA	NA
		10/20/97	**12.4**	NA	NA	NA
		11/03/97	**11.1**	**0.5**	**1.1**	**13.1**
		11/10/97	**10.9**	NA	NA	NA
		11/17/97	**16.0**	NA	NA	NA
		11/24/97	**12.5**	NA	NA	NA
		12/01/97	**9.2**	**0.6**	**0.9**	**12.4**
		12/08/97	**10.5**	NA	NA	NA
		12/15/97	**9.6**	NA	NA	NA
		12/22/97	**11.6**	NA	NA	NA
		1/05/98	**11.9**	**0.8**	**0.5**	**8.8**
		1/12/98	**12.9**	NA	NA	NA
		2/02/98	NA	**0.9**	**0.8**	**11.2**
		4/07/98	NA	NA	NA	**0.9**
		5/04/98	NA	0.5 U	0.5 U	0.5 U
		6/01/98	NA	0.5 U	0.5 U	0.5 U
		12/14/98	NA	0.5 U	0.5 U	0.5 U
		1/04/99	NA	0.5 U	0.5 U	**1.0**
		1/11/99	**6.5**	NA	NA	NA
		2/01/99	NA	0.5 U	**0.5**	**3.7**
		4/10/99	0.0 U	NA	NA	NA
		6/01/99	NA	0.5 U	0.5 U	**0.8**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	7/06/99	5.0 U	0.5 U	0.5 U	**5.5**
		7/12/99	**4.6**	NA	NA	NA
		7/22/99	**3.1**	NA	NA	NA
		7/29/99	**4.0**	NA	NA	NA
		8/02/99	**3.5**	0.5 U	**1.5**	**4.4**
		8/09/99	**3.4**	NA	NA	NA
		8/16/99	**3.2**	NA	NA	NA
		8/30/99	**2.5**	NA	NA	NA
		9/07/99	**4.8**	**0.5**	**0.5**	**6.1**
		9/13/99	**3.7**	NA	NA	NA
		9/27/99	0.0 U	NA	NA	NA
		10/04/99	NA	**0.7**	**0.8**	**8.4**
		11/01/99	NA	**0.7**	**0.7**	**7.5**
		3/13/00	NA	0.5 U	0.5 U	0.5 U
		5/08/00	NA	0.5 U	0.5 U	0.5 U
		7/03/00	NA	0.5 U	0.5 U	0.5 U
		8/07/00	NA	**0.5**	**0.7**	**5.6**
		9/05/00	NA	0.5 U	0.5 U	**6.0**
		3/12/01	NA	0.5 U	0.5 U	**0.7**
		4/02/01	NA	0.5 U	0.5 U	**3.1**
		5/23/01	0.0 U	0.5 U	0.5 U	0.5 U
		6/04/01	NA	0.5 U	0.5 U	0.5 U
		7/02/01	NA	0.5 U	0.5 U	**3.2**
		8/06/01	NA	0.5 U	0.5 U	**3.7**
		9/04/01	NA	0.5 U	**0.6**	**5.4**
		12/10/01	0.0 U	NA	NA	NA
		5/05/02	4.0 U	0.5 U	0.5 U	0.5 U
		7/08/02	NA	0.5 U	0.5 U	0.5 U
		8/05/02	NA	0.5 U	0.5 U	**2.7**
		9/03/02	NA	0.5 U	0.5 U	**2.1**
		10/07/02	NA	0.5 U	0.5 U	**3.6**
		5/14/03	NA	0.5 U	0.5 U	0.5 U
		5/27/03	NA	0.5 U	0.5 U	0.5 U
		6/03/03	NA	0.5 U	0.5 U	**2.6**
		7/08/03	NA	0.5 U	0.5 U	**4.0**
		8/05/03	NA	**1.0**	0.5 U	**1.9**
		9/02/03	NA	**1.3**	0.5 U	**2.9**
		10/07/03	NA	**1.8**	0.5 U	**3.3**
		11/04/03	NA	**1.8**	0.5 U	**1.6**
		5/18/04	**10.0**	**1.0**	0.5 U	**1.9**
		5/25/04	**14.0**	NA	NA	NA
		6/01/04	**10.0**	NA	NA	NA
		6/08/04	**10.0**	NA	NA	NA
		6/15/04	**11.0**	**0.9**	0.5 U	**1.8**
		6/29/04	**8.9**	NA	NA	NA
		7/06/04	**8.4**	NA	NA	NA
		7/15/04	**8.9**	**0.9**	0.5 U	**1.8**
		7/27/04	**11.0**	NA	NA	NA
		8/03/04	**7.3**	**1.7**	0.5 U	**2.0**
		9/07/04	**17.0**	**2.7**	0.5 U	**2.9**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	10/05/04	**28.0**	**2.4**	0.5 U	**2.7**
		10/26/04	**31.0**	NA	NA	NA
		11/02/04	**31.0**	**4.0**	**0.6**	**4.0**
		11/09/04	**33.0**	NA	NA	NA
		11/16/04	**35.0**	NA	NA	NA
		11/23/04	**32.0**	NA	NA	NA
		11/30/04	**35.0**	NA	NA	NA
		12/07/04	**28.0**	**2.8**	**0.5**	**3.4**
		12/14/04	**31.0**	NA	NA	NA
		12/21/04	**28.0**	NA	NA	NA
		12/28/04	**29.0**	NA	NA	NA
		1/04/05	**30.0**	**2.8**	**0.6**	**3.8**
		1/11/05	**31.0**	NA	NA	NA
		1/18/05	**28.0**	NA	NA	NA
		1/25/05	**30.0**	NA	NA	NA
		2/08/05	**24.0**	NA	NA	NA
		2/15/05	**22.0**	NA	NA	NA
		2/22/05	**32.0**	NA	NA	NA
		3/01/05	**22.0**	**2.9**	**0.6**	**3.9**
		3/08/05	**29.0**	NA	NA	NA
		3/15/05	**21.0**	NA	NA	NA
		3/22/05	**22.0**	NA	NA	NA
		3/29/05	**23.0**	NA	NA	NA
		4/05/05	**25.0**	**3.0**	**0.6**	**2.9**
		4/12/05	**24.0**	NA	NA	NA
		4/19/05	**25.0**	NA	NA	NA
		4/26/05	**24.0**	NA	NA	NA
		5/03/05	NA	**2.0**	0.5 U	**2.3**
		5/10/05	**46.0**	**3.2**	**0.6**	**3.1**
		5/17/05	**27.0**	NA	NA	NA
		5/24/05	**24.0**	NA	NA	NA
		5/31/05	**25.0**	NA	NA	NA
		6/07/05	**24.0**	**2.9**	**0.6**	**3.2**
		6/14/05	**23.0**	NA	NA	NA
		6/21/05	**27.0**	NA	NA	NA
		6/28/05	**25.0**	NA	NA	NA
		7/05/05	**26.0**	**3.1**	**0.6**	**3.1**
		7/12/05	**29.0**	NA	NA	NA
		7/19/05	**26.0**	NA	NA	NA
		7/26/05	**27.0**	NA	NA	NA
		8/02/05	**25.0**	**3.2**	**0.6**	**3.2**
		8/09/05	**47.0**	NA	NA	NA
		9/13/05	**23.0**	**2.9**	**0.6**	**2.9**
		9/20/05	**25.0**	NA	NA	NA
		9/27/05	**26.0**	**2.1**	0.5 U	**2.6**
		10/04/05	**33.0**	**3.0**	**0.6**	**3.2**
		10/11/05	**28.0**	NA	NA	NA
		10/18/05	**38.0**	NA	NA	NA
		10/25/05	**27.0**	NA	NA	NA
		11/01/05	**27.0**	**3.0**	**0.6**	**3.4**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	11/08/05	**25.0**	NA	NA	NA
		11/17/05	**24.0**	NA	NA	NA
		11/22/05	**24.0**	NA	NA	NA
		11/29/05	**27.0**	NA	NA	NA
		12/06/05	**25.0**	**3.3**	**0.7**	**3.5**
		12/13/05	**28.0**	NA	NA	NA
		12/20/05	**24.0**	NA	NA	NA
		12/27/05	**29.0**	NA	NA	NA
		1/03/06	**24.0**	**2.6**	**0.6**	**3.0**
		1/10/06	**27.0**	NA	NA	NA
		1/17/06	**23.0**	NA	NA	NA
		3/14/06	**9.3**	**0.8**	0.5 U	**1.0**
		3/21/06	**21.0**	NA	NA	NA
		3/28/06	**26.0**	NA	NA	NA
		4/07/06	**18.0**	**2.3**	**0.5**	**2.3**
		5/02/06	**18.0**	**2.1**	0.5 U	**2.2**
		5/09/06	**17.0**	NA	NA	NA
		5/16/06	**19.0**	NA	NA	NA
		5/23/06	**20.0**	NA	NA	NA
		5/30/06	**21.0**	NA	NA	NA
		6/06/06	**21.0**	**1.6**	0.5 U	**1.9**
		6/13/06	**23.0**	NA	NA	NA
		6/20/06	**21.0**	NA	NA	NA
		6/27/06	**23.0**	NA	NA	NA
		7/05/06	**21.0**	**2.7**	**0.6**	**2.6**
		7/11/06	**22.0**	NA	NA	NA
		7/18/06	**19.0**	NA	NA	NA
		7/25/06	**21.0**	NA	NA	NA
		8/01/06	**20.0**	**2.9**	**0.6**	**2.8**
		8/08/06	**21.0**	NA	NA	NA
		8/15/06	**22.0**	NA	NA	NA
		8/17/06	NA	**1.9**	0.5 U	**2.4**
		8/22/06	**20.0**	NA	NA	NA
		8/29/06	**21.0**	NA	NA	NA
		9/05/06	**20.0**	**2.8**	**0.6**	**3.0**
		9/12/06	**22.0**	NA	NA	NA
		9/19/06	**21.0**	NA	NA	NA
		9/26/06	**22.0**	NA	NA	NA
		10/03/06	**22.0**	**3.1**	**0.6**	**3.3**
		10/10/06	**21.0**	NA	NA	NA
		10/17/06	**27.0**	NA	NA	NA
		10/24/06	**20.0**	NA	NA	NA
		10/31/06	**24.0**	NA	NA	NA
		11/07/06	**23.0**	**2.9**	**0.6**	**2.9**
		11/14/06	**23.0**	NA	NA	NA
		11/28/06	**22.0**	NA	NA	NA
		12/05/06	NA	**2.4**	**0.6**	**2.7**
		12/12/06	**22.0**	NA	NA	NA
		12/19/06	**22.0**	NA	NA	NA
		12/26/06	**21.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	1/02/07	**20.0**	**2.6**	**0.6**	**2.8**
		1/09/07	**22.0**	NA	NA	NA
		1/19/07	**21.0**	NA	NA	NA
		1/23/07	**21.0**	NA	NA	NA
		1/30/07	**22.0**	NA	NA	NA
		2/06/07	**21.0**	**2.7**	**0.6**	**3.0**
		2/13/07	**23.0**	NA	NA	NA
		2/20/07	**20.0**	NA	NA	NA
		2/27/07	**21.0**	NA	NA	NA
		3/06/07	**20.0**	**2.4**	**0.5**	**2.6**
		3/13/07	**20.0**	NA	NA	NA
		3/20/07	**20.0**	NA	NA	NA
		3/27/07	**21.0**	NA	NA	NA
		4/03/07	**19.0**	**2.3**	**0.6**	**2.5**
		4/10/07	**21.0**	NA	NA	NA
		4/17/07	**16.0**	NA	NA	NA
		4/24/07	**19.0**	NA	NA	NA
		5/01/07	**20.0**	**2.5**	**0.6**	**2.8**
		5/18/07	**15.0**	NA	NA	NA
		5/22/07	**18.0**	NA	NA	NA
		5/29/07	**20.0**	NA	NA	NA
		6/12/07	**19.0**	NA	NA	NA
		6/19/07	**20.0**	NA	NA	NA
		6/26/07	**18.0**	NA	NA	NA
		7/17/07	**22.0**	NA	NA	NA
		7/24/07	**20.0**	NA	NA	NA
		7/31/07	**20.0**	NA	NA	NA
		8/07/07	**19.0**	**2.2**	**0.6**	**2.7**
		8/14/07	**20.0**	NA	NA	NA
		8/21/07	**19.0**	NA	NA	NA
		8/28/07	**20.0**	NA	NA	NA
		9/04/07	**19.0**	**1.7**	0.5 U	**2.0**
		9/11/07	**18.0**	NA	NA	NA
		9/18/07	**18.0**	NA	NA	NA
		9/25/07	**19.0**	NA	NA	NA
		10/02/07	**16.0**	**1.8**	0.5 U	**2.3**
		10/09/07	**25.0**	NA	NA	NA
		10/16/07	**24.0**	NA	NA	NA
		11/06/07	**20.0**	**1.6**	**0.5**	**2.3**
		11/13/07	**21.0**	NA	NA	NA
		11/20/07	**20.0**	NA	NA	NA
		11/27/07	**18.0**	NA	NA	NA
		12/04/07	**19.0**	**2.2**	**0.6**	**2.7**
		12/11/07	**19.0**	NA	NA	NA
		12/18/07	**19.0**	NA	NA	NA
		12/26/07	**18.0**	NA	NA	NA
		1/02/08	**20.0**	**1.9**	**0.6**	**2.3**
		1/08/08	**19.0**	NA	NA	NA
		1/15/08	**20.0**	NA	NA	NA
		1/22/08	**19.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	1/31/08	**18.0**	NA	NA	NA
		2/05/08	**17.0**	**1.7**	**0.6**	**2.4**
		2/12/08	**17.0**	**2.2**	**0.6**	**2.7**
		2/19/08	**17.0**	NA	NA	NA
		2/26/08	**16.0**	NA	NA	NA
		3/04/08	**15.0**	NA	NA	NA
		3/05/08	NA	**1.5**	**0.6**	**2.0**
		3/11/08	**16.0**	NA	NA	NA
		3/18/08	**20.0**	NA	NA	NA
		3/25/08	**16.0**	NA	NA	NA
		4/01/08	**17.0**	**1.6**	**0.6**	**2.3**
		4/08/08	**16.0**	NA	NA	NA
		4/15/08	**17.0**	NA	NA	NA
		4/22/08	**15.0**	NA	NA	NA
		6/03/08	**9.9**	**1.6**	0.5 U	**2.1**
		6/10/08	**15.0**	NA	NA	NA
		6/17/08	**16.0**	NA	NA	NA
		6/24/08	**17.0**	NA	NA	NA
		8/18/08	NA	**2.2**	**0.7**	**2.8**
		8/19/08	**17.0**	NA	NA	NA
		8/26/08	**19.0**	NA	NA	NA
		9/02/08	**17.0**	**2.1**	**0.7**	**2.7**
		9/09/08	**15.0**	NA	NA	NA
		9/16/08	**20.0**	NA	NA	NA
		9/23/08	**18.0**	NA	NA	NA
		9/30/08	**17.0**	NA	NA	NA
		10/07/08	**16.0**	**1.9**	**0.7**	**2.5**
		10/14/08	**16.0**	NA	NA	NA
		10/21/08	**16.0**	NA	NA	NA
		10/28/08	**17.0**	NA	NA	NA
		11/25/08	**20.0**	NA	NA	NA
		12/02/08	**19.0**	**2.2**	**0.7**	**2.7**
		12/17/08	**16.0**	NA	NA	NA
		12/23/08	**16.0**	NA	NA	NA
		12/30/08	**19.0**	NA	NA	NA
		1/06/09	**19.0**	**1.8**	**0.8**	**2.9**
		1/13/09	**19.0**	NA	NA	NA
		1/20/09	**18.0**	NA	NA	NA
		1/27/09	**19.0**	NA	NA	NA
		2/18/09	**17.0**	NA	NA	NA
		2/25/09	**15.0**	NA	NA	NA
		3/03/09	**15.0**	**1.7**	**0.6**	**2.4**
		3/10/09	**15.0**	NA	NA	NA
		3/17/09	**17.0**	NA	NA	NA
		3/24/09	**18.0**	NA	NA	NA
		3/31/09	**18.0**	NA	NA	NA
		4/07/09	**19.0**	**1.6**	**0.6**	**2.5**
		4/14/09	**20.0**	NA	NA	NA
		4/21/09	**19.0**	NA	NA	NA
		4/28/09	**20.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	5/04/09	**19.0**	**1.7**	**0.6**	**2.0**
		5/12/09	**17.0**	NA	NA	NA
		5/19/09	**20.0**	NA	NA	NA
		5/26/09	**21.0**	NA	NA	NA
		6/01/09	**19.0**	**1.6**	**0.6**	**2.3**
		6/09/09	**20.0**	NA	NA	NA
		6/16/09	**21.0**	NA	NA	NA
		6/23/09	**20.0**	NA	NA	NA
		6/30/09	**21.0**	NA	NA	NA
		7/07/09	**21.0**	**1.5**	0.5 U	**2.1**
		7/14/09	**21.0**	NA	NA	NA
		7/21/09	**24.0**	NA	NA	NA
		7/28/09	**24.0**	NA	NA	NA
		8/04/09	**24.0**	**0.7**	**0.6**	**1.9**
		8/06/09	NA	**1.4**	**0.5**	**2.0**
		8/11/09	**19.0**	NA	NA	NA
		8/18/09	**19.0**	NA	NA	NA
		8/25/09	**20.0**	NA	NA	NA
		9/01/09	**20.0**	**1.5**	**0.7**	**2.1**
		9/08/09	**25.0**	NA	NA	NA
		9/15/09	**25.0**	NA	NA	NA
		9/29/09	**27.0**	NA	NA	NA
		10/06/09	**27.0**	**2.3**	**0.8**	**2.9**
		10/13/09	**28.0**	NA	NA	NA
		10/20/09	**28.0**	NA	NA	NA
		10/27/09	**28.0**	NA	NA	NA
		11/10/09	**29.0**	**1.4**	**0.7**	**2.6**
		11/17/09	**29.0**	NA	NA	NA
		12/15/09	**29.0**	NA	NA	NA
		12/22/09	**29.0**	NA	NA	NA
		12/29/09	**29.0**	NA	NA	NA
		1/05/10	**31.0**	**1.4**	**0.5**	**1.9**
		1/12/10	**26.0**	NA	NA	NA
		1/19/10	**29.0**	NA	NA	NA
		1/26/10	**27.0**	NA	NA	NA
		2/02/10	**34.0**	**1.5**	**0.6**	**2.0**
		2/09/10	**30.0**	NA	NA	NA
		2/16/10	**31.0**	NA	NA	NA
		3/02/10	**35.0**	**1.4**	**0.6**	**1.9**
		3/09/10	**39.0**	NA	NA	NA
		5/24/10	4.0 U	NA	NA	NA
		7/08/10	**36.0**	0.5 U	**0.5**	**0.7**
		7/13/10	**36.0**	NA	NA	NA
		7/27/10	**31.0**	NA	NA	NA
		8/03/10	**30.0**	**0.6**	0.5 U	NA
		8/10/10	**30.0**	NA	NA	NA
		8/17/10	**32.0**	NA	NA	NA
		8/24/10	**35.0**	NA	NA	NA
		8/26/10	NA	**0.9**	0.5 U	**1.6**
		8/31/10	**34.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	9/07/10	**34.0**	**1.0**	**0.5**	**1.4**
		9/14/10	**35.0**	NA	NA	NA
		9/21/10	**37.0**	NA	NA	NA
		9/28/10	**38.0**	NA	NA	NA
		10/05/10	**34.0**	**1.0**	**0.5**	**1.4**
		10/12/10	**38.0**	NA	NA	NA
		10/19/10	**38.0**	NA	NA	NA
		11/09/10	**39.0**	NA	NA	NA
		11/16/10	**38.0**	NA	NA	NA
		11/23/10	**41.0**	NA	NA	NA
		11/30/10	**40.0**	NA	NA	NA
		2/10/11	**34.0**	0.5 U	0.5 U	0.5 U
		2/15/11	**36.0**	NA	NA	NA
		2/22/11	**39.0**	NA	NA	NA
		3/15/11	**42.0**	NA	NA	NA
		3/22/11	**38.0**	NA	NA	NA
		4/01/11	**41.0**	NA	NA	NA
		4/05/11	**46.0**	**1.0**	**0.5**	**1.5**
		7/31/11	**22.0**	NA	NA	NA
		8/02/11	**22.0**	0.5 U	0.5 U	0.5 U
		8/04/11	NA	0.5 U	0.5 U	0.5 U
		8/16/11	**26.0**	NA	NA	NA
		8/23/11	**30.0**	NA	NA	NA
		8/30/11	**34.0**	NA	NA	NA
		9/06/11	**37.0**	0.5 U	0.5 U	**0.6**
		9/13/11	**38.0**	NA	NA	NA
		9/20/11	**40.0**	NA	NA	NA
		9/27/11	**44.0**	NA	NA	NA
		10/04/11	**35.0**	**1.2**	0.5 U	**1.3**
		10/11/11	**36.0**	NA	NA	NA
		10/18/11	**35.0**	NA	NA	NA
		10/25/11	**35.0**	NA	NA	NA
		11/01/11	**35.0**	**1.1**	0.5 U	**1.6**
		11/08/11	**31.0**	NA	NA	NA
		11/15/11	**35.0**	NA	NA	NA
		11/22/11	**10.0**	NA	NA	NA
		12/06/11	**26.0**	0.5 U	0.5 U	0.5 U
		12/13/11	**24.0**	NA	NA	NA
		1/05/12	**24.0**	0.5 U	0.5 U	0.5 U
		1/11/12	**24.0**	NA	NA	NA
		1/17/12	**26.0**	NA	NA	NA
		2/03/12	4.0 U	0.5 U	0.5 U	0.5 U
		2/14/12	**18.0**	NA	NA	NA
		3/09/12	**24.0**	0.5 U	0.5 U	0.5 U
		3/16/12	**18.0**	NA	NA	NA
		4/10/12	**14.0**	0.5 U	0.5 U	0.5 U
		5/22/12	**14.0**	NA	NA	NA
		5/30/12	**13.0**	NA	NA	NA
		6/05/12	**16.0**	0.5 U	0.5 U	0.5 U
		6/12/12	**17.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	6/19/12	**18.0**	NA	NA	NA
		6/26/12	**19.0**	NA	NA	NA
		7/03/12	**19.0**	**0.5**	0.5 U	**0.6**
		7/10/12	**19.0**	NA	NA	NA
		7/17/12	**19.0**	NA	NA	NA
		7/24/12	**20.0**	NA	NA	NA
		7/31/12	**19.0**	NA	NA	NA
		8/06/12	NA	**0.7**	0.5 U	**0.9**
		8/07/12	**19.0**	**0.7**	0.5 U	**0.8**
		8/14/12	**20.0**	NA	NA	NA
		8/21/12	**20.0**	NA	NA	NA
		8/28/12	**20.0**	NA	NA	NA
		9/18/12	**20.0**	NA	NA	NA
		9/25/12	**22.0**	NA	NA	NA
		10/02/12	**21.0**	**1.0**	0.5 U	**1.3**
		10/09/12	**22.0**	NA	NA	NA
		10/16/12	**20.0**	NA	NA	NA
		10/31/12	**13.0**	NA	NA	NA
		11/07/12	**18.0**	**0.9**	0.5 U	**0.9**
		11/13/12	**18.0**	NA	NA	NA
		12/21/12	**6.5**	0.5 U	0.5 U	0.5 U
		1/17/13	**4.9**	0.5 U	0.5 U	0.5 U
		2/12/13	**11.0**	NA	NA	NA
		2/19/13	**13.0**	NA	NA	NA
		2/26/13	**15.0**	NA	NA	NA
		3/05/13	**18.0**	**0.9**	0.5 U	**1.2**
		3/12/13	**18.0**	NA	NA	NA
		3/19/13	**18.0**	NA	NA	NA
		4/01/13	**19.0**	**1.2**	0.5 U	**1.2**
		4/09/13	**19.0**	NA	NA	NA
		4/23/13	**18.0**	NA	NA	NA
		5/07/13	**18.0**	**1.1**	0.5 U	**1.3**
		5/14/13	**18.0**	NA	NA	NA
		5/21/13	**18.0**	NA	NA	NA
		5/28/13	**18.0**	NA	NA	NA
		6/04/13	**18.0**	**1.1**	0.5 U	**1.4**
		6/11/13	**16.0**	NA	NA	NA
		6/18/13	**16.0**	NA	NA	NA
		6/25/13	**16.0**	NA	NA	NA
		7/02/13	**16.0**	**1.4**	**0.4**	**1.6**
		7/09/13	**18.0**	NA	NA	NA
		7/16/13	**18.0**	NA	NA	NA
		7/23/13	**19.0**	NA	NA	NA
		7/30/13	**17.0**	NA	NA	NA
		8/06/13	**17.0**	**1.1**	0.5 U	**1.2**
		8/13/13	**18.0**	NA	NA	NA
		8/20/13	**17.0**	NA	NA	NA
		8/26/13	NA	**1.3**	0.5 U	**1.5**
		8/27/13	**17.0**	NA	NA	NA
		9/03/13	**17.0**	**1.4**	0.5 U	**1.6**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	9/10/13	**19.0**	NA	NA	NA
		9/17/13	**19.0**	NA	NA	NA
		9/24/13	**19.0**	NA	NA	NA
		11/05/13	**25.0**	**1.8**	0.5 U	**1.8**
		11/12/13	**24.0**	NA	NA	NA
		11/19/13	**22.0**	NA	NA	NA
		12/03/13	**26.0**	**2.0**	0.5 U	**1.9**
		12/10/13	**27.0**	NA	NA	NA
		12/17/13	**29.0**	NA	NA	NA
		12/23/13	**27.0**	NA	NA	NA
		2/11/14	**13.0**	NA	NA	NA
		2/18/14	**28.0**	NA	NA	NA
		2/25/14	**27.0**	NA	NA	NA
		3/04/14	**30.0**	**2.0**	0.5 U	**1.9**
		3/14/14	**29.0**	NA	NA	NA
		3/18/14	**27.0**	NA	NA	NA
		3/25/14	**27.0**	NA	NA	NA
		4/01/14	**26.0**	**2.5**	**0.6**	**2.6**
		4/08/14	**25.0**	NA	NA	NA
		4/15/14	**25.0**	NA	NA	NA
		4/22/14	**25.0**	NA	NA	NA
		4/29/14	**24.0**	NA	NA	NA
		5/20/14	**22.0**	NA	NA	NA
		5/27/14	**22.0**	NA	NA	NA
		6/03/14	**23.0**	**2.1**	**0.5**	**1.9**
		6/10/14	**22.0**	NA	NA	NA
		6/17/14	**22.0**	NA	NA	NA
		6/24/14	**22.0**	NA	NA	NA
		7/01/14	**23.0**	**2.1**	**0.5**	**2.2**
		7/08/14	**23.0**	NA	NA	NA
		7/15/14	**24.0**	NA	NA	NA
		7/16/14	NA	**2.6**	**0.5**	**2.3**
		7/22/14	**23.0**	NA	NA	NA
		7/29/14	**25.0**	NA	NA	NA
		8/12/14	**25.0**	NA	NA	NA
		8/19/14	**25.0**	NA	NA	NA
		8/26/14	**25.0**	NA	NA	NA
		9/02/14	**24.0**	**2.8**	**0.6**	**2.2**
		9/09/14	**24.0**	NA	NA	NA
		9/16/14	**22.0**	NA	NA	NA
		9/23/14	**23.0**	NA	NA	NA
		1/06/15	**20.0**	**1.8**	0.5 U	**1.6**
		1/13/15	**20.0**	NA	NA	NA
		1/20/15	**20.0**	NA	NA	NA
		1/27/15	**19.0**	NA	NA	NA
		2/10/15	**17.0**	NA	NA	NA
		2/17/15	**14.0**	NA	NA	NA
		2/24/15	**14.0**	NA	NA	NA
		3/03/15	**16.0**	**1.8**	0.5 U	**2.0**
		3/10/15	**17.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 03 (con't)	3/17/15	**17.0**	NA	NA	NA
		3/24/15	**17.0**	NA	NA	NA
	WELL 05	6/17/96	NA	**0.6**	**1.0**	**28.1**
		7/01/96	NA	**1.4**	**1.4**	**23.8**
		8/05/96	NA	**0.6**	**1.2**	**22.4**
		6/02/97	**6.0**	0.5 U	**0.7**	**13.3**
		7/17/97	**6.0**	NA	NA	NA
		9/19/97	5.0 U	NA	NA	NA
		6/01/98	NA	0.5 U	0.5 U	**11.4**
		10/19/98	**4.4**	NA	NA	NA
		12/07/98	NA	0.5 U	0.5 U	**9.0**
		1/11/99	**4.1**	NA	NA	NA
		1/19/99	NA	0.5 U	0.5 U	**3.6**
		2/01/99	NA	0.5 U	0.5 U	**3.2**
		4/10/99	0.0 U	NA	NA	NA
		6/01/99	NA	0.5 U	0.5 U	**5.8**
		7/06/99	**5.4**	0.5 U	**0.5**	**10.7**
		7/12/99	**3.9**	NA	NA	NA
		7/22/99	**3.7**	NA	NA	NA
		7/29/99	**4.3**	NA	NA	NA
		8/02/99	**2.0**	**1.0**	**1.7**	**8.3**
		8/09/99	**2.1**	NA	NA	NA
		8/16/99	**2.6**	NA	NA	NA
		8/23/99	**2.5**	NA	NA	NA
		8/30/99	0.0 U	NA	NA	NA
		9/07/99	**3.5**	0.5 U	0.5 U	**8.4**
		9/27/99	**4.9**	NA	NA	NA
		10/04/99	NA	0.5 U	**0.5**	**8.5**
		11/01/99	NA	0.5 U	0.5 U	**7.1**
		5/08/00	NA	0.5 U	0.5 U	**3.5**
		7/03/00	NA	0.5 U	0.5 U	**3.8**
		8/07/00	NA	0.5 U	**0.5**	**6.3**
		9/05/00	NA	0.5 U	0.5 U	**6.0**
		5/23/01	0.0 U	0.5 U	0.5 U	**3.8**
		6/04/01	NA	0.5 U	0.5 U	**2.4**
		7/02/01	NA	0.5 U	0.5 U	**5.1**
		8/06/01	NA	0.5 U	0.5 U	**3.5**
		9/04/01	NA	0.5 U	0.5 U	**4.4**
		12/10/01	**4.2**	NA	NA	NA
		5/05/02	**4.8**	0.5 U	0.5 U	**2.4**
		6/03/02	NA	0.5 U	0.5 U	**2.7**
		7/01/02	NA	0.5 U	0.5 U	**4.6**
		8/05/02	NA	0.5 U	0.5 U	**4.6**
		9/03/02	NA	0.5 U	0.5 U	**3.1**
		5/14/03	NA	**0.7**	**1.3**	**17.0**
		5/27/03	NA	0.5 U	0.5 U	**3.5**
		6/03/03	NA	0.5 U	0.5 U	**4.7**
		7/08/03	NA	0.5 U	0.5 U	**8.6**
		8/05/03	NA	0.5 U	0.5 U	**3.8**
		9/02/03	NA	0.5 U	0.5 U	**4.7**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	10/07/03	NA	0.5 U	0.5 U	**4.8**
		11/04/03	NA	0.5 U	0.5 U	**2.9**
		5/18/04	**14.0**	**0.8**	**0.9**	**16.0**
		5/25/04	**13.0**	NA	NA	NA
		6/01/04	**8.9**	NA	NA	NA
		6/08/04	**7.8**	NA	NA	NA
		6/15/04	**7.0**	0.5 U	**0.7**	**7.7**
		6/22/04	**5.0**	NA	NA	NA
		6/29/04	**5.0**	NA	NA	NA
		7/06/04	**4.6**	NA	NA	NA
		7/15/04	**4.4**	0.5 U	**0.6**	**6.0**
		7/27/04	**4.4**	NA	NA	NA
		8/03/04	**4.0**	0.5 U	0.5 U	**6.0**
		9/07/04	4.0 U	0.5 U	0.5 U	**4.7**
		10/05/04	**4.5**	0.5 U	0.5 U	**3.9**
		11/16/04	**9.0**	NA	NA	NA
		11/23/04	**5.0**	NA	NA	NA
		11/30/04	**5.3**	NA	NA	NA
		12/07/04	**4.6**	0.5 U	0.5 U	**4.8**
		12/14/04	**5.0**	NA	NA	NA
		12/21/04	**4.5**	NA	NA	NA
		1/11/05	**5.8**	0.5 U	0.5 U	**4.4**
		1/18/05	**5.2**	NA	NA	NA
		1/25/05	**5.7**	NA	NA	NA
		3/15/05	**4.6**	0.5 U	**0.5**	**4.7**
		4/05/05	**4.9**	0.5 U	**0.6**	**4.7**
		4/19/05	**4.7**	NA	NA	NA
		4/26/05	**5.1**	NA	NA	NA
		5/03/05	NA	0.5 U	0.5 U	0.5 U
		7/05/05	**5.9**	0.5 U	**0.6**	**4.6**
		7/12/05	**6.1**	NA	NA	NA
		8/02/05	**5.1**	0.5 U	**0.6**	**4.2**
		8/09/05	**10.0**	NA	NA	NA
		9/13/05	**4.7**	**0.5**	**0.6**	**4.6**
		9/20/05	**5.5**	NA	NA	NA
		9/27/05	**5.7**	0.5 U	0.5 U	**3.3**
		10/04/05	**6.6**	**0.5**	**0.6**	**4.1**
		10/11/05	**6.0**	NA	NA	NA
		10/18/05	**9.0**	NA	NA	NA
		10/25/05	**6.2**	NA	NA	NA
		11/01/05	**6.0**	0.5 U	**0.5**	**4.0**
		11/08/05	**5.3**	NA	NA	NA
		11/17/05	**4.0**	NA	NA	NA
		11/22/05	**5.5**	NA	NA	NA
		11/29/05	**5.6**	NA	NA	NA
		12/06/05	**6.0**	**0.6**	**0.5**	**4.4**
		12/13/05	**5.8**	NA	NA	NA
		12/20/05	**5.6**	NA	NA	NA
		12/27/05	**6.6**	NA	NA	NA
		1/03/06	**5.6**	**0.6**	**0.5**	**3.9**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	1/10/06	**6.1**	NA	NA	NA
		1/17/06	**5.3**	NA	NA	NA
		3/21/06	**7.5**	**0.7**	**0.6**	**4.7**
		4/07/06	**7.0**	**0.7**	**0.6**	**4.7**
		5/09/06	**7.4**	**0.8**	**0.7**	**5.8**
		5/18/06	**7.1**	NA	NA	NA
		5/30/06	**7.2**	NA	NA	NA
		6/06/06	**7.0**	**0.7**	**0.6**	**4.9**
		6/13/06	**6.6**	NA	NA	NA
		6/20/06	**6.8**	NA	NA	NA
		6/27/06	**7.3**	NA	NA	NA
		7/05/06	**7.3**	**0.8**	**0.6**	**4.0**
		7/11/06	**7.3**	NA	NA	NA
		7/18/06	**7.6**	NA	NA	NA
		7/25/06	**7.1**	NA	NA	NA
		8/01/06	**7.0**	**0.9**	**0.6**	**3.9**
		8/08/06	**7.6**	NA	NA	NA
		8/15/06	**7.4**	NA	NA	NA
		8/17/06	NA	**0.6**	0.5 U	**3.5**
		8/22/06	**7.6**	NA	NA	NA
		8/29/06	**7.5**	NA	NA	NA
		9/13/06	**8.1**	**1.1**	**0.6**	**4.3**
		9/19/06	**8.3**	NA	NA	NA
		9/26/06	**7.7**	NA	NA	NA
		10/03/06	**7.9**	**1.1**	**0.6**	**3.8**
		10/10/06	**7.8**	NA	NA	NA
		10/17/06	**9.9**	NA	NA	NA
		10/24/06	**8.0**	NA	NA	NA
		10/31/06	**9.1**	NA	NA	NA
		11/07/06	**8.4**	**1.2**	**0.6**	**3.8**
		11/14/06	**7.7**	NA	NA	NA
		11/28/06	**9.4**	NA	NA	NA
		12/05/06	NA	**1.2**	**0.6**	**3.4**
		12/12/06	**9.5**	NA	NA	NA
		12/19/06	**9.4**	NA	NA	NA
		12/26/06	**9.5**	NA	NA	NA
		1/02/07	**9.3**	**1.3**	**0.6**	**3.5**
		1/09/07	**9.9**	NA	NA	NA
		1/16/07	**9.8**	NA	NA	NA
		1/23/07	**9.9**	NA	NA	NA
		1/30/07	**9.3**	NA	NA	NA
		2/06/07	**9.9**	**1.5**	**0.6**	**3.6**
		2/13/07	**11.0**	NA	NA	NA
		2/20/07	**9.6**	NA	NA	NA
		2/27/07	**10.0**	NA	NA	NA
		3/06/07	**9.7**	**1.3**	**0.5**	**3.0**
		3/13/07	**10.0**	NA	NA	NA
		3/20/07	**9.0**	NA	NA	NA
		3/27/07	**11.0**	NA	NA	NA
		4/03/07	**9.3**	**1.4**	**0.6**	**3.0**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	4/10/07	**12.0**	NA	NA	NA
		4/17/07	**7.6**	NA	NA	NA
		4/24/07	**8.7**	NA	NA	NA
		5/01/07	**9.7**	**1.4**	**0.5**	**3.1**
		5/18/07	**10.0**	NA	NA	NA
		5/22/07	**11.0**	NA	NA	NA
		5/29/07	**11.0**	NA	NA	NA
		6/05/07	**11.0**	**1.3**	**0.5**	**2.9**
		6/12/07	**10.0**	NA	NA	NA
		6/19/07	**9.8**	NA	NA	NA
		6/26/07	**9.8**	NA	NA	NA
		8/21/07	**12.0**	**1.4**	**0.5**	**2.7**
		8/28/07	**11.0**	NA	NA	NA
		9/04/07	**11.0**	**1.3**	0.5 U	**2.4**
		9/11/07	**10.0**	NA	NA	NA
		9/18/07	**11.0**	NA	NA	NA
		9/25/07	**13.0**	NA	NA	NA
		10/02/07	**9.3**	**1.3**	0.5 U	**2.4**
		10/09/07	**15.0**	NA	NA	NA
		10/16/07	**14.0**	NA	NA	NA
		11/06/07	**13.0**	**1.1**	0.5 U	**2.4**
		11/13/07	**12.0**	NA	NA	NA
		11/20/07	**12.0**	NA	NA	NA
		11/27/07	**11.0**	NA	NA	NA
		12/11/07	**11.0**	**1.4**	NA	**2.4**
		12/26/07	**10.0**	NA	NA	NA
		1/02/08	**11.0**	**1.4**	**0.5**	**2.5**
		1/08/08	**11.0**	NA	NA	NA
		1/15/08	**12.0**	NA	NA	NA
		1/22/08	**12.0**	NA	NA	NA
		1/29/08	**11.0**	NA	NA	NA
		2/05/08	**12.0**	**1.4**	**0.6**	**2.6**
		3/04/08	**13.0**	NA	NA	NA
		3/05/08	NA	**1.6**	**0.6**	**2.7**
		3/11/08	**12.0**	NA	NA	NA
		3/18/08	**17.0**	NA	NA	NA
		3/25/08	**13.0**	NA	NA	NA
		4/08/08	**14.0**	**1.5**	**0.6**	**2.8**
		4/15/08	**15.0**	NA	NA	NA
		4/22/08	**13.0**	NA	NA	NA
		6/03/08	**17.0**	**1.5**	0.5 U	**2.4**
		6/10/08	**14.0**	NA	NA	NA
		6/17/08	**15.0**	NA	NA	NA
		6/24/08	**15.0**	NA	NA	NA
		8/18/08	NA	**1.8**	**0.5**	**2.7**
		8/19/08	**13.0**	NA	NA	NA
		8/26/08	**14.0**	NA	NA	NA
		9/02/08	**16.0**	**1.9**	**0.6**	**2.9**
		9/09/08	**12.0**	NA	NA	NA
		9/16/08	**15.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	9/30/08	**13.0**	NA	NA	NA
		10/07/08	**12.0**	**2.0**	**0.6**	**2.5**
		10/14/08	**12.0**	NA	NA	NA
		10/21/08	**12.0**	NA	NA	NA
		10/28/08	**9.9**	NA	NA	NA
		11/25/08	**15.0**	NA	NA	NA
		12/02/08	**14.0**	**2.2**	**0.7**	**2.8**
		12/17/08	**12.0**	NA	NA	NA
		12/23/08	**12.0**	NA	NA	NA
		12/30/08	**14.0**	NA	NA	NA
		1/06/09	**14.0**	**1.6**	**0.7**	**2.5**
		1/13/09	**14.0**	NA	NA	NA
		1/20/09	**14.0**	NA	NA	NA
		2/18/09	**13.0**	NA	NA	NA
		2/24/09	**13.0**	NA	NA	NA
		3/10/09	**13.0**	**2.0**	**0.7**	**2.6**
		4/07/09	**16.0**	**2.1**	**0.8**	**3.1**
		4/14/09	**16.0**	NA	NA	NA
		4/21/09	**14.0**	NA	NA	NA
		4/28/09	**15.0**	NA	NA	NA
		5/04/09	**14.0**	**2.2**	**0.7**	**2.4**
		5/12/09	**13.0**	NA	NA	NA
		5/19/09	**15.0**	NA	NA	NA
		5/26/09	**15.0**	NA	NA	NA
		6/01/09	**15.0**	**2.5**	**0.7**	**3.8**
		6/09/09	**15.0**	NA	NA	NA
		6/16/09	**15.0**	NA	NA	NA
		6/23/09	**15.0**	NA	NA	NA
		7/07/09	**16.0**	**2.2**	**0.8**	**2.9**
		7/14/09	**16.0**	NA	NA	NA
		7/21/09	**16.0**	NA	NA	NA
		7/28/09	**16.0**	NA	NA	NA
		8/04/09	**16.0**	**1.4**	**0.6**	**2.4**
		8/06/09	NA	**1.9**	**0.6**	**2.5**
		8/11/09	**12.0**	NA	NA	NA
		8/18/09	**13.0**	NA	NA	NA
		3/11/11	**21.0**	**2.1**	**1.3**	**4.9**
		3/23/11	NA	**2.2**	**0.9**	**3.1**
		4/01/11	**36.0**	**3.5**	**1.0**	**3.9**
		4/12/11	**32.0**	NA	NA	NA
		7/07/11	**44.0**	**4.1**	**1.1**	**4.0**
		7/12/11	**37.0**	NA	NA	NA
		7/19/11	**35.0**	NA	NA	NA
		7/26/11	**33.0**	NA	NA	NA
		8/02/11	**31.0**	**3.2**	**0.8**	**3.2**
		8/09/11	**30.0**	NA	NA	NA
		8/16/11	**29.0**	NA	NA	NA
		8/23/11	**29.0**	NA	NA	NA
		8/30/11	**29.0**	NA	NA	NA
		9/06/11	**30.0**	**2.3**	**0.7**	**2.4**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	11/18/11	**31.0**	**2.4**	**0.5**	**2.1**
		11/22/11	**30.0**	NA	NA	NA
		11/29/11	**30.0**	NA	NA	NA
		12/06/11	**29.0**	**2.4**	**0.7**	**3.0**
		12/13/11	**29.0**	NA	NA	NA
		12/20/11	**32.0**	NA	NA	NA
		12/27/11	**30.0**	NA	NA	NA
		1/03/12	**30.0**	**2.3**	**0.6**	**2.3**
		1/10/12	**29.0**	NA	NA	NA
		1/17/12	**29.0**	NA	NA	NA
		1/24/12	**27.0**	NA	NA	NA
		1/31/12	**28.0**	NA	NA	NA
		2/06/12	NA	**2.8**	**0.7**	**2.4**
		2/07/12	**27.0**	**2.4**	**0.7**	**2.3**
		2/14/12	**27.0**	NA	NA	NA
		2/21/12	**29.0**	NA	NA	NA
		2/28/12	**27.0**	NA	NA	NA
		3/06/12	**27.0**	**2.3**	**0.6**	**2.1**
		3/13/12	**27.0**	NA	NA	NA
		3/20/12	**28.0**	NA	NA	NA
		3/27/12	**28.0**	NA	NA	NA
		4/03/12	**29.0**	**2.4**	**0.6**	**2.1**
		4/10/12	**29.0**	NA	NA	NA
		4/17/12	**31.0**	NA	NA	NA
		4/24/12	**32.0**	NA	NA	NA
		5/22/12	**30.0**	NA	NA	NA
		5/29/12	**28.0**	NA	NA	NA
		6/05/12	**28.0**	**2.5**	**0.7**	**2.0**
		6/12/12	**27.0**	NA	NA	NA
		6/19/12	**27.0**	NA	NA	NA
		6/26/12	**27.0**	NA	NA	NA
		7/03/12	**27.0**	**2.1**	**0.7**	**1.8**
		7/10/12	**26.0**	NA	NA	NA
		7/17/12	**26.0**	NA	NA	NA
		7/24/12	**26.0**	NA	NA	NA
		7/31/12	**26.0**	NA	NA	NA
		8/07/12	**26.0**	**2.2**	**0.6**	**2.0**
		8/14/12	**26.0**	NA	NA	NA
		8/21/12	**26.0**	NA	NA	NA
		8/28/12	**26.0**	NA	NA	NA
		9/18/12	**24.0**	NA	NA	NA
		9/25/12	**25.0**	NA	NA	NA
		10/02/12	**23.0**	**2.2**	**0.7**	**2.0**
		10/09/12	**23.0**	NA	NA	NA
		10/16/12	**22.0**	NA	NA	NA
		10/23/12	**21.0**	NA	NA	NA
		10/30/12	**21.0**	NA	NA	NA
		11/06/12	**21.0**	**2.0**	**0.6**	**1.5**
		11/13/12	**23.0**	NA	NA	NA
		11/20/12	**23.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	11/27/12	**23.0**	NA	NA	NA
		12/04/12	**23.0**	**2.0**	**0.8**	**1.7**
		12/11/12	**27.0**	NA	NA	NA
		12/18/12	**22.0**	NA	NA	NA
		12/26/12	**24.0**	NA	NA	NA
		1/02/13	**22.0**	**2.1**	**0.7**	**1.9**
		1/08/13	**23.0**	NA	NA	NA
		1/15/13	**22.0**	NA	NA	NA
		1/22/13	**23.0**	NA	NA	NA
		1/29/13	**22.0**	NA	NA	NA
		2/12/13	**21.0**	**1.9**	**0.6**	**1.7**
		2/19/13	**23.0**	NA	NA	NA
		2/26/13	**20.0**	NA	NA	NA
		2/28/13	NA	**2.3**	**0.6**	**1.8**
		3/05/13	**19.0**	**1.9**	**0.6**	**1.9**
		3/26/13	**20.0**	NA	NA	NA
		4/01/13	**21.0**	**2.0**	**0.6**	**1.7**
		4/09/13	**20.0**	NA	NA	NA
		4/16/13	**20.0**	NA	NA	NA
		4/23/13	**20.0**	NA	NA	NA
		5/07/13	**18.0**	**2.0**	**0.6**	**1.9**
		5/14/13	**19.0**	NA	NA	NA
		5/21/13	**18.0**	NA	NA	NA
		5/28/13	**19.0**	NA	NA	NA
		6/04/13	**18.0**	**1.9**	**0.6**	**2.0**
		6/11/13	**17.0**	NA	NA	NA
		6/18/13	**16.0**	NA	NA	NA
		6/25/13	**17.0**	NA	NA	NA
		7/02/13	**16.0**	**2.0**	**0.7**	**1.9**
		7/09/13	**17.0**	NA	NA	NA
		7/16/13	**19.0**	NA	NA	NA
		7/23/13	**17.0**	NA	NA	NA
		7/30/13	**17.0**	NA	NA	NA
		8/06/13	**16.0**	**1.8**	**0.6**	**1.6**
		8/13/13	**17.0**	NA	NA	NA
		8/20/13	**16.0**	NA	NA	NA
		8/27/13	**17.0**	NA	NA	NA
		9/03/13	**18.0**	**1.9**	**0.6**	**1.8**
		9/10/13	**16.0**	NA	NA	NA
		9/17/13	**16.0**	NA	NA	NA
		9/24/13	**16.0**	NA	NA	NA
		11/05/13	**15.0**	**1.5**	0.5 U	**1.5**
		11/12/13	**14.0**	NA	NA	NA
		11/19/13	**14.0**	NA	NA	NA
		11/26/13	**15.0**	NA	NA	NA
		12/04/13	**14.0**	**1.5**	**0.5**	**1.3**
		12/10/13	**14.0**	NA	NA	NA
		12/17/13	**16.0**	NA	NA	NA
		12/23/13	**13.0**	NA	NA	NA
		2/11/14	**27.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LINCOLN AVENUE WATER CO. (con't)	WELL 05 (con't)	2/20/14	**13.0**	NA	NA	NA
		2/25/14	**13.0**	NA	NA	NA
		3/14/14	**14.0**	**2.5**	**0.8**	**2.0**
		3/18/14	**12.0**	NA	NA	NA
		3/25/14	**11.0**	NA	NA	NA
		4/01/14	**12.0**	**1.5**	**0.6**	**1.6**
		4/08/14	**12.0**	NA	NA	NA
		4/15/14	**13.0**	NA	NA	NA
		4/22/14	**10.0**	NA	NA	NA
		4/29/14	**11.0**	NA	NA	NA
		5/20/14	**11.0**	NA	NA	NA
		5/27/14	**10.0**	NA	NA	NA
		6/03/14	**11.0**	**1.3**	**0.6**	**1.4**
		6/10/14	**10.0**	NA	NA	NA
		6/17/14	**11.0**	NA	NA	NA
		6/24/14	**13.0**	NA	NA	NA
		7/01/14	**11.0**	**1.2**	**0.5**	**1.2**
		7/08/14	**11.0**	NA	NA	NA
		7/15/14	**10.0**	NA	NA	NA
		7/22/14	**9.9**	NA	NA	NA
		7/29/14	**11.0**	NA	NA	NA
		8/12/14	**11.0**	NA	NA	NA
		8/19/14	**11.0**	NA	NA	NA
		8/26/14	**10.0**	NA	NA	NA
		9/02/14	**10.0**	**1.3**	**0.5**	**1.4**
		9/09/14	**11.0**	NA	NA	NA
		9/16/14	**9.9**	NA	NA	NA
		9/23/14	**9.9**	NA	NA	NA
		1/06/15	**10.0**	**1.1**	0.0 U	**1.1**
		1/13/15	**10.0**	NA	NA	NA
		1/20/15	**10.0**	NA	NA	NA
		1/27/15	**11.0**	NA	NA	NA
		2/10/15	**9.6**	NA	NA	NA
		2/17/15	**8.6**	NA	NA	NA
		2/24/15	**10.0**	NA	NA	NA
		3/03/15	**11.0**	**1.3**	**0.6**	**1.7**
		3/10/15	**11.0**	NA	NA	NA
		3/17/15	**10.0**	NA	NA	NA
		3/24/15	**10.0**	NA	NA	NA
RUBIO CANON LAND & WATER ASSOCIATION	WELL 04	6/17/97	**6.0**	NA	NA	NA
		6/24/97	**4.0**	NA	NA	NA
		9/16/97	**5.0**	NA	NA	NA
		6/01/98	NA	NA	NA	0.5 U
		7/06/98	NA	0.5 U	0.5 U	0.5 U
		7/26/99	**5.1**	0.5 U	0.5 U	0.5 U
		4/24/00	5.0 U	0.5 U	0.5 U	0.5 U
		7/03/00	**5.3**	NA	NA	NA
		10/02/00	5.0 U	NA	NA	NA
		1/02/01	5.0 U	NA	NA	NA
		1/29/01	NA	0.5 U	0.5 U	0.5 U

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04	1/28/02	NA	0.5 U	0.5 U	0.5 U
		4/29/02	**4.2**	NA	NA	NA
		7/01/02	**4.4**	NA	NA	NA
		1/13/03	0.0 U	0.5 U	0.5 U	0.5 U
		4/07/03	4.0 U	NA	NA	NA
		7/08/03	4.0 U	NA	NA	NA
		10/06/03	**4.3**	NA	NA	NA
		1/20/04	NA	0.5 U	0.5 U	0.5 U
		4/05/04	4.0 U	NA	NA	NA
		5/03/04	4.0 U	NA	NA	NA
		6/01/04	4.0 U	NA	NA	NA
		7/06/04	4.0 U	NA	NA	NA
		8/02/04	4.0 U	NA	NA	NA
		9/07/04	4.0 U	NA	NA	NA
		10/04/04	4.0 U	NA	NA	NA
		11/01/04	**5.5**	NA	NA	NA
		12/06/04	4.0 U	NA	NA	NA
		1/03/05	4.0 U	NA	NA	NA
		1/18/05	NA	0.5 U	0.5 U	0.5 U
		2/07/05	4.0 U	NA	NA	NA
		3/07/05	4.0 U	NA	NA	NA
		4/04/05	4.0 U	NA	NA	NA
		5/02/05	4.0 U	NA	NA	NA
		6/06/05	4.0 U	NA	NA	NA
		7/05/05	4.0 U	NA	NA	NA
		8/01/05	4.0 U	NA	NA	NA
		9/06/05	4.0 U	NA	NA	NA
		10/03/05	**4.0**	NA	NA	NA
		11/07/05	4.0 U	NA	NA	NA
		12/05/05	4.0 U	NA	NA	NA
		1/03/06	4.0 U	NA	NA	NA
		1/23/06	NA	0.5 U	0.5 U	0.5 U
		2/07/06	4.0 U	NA	NA	NA
		3/06/06	4.0 U	NA	NA	NA
		4/03/06	4.0 U	NA	NA	NA
		5/01/06	4.0 U	NA	NA	NA
		6/05/06	4.0 U	NA	NA	NA
		7/03/06	4.0 U	NA	NA	NA
		8/07/06	4.0 U	NA	NA	NA
		9/05/06	4.0 U	NA	NA	NA
		10/02/06	4.0 U	NA	NA	NA
		11/06/06	4.0 U	NA	NA	NA
		1/02/07	4.0 U	NA	NA	NA
		2/05/07	4.0 U	NA	NA	NA
		3/05/07	4.0 U	NA	NA	NA
		3/12/07	NA	0.5 U	0.5 U	0.5 U
		4/02/07	4.0 U	NA	NA	NA
		5/07/07	4.0 U	NA	NA	NA
		6/04/07	4.0 U	NA	NA	NA
		8/06/07	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04	9/04/07	4.0 U	NA	NA	NA
		10/01/07	4.0 U	NA	NA	NA
		11/05/07	4.0 U	NA	NA	NA
		12/03/07	4.0 U	NA	NA	NA
		1/02/08	4.0 U	NA	NA	NA
		1/14/08	4.0 U	0.5 U	0.5 U	0.5 U
		2/05/08	4.0 U	NA	NA	NA
		3/03/08	4.0 U	NA	NA	NA
		4/07/08	4.0 U	NA	NA	NA
		6/02/08	4.0 U	NA	NA	NA
		9/02/08	4.0 U	NA	NA	NA
		10/06/08	4.0 U	NA	NA	NA
		11/24/08	4.0 U	NA	NA	NA
		12/01/08	4.0 U	NA	NA	NA
		12/08/08	4.0 U	NA	NA	NA
		12/15/08	4.0 U	NA	NA	NA
		12/22/08	4.0 U	NA	NA	NA
		12/29/08	4.0 U	NA	NA	NA
		1/05/09	4.0 U	NA	NA	NA
		2/23/09	4.0 U	NA	NA	NA
		3/02/09	4.0 U	NA	NA	NA
		3/09/09	4.0 U	NA	NA	NA
		3/16/09	4.0 U	NA	NA	NA
		3/23/09	4.0 U	NA	NA	NA
		3/30/09	4.0 U	NA	NA	NA
		4/06/09	4.0 U	NA	NA	NA
		4/13/09	4.0 U	NA	NA	NA
		4/20/09	4.0 U	NA	NA	NA
		4/27/09	4.0 U	NA	NA	NA
		5/04/09	4.0 U	NA	NA	NA
		5/05/09	4.0 U	NA	NA	NA
		5/06/09	4.0 U	NA	NA	NA
		5/07/09	4.0 U	NA	NA	NA
		5/08/09	4.0 U	NA	NA	NA
		5/09/09	4.0 U	NA	NA	NA
		5/10/09	4.0 U	NA	NA	NA
		5/11/09	4.0 U	NA	NA	NA
		5/12/09	4.0 U	NA	NA	NA
		5/13/09	4.0 U	NA	NA	NA
		5/14/09	4.0 U	NA	NA	NA
		5/15/09	4.0 U	NA	NA	NA
		5/16/09	4.0 U	NA	NA	NA
		5/17/09	4.0 U	NA	NA	NA
		5/18/09	4.0 U	NA	NA	NA
		5/19/09	4.0 U	NA	NA	NA
		5/20/09	4.0 U	NA	NA	NA
		5/21/09	4.0 U	NA	NA	NA
		5/22/09	4.0 U	NA	NA	NA
		5/23/09	4.0 U	NA	NA	NA
		5/24/09	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04	5/25/09	4.0 U	NA	NA	NA
		5/26/09	4.0 U	NA	NA	NA
		5/27/09	4.0 U	NA	NA	NA
		5/29/09	4.0 U	NA	NA	NA
		5/30/09	4.0 U	NA	NA	NA
		5/31/09	4.0 U	NA	NA	NA
		6/01/09	4.0 U	NA	NA	NA
		6/02/09	4.0 U	NA	NA	NA
		6/03/09	4.0 U	NA	NA	NA
		6/04/09	4.0 U	NA	NA	NA
		6/05/09	4.0 U	NA	NA	NA
		6/06/09	4.0 U	NA	NA	NA
		6/07/09	4.0 U	NA	NA	NA
		6/08/09	4.0 U	NA	NA	NA
		6/09/09	4.0 U	NA	NA	NA
		6/10/09	4.0 U	NA	NA	NA
		6/11/09	4.0 U	NA	NA	NA
		6/12/09	4.0 U	NA	NA	NA
		6/15/09	4.0 U	NA	NA	NA
		6/16/09	4.0 U	NA	NA	NA
		6/17/09	4.0 U	NA	NA	NA
		6/18/09	4.0 U	NA	NA	NA
		6/19/09	4.0 U	NA	NA	NA
		6/22/09	4.0 U	NA	NA	NA
		6/23/09	4.0 U	NA	NA	NA
		6/24/09	4.0 U	NA	NA	NA
		6/25/09	4.0 U	NA	NA	NA
		6/29/09	4.0 U	NA	NA	NA
		7/06/09	4.0 U	NA	NA	NA
		7/13/09	4.0 U	NA	NA	NA
		7/20/09	4.0 U	NA	NA	NA
		7/27/09	4.0 U	NA	NA	NA
		8/03/09	4.0 U	NA	NA	NA
		8/05/09	4.0 U	NA	NA	NA
		8/10/09	4.0 U	NA	NA	NA
		8/17/09	4.0 U	NA	NA	NA
		8/24/09	4.0 U	NA	NA	NA
		8/31/09	4.0 U	NA	NA	NA
		9/08/09	4.0 U	NA	NA	NA
		9/14/09	4.0 U	NA	NA	NA
		9/21/09	4.0 U	NA	NA	NA
		9/28/09	4.0 U	NA	NA	NA
		10/05/09	4.0 U	NA	NA	NA
		10/12/09	4.0 U	NA	NA	NA
		11/02/09	4.0 U	NA	NA	NA
		11/09/09	4.0 U	NA	NA	NA
		11/16/09	4.0 U	NA	NA	NA
		12/14/09	4.0 U	NA	NA	NA
		12/21/09	4.0 U	NA	NA	NA
		12/28/09	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	1/04/10	4.0 U	NA	NA	NA
		1/11/10	4.0 U	NA	NA	NA
		2/08/10	4.0 U	NA	NA	NA
		2/16/10	4.0 U	NA	NA	NA
		2/22/10	4.0 U	NA	NA	NA
		3/01/10	4.0 U	NA	NA	NA
		3/08/10	4.0 U	NA	NA	NA
		3/15/10	4.0 U	NA	NA	NA
		3/22/10	4.0 U	NA	NA	NA
		3/29/10	4.0 U	NA	NA	NA
		4/05/10	4.0 U	NA	NA	NA
		4/12/10	4.0 U	NA	NA	NA
		4/19/10	4.0 U	NA	NA	NA
		4/26/10	4.0 U	NA	NA	NA
		6/01/10	4.0 U	NA	NA	NA
		6/07/10	4.0 U	NA	NA	NA
		6/14/10	4.0 U	NA	NA	NA
		6/21/10	4.0 U	NA	NA	NA
		6/28/10	4.0 U	NA	NA	NA
		7/06/10	4.0 U	NA	NA	NA
		7/12/10	4.0 U	NA	NA	NA
		7/19/10	4.0 U	NA	NA	NA
		7/26/10	4.0 U	NA	NA	NA
		8/02/10	4.0 U	NA	NA	NA
		8/09/10	4.0 U	NA	NA	NA
		8/16/10	4.0 U	NA	NA	NA
		8/23/10	4.0 U	NA	NA	NA
		8/30/10	4.0 U	NA	NA	NA
		9/07/10	4.0 U	NA	NA	NA
		9/13/10	4.0 U	NA	NA	NA
		9/20/10	4.0 U	NA	NA	NA
		9/27/10	4.0 U	NA	NA	NA
		10/04/10	4.0 U	NA	NA	NA
		10/11/10	4.0 U	NA	NA	NA
		10/18/10	4.0 U	NA	NA	NA
		10/25/10	4.0 U	NA	NA	NA
		11/15/10	4.0 U	NA	NA	NA
		11/22/10	4.0 U	NA	NA	NA
		11/29/10	4.0 U	NA	NA	NA
		12/06/10	4.0 U	NA	NA	NA
		12/13/10	4.0 U	NA	NA	NA
		12/20/10	4.0 U	NA	NA	NA
		12/27/10	4.0 U	NA	NA	NA
		1/03/11	4.0 U	NA	NA	NA
		2/07/11	4.0 U	0.5 U	0.5 U	0.5 U
		2/14/11	4.0 U	NA	NA	NA
		2/22/11	4.0 U	NA	NA	NA
		3/14/11	4.0 U	NA	NA	NA
		3/16/11	4.0 U	NA	NA	NA
		3/21/11	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	3/22/11	4.0 U	NA	NA	NA
		3/23/11	4.0 U	NA	NA	NA
		3/24/11	4.0 U	NA	NA	NA
		3/28/11	4.0 U	NA	NA	NA
		3/30/11	4.0 U	NA	NA	NA
		4/04/11	4.0 U	NA	NA	NA
		4/11/11	4.0 U	NA	NA	NA
		4/18/11	4.0 U	NA	NA	NA
		4/25/11	4.0 U	NA	NA	NA
		5/23/11	4.0 U	NA	NA	NA
		5/31/11	4.0 U	NA	NA	NA
		6/06/11	4.0 U	NA	NA	NA
		6/13/11	4.0 U	NA	NA	NA
		6/20/11	4.0 U	NA	NA	NA
		6/27/11	4.0 U	NA	NA	NA
		7/05/11	4.0 U	NA	NA	NA
		7/11/11	4.0 U	NA	NA	NA
		7/18/11	4.0 U	NA	NA	NA
		7/25/11	4.0 U	NA	NA	NA
		8/01/11	4.0 U	NA	NA	NA
		8/08/11	4.0 U	NA	NA	NA
		8/15/11	4.0 U	NA	NA	NA
		8/22/11	4.0 U	NA	NA	NA
		8/29/11	4.0 U	NA	NA	NA
		9/06/11	4.0 U	NA	NA	NA
		9/12/11	4.0 U	NA	NA	NA
		9/19/11	4.0 U	NA	NA	NA
		10/03/11	4.0 U	NA	NA	NA
		10/10/11	4.0 U	0.5 U	0.5 U	0.5 U
		3/19/12	4.0 U	0.5 U	0.5 U	0.5 U
		4/02/12	4.0 U	NA	NA	NA
		4/09/12	4.0 U	NA	NA	NA
		4/16/12	4.0 U	NA	NA	NA
		4/23/12	4.0 U	NA	NA	NA
		5/21/12	4.0 U	NA	NA	NA
		5/29/12	4.0 U	NA	NA	NA
		6/04/12	4.0 U	NA	NA	NA
		6/11/12	4.0 U	NA	NA	NA
		6/18/12	4.0 U	NA	NA	NA
		6/25/12	4.0 U	NA	NA	NA
		7/02/12	4.0 U	NA	NA	NA
		7/09/12	4.0 U	NA	NA	NA
		7/16/12	4.0 U	NA	NA	NA
		7/23/12	4.0 U	NA	NA	NA
		7/30/12	4.0 U	NA	NA	NA
		8/06/12	4.0 U	NA	NA	NA
		8/13/12	4.0 U	NA	NA	NA
		8/20/12	4.0 U	NA	NA	NA
		8/27/12	4.0 U	NA	NA	NA
		9/17/12	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	9/24/12	4.0 U	NA	NA	NA
		10/15/12	4.0 U	NA	NA	NA
		10/29/12	4.0 U	NA	NA	NA
		11/05/12	4.0 U	NA	NA	NA
		11/13/12	4.0 U	NA	NA	NA
		11/19/12	4.0 U	NA	NA	NA
		11/26/12	4.0 U	NA	NA	NA
		12/03/12	4.0 U	NA	NA	NA
		12/10/12	4.0 U	NA	NA	NA
		12/17/12	4.0 U	NA	NA	NA
		12/24/12	4.0 U	NA	NA	NA
		12/31/12	4.0 U	NA	NA	NA
		1/07/13	4.0 U	NA	NA	NA
		1/14/13	4.0 U	NA	NA	NA
		1/22/13	4.0 U	NA	NA	NA
		1/28/13	4.0 U	NA	NA	NA
		2/11/13	4.0 U	NA	NA	NA
		2/19/13	4.0 U	NA	NA	NA
		2/25/13	4.0 U	NA	NA	NA
		3/04/13	4.0 U	NA	NA	NA
		3/11/13	4.0 U	NA	NA	NA
		3/18/13	4.0 U	NA	NA	NA
		3/25/13	4.0 U	NA	NA	NA
		4/01/13	4.0 U	NA	NA	NA
		4/08/13	4.0 U	NA	NA	NA
		4/15/13	4.0 U	NA	NA	NA
		4/22/13	4.0 U	NA	NA	NA
		5/13/13	4.0 U	NA	NA	NA
		5/20/13	4.0 U	NA	NA	NA
		5/28/13	4.0 U	NA	NA	NA
		6/03/13	4.0 U	NA	NA	NA
		6/10/13	4.0 U	NA	NA	NA
		6/17/13	4.0 U	NA	NA	NA
		6/24/13	4.0 U	NA	NA	NA
		7/01/13	4.0 U	NA	NA	NA
		7/08/13	4.0 U	NA	NA	NA
		7/15/13	4.0 U	NA	NA	NA
		7/22/13	4.0 U	NA	NA	NA
		7/29/13	4.0 U	NA	NA	NA
		8/05/13	4.0 U	NA	NA	NA
		8/12/13	4.0 U	NA	NA	NA
		8/19/13	4.0 U	NA	NA	NA
		8/26/13	4.0 U	NA	NA	NA
		9/03/13	4.0 U	NA	NA	NA
		9/09/13	4.0 U	NA	NA	NA
		9/16/13	4.0 U	NA	NA	NA
		9/19/13	4.0 U	NA	NA	NA
		9/23/13	4.0 U	NA	NA	NA
		11/04/13	4.0 U	NA	NA	NA
		11/12/13	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 04 (con't)	11/18/13	4.0 U	NA	NA	NA
		11/25/13	4.0 U	NA	NA	NA
		12/02/13	4.0 U	NA	NA	NA
		12/09/13	4.0 U	NA	NA	NA
		12/16/13	4.0 U	NA	NA	NA
		12/23/13	4.0 U	NA	NA	NA
		2/10/14	4.0 U	NA	NA	NA
		2/18/14	4.0 U	NA	NA	NA
		2/24/14	4.0 U	NA	NA	NA
		3/03/14	4.0 U	NA	NA	NA
		3/10/14	4.0 U	NA	NA	NA
		3/17/14	4.0 U	NA	NA	NA
		3/24/14	4.0 U	NA	NA	NA
		3/31/14	4.0 U	NA	NA	NA
		4/07/14	4.0 U	NA	NA	NA
		4/14/14	4.0 U	NA	NA	NA
		4/21/14	4.0 U	NA	NA	NA
		4/28/14	4.0 U	NA	NA	NA
		5/19/14	4.0 U	NA	NA	NA
		5/27/14	4.0 U	NA	NA	NA
		6/02/14	4.0 U	NA	NA	NA
		6/09/14	4.0 U	NA	NA	NA
		6/16/14	4.0 U	NA	NA	NA
		6/23/14	4.0 U	NA	NA	NA
		6/30/14	4.0 U	NA	NA	NA
		7/07/14	4.0 U	NA	NA	NA
		7/14/14	4.0 U	NA	NA	NA
		7/21/14	4.0 U	NA	NA	NA
		7/28/14	4.0 U	NA	NA	NA
		8/11/14	4.0 U	NA	NA	NA
		8/18/14	4.0 U	NA	NA	NA
		8/25/14	4.0 U	NA	NA	NA
		9/02/14	4.0 U	NA	NA	NA
		9/08/14	4.0 U	NA	NA	NA
		9/15/14	4.0 U	NA	NA	NA
		9/22/14	4.0 U	NA	NA	NA
		9/29/14	4.0 U	NA	NA	NA
		1/05/15	4.0 U	NA	NA	NA
		1/05/15	4.0 U	NA	NA	NA
		1/12/15	4.0 U	NA	NA	NA
		1/26/15	4.0 U	NA	NA	NA
		2/09/15	4.0 U	NA	NA	NA
		2/17/15	4.0 U	NA	NA	NA
		2/23/15	4.0 U	NA	NA	NA
		3/02/15	4.0 U	NA	NA	NA
		3/09/15	4.0 U	NA	NA	NA
		3/16/15	4.0 U	NA	NA	NA
		3/23/15	4.0 U	NA	NA	NA
		3/30/15	4.0 U	NA	NA	NA
	WELL 07	3/04/96	NA	NA	NA	0.5 U

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	6/03/96	NA	NA	NA	0.5 U
		9/03/96	NA	NA	NA	0.5 U
		12/02/96	NA	NA	NA	0.5 U
		3/03/97	NA	NA	NA	0.5 U
		6/02/97	NA	NA	NA	0.5 U
		6/17/97	0.0 U	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		9/02/97	NA	NA	NA	0.5 U
		9/16/97	0.0 U	NA	NA	NA
		12/01/97	NA	NA	NA	0.5 U
		3/02/98	NA	NA	NA	0.5 U
		6/01/98	NA	NA	NA	0.5 U
		7/06/98	NA	0.5 U	0.5 U	0.5 U
		9/01/98	NA	NA	NA	0.5 U
		12/07/98	NA	NA	NA	0.5 U
		3/01/99	NA	NA	NA	0.5 U
		6/01/99	NA	NA	NA	0.5 U
		7/26/99	5.0 U	0.5 U	0.5 U	0.5 U
		9/07/99	NA	NA	NA	0.5 U
		12/06/99	NA	NA	NA	0.5 U
		3/06/00	NA	NA	NA	0.5 U
		4/24/00	5.0 U	0.5 U	0.5 U	0.5 U
		6/05/00	NA	NA	NA	0.5 U
		7/03/00	5.0 U	NA	NA	NA
		9/11/00	NA	NA	NA	0.5 U
		10/02/00	5.0 U	NA	NA	NA
		12/04/00	NA	NA	NA	0.5 U
		1/02/01	5.0 U	NA	NA	NA
		1/29/01	NA	0.5 U	0.5 U	0.5 U
		3/05/01	NA	NA	NA	0.5 U
		6/04/01	NA	NA	NA	0.5 U
		9/04/01	NA	NA	NA	0.5 U
		12/03/01	NA	NA	NA	0.5 U
		1/28/02	NA	0.5 U	0.5 U	0.5 U
		3/04/02	NA	NA	NA	0.5 U
		4/29/02	4.0 U	NA	NA	NA
		6/03/02	NA	NA	NA	0.5 U
		7/01/02	4.0 U	NA	NA	NA
		9/03/02	NA	NA	NA	0.5 U
		10/07/02	4.0 U	NA	NA	NA
		12/02/02	NA	NA	NA	0.5 U
		1/13/03	0.0 U	0.5 U	0.5 U	0.5 U
		4/07/03	4.0 U	NA	NA	NA
		10/06/03	4.0 U	NA	NA	NA
		10/20/03	NA	NA	NA	0.5 U
		1/20/04	NA	0.5 U	0.5 U	0.5 U
		4/05/04	4.0 U	NA	NA	NA
		5/03/04	4.0 U	NA	NA	NA
		6/01/04	4.0 U	NA	NA	NA
		7/06/04	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	8/02/04	4.0 U	NA	NA	NA
		9/07/04	4.0 U	NA	NA	NA
		10/04/04	4.0 U	NA	NA	NA
		11/01/04	4.0 U	NA	NA	NA
		12/06/04	4.0 U	NA	NA	NA
		1/03/05	4.0 U	NA	NA	NA
		1/18/05	NA	0.5 U	**0.5**	0.5 U
		2/07/05	4.0 U	NA	NA	NA
		3/07/05	4.0 U	NA	NA	NA
		4/04/05	4.0 U	NA	0.5 U	NA
		5/02/05	4.0 U	NA	NA	NA
		6/06/05	4.0 U	NA	NA	NA
		7/05/05	4.0 U	NA	0.5 U	NA
		8/01/05	4.0 U	NA	NA	NA
		9/06/05	4.0 U	NA	NA	NA
		10/03/05	4.0 U	NA	NA	NA
		11/07/05	4.0 U	NA	NA	NA
		12/05/05	4.0 U	NA	NA	NA
		1/03/06	4.0 U	NA	NA	NA
		1/09/06	NA	NA	0.5 U	NA
		1/23/06	NA	0.5 U	0.5 U	0.5 U
		2/06/06	4.0 U	NA	NA	NA
		3/06/06	4.0 U	NA	NA	NA
		4/03/06	4.0 U	NA	NA	NA
		4/06/06	NA	NA	0.5 U	NA
		5/01/06	4.0 U	NA	NA	NA
		6/05/06	4.0 U	NA	NA	NA
		7/03/06	4.0 U	NA	0.5 U	NA
		8/07/06	4.0 U	NA	NA	NA
		9/05/06	4.0 U	NA	NA	NA
		10/02/06	4.0 U	NA	0.5 U	NA
		11/06/06	4.0 U	NA	NA	NA
		1/02/07	4.0 U	NA	NA	NA
		1/08/07	NA	NA	0.5 U	NA
		2/05/07	4.0 U	NA	NA	NA
		3/05/07	4.0 U	NA	NA	NA
		3/12/07	NA	0.5 U	0.5 U	0.5 U
		4/02/07	4.0 U	NA	NA	NA
		5/07/07	4.0 U	NA	NA	NA
		6/04/07	4.0 U	NA	NA	NA
		8/06/07	4.0 U	NA	NA	NA
		9/04/07	4.0 U	NA	NA	NA
		10/01/07	4.0 U	NA	0.5 U	NA
		11/05/07	4.0 U	NA	NA	NA
		12/03/07	4.0 U	NA	NA	NA
		1/02/08	4.0 U	NA	0.5 U	NA
		1/05/08	4.0 U	NA	NA	NA
		1/14/08	4.0 U	0.5 U	0.5 U	0.5 U
		2/05/08	4.0 U	NA	NA	NA
		3/03/08	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	4/07/08	4.0 U	NA	0.5 U	NA
		6/02/08	4.0 U	NA	NA	NA
		9/02/08	4.0 U	NA	NA	NA
		10/06/08	4.0 U	NA	0.5 U	NA
		11/24/08	4.0 U	NA	NA	NA
		12/01/08	4.0 U	NA	NA	NA
		12/08/08	4.0 U	NA	NA	NA
		12/15/08	4.0 U	NA	NA	NA
		12/22/08	4.0 U	NA	NA	NA
		12/29/08	4.0 U	NA	NA	NA
		2/23/09	4.0 U	NA	NA	NA
		3/02/09	4.0 U	NA	**0.7**	NA
		3/09/09	4.0 U	NA	NA	NA
		3/16/09	4.0 U	NA	NA	NA
		3/23/09	4.0 U	NA	NA	NA
		3/30/09	4.0 U	NA	NA	NA
		4/06/09	4.0 U	NA	NA	NA
		4/08/09	NA	NA	**0.6**	NA
		4/13/09	4.0 U	NA	NA	NA
		4/20/09	4.0 U	NA	NA	NA
		4/27/09	4.0 U	NA	NA	NA
		5/04/09	4.0 U	NA	NA	NA
		5/05/09	4.0 U	NA	NA	NA
		5/06/09	4.0 U	NA	NA	NA
		5/07/09	4.0 U	NA	NA	NA
		5/08/09	4.0 U	NA	NA	NA
		5/09/09	4.0 U	NA	NA	NA
		5/10/09	4.0 U	NA	NA	NA
		5/11/09	4.0 U	NA	NA	NA
		5/12/09	4.0 U	NA	NA	NA
		5/13/09	4.0 U	NA	NA	NA
		5/14/09	4.0 U	NA	NA	NA
		5/15/09	4.0 U	NA	NA	NA
		5/16/09	4.0 U	NA	NA	NA
		5/17/09	4.0 U	NA	NA	NA
		5/18/09	4.0 U	NA	NA	NA
		5/19/09	4.0 U	NA	NA	NA
		5/20/09	4.0 U	NA	NA	NA
		5/21/09	4.0 U	NA	NA	NA
		5/22/09	4.0 U	NA	NA	NA
		5/23/09	4.0 U	NA	NA	NA
		5/24/09	4.0 U	NA	NA	NA
		5/25/09	4.0 U	NA	NA	NA
		5/26/09	4.0 U	NA	NA	NA
		5/27/09	4.0 U	NA	NA	NA
		5/29/09	4.0 U	NA	NA	NA
		5/30/09	4.0 U	NA	NA	NA
		5/31/09	4.0 U	NA	NA	NA
		6/01/09	4.0 U	NA	NA	NA
		6/02/09	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	6/03/09	4.0 U	NA	NA	NA
		6/04/09	4.0 U	NA	NA	NA
		6/05/09	4.0 U	NA	NA	NA
		6/06/09	4.0 U	NA	NA	NA
		6/07/09	4.0 U	NA	NA	NA
		6/08/09	4.0 U	NA	NA	NA
		6/09/09	4.0 U	NA	NA	NA
		6/10/09	4.0 U	NA	NA	NA
		6/11/09	4.0 U	NA	NA	NA
		6/12/09	4.0 U	NA	NA	NA
		6/15/09	4.0 U	NA	NA	NA
		6/16/09	4.0 U	NA	NA	NA
		6/17/09	4.0 U	NA	NA	NA
		6/18/09	4.0 U	NA	NA	NA
		6/19/09	4.0 U	NA	NA	NA
		6/22/09	4.0 U	NA	NA	NA
		6/23/09	4.0 U	NA	NA	NA
		6/24/09	4.0 U	NA	NA	NA
		6/25/09	4.0 U	NA	NA	NA
		6/29/09	4.0 U	NA	NA	NA
		7/06/09	4.0 U	NA	0.5 U	NA
		7/13/09	4.0 U	NA	NA	NA
		7/20/09	4.0 U	NA	NA	NA
		7/27/09	4.0 U	NA	NA	NA
		8/03/09	4.0 U	NA	0.5 U	NA
		8/05/09	4.0 U	NA	NA	NA
		8/10/09	4.0 U	NA	NA	NA
		8/17/09	4.0 U	NA	NA	NA
		8/24/09	4.0 U	NA	NA	NA
		8/31/09	4.0 U	NA	NA	NA
		9/08/09	4.0 U	NA	0.5 U	NA
		9/14/09	4.0 U	NA	NA	NA
		9/21/09	4.0 U	NA	NA	NA
		9/28/09	4.0 U	NA	NA	NA
		10/05/09	4.0 U	NA	0.5 U	NA
		10/12/09	4.0 U	NA	NA	NA
		10/19/09	4.0 U	NA	NA	NA
		10/26/09	4.0 U	NA	NA	NA
		11/02/09	4.0 U	NA	0.5 U	NA
		11/09/09	4.0 U	NA	NA	NA
		11/16/09	4.0 U	NA	NA	NA
		12/14/09	4.0 U	NA	NA	NA
		12/21/09	4.0 U	NA	NA	NA
		12/28/09	4.0 U	NA	NA	NA
		1/04/10	4.0 U	NA	**0.7**	NA
		1/11/10	4.0 U	NA	NA	NA
		2/08/10	4.0 U	NA	**0.9**	NA
		2/16/10	4.0 U	NA	NA	NA
		2/22/10	4.0 U	NA	NA	NA
		3/01/10	4.0 U	NA	**0.9**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	3/08/10	4.0 U	NA	NA	NA
		3/15/10	4.0 U	NA	NA	NA
		3/22/10	4.0 U	NA	NA	NA
		3/29/10	4.0 U	NA	NA	NA
		4/05/10	4.0 U	NA	**0.7**	NA
		4/12/10	4.0 U	NA	NA	NA
		4/19/10	4.0 U	NA	NA	NA
		4/26/10	4.0 U	NA	NA	NA
		5/24/10	4.0 U	NA	NA	NA
		6/01/10	4.0 U	NA	0.5 U	NA
		6/07/10	4.0 U	NA	NA	NA
		6/14/10	4.0 U	NA	NA	NA
		6/21/10	4.0 U	NA	NA	NA
		6/28/10	4.0 U	NA	NA	NA
		7/06/10	4.0 U	NA	0.5 U	NA
		7/12/10	4.0 U	NA	NA	NA
		7/19/10	4.0 U	NA	NA	NA
		7/26/10	4.0 U	NA	NA	NA
		8/02/10	4.0 U	NA	0.5 U	NA
		8/09/10	4.0 U	NA	NA	NA
		8/16/10	4.0 U	NA	NA	NA
		8/23/10	4.0 U	NA	NA	NA
		8/30/10	4.0 U	NA	NA	NA
		9/07/10	4.0 U	NA	0.5 U	NA
		9/13/10	4.0 U	NA	NA	NA
		9/20/10	4.0 U	NA	NA	NA
		9/27/10	4.0 U	NA	NA	NA
		10/04/10	4.0 U	NA	0.5 U	NA
		10/11/10	4.0 U	NA	NA	NA
		10/18/10	4.0 U	NA	NA	NA
		10/25/10	4.0 U	NA	NA	NA
		11/15/10	4.0 U	NA	NA	NA
		11/22/10	4.0 U	NA	NA	NA
		11/29/10	4.0 U	NA	NA	NA
		12/06/10	4.0 U	NA	0.5 U	NA
		12/13/10	4.0 U	NA	NA	NA
		12/20/10	4.0 U	NA	NA	NA
		12/27/10	4.0 U	NA	NA	NA
		1/03/11	4.0 U	NA	**0.8**	NA
		2/07/11	4.0 U	0.5 U	**0.8**	**0.5**
		2/14/11	4.0 U	NA	NA	NA
		2/22/11	4.0 U	NA	NA	NA
		3/14/11	4.0 U	NA	NA	NA
		3/16/11	4.0 U	NA	NA	NA
		3/21/11	4.0 U	NA	NA	NA
		3/22/11	4.0 U	NA	NA	NA
		3/23/11	4.0 U	NA	NA	NA
		3/24/11	4.0 U	NA	NA	NA
		3/28/11	4.0 U	NA	NA	NA
		3/30/11	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	4/04/11	4.0 U	NA	**0.6**	NA
		4/11/11	4.0 U	NA	NA	NA
		4/18/11	4.0 U	NA	NA	NA
		4/25/11	4.0 U	NA	NA	NA
		5/23/11	4.0 U	NA	NA	NA
		5/31/11	4.0 U	NA	NA	NA
		6/06/11	4.0 U	NA	NA	NA
		6/13/11	4.0 U	NA	NA	NA
		6/20/11	4.0 U	NA	NA	NA
		6/27/11	4.0 U	NA	NA	NA
		7/05/11	4.0 U	NA	0.5 U	NA
		7/11/11	4.0 U	NA	NA	NA
		7/18/11	4.0 U	NA	NA	NA
		7/25/11	4.0 U	NA	NA	NA
		8/01/11	4.0 U	NA	NA	NA
		8/08/11	4.0 U	NA	NA	NA
		8/15/11	4.0 U	NA	NA	NA
		8/22/11	4.0 U	NA	NA	NA
		8/29/11	4.0 U	NA	NA	NA
		9/06/11	4.0 U	NA	NA	NA
		9/12/11	4.0 U	NA	NA	NA
		9/19/11	4.0 U	NA	NA	NA
		9/26/11	4.0 U	NA	NA	NA
		10/03/11	4.0 U	NA	0.5 U	NA
		10/10/11	4.0 U	0.5 U	0.5 U	0.5 U
		10/17/11	4.0 U	NA	NA	NA
		10/24/11	4.0 U	NA	NA	NA
		10/31/11	4.0 U	NA	NA	NA
		11/07/11	4.0 U	NA	NA	NA
		11/14/11	4.0 U	NA	NA	NA
		11/21/11	4.0 U	NA	NA	NA
		11/28/11	4.0 U	NA	NA	NA
		12/05/11	4.0 U	NA	NA	NA
		12/12/11	4.0 U	NA	NA	NA
		12/19/11	4.0 U	NA	NA	NA
		12/27/11	4.0 U	NA	NA	NA
		1/03/12	4.0 U	NA	0.5 U	NA
		1/09/12	4.0 U	NA	NA	NA
		1/17/12	4.0 U	NA	NA	NA
		1/23/12	4.0 U	NA	NA	NA
		1/30/12	4.0 U	NA	NA	NA
		2/06/12	4.0 U	0.5 U	0.5 U	0.5 U
		2/13/12	4.0 U	NA	NA	NA
		2/21/12	4.0 U	NA	NA	NA
		2/27/12	4.0 U	NA	NA	NA
		3/05/12	4.0 U	NA	NA	NA
		3/12/12	4.0 U	NA	NA	NA
		3/19/12	4.0 U	NA	NA	NA
		3/26/12	4.0 U	NA	NA	NA
		4/02/12	4.0 U	NA	0.5 U	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	4/09/12	4.0 U	NA	NA	NA
		4/16/12	4.0 U	NA	NA	NA
		4/23/12	4.0 U	NA	NA	NA
		5/21/12	4.0 U	NA	NA	NA
		5/29/12	4.0 U	NA	NA	NA
		6/04/12	4.0 U	NA	NA	NA
		6/11/12	4.0 U	NA	NA	NA
		6/18/12	4.0 U	NA	NA	NA
		6/25/12	4.0 U	NA	NA	NA
		7/02/12	4.0 U	NA	0.5 U	NA
		7/09/12	4.0 U	NA	NA	NA
		7/16/12	4.0 U	NA	NA	NA
		7/23/12	4.0 U	NA	NA	NA
		7/30/12	4.0 U	NA	NA	NA
		8/06/12	4.0 U	NA	NA	NA
		8/13/12	4.0 U	NA	NA	NA
		8/20/12	4.0 U	NA	NA	NA
		8/27/12	4.0 U	NA	NA	NA
		9/17/12	4.0 U	NA	NA	NA
		9/24/12	4.0 U	NA	NA	NA
		10/15/12	4.0 U	NA	NA	NA
		10/29/12	4.0 U	NA	NA	NA
		11/05/12	4.0 U	NA	NA	NA
		11/13/12	4.0 U	NA	NA	NA
		11/19/12	4.0 U	NA	NA	NA
		11/26/12	4.0 U	NA	NA	NA
		12/03/12	4.0 U	NA	NA	NA
		12/10/12	4.0 U	NA	NA	NA
		12/17/12	4.0 U	NA	NA	NA
		12/24/12	4.0 U	NA	NA	NA
		12/31/12	4.0 U	NA	NA	NA
		1/07/13	4.0 U	NA	0.5 U	NA
		1/14/13	4.0 U	NA	NA	NA
		1/22/13	4.0 U	NA	NA	NA
		1/28/13	4.0 U	NA	NA	NA
		2/11/13	4.0 U	NA	NA	NA
		2/19/13	4.0 U	NA	NA	NA
		2/25/13	4.0 U	NA	NA	NA
		3/04/13	4.0 U	NA	NA	NA
		3/11/13	4.0 U	NA	NA	NA
		3/18/13	4.0 U	NA	NA	NA
		3/25/13	4.0 U	NA	NA	NA
		4/01/13	4.0 U	NA	0.5 U	NA
		4/08/13	4.0 U	NA	NA	NA
		4/15/13	4.0 U	NA	NA	NA
		4/22/13	4.0 U	NA	NA	NA
		5/28/13	4.0 U	NA	NA	NA
		6/03/13	4.0 U	NA	NA	NA
		6/10/13	4.0 U	NA	NA	NA
		6/17/13	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	6/24/13	4.0 U	NA	NA	NA
		7/01/13	4.0 U	NA	**0.5**	NA
		7/08/13	4.0 U	NA	NA	NA
		7/15/13	4.0 U	NA	NA	NA
		7/22/13	4.0 U	NA	NA	NA
		7/29/13	4.0 U	NA	NA	NA
		8/05/13	4.0 U	NA	NA	NA
		8/12/13	4.0 U	NA	NA	NA
		8/19/13	4.0 U	NA	NA	NA
		8/26/13	4.0 U	NA	NA	NA
		9/03/13	4.0 U	NA	NA	NA
		9/09/13	4.0 U	NA	NA	NA
		9/16/13	4.0 U	NA	NA	NA
		9/19/13	4.0 U	NA	NA	NA
		9/23/13	4.0 U	NA	NA	NA
		2/10/14	4.0 U	NA	NA	NA
		2/18/14	4.0 U	NA	NA	NA
		2/24/14	4.0 U	NA	NA	NA
		3/03/14	4.0 U	NA	NA	NA
		3/10/14	4.0 U	NA	NA	NA
		3/17/14	4.0 U	NA	NA	NA
		3/24/14	4.0 U	NA	NA	NA
		3/31/14	4.0 U	NA	NA	NA
		4/07/14	4.0 U	NA	0.5 U	NA
		4/14/14	4.0 U	NA	NA	NA
		4/21/14	4.0 U	NA	NA	NA
		4/28/14	4.0 U	NA	NA	NA
		5/19/14	4.0 U	NA	NA	NA
		5/27/14	4.0 U	NA	NA	NA
		6/02/14	4.0 U	NA	NA	NA
		6/09/14	4.0 U	NA	NA	NA
		6/16/14	4.0 U	NA	NA	NA
		6/23/14	4.0 U	NA	NA	NA
		6/30/14	4.0 U	NA	NA	NA
		7/07/14	4.0 U	NA	**0.6**	NA
		7/14/14	4.0 U	NA	NA	NA
		7/21/14	4.0 U	NA	NA	NA
		7/28/14	4.0 U	NA	NA	NA
		8/11/14	4.0 U	NA	NA	NA
		8/18/14	4.0 U	NA	NA	NA
		8/25/14	4.0 U	NA	NA	NA
		9/02/14	4.0 U	NA	NA	NA
		9/08/14	4.0 U	NA	NA	NA
		9/15/14	4.0 U	NA	NA	NA
		9/22/14	4.0 U	NA	NA	NA
		9/29/14	4.0 U	NA	NA	NA
		1/05/15	4.0 U	NA	**0.5**	NA
		1/12/15	4.0 U	NA	NA	NA
		1/20/15	4.0 U	NA	NA	NA
		1/26/15	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
RUBIO CANON LAND & WATER ASSOCIATION (con't)	WELL 07 (con't)	2/09/15	4.0 U	NA	NA	NA
		2/17/15	4.0 U	NA	NA	NA
		2/23/15	4.0 U	NA	NA	NA
		3/02/15	4.0 U	NA	NA	NA
		3/09/15	4.0 U	NA	NA	NA
		3/16/15	4.0 U	NA	NA	NA
		3/23/15	4.0 U	NA	NA	NA
		3/30/15	4.0 U	NA	NA	NA
LAS FLORES WATER CO.	WELL 02	12/09/96	NA	0.5 U	0.5 U	0.5 U
		6/17/97	**5.0**	NA	NA	NA
		6/24/97	**5.0**	NA	NA	NA
		9/15/97	**4.0**	NA	NA	NA
		12/17/97	NA	0.5 U	**4.7**	0.5 U
		1/05/98	NA	0.5 U	**4.8**	0.5 U
		1/06/98	NA	NA	**4.8**	NA
		5/11/98	NA	NA	**9.0**	NA
		5/20/98	NA	NA	**8.8**	NA
		7/13/98	NA	NA	**4.7**	NA
		8/17/98	NA	NA	**7.8**	NA
		8/24/98	NA	NA	**7.1**	NA
		9/18/98	NA	NA	**8.0**	NA
		10/12/98	NA	NA	**8.9**	NA
		12/14/98	NA	0.5 U	**9.3**	0.5 U
		1/11/99	NA	NA	**12.6**	NA
		1/20/99	NA	NA	**8.7**	NA
		2/08/99	NA	NA	**11.0**	NA
		2/16/99	NA	NA	**9.1**	NA
		3/08/99	NA	NA	**9.1**	NA
		3/16/99	NA	NA	**9.5**	NA
		3/22/99	NA	NA	**9.9**	NA
		3/29/99	NA	NA	**6.9**	NA
		4/05/99	NA	NA	**8.7**	NA
		4/13/99	NA	NA	**3.0**	NA
		4/19/99	NA	NA	**7.9**	NA
		4/26/99	NA	NA	**10.7**	NA
		5/03/99	NA	NA	**9.3**	NA
		5/10/99	NA	NA	**7.5**	NA
		5/17/99	NA	NA	**7.4**	NA
		5/24/99	NA	NA	**7.6**	NA
		6/01/99	NA	NA	**4.6**	NA
		6/07/99	NA	NA	**9.8**	NA
		6/14/99	NA	NA	**5.6**	NA
		6/21/99	NA	NA	**10.6**	NA
		6/28/99	NA	NA	**6.3**	NA
		7/06/99	NA	NA	**7.0**	NA
		7/12/99	NA	NA	**9.0**	NA
		7/19/99	NA	NA	**8.1**	NA
		7/27/99	NA	NA	**8.7**	NA
		7/29/99	**5.3**	NA	NA	NA
		8/03/99	NA	NA	**6.0**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	8/09/99	NA	NA	**11.6**	NA
		8/16/99	NA	NA	**8.4**	NA
		8/23/99	NA	NA	**9.2**	NA
		8/30/99	NA	NA	**10.7**	NA
		9/07/99	NA	0.5 U	**11.5**	0.5 U
		9/13/99	NA	NA	**11.2**	NA
		9/20/99	NA	NA	**9.2**	NA
		9/27/99	NA	NA	**11.5**	NA
		10/04/99	NA	NA	**9.8**	NA
		10/11/99	NA	NA	**9.3**	NA
		10/18/99	NA	NA	**11.2**	NA
		10/25/99	NA	NA	**9.8**	NA
		11/01/99	NA	NA	**11.2**	NA
		11/08/99	NA	NA	**9.9**	NA
		11/15/99	NA	NA	**8.1**	NA
		11/22/99	NA	NA	**10.0**	NA
		11/29/99	NA	NA	**11.8**	NA
		12/06/99	NA	NA	**13.7**	NA
		12/13/99	**6.3**	0.5 U	**10.2**	0.5 U
		12/20/99	NA	NA	**14.5**	NA
		1/03/00	NA	NA	**13.5**	NA
		1/11/00	NA	NA	**7.6**	NA
		1/17/00	NA	NA	**14.8**	NA
		1/24/00	NA	NA	**13.2**	NA
		1/31/00	NA	NA	**14.0**	NA
		2/07/00	NA	NA	**11.7**	NA
		2/14/00	NA	NA	**12.4**	NA
		2/22/00	NA	NA	**16.5**	NA
		2/28/00	NA	NA	**8.0**	NA
		3/06/00	NA	NA	**12.0**	NA
		3/12/00	NA	NA	**11.0**	NA
		3/20/00	NA	NA	**13.0**	NA
		3/27/00	**8.0**	NA	**12.0**	NA
		4/03/00	NA	0.5 U	**12.0**	0.5 U
		4/10/00	NA	NA	**11.0**	NA
		4/17/00	NA	NA	**12.0**	NA
		4/24/00	NA	NA	**13.0**	NA
		5/01/00	NA	NA	**9.7**	NA
		5/08/00	NA	NA	**13.5**	NA
		5/15/00	NA	NA	**13.3**	NA
		5/22/00	NA	NA	**9.9**	NA
		5/30/00	NA	NA	**13.6**	NA
		6/05/00	NA	NA	**9.2**	NA
		6/12/00	NA	NA	**11.8**	NA
		6/19/00	NA	NA	**11.2**	NA
		6/26/00	NA	NA	**9.9**	NA
		7/03/00	NA	NA	**11.0**	NA
		7/10/00	**7.0**	0.5 U	**9.6**	0.5 U
		8/11/00	NA	NA	**13.7**	NA
		8/21/00	NA	NA	**11.2**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	8/28/00	NA	NA	**10.0**	NA
		9/05/00	NA	NA	**13.0**	NA
		9/11/00	NA	NA	**16.0**	NA
		9/18/00	NA	NA	**12.0**	NA
		9/25/00	NA	NA	**10.0**	NA
		10/02/00	NA	NA	**15.0**	NA
		10/09/00	NA	NA	**16.0**	NA
		10/16/00	NA	NA	**13.0**	NA
		10/23/00	**5.6**	NA	**14.2**	NA
		10/30/00	NA	NA	**16.8**	NA
		11/06/00	NA	NA	**10.4**	NA
		11/13/00	NA	NA	**17.2**	NA
		11/27/00	NA	NA	**15.9**	NA
		12/04/00	NA	NA	**8.0**	NA
		12/11/00	NA	NA	**13.5**	NA
		12/18/00	NA	NA	**14.6**	NA
		12/26/00	**5.3**	0.5 U	**10.3**	0.5 U
		1/02/01	NA	NA	**15.0**	NA
		1/08/01	NA	NA	**6.9**	NA
		1/15/01	NA	NA	**9.3**	NA
		1/22/01	NA	NA	**13.5**	NA
		1/29/01	NA	NA	**13.0**	NA
		2/05/01	NA	NA	**13.9**	NA
		2/12/01	NA	NA	**7.7**	NA
		2/20/01	NA	NA	**7.5**	NA
		2/26/01	NA	NA	**13.0**	NA
		3/05/01	NA	NA	**5.5**	NA
		3/12/01	NA	NA	**9.7**	NA
		3/19/01	NA	NA	**4.1**	NA
		3/26/01	NA	NA	**14.0**	NA
		4/02/01	NA	NA	**6.3**	NA
		4/09/01	NA	NA	**12.0**	NA
		4/16/01	NA	NA	**12.0**	NA
		4/23/01	NA	NA	**13.0**	NA
		4/30/01	NA	NA	**12.0**	NA
		5/07/01	**7.4**	NA	**11.0**	NA
		5/14/01	NA	NA	**11.8**	NA
		5/21/01	NA	NA	**12.0**	NA
		5/29/01	NA	NA	**14.0**	NA
		6/04/01	NA	NA	**14.0**	NA
		6/11/01	NA	NA	**13.1**	NA
		6/18/01	NA	NA	**17.0**	NA
		6/25/01	NA	NA	**15.0**	NA
		7/02/01	NA	NA	**15.0**	NA
		7/09/01	NA	NA	**11.0**	NA
		7/16/01	NA	NA	**13.0**	NA
		7/23/01	NA	NA	**14.0**	NA
		7/30/01	NA	NA	**13.0**	NA
		8/06/01	NA	NA	**11.0**	NA
		8/13/01	NA	NA	**12.0**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	8/20/01	NA	NA	**15.0**	NA
		8/27/01	NA	NA	**13.0**	NA
		9/04/01	NA	NA	**15.0**	NA
		9/10/01	**9.0**	NA	**14.0**	NA
		9/17/01	NA	NA	**13.0**	NA
		9/24/01	NA	NA	**16.0**	NA
		10/01/01	NA	NA	**12.0**	NA
		10/08/01	NA	NA	**13.0**	NA
		10/15/01	NA	NA	**14.0**	NA
		10/22/01	NA	NA	**12.0**	NA
		10/29/01	NA	NA	**14.0**	NA
		11/05/01	NA	NA	**12.0**	NA
		11/12/01	NA	NA	**15.0**	NA
		11/19/01	NA	NA	**15.0**	NA
		11/26/01	NA	NA	**13.0**	NA
		12/03/01	NA	NA	**13.0**	NA
		12/10/01	NA	NA	**9.8**	NA
		12/17/01	NA	NA	**14.0**	NA
		12/26/01	NA	NA	**11.0**	NA
		1/02/02	NA	NA	**11.0**	NA
		1/07/02	NA	NA	**14.0**	NA
		1/14/02	NA	NA	**13.0**	NA
		1/21/02	NA	NA	**13.0**	NA
		1/28/02	**7.2**	NA	**13.0**	NA
		2/04/02	NA	NA	**12.0**	NA
		2/11/02	**7.6**	NA	**13.0**	NA
		2/19/02	NA	NA	**14.0**	NA
		2/25/02	**7.1**	NA	**13.0**	NA
		3/04/02	**6.6**	NA	**12.0**	NA
		3/11/02	**5.6**	0.5 U	**13.0**	0.5 U
		3/18/02	**5.7**	NA	**11.0**	NA
		3/25/02	**5.9**	NA	**11.0**	NA
		4/01/02	**7.1**	NA	**12.0**	NA
		4/08/02	**6.0**	NA	**6.2**	NA
		4/15/02	**7.2**	NA	**14.0**	NA
		4/22/02	**7.7**	NA	**12.0**	NA
		4/29/02	**6.2**	NA	**12.0**	NA
		5/06/02	**6.3**	NA	**12.0**	NA
		5/13/02	**7.0**	NA	**12.0**	NA
		5/20/02	**6.6**	NA	**13.0**	NA
		5/28/02	**6.6**	NA	**12.0**	NA
		6/03/02	**7.5**	0.5 U	**14.0**	0.5 U
		6/10/02	**6.8**	NA	**13.0**	NA
		6/17/02	**6.0**	NA	**12.0**	NA
		6/24/02	**6.6**	NA	**14.0**	NA
		7/01/02	**6.0**	NA	**13.0**	NA
		7/08/02	**4.8**	NA	**11.0**	NA
		7/15/02	**7.3**	NA	**15.0**	NA
		7/22/02	**6.8**	NA	**12.0**	NA
		7/29/02	**4.2**	NA	**13.0**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	8/05/02	**6.8**	NA	**14.0**	NA
		8/12/02	**6.9**	NA	**15.0**	NA
		8/26/02	**7.0**	NA	**12.0**	NA
		9/03/02	**8.9**	NA	**14.0**	NA
		9/09/02	**6.2**	0.5 U	**15.0**	0.5 U
		9/16/02	**5.8**	NA	**14.0**	NA
		9/23/02	**6.4**	NA	**15.0**	NA
		3/03/03	**5.8**	NA	**11.0**	NA
		3/27/03	**6.1**	0.5 U	**2.2**	0.5 U
		3/31/03	**4.8**	NA	**5.4**	NA
		4/07/03	0.0 U	NA	**7.8**	NA
		4/14/03	**5.7**	NA	**6.4**	NA
		4/21/03	**5.9**	NA	**4.1**	NA
		4/28/03	**6.0**	NA	**11.0**	NA
		5/05/03	**6.8**	NA	**9.1**	NA
		5/12/03	**5.7**	NA	**8.9**	NA
		5/19/03	**6.8**	NA	**11.0**	NA
		5/27/03	**6.1**	NA	**10.0**	NA
		6/02/03	**6.8**	0.5 U	**14.0**	0.5 U
		6/09/03	**6.5**	NA	**6.3**	NA
		6/16/03	**5.8**	0.5 U	**11.0**	0.5 U
		6/23/03	**6.7**	NA	**10.0**	NA
		6/30/03	**6.9**	NA	**12.0**	NA
		7/07/03	**5.4**	NA	**10.0**	NA
		7/14/03	**7.1**	NA	**10.0**	NA
		7/21/03	**6.9**	NA	**13.0**	NA
		7/28/03	**7.9**	NA	**10.0**	NA
		8/04/03	**6.5**	NA	**10.0**	NA
		8/11/03	**6.1**	NA	**8.9**	NA
		8/18/03	**5.1**	NA	**11.0**	NA
		9/02/03	**6.8**	NA	**11.0**	NA
		9/08/03	**6.1**	NA	**11.0**	NA
		9/15/03	**5.7**	NA	**10.0**	NA
		9/22/03	**6.5**	0.5 U	**8.7**	0.5 U
		9/29/03	**6.3**	NA	**13.0**	NA
		10/06/03	**6.3**	NA	**13.0**	NA
		10/13/03	**6.6**	NA	**13.0**	NA
		10/20/03	**5.6**	NA	**14.0**	NA
		10/27/03	**4.5**	NA	**8.8**	NA
		11/03/03	**5.6**	NA	**18.0**	NA
		11/10/03	**4.9**	NA	**13.0**	NA
		11/17/03	**6.6**	NA	**11.0**	NA
		11/24/03	**7.3**	NA	**11.0**	NA
		12/01/03	**7.0**	NA	**13.0**	NA
		12/08/03	**7.2**	NA	NA	NA
		12/15/03	**6.7**	NA	**13.0**	NA
		12/22/03	**7.0**	NA	**9.1**	NA
		12/29/03	**7.7**	NA	**12.0**	NA
		1/05/04	**7.6**	NA	**10.0**	NA
		1/12/04	**7.2**	NA	**9.4**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	1/19/04	**5.4**	NA	**9.7**	NA
		1/26/04	**5.5**	NA	**9.6**	NA
		2/02/04	**5.3**	NA	**9.5**	NA
		2/09/04	**5.6**	NA	**9.2**	NA
		2/17/04	**5.5**	NA	**9.1**	NA
		2/23/04	**4.1**	NA	**9.0**	NA
		3/01/04	4.0 U	NA	**9.8**	NA
		3/08/04	**6.1**	NA	**9.4**	NA
		3/15/04	4.0 U	0.5 U	**9.5**	0.5 U
		3/22/04	**6.6**	NA	**8.9**	NA
		3/29/04	**5.5**	NA	**8.7**	NA
		4/05/04	**5.8**	NA	**8.4**	NA
		4/12/04	4.0 U	NA	**9.3**	NA
		4/19/04	**5.5**	NA	**8.4**	NA
		4/26/04	**5.6**	NA	**7.1**	NA
		5/03/04	**5.8**	NA	**7.9**	NA
		5/10/04	**4.6**	NA	**7.3**	NA
		5/17/04	**4.8**	NA	**6.9**	NA
		5/24/04	**4.2**	NA	**6.6**	NA
		6/01/04	**5.1**	NA	**7.5**	NA
		6/07/04	**4.9**	NA	**5.7**	NA
		6/14/04	**4.5**	NA	**6.5**	NA
		6/21/04	4.0 U	NA	**6.3**	NA
		6/28/04	4.0 U	NA	**6.0**	NA
		7/06/04	**4.4**	NA	**5.1**	NA
		7/12/04	**4.3**	NA	**6.5**	NA
		7/19/04	**4.8**	NA	**5.4**	NA
		7/26/04	**4.4**	NA	**6.0**	NA
		8/02/04	4.0 U	NA	**5.4**	NA
		8/09/04	4.0 U	0.5 U	**5.4**	0.5 U
		8/16/04	4.0 U	NA	**5.6**	NA
		8/23/04	4.0 U	NA	**5.0**	NA
		8/30/04	4.0 U	NA	**5.2**	NA
		9/07/04	4.0 U	NA	**5.7**	NA
		9/13/04	**5.8**	NA	**5.7**	NA
		9/20/04	**4.8**	NA	**5.2**	NA
		9/27/04	**5.5**	NA	**5.8**	NA
		10/04/04	**5.6**	NA	**4.7**	NA
		10/11/04	**5.9**	NA	**5.1**	NA
		10/25/04	**6.0**	NA	**6.4**	NA
		11/01/04	**8.8**	NA	**6.4**	NA
		11/08/04	**6.5**	NA	NA	NA
		11/15/04	**6.0**	NA	**5.8**	NA
		11/22/04	**5.9**	NA	**5.5**	NA
		11/29/04	**6.0**	NA	**4.7**	NA
		12/06/04	**6.0**	NA	NA	NA
		12/13/04	**8.1**	NA	**5.5**	NA
		12/20/04	**5.3**	NA	**5.4**	NA
		12/27/04	**5.5**	NA	**5.9**	NA
		1/03/05	**5.6**	NA	**5.0**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	1/10/05	**7.0**	NA	**5.5**	NA
		1/17/05	**6.7**	NA	**6.1**	NA
		1/24/05	**5.9**	NA	**6.1**	NA
		2/07/05	**7.6**	0.5 U	**5.1**	0.5 U
		2/14/05	**5.0**	NA	**2.7**	NA
		2/22/05	**7.6**	NA	**3.5**	NA
		2/28/05	**5.9**	NA	**4.9**	NA
		3/07/05	**7.0**	NA	**3.5**	NA
		3/14/05	**4.3**	NA	**3.3**	NA
		3/20/05	4.0 U	NA	0.5 U	NA
		3/28/05	**5.8**	NA	**3.4**	NA
		4/04/05	**6.2**	NA	**4.7**	NA
		4/11/05	**6.2**	NA	**3.3**	NA
		4/18/05	**6.3**	NA	**1.5**	NA
		4/25/05	**7.1**	NA	**3.5**	NA
		5/02/05	**7.4**	NA	**3.2**	NA
		5/09/05	**6.3**	NA	**3.1**	NA
		5/16/05	**7.8**	NA	**2.9**	NA
		5/23/05	**6.1**	NA	**3.1**	NA
		5/31/05	**6.4**	NA	**2.6**	NA
		6/06/05	**5.8**	NA	**2.6**	NA
		6/13/05	**6.8**	NA	**2.5**	NA
		6/20/05	**6.7**	NA	**2.3**	NA
		6/27/05	**6.3**	NA	**2.6**	NA
		7/05/05	**6.6**	NA	**2.6**	NA
		7/11/05	**6.8**	NA	**2.0**	NA
		7/18/05	**6.1**	NA	**2.6**	NA
		7/25/05	**6.1**	NA	**2.5**	NA
		8/01/05	**6.9**	NA	**1.2**	NA
		8/08/05	**4.7**	NA	**2.2**	NA
		8/15/05	**5.8**	NA	**2.2**	NA
		8/22/05	**6.5**	NA	**2.0**	NA
		8/29/05	**5.1**	NA	**2.2**	NA
		9/06/05	**6.4**	NA	**2.1**	NA
		9/12/05	**5.4**	NA	**1.9**	NA
		9/19/05	**5.8**	NA	**1.9**	NA
		9/26/05	**6.3**	NA	**2.0**	NA
		10/03/05	**7.0**	NA	**1.9**	NA
		10/10/05	**7.0**	NA	**1.9**	NA
		10/17/05	**7.0**	NA	**1.7**	NA
		10/24/05	**6.8**	NA	**1.4**	NA
		10/31/05	**6.0**	NA	**1.7**	NA
		11/07/05	**6.0**	NA	**1.7**	NA
		11/14/05	**7.2**	NA	**1.7**	NA
		11/21/05	**5.0**	NA	NA	NA
		11/28/05	**6.0**	NA	**1.6**	NA
		12/05/05	**5.4**	NA	**1.5**	NA
		12/12/05	**6.2**	NA	**1.5**	NA
		12/19/05	**8.0**	NA	**1.3**	NA
		12/27/05	**7.1**	NA	**1.4**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	1/03/06	**5.8**	NA	**1.3**	NA
		1/09/06	**7.8**	NA	**1.3**	NA
		1/16/06	**6.0**	NA	**1.2**	NA
		1/30/06	**5.8**	NA	**1.1**	NA
		2/06/06	**6.0**	NA	**1.2**	NA
		2/13/06	**5.4**	NA	**1.2**	NA
		2/21/06	**5.5**	0.5 U	**1.2**	0.5 U
		2/27/06	**5.0**	NA	**1.0**	NA
		3/06/06	**5.2**	NA	**0.7**	NA
		3/13/06	**5.8**	NA	**0.6**	NA
		3/20/06	**8.0**	NA	**0.8**	NA
		4/03/06	**7.0**	NA	**0.5**	NA
		4/10/06	**6.5**	NA	**0.6**	NA
		4/17/06	**6.0**	NA	**0.6**	NA
		4/24/06	**6.0**	NA	**0.7**	NA
		5/01/06	**6.0**	NA	0.5 U	NA
		5/08/06	**6.9**	NA	**0.6**	NA
		5/15/06	**6.2**	NA	**0.7**	NA
		5/22/06	**6.0**	NA	**0.6**	NA
		5/30/06	**6.8**	NA	**0.5**	NA
		6/05/06	**6.7**	NA	**0.7**	NA
		6/12/06	**6.1**	NA	**0.6**	NA
		6/19/06	**7.0**	NA	**0.6**	NA
		6/26/06	**6.9**	NA	**0.6**	NA
		7/03/06	**6.4**	NA	**0.7**	NA
		7/12/06	**6.7**	NA	**0.8**	NA
		7/17/06	**6.6**	NA	**0.7**	NA
		7/24/06	**6.3**	NA	**0.7**	NA
		7/31/06	**6.6**	NA	**0.8**	NA
		8/07/06	**6.5**	NA	**0.5**	NA
		8/14/06	**6.3**	NA	**0.7**	NA
		8/21/06	**5.9**	NA	**0.8**	NA
		8/28/06	**5.5**	NA	**0.8**	NA
		9/05/06	**5.6**	NA	**0.8**	NA
		9/11/06	**6.2**	NA	**0.8**	NA
		9/18/06	**6.3**	NA	**0.7**	NA
		9/25/06	**6.4**	NA	**0.7**	NA
		10/02/06	**6.2**	NA	**0.8**	NA
		10/09/06	**6.7**	NA	**0.8**	NA
		10/16/06	**7.3**	NA	**0.7**	NA
		10/23/06	**6.0**	NA	**0.8**	NA
		10/30/06	**5.9**	NA	**0.8**	NA
		11/06/06	**5.3**	NA	**0.8**	NA
		11/13/06	**5.4**	NA	**0.8**	NA
		11/20/06	**6.6**	NA	**0.7**	NA
		12/11/06	**6.4**	NA	**0.7**	NA
		12/21/06	**6.3**	NA	**0.7**	NA
		12/26/06	**6.2**	NA	**0.7**	NA
		1/02/07	**5.6**	NA	**0.7**	NA
		1/08/07	**6.4**	NA	**0.7**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	1/15/07	**5.8**	NA	**0.7**	NA
		1/22/07	**6.4**	NA	**0.8**	NA
		1/29/07	**5.5**	NA	**0.7**	NA
		2/05/07	**5.9**	NA	**0.8**	0.5 U
		2/12/07	**6.8**	NA	**0.8**	NA
		2/20/07	**6.3**	NA	**0.6**	NA
		2/26/07	**6.2**	NA	**0.6**	NA
		3/05/07	**5.9**	NA	**0.6**	NA
		3/12/07	**5.8**	NA	**0.6**	NA
		3/19/07	**5.3**	NA	**0.5**	NA
		3/26/07	**5.7**	NA	0.5 U	NA
		4/02/07	**5.0**	NA	0.5 U	NA
		4/09/07	**4.8**	NA	**0.5**	NA
		4/16/07	**4.7**	NA	**0.5**	NA
		4/23/07	**5.1**	NA	**0.5**	NA
		4/30/07	**5.0**	NA	**0.5**	NA
		5/07/07	**6.0**	NA	**0.5**	NA
		5/14/07	**5.3**	NA	**0.5**	NA
		5/21/07	**5.0**	NA	0.5 U	NA
		5/29/07	**5.9**	NA	0.5 U	NA
		6/04/07	**5.8**	NA	**0.5**	NA
		6/11/07	**5.2**	NA	0.5 U	NA
		6/18/07	**5.5**	NA	0.5 U	NA
		6/25/07	**4.6**	NA	0.5 U	NA
		9/17/07	4.0 U	NA	**0.5**	NA
		9/24/07	**4.3**	NA	**0.6**	NA
		10/01/07	**4.9**	NA	**0.6**	NA
		10/08/07	**5.1**	NA	**0.5**	NA
		10/15/07	**15.0**	NA	**0.5**	NA
		10/22/07	**5.9**	NA	0.5 U	NA
		10/29/07	**6.8**	NA	0.5 U	NA
		11/05/07	**8.1**	NA	**0.6**	NA
		11/12/07	**8.8**	NA	**0.5**	NA
		11/19/07	**8.2**	NA	**0.5**	NA
		11/26/07	**5.8**	NA	**0.5**	NA
		12/03/07	**5.8**	NA	**0.5**	NA
		12/10/07	**6.1**	NA	**0.5**	NA
		12/17/07	**5.0**	NA	**0.6**	NA
		12/26/07	**4.9**	NA	**0.5**	NA
		1/02/08	**5.9**	NA	**0.6**	NA
		1/07/08	**5.4**	NA	**0.6**	NA
		1/14/08	**4.9**	NA	**0.6**	NA
		1/21/08	**6.1**	NA	**0.7**	NA
		1/28/08	**5.5**	NA	**0.7**	NA
		2/04/08	**6.2**	0.5 U	**0.7**	0.5 U
		2/11/08	**7.4**	NA	**0.7**	NA
		2/19/08	**6.9**	NA	**0.6**	NA
		2/25/08	**5.9**	NA	**0.8**	NA
		3/03/08	**6.5**	NA	**0.6**	NA
		3/10/08	**6.0**	NA	**0.7**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	3/17/08	**7.4**	NA	**0.7**	NA
		3/24/08	**6.0**	NA	**0.6**	NA
		3/31/08	**5.4**	NA	**0.7**	NA
		4/07/08	**5.7**	NA	**0.7**	NA
		4/14/08	**6.0**	NA	**0.6**	NA
		4/21/08	**6.5**	NA	**0.6**	NA
		6/02/08	**5.7**	NA	**0.6**	NA
		6/09/08	**5.9**	NA	**0.7**	NA
		6/16/08	**6.2**	NA	**0.6**	NA
		6/23/08	**5.9**	NA	**0.9**	NA
		8/18/08	**5.7**	NA	**0.8**	NA
		8/25/08	**5.4**	NA	**0.9**	NA
		9/02/08	**5.3**	NA	**0.9**	NA
		9/08/08	**4.5**	NA	**0.9**	NA
		9/15/08	**6.6**	NA	**0.9**	NA
		9/22/08	**4.5**	NA	**0.9**	NA
		9/29/08	**5.3**	NA	**0.9**	NA
		10/06/08	**4.9**	NA	**0.9**	NA
		10/13/08	**5.2**	NA	**0.7**	NA
		10/20/08	**5.4**	NA	**1.0**	NA
		10/27/08	4.0 U	NA	**1.0**	NA
		12/01/08	**5.6**	NA	**1.1**	NA
		12/08/08	**5.5**	NA	**1.1**	NA
		12/15/08	**4.8**	NA	**0.9**	NA
		12/22/08	**4.6**	NA	**0.9**	NA
		12/29/08	**4.6**	NA	**1.0**	NA
		1/05/09	**5.6**	NA	**0.9**	NA
		1/12/09	**5.5**	NA	**0.9**	NA
		1/19/09	**5.6**	NA	**1.0**	NA
		1/26/09	**5.2**	NA	**0.9**	NA
		2/23/09	**4.7**	NA	**0.8**	NA
		3/02/09	**4.2**	NA	**0.8**	NA
		3/09/09	**4.4**	NA	**0.8**	NA
		3/16/09	**4.4**	NA	**0.7**	NA
		3/23/09	**5.7**	NA	**0.7**	NA
		3/30/09	**4.9**	NA	**0.7**	NA
		4/06/09	**5.8**	NA	**0.7**	NA
		4/13/09	**5.8**	NA	**0.5**	NA
		4/20/09	**6.3**	NA	**0.6**	NA
		4/27/09	**5.5**	NA	**0.8**	NA
		5/04/09	**6.3**	NA	**0.8**	NA
		5/11/09	**6.0**	NA	**0.8**	NA
		5/18/09	**5.7**	NA	**0.7**	NA
		6/01/09	**5.9**	NA	**0.7**	NA
		6/08/09	**6.0**	NA	**0.8**	NA
		6/15/09	**5.5**	NA	**0.8**	NA
		6/22/09	**5.8**	NA	**0.7**	NA
		6/29/09	**5.9**	NA	**0.8**	NA
		7/06/09	**4.5**	NA	**0.8**	NA
		7/13/09	4.0 U	NA	**0.8**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	7/20/09	**5.4**	NA	**0.6**	NA
		7/27/09	**5.3**	NA	**0.7**	NA
		8/03/09	**5.4**	NA	**0.8**	NA
		8/10/09	**5.7**	NA	0.5 U	NA
		8/17/09	**4.5**	NA	**0.7**	NA
		8/24/09	**4.1**	NA	**0.7**	NA
		8/31/09	**4.4**	NA	**0.7**	NA
		9/08/09	**5.5**	NA	**0.5**	NA
		9/14/09	**5.5**	NA	**0.6**	NA
		9/21/09	**5.4**	NA	**0.6**	NA
		9/28/09	**5.6**	NA	**4.4**	NA
		10/05/09	**7.1**	NA	**1.0**	NA
		10/12/09	**5.5**	NA	**0.5**	NA
		10/19/09	**6.1**	NA	**0.6**	NA
		10/26/09	**5.3**	NA	**0.5**	NA
		11/02/09	**5.5**	NA	0.5 U	NA
		11/09/09	**5.2**	NA	**0.6**	NA
		11/16/09	**5.4**	NA	**0.8**	NA
		12/14/09	**5.4**	NA	**0.6**	NA
		12/21/09	**5.3**	NA	**0.7**	NA
		12/28/09	**5.7**	NA	**0.8**	NA
		1/04/10	**6.3**	NA	0.5 U	NA
		1/11/10	**5.2**	NA	**0.6**	NA
		1/18/10	**5.0**	NA	0.5 U	NA
		2/01/10	**5.7**	NA	0.5 U	NA
		2/08/10	**6.0**	NA	**0.7**	NA
		2/16/10	**6.4**	NA	**0.6**	NA
		2/22/10	**6.4**	NA	**0.8**	NA
		3/01/10	**7.1**	NA	0.5 U	NA
		3/15/10	**6.6**	NA	0.5 U	NA
		3/22/10	**5.6**	NA	**0.5**	NA
		3/29/10	**4.0**	NA	0.5 U	NA
		4/05/10	**5.4**	NA	0.5 U	NA
		4/12/10	**6.4**	NA	**0.5**	NA
		4/19/10	**6.3**	NA	0.5 U	NA
		4/26/10	**6.8**	NA	0.5 U	NA
		5/24/10	**6.0**	NA	0.5 U	NA
		6/01/10	**5.9**	NA	0.5 U	NA
		6/07/10	**5.1**	NA	0.5 U	NA
		6/14/10	**5.5**	NA	0.5 U	NA
		6/21/10	**5.6**	NA	0.5 U	NA
		6/28/10	**6.7**	NA	0.5 U	NA
		7/06/10	**6.1**	NA	0.5 U	NA
		7/12/10	**4.1**	NA	0.5 U	NA
		7/19/10	**6.0**	NA	0.5 U	NA
		7/26/10	**6.9**	NA	0.5 U	NA
		8/09/10	**6.7**	NA	0.5 U	NA
		8/16/10	**5.4**	NA	0.5 U	NA
		8/23/10	**5.2**	NA	0.5 U	NA
		8/30/10	**5.1**	NA	0.5 U	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	9/07/10	**5.1**	NA	0.5 U	NA
		9/13/10	**4.9**	NA	0.5 U	NA
		9/20/10	**6.0**	NA	0.5 U	NA
		9/27/10	**6.1**	NA	0.5 U	NA
		10/04/10	**5.6**	NA	0.5 U	NA
		10/11/10	**5.1**	NA	0.5 U	NA
		10/18/10	**6.1**	NA	0.5 U	NA
		10/25/10	**5.8**	NA	0.5 U	NA
		11/15/10	**5.9**	NA	0.5 U	NA
		11/23/10	**6.2**	NA	0.5 U	NA
		11/29/10	**5.3**	NA	0.5 U	NA
		12/06/10	**6.3**	NA	0.5 U	NA
		12/13/10	**6.1**	NA	0.5 U	NA
		12/20/10	**5.9**	NA	0.5 U	NA
		12/27/10	**8.4**	NA	0.5 U	NA
		1/04/11	**5.5**	NA	0.5 U	NA
		1/10/11	**6.8**	NA	0.5 U	NA
		1/17/11	**6.4**	NA	0.5 U	NA
		1/24/11	**6.2**	NA	0.5 U	NA
		1/31/11	**6.2**	NA	0.5 U	NA
		2/07/11	**6.7**	NA	0.5 U	NA
		2/14/11	**6.9**	NA	0.5 U	NA
		2/22/11	**7.3**	NA	0.5 U	NA
		3/14/11	**5.1**	NA	0.5 U	NA
		3/28/11	**6.6**	NA	0.5 U	NA
		4/04/11	**9.6**	NA	0.5 U	NA
		4/11/11	**7.0**	NA	0.5 U	NA
		4/18/11	**7.1**	NA	0.5 U	NA
		4/25/11	**7.1**	NA	0.5 U	NA
		5/23/11	**6.0**	NA	0.5 U	NA
		5/31/11	**7.4**	NA	0.5 U	NA
		6/06/11	**8.5**	NA	0.5 U	NA
		6/13/11	**7.1**	NA	0.5 U	NA
		6/20/11	**7.7**	NA	0.5 U	NA
		6/27/11	**6.9**	NA	0.5 U	NA
		7/05/11	**7.0**	NA	0.5 U	NA
		7/11/11	**6.3**	NA	0.5 U	NA
		7/18/11	**6.0**	NA	0.5 U	NA
		7/25/11	**5.5**	NA	0.5 U	NA
		8/01/11	**5.7**	0.5 U	0.5 U	0.5 U
		8/08/11	**5.4**	NA	0.5 U	NA
		8/15/11	**6.4**	NA	0.5 U	NA
		8/22/11	**7.6**	NA	0.5 U	NA
		8/29/11	**5.9**	NA	0.5 U	NA
		9/06/11	**6.6**	NA	0.5 U	NA
		9/12/11	**6.2**	NA	0.5 U	NA
		9/19/11	**7.0**	NA	0.5 U	NA
		9/26/11	**6.1**	NA	0.5 U	NA
		10/03/11	**5.4**	NA	0.5 U	NA
		10/10/11	**7.1**	NA	0.5 U	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	10/17/11	**5.7**	NA	0.5 U	NA
		10/24/11	**5.6**	NA	0.5 U	NA
		10/31/11	**5.6**	NA	**0.5**	NA
		11/07/11	**5.4**	NA	0.5 U	NA
		11/14/11	**6.0**	NA	0.5 U	NA
		11/21/11	**5.7**	NA	0.5 U	NA
		11/28/11	**5.6**	NA	0.5 U	NA
		12/05/11	**5.7**	NA	0.5 U	NA
		12/12/11	**5.7**	NA	0.5 U	NA
		12/19/11	**5.1**	NA	0.5 U	NA
		12/27/11	**5.6**	NA	**0.6**	NA
		1/03/12	**6.0**	NA	0.5 U	NA
		1/09/12	**6.1**	NA	**0.5**	NA
		1/16/12	**5.5**	NA	**0.6**	NA
		1/23/12	**4.9**	NA	**0.5**	NA
		1/30/12	**4.6**	NA	**0.5**	NA
		2/06/12	**4.8**	NA	**0.6**	NA
		2/13/12	**5.0**	NA	0.5 U	NA
		2/21/12	**4.2**	NA	**0.5**	NA
		2/27/12	**4.0**	NA	**0.6**	NA
		3/05/12	**4.9**	NA	**0.6**	NA
		3/12/12	**4.4**	NA	**0.5**	NA
		3/19/12	**5.4**	NA	**0.5**	NA
		3/26/12	**4.5**	NA	**0.5**	NA
		4/02/12	**4.6**	NA	**0.5**	NA
		4/09/12	**4.4**	NA	0.5 U	NA
		4/16/12	**4.0**	NA	**0.5**	NA
		4/23/12	**5.6**	NA	0.5 U	NA
		5/21/12	**4.8**	NA	0.5 U	NA
		5/29/12	**4.9**	NA	0.5 U	NA
		6/04/12	**4.8**	NA	0.5 U	NA
		6/11/12	**4.6**	NA	0.5 U	NA
		6/18/12	**5.5**	NA	0.5 U	NA
		6/25/12	**4.6**	NA	0.5 U	NA
		7/02/12	**4.5**	NA	0.5 U	NA
		7/09/12	**4.2**	NA	0.5 U	NA
		7/16/12	**4.3**	NA	0.5 U	NA
		7/23/12	**4.6**	NA	0.5 U	NA
		7/30/12	**5.5**	NA	0.5 U	NA
		8/06/12	4.0 U	NA	0.5 U	NA
		8/13/12	**5.2**	NA	**0.5**	NA
		8/20/12	**4.3**	NA	0.5 U	NA
		8/27/12	**5.6**	NA	**0.8**	NA
		9/17/12	**4.4**	NA	0.5 U	NA
		9/24/12	4.0 U	NA	0.5 U	NA
		10/01/12	**4.3**	NA	0.5 U	NA
		10/08/12	**4.2**	NA	0.5 U	NA
		10/15/12	4.0 U	NA	0.5 U	NA
		10/22/12	**4.1**	NA	0.5 U	NA
		10/29/12	4.0 U	NA	0.5 U	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	11/05/12	4.0 U	NA	0.5 U	NA
		11/12/12	4.0 U	NA	0.5 U	NA
		11/19/12	**5.4**	NA	0.5 U	NA
		11/26/12	**5.1**	NA	0.5 U	NA
		12/03/12	**4.8**	NA	**0.7**	NA
		12/10/12	**4.0**	NA	**0.8**	NA
		12/17/12	**5.1**	NA	**0.5**	NA
		12/26/12	**5.1**	NA	**0.5**	NA
		1/02/13	**5.3**	NA	0.5 U	NA
		1/07/13	**5.4**	NA	0.5 U	NA
		1/14/13	**5.2**	NA	0.5 U	NA
		1/21/13	**4.8**	NA	0.5 U	NA
		1/28/13	**5.3**	NA	0.5 U	NA
		2/11/13	**5.2**	NA	0.5 U	NA
		2/19/13	**4.7**	NA	0.5 U	NA
		3/11/13	**5.3**	NA	0.5 U	NA
		3/18/13	**5.9**	NA	0.5 U	NA
		3/25/13	**6.4**	NA	0.5 U	NA
		4/01/13	**5.2**	NA	0.5 U	NA
		4/08/13	**5.6**	NA	0.5 U	NA
		4/15/13	**5.3**	NA	0.5 U	NA
		4/22/13	**5.6**	NA	0.5 U	NA
		5/13/13	**5.0**	NA	0.5 U	NA
		5/20/13	**4.5**	NA	0.5 U	NA
		5/28/13	**5.5**	NA	0.5 U	NA
		6/03/13	**5.2**	NA	0.5 U	NA
		6/10/13	**4.9**	NA	0.5 U	NA
		6/17/13	**4.7**	NA	0.5 U	NA
		6/24/13	**4.0**	NA	0.5 U	NA
		7/01/13	4.0 U	NA	**0.5**	NA
		7/08/13	**4.3**	NA	0.5 U	NA
		7/15/13	4.0 U	NA	**0.5**	NA
		7/22/13	**4.0**	NA	**0.6**	NA
		7/29/13	**4.5**	NA	**0.6**	NA
		8/05/13	**4.0**	NA	0.5 U	NA
		8/12/13	**5.2**	NA	**0.6**	NA
		8/19/13	**5.6**	NA	**0.5**	NA
		8/26/13	**5.3**	NA	**0.6**	NA
		9/03/13	**5.5**	NA	**0.6**	NA
		9/09/13	**5.7**	NA	**0.8**	NA
		9/16/13	**4.8**	NA	**0.7**	NA
		9/23/13	**5.2**	NA	**0.7**	NA
		11/04/13	**5.1**	NA	**1.2**	NA
		11/11/13	**4.8**	NA	**1.3**	NA
		11/18/13	**4.6**	NA	**1.3**	NA
		11/25/13	**4.3**	NA	**1.5**	NA
		12/02/13	4.0 U	NA	**1.5**	NA
		12/09/13	**4.8**	NA	**1.7**	NA
		12/16/13	**4.9**	NA	**1.7**	NA
		12/23/13	**4.8**	NA	**1.8**	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LAS FLORES WATER CO. (con't)	WELL 02 (con't)	2/10/14	**4.3**	0.5 U	**2.6**	0.5 U
		2/18/14	**5.1**	NA	**2.8**	NA
		2/24/14	**5.0**	NA	**2.6**	NA
		3/03/14	**4.5**	NA	**2.7**	NA
		3/10/14	**5.2**	NA	**4.8**	NA
		3/17/14	**4.2**	NA	**3.9**	NA
		3/24/14	**4.7**	NA	**3.9**	NA
		3/31/14	**5.6**	NA	**4.1**	NA
		4/07/14	**4.7**	NA	**3.1**	NA
		4/14/14	**4.9**	NA	**3.3**	NA
		4/21/14	4.0 U	NA	**3.9**	NA
		4/28/14	**5.4**	NA	**3.4**	NA
		5/19/14	**4.2**	NA	**2.8**	NA
		5/27/14	4.0 U	NA	**3.4**	NA
		6/02/14	**4.3**	NA	**3.8**	NA
		6/09/14	**5.1**	NA	**3.5**	NA
		6/16/14	**4.3**	NA	**3.7**	NA
		6/23/14	**4.9**	NA	**4.2**	NA
		6/30/14	**5.2**	NA	**3.7**	NA
		7/07/14	**4.9**	NA	**3.8**	NA
		7/14/14	**4.8**	NA	**3.4**	NA
		7/21/14	**4.1**	NA	**3.6**	NA
		8/11/14	**4.9**	NA	**2.5**	NA
		8/18/14	**4.7**	NA	**3.1**	NA
		8/25/14	**4.7**	NA	**3.0**	NA
		9/02/14	**4.8**	NA	**3.0**	NA
		9/08/14	**4.6**	NA	**3.1**	NA
		9/15/14	**4.5**	NA	**3.6**	NA
		9/22/14	**4.1**	NA	**2.7**	NA
		1/05/15	**4.4**	NA	**2.5**	NA
		1/12/15	**4.1**	NA	**2.2**	NA
		1/19/15	**4.1**	NA	**1.7**	NA
		1/26/15	**4.6**	NA	**1.5**	NA
		2/09/15	**4.1**	NA	**2.0**	NA
		2/17/15	**5.6**	NA	**1.3**	NA
		2/23/15	**5.0**	NA	**1.2**	NA
		3/02/15	**4.8**	NA	**1.1**	NA
		3/09/15	**4.3**	NA	**1.1**	NA
		3/16/15	**5.0**	NA	**1.5**	NA
		3/23/15	**5.0**	NA	**1.4**	NA
LA CANADA IRRIGATION DIST.	WELL 01	3/27/97	NA	0.5 U	**0.6**	0.5 U
		6/17/97	5.0 U	NA	NA	NA
		6/23/97	NA	NA	0.5 U	NA
		9/12/97	NA	NA	0.5 U	NA
		12/15/97	5.0 U	NA	NA	NA
		3/16/98	5.0 U	0.5 U	0.5 U	0.5 U
		6/29/98	**4.8**	NA	0.5 U	NA
		8/24/98	5.0 U	NA	0.5 U	NA
		12/19/98	5.0 U	NA	0.5 U	NA
		3/28/99	5.0 U	0.5 U	0.5 U	0.5 U

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LA CANADA IRRIGATION DIST. (con't)	WELL 01 (con't)	6/13/99	5.0 U	NA	NA	NA
		9/27/99	5.0 U	NA	NA	NA
		12/28/99	5.0 U	NA	NA	NA
		3/17/00	5.0 U	0.5 U	0.5 U	0.5 U
		6/19/00	5.0 U	NA	NA	NA
		9/25/00	5.0 U	NA	NA	NA
		12/18/00	5.0 U	NA	NA	NA
		3/19/01	NA	0.5 U	0.5 U	0.5 U
		3/25/02	NA	0.5 U	**0.6**	0.5 U
		6/24/02	NA	NA	**0.8**	NA
		9/23/02	NA	NA	**1.4**	NA
		3/24/03	NA	0.5 U	**0.7**	0.5 U
		6/23/03	NA	NA	**0.6**	NA
		9/22/03	NA	NA	**0.7**	NA
		12/08/03	NA	NA	**1.6**	NA
		3/15/04	NA	0.5 U	0.5 U	**0.8**
		6/07/04	NA	NA	**0.6**	0.5 U
		9/13/04	NA	NA	0.5 U	0.5 U
		12/20/04	NA	NA	**0.8**	**0.5**
		3/28/05	NA	0.5 U	**1.5**	**1.0**
		6/13/05	NA	NA	**0.8**	**0.6**
		9/26/05	NA	NA	0.5 U	0.5 U
		12/19/05	NA	NA	**1.6**	**1.0**
		3/27/06	NA	0.5 U	**1.1**	**1.1**
		6/26/06	NA	NA	**0.8**	**0.9**
		9/25/06	NA	NA	**0.6**	**0.9**
		12/26/06	NA	NA	0.5 U	0.5 U
		3/26/07	NA	0.5 U	0.5 U	**1.3**
		6/18/07	NA	NA	**0.5**	**1.0**
		9/24/07	NA	NA	**0.6**	**1.1**
		12/03/07	NA	NA	**0.5**	**1.2**
		3/17/08	NA	0.5 U	**0.5**	**1.2**
		6/09/08	NA	NA	0.5 U	**1.1**
		8/25/08	4.0 U	NA	NA	NA
		9/29/08	NA	NA	**0.7**	**1.3**
		10/14/08	4.0 U	NA	NA	NA
		12/22/08	NA	NA	**0.7**	**1.6**
		2/23/09	4.0 U	NA	NA	NA
		3/16/09	NA	0.5 U	**0.7**	**1.8**
		8/10/09	4.0 U	NA	NA	NA
		2/28/10	**4.5**	NA	NA	NA
		3/22/10	**4.0**	0.5 U	0.5 U	**0.9**
		5/24/10	4.0 U	NA	NA	NA
		6/28/10	NA	NA	**0.8**	**1.5**
		8/30/10	4.0 U	NA	NA	NA
		9/27/10	NA	NA	**0.8**	**1.7**
		11/29/10	**4.0**	NA	NA	NA
		12/27/10	NA	NA	**0.7**	**1.9**
		2/22/11	**5.0**	NA	NA	NA
		3/15/11	NA	0.5 U	**0.6**	**1.9**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LA CANADA IRRIGATION DIST. (con't)	WELL 01 (con't)	5/23/11	4.0 U	NA	NA	NA
		6/13/11	NA	NA	**0.8**	**1.7**
		8/22/11	**4.3**	NA	NA	NA
		9/19/11	NA	NA	**0.6**	**1.2**
		3/26/12	NA	0.5 U	**0.6**	**1.7**
		5/29/12	4.0 U	NA	NA	NA
		6/30/12	NA	NA	**0.8**	**1.9**
		8/27/12	**4.7**	NA	NA	NA
		9/24/12	NA	NA	**0.8**	**2.2**
		11/26/12	4.0 U	NA	NA	NA
		12/26/12	NA	NA	**0.6**	**2.0**
		2/19/13	**4.0**	NA	NA	NA
		3/11/13	**4.9**	0.5 U	**0.8**	**2.2**
		5/20/13	4.0 U	NA	NA	NA
		6/10/13	NA	NA	**0.6**	**1.7**
		8/19/13	4.0 U	NA	NA	NA
		9/03/13	NA	NA	**0.7**	**1.9**
		11/25/13	4.0 U	NA	NA	NA
		2/24/14	4.0 U	NA	NA	NA
		5/27/14	4.0 U	NA	NA	NA
		6/23/14	NA	NA	0.5 U	**0.6**
		3/16/15	4.0 U	0.5 U	**2.0**	**1.0**
	WELL 06	10/16/97	5.0 U	0.5 U	0.5 U	0.5 U
		3/13/98	5.0 U	NA	NA	NA
		6/08/98	5.0 U	NA	NA	NA
		8/24/98	5.0 U	NA	NA	NA
		12/19/98	5.0 U	0.5 U	0.5 U	0.5 U
		3/28/99	5.0 U	NA	NA	NA
		6/13/99	5.0 U	NA	NA	NA
		9/27/99	5.0 U	NA	NA	NA
		12/28/99	5.0 U	0.5 U	0.5 U	0.5 U
		3/17/00	5.0 U	NA	NA	NA
		6/19/00	5.0 U	NA	NA	NA
		9/25/00	5.0 U	NA	NA	NA
		12/18/00	5.0 U	0.5 U	**0.7**	0.5 U
		3/19/01	NA	NA	0.5 U	NA
		6/26/01	NA	NA	**0.7**	NA
		9/30/01	NA	NA	0.5 U	NA
		12/31/01	NA	0.5 U	**0.8**	0.5 U
		3/25/02	NA	NA	**0.9**	NA
		6/24/02	NA	NA	**0.8**	NA
		9/23/02	NA	NA	**1.4**	NA
		3/24/03	NA	NA	**0.7**	NA
		6/23/03	NA	NA	**0.8**	NA
		9/22/03	NA	NA	**0.8**	NA
		12/08/03	NA	0.5 U	**1.4**	**1.3**
		3/29/04	NA	NA	**0.7**	**0.6**
		6/07/04	NA	NA	0.5 U	0.5 U
		9/13/04	NA	NA	0.5 U	0.5 U
		12/20/04	NA	0.5 U	0.5 U	0.5 U

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
LA CANADA IRRIGATION DIST. (con't)	WELL 06 (con't)	3/28/05	NA	NA	**0.9**	**0.7**
		6/13/05	NA	NA	**0.8**	**0.6**
		9/26/05	NA	NA	0.5 U	0.5 U
		12/19/05	NA	0.5 U	**1.7**	**1.0**
		3/27/06	NA	NA	0.5 U	**0.5**
		6/26/06	NA	NA	0.5 U	0.5 U
		9/25/06	NA	NA	**0.7**	**0.9**
		12/26/06	NA	0.5 U	0.5 U	0.5 U
		3/26/07	NA	NA	**0.7**	**0.9**
		6/18/07	NA	NA	0.5 U	**0.5**
		9/24/07	NA	NA	0.5 U	**0.9**
		12/31/07	NA	0.5 U	0.5 U	0.5 U
		3/24/08	NA	NA	0.5 U	**0.5**
		6/09/08	NA	NA	0.5 U	**0.6**
		9/29/08	NA	NA	0.5 U	0.5 U
		10/14/08	4.0 U	NA	NA	NA
		12/08/08	NA	0.5 U	0.5 U	0.5 U
		3/16/09	NA	NA	0.5 U	0.5 U
		6/15/09	NA	NA	0.5 U	**0.6**
		9/28/09	4.0 U	NA	0.5 U	**0.6**
		12/28/09	NA	0.5 U	**0.7**	**2.0**
		3/22/10	NA	NA	**0.6**	**1.2**
		6/01/10	NA	NA	0.5 U	0.5 U
		9/27/10	4.0 U	NA	0.5 U	0.5 U
		12/27/10	NA	0.5 U	0.5 U	**0.8**
		3/21/11	NA	NA	0.5 U	**0.5**
		6/27/11	NA	NA	0.5 U	0.5 U
		9/26/11	**5.5**	NA	0.5 U	**0.6**
		12/05/11	NA	0.5 U	0.5 U	**0.6**
		3/23/12	NA	NA	0.5 U	**0.7**
		6/30/12	NA	NA	0.5 U	**0.9**
		9/24/12	4.0 U	NA	**0.8**	**2.0**
		12/17/12	4.0 U	0.5 U	0.5 U	**0.9**
		3/03/13	NA	NA	0.5 U	**0.6**
		6/17/13	NA	NA	0.5 U	**0.8**
		7/29/13	4.0 U	NA	NA	NA
		9/09/13	NA	NA	0.5 U	0.5 U
		3/17/14	NA	NA	**0.6**	**1.4**
		6/09/14	NA	NA	0.5 U	**0.7**
		9/15/14	NA	NA	**0.6**	**1.1**
		3/09/15	4.0 U	NA	0.5 U	**0.9**
VALLEY WATER CO.	WELL 01	5/01/96	NA	0.5 U	**10.0**	0.5 U
		6/05/96	NA	0.5 U	**54.0**	**3.4**
		7/09/96	NA	0.5 U	**73.9**	**4.8**
		8/19/96	NA	0.5 U	**52.5**	**4.5**
		11/18/96	NA	0.5 U	0.5 U	0.5 U
		5/12/97	NA	0.5 U	**27.5**	**2.3**
		6/10/97	NA	0.5 U	**31.0**	**2.9**
		6/17/97	**5.0**	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 01 (con't)	7/07/97	NA	0.5 U	**38.0**	**3.5**
		8/11/97	NA	0.5 U	NA	NA
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/04/98	NA	0.5 U	**10.1**	**0.5**
		6/01/98	NA	0.5 U	**8.7**	**0.8**
		7/06/98	NA	0.5 U	**7.8**	**1.1**
		8/03/98	NA	0.5 U	**13.0**	**1.2**
		9/01/98	NA	0.5 U	**9.9**	**1.4**
		10/05/98	NA	0.5 U	**10.0**	**1.8**
		5/03/99	NA	0.5 U	**2.8**	0.5 U
		7/08/99	**5.9**	NA	NA	NA
		8/02/99	**5.2**	0.5 U	**10.0**	**1.4**
		9/07/99	0.0 U	0.5 U	**8.7**	**1.7**
		10/04/99	NA	0.5 U	**8.7**	**1.3**
		12/06/99	**6.4**	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	**3.2**	0.5 U
		6/05/00	0.0 U	0.5 U	**4.8**	**0.7**
		7/05/00	**5.5**	0.5 U	**5.8**	**1.0**
		8/01/00	NA	0.5 U	**7.4**	**1.4**
		9/05/00	0.0 U	NA	NA	NA
		10/02/00	NA	0.5 U	**12.0**	**2.0**
		12/05/00	0.0 U	NA	NA	NA
		3/13/01	0.0 U	NA	NA	NA
		5/01/01	0.0 U	0.5 U	**1.3**	0.5 U
		6/04/01	NA	0.5 U	**4.2**	**0.8**
		7/02/01	NA	0.5 U	**4.1**	**0.9**
		8/06/01	NA	0.5 U	**4.7**	**1.1**
		9/04/01	NA	0.5 U	**6.2**	**1.9**
		10/01/01	**5.5**	0.5 U	**7.0**	**2.2**
		5/01/02	NA	0.5 U	0.5 U	0.5 U
		6/03/02	NA	0.5 U	**2.7**	0.5 U
		7/01/02	NA	0.5 U	**3.3**	**0.7**
		8/05/02	NA	0.5 U	**3.9**	**0.9**
		9/03/02	NA	0.5 U	**3.8**	**1.1**
		9/06/02	**4.2**	NA	NA	NA
		10/02/02	NA	0.5 U	**4.1**	**1.2**
		5/05/03	NA	0.5 U	**1.6**	0.5 U
		6/12/03	NA	0.5 U	**3.4**	**0.6**
		7/14/03	NA	0.5 U	**3.4**	**0.6**
		8/18/03	NA	0.5 U	**3.1**	**0.6**
		9/02/03	NA	0.5 U	**4.3**	**1.4**
		10/06/03	NA	0.5 U	**3.8**	**1.4**
		5/06/04	NA	0.5 U	0.5 U	0.5 U
		6/08/04	NA	0.5 U	**1.5**	0.5 U
		7/07/04	NA	0.5 U	**1.5**	**0.5**
		8/19/04	NA	0.5 U	**2.1**	**1.1**
		9/07/04	NA	0.5 U	**3.6**	**1.0**
		10/04/04	NA	0.5 U	**3.4**	**1.2**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 01 (con't)	3/03/05	NA	0.5 U	0.5 U	0.5 U
		5/19/05	NA	0.5 U	**0.7**	0.5 U
		6/06/05	NA	0.5 U	**0.8**	0.5 U
		7/06/05	NA	0.5 U	**1.6**	0.5 U
		8/09/05	NA	0.5 U	**1.6**	**0.5**
		9/06/05	NA	0.5 U	**2.5**	**0.6**
		10/04/05	NA	0.5 U	**2.7**	**0.7**
		6/14/06	NA	0.5 U	**1.0**	0.5 U
		7/05/06	NA	0.5 U	**1.5**	0.5 U
		8/03/06	NA	0.5 U	**2.2**	0.5 U
		9/06/06	NA	0.5 U	**3.1**	**0.5**
		10/02/06	NA	0.5 U	**4.3**	**0.8**
		5/08/07	NA	0.5 U	**1.3**	0.5 U
		6/04/07	NA	0.5 U	**2.5**	**0.6**
		8/02/07	NA	0.5 U	**3.3**	**0.6**
		9/04/07	NA	0.5 U	**4.8**	**0.8**
		11/05/07	NA	**0.5**	**4.3**	**1.0**
		1/08/08	4.0 U	NA	NA	NA
		5/01/08	4.0 U	NA	NA	NA
		6/10/08	4.0 U	0.5 U	**2.4**	**0.9**
		7/07/08	NA	0.5 U	**2.7**	**0.8**
		8/05/08	NA	NA	**3.4**	**0.9**
		9/02/08	**4.1**	**0.5**	**3.1**	**0.9**
		10/07/08	**4.0**	**0.5**	**2.6**	**1.0**
		5/18/09	NA	0.5 U	**1.4**	0.5 U
		6/01/09	4.0 U	NA	NA	NA
		6/09/09	**4.0**	0.5 U	**1.6**	**1.1**
		7/07/09	4.0 U	0.5 U	**1.9**	**1.0**
		8/04/09	**4.4**	0.5 U	**2.2**	**1.1**
		9/08/09	**4.2**	0.5 U	**2.7**	**1.2**
		10/05/09	**4.1**	NA	NA	NA
		10/26/09	NA	0.5 U	**2.2**	**1.2**
		11/03/09	4.0 U	0.5 U	**1.6**	**1.0**
		6/02/10	**4.9**	0.5 U	**2.4**	**1.3**
		7/06/10	4.0 U	NA	NA	NA
		7/07/10	NA	0.5 U	**2.2**	**1.2**
		8/03/10	**5.3**	0.5 U	**2.0**	**1.2**
		9/07/10	**4.1**	NA	NA	NA
		9/09/10	NA	0.5 U	**2.1**	**1.5**
		10/07/10	4.0 U	0.5 U	**2.0**	**1.6**
		5/11/11	**4.9**	NA	NA	NA
		6/03/11	4.0 U	0.5 U	**2.0**	**0.6**
		7/06/11	4.0 U	0.5 U	**2.2**	**1.0**
		8/03/11	4.0 U	0.5 U	**1.9**	**0.6**
		5/23/12	4.0 U	0.5 U	**2.2**	**0.6**
		6/07/12	4.0 U	0.5 U	**2.4**	**1.2**
		7/02/12	**4.2**	NA	NA	NA
		7/05/12	NA	0.5 U	**2.4**	**1.3**
		8/02/12	4.0 U	0.5 U	**1.8**	**1.3**
		10/02/12	**4.3**	0.5 U	**1.9**	**1.4**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 01 (con't)	11/08/12	**4.1**	0.5 U	**2.1**	**1.6**
		5/07/13	NA	0.5 U	**1.6**	0.5 U
		6/03/13	4.0 U	NA	NA	NA
		6/10/13	NA	0.5 U	**1.5**	**1.1**
		7/02/13	**4.5**	0.5 U	**2.2**	**1.2**
		8/06/13	4.0 U	0.5 U	0.5 U	0.5 U
		9/03/13	**5.2**	0.5 U	**1.8**	**1.3**
		10/03/13	4.0 U	0.5 U	**1.8**	**1.5**
		5/07/14	NA	0.5 U	**2.6**	0.5 U
		6/04/14	4.0 U	0.5 U	**2.5**	0.5 U
		7/02/14	4.0 U	0.5 U	**2.1**	**1.4**
		9/03/14	**4.1**	**0.5**	**1.5**	**1.6**
	WELL 02	5/06/96	NA	0.5 U	0.5 U	0.5 U
		6/03/96	NA	0.5 U	**3.2**	0.5 U
		7/01/96	NA	0.5 U	**4.1**	0.5 U
		8/05/96	NA	0.5 U	**4.7**	**0.6**
		9/03/96	NA	0.5 U	**8.5**	**0.8**
		10/01/96	NA	0.5 U	**9.3**	**0.8**
		5/05/97	NA	0.5 U	**4.5**	0.5 U
		6/17/97	**4.0**	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/01/97	NA	0.5 U	**7.6**	**0.7**
		8/04/97	NA	0.5 U	**8.4**	**0.9**
		9/02/97	NA	0.5 U	**9.1**	**1.0**
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/06/98	NA	0.5 U	0.5 U	0.5 U
		6/01/98	NA	0.5 U	**4.0**	0.5 U
		7/06/98	NA	0.5 U	**7.0**	**0.5**
		8/03/98	NA	0.5 U	**9.2**	**0.5**
		9/01/98	NA	0.5 U	**7.7**	**0.5**
		5/03/99	NA	0.5 U	0.5 U	0.5 U
		6/01/99	NA	0.5 U	**5.4**	0.5 U
		7/08/99	**7.4**	NA	NA	NA
		8/02/99	**5.9**	0.5 U	**9.6**	**0.8**
		9/07/99	0.0 U	0.5 U	**7.6**	**0.8**
		12/06/99	0.0 U	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	**3.6**	0.5 U
		6/05/00	**6.2**	0.5 U	**6.4**	**0.6**
		7/05/00	0.0 U	0.5 U	**7.3**	**0.6**
		8/01/00	NA	0.5 U	**8.3**	**0.8**
		9/05/00	**5.0**	NA	NA	NA
		9/07/00	NA	0.5 U	**5.0**	**1.0**
		12/05/00	0.0 U	NA	NA	NA
		3/13/01	0.0 U	NA	NA	NA
		5/01/01	0.0 U	0.5 U	0.5 U	0.5 U
		6/04/01	NA	0.5 U	**10.0**	**0.7**
		7/02/01	NA	0.5 U	**7.7**	**0.6**
		8/06/01	NA	0.5 U	**8.4**	**0.7**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 02 (con't)	10/01/01	**6.4**	0.5 U	**11.0**	**0.8**
		4/23/02	4.0 U	NA	NA	NA
		5/06/02	NA	0.5 U	0.5 U	0.5 U
		6/03/02	NA	0.5 U	0.5 U	0.5 U
		7/01/02	NA	0.5 U	0.5 U	0.5 U
		8/05/02	NA	0.5 U	0.5 U	0.5 U
		5/05/03	NA	0.5 U	**8.7**	**0.6**
		6/12/03	NA	0.5 U	**9.0**	**0.8**
		7/14/03	NA	0.5 U	0.5 U	0.5 U
		8/18/03	NA	0.5 U	**3.4**	0.5 U
		9/18/03	NA	0.5 U	0.5 U	0.5 U
		5/06/04	NA	0.5 U	0.5 U	0.5 U
		6/08/04	NA	0.5 U	0.5 U	0.5 U
		7/07/04	NA	0.5 U	0.5 U	0.5 U
		8/19/04	NA	0.5 U	0.5 U	0.5 U
		3/09/05	NA	0.5 U	0.5 U	0.5 U
		5/19/05	NA	0.5 U	0.5 U	0.5 U
		6/06/05	NA	0.5 U	0.5 U	0.5 U
		7/06/05	NA	0.5 U	0.5 U	0.5 U
		8/09/05	NA	0.5 U	0.5 U	0.5 U
		6/14/06	NA	0.5 U	0.5 U	0.5 U
		7/05/06	NA	0.5 U	0.5 U	0.5 U
		8/03/06	NA	0.5 U	0.5 U	0.5 U
		9/06/06	NA	0.5 U	**6.0**	0.5 U
		12/07/06	NA	0.5 U	0.5 U	0.5 U
		5/08/07	NA	0.5 U	**2.6**	0.5 U
		6/04/07	NA	0.5 U	**4.1**	**0.5**
		8/02/07	NA	0.5 U	**3.8**	**0.5**
		1/08/08	**5.5**	NA	NA	NA
		6/10/08	4.0 U	0.5 U	**4.0**	**0.5**
		7/07/08	NA	0.5 U	**3.8**	0.5 U
		8/05/08	NA	**0.5**	**4.6**	**0.6**
		10/15/08	**4.0**	**0.5**	**3.3**	**0.5**
		3/10/09	4.0 U	0.5 U	0.5 U	0.5 U
		5/18/09	NA	0.5 U	**4.3**	**0.7**
		6/09/09	**4.7**	0.5 U	**3.9**	**0.6**
		7/07/09	4.0 U	0.5 U	**4.2**	**0.6**
		8/04/09	**4.5**	0.5 U	**4.2**	**0.6**
		6/02/10	**4.5**	0.5 U	**5.3**	**0.8**
		7/07/10	**4.4**	0.5 U	**5.5**	**0.7**
		7/15/10	**4.7**	NA	NA	NA
		8/03/10	**5.4**	0.5 U	**3.6**	**0.7**
		9/07/10	**4.4**	NA	NA	NA
		9/09/10	NA	0.5 U	**2.8**	**0.7**
		10/07/10	**4.4**	0.5 U	**4.3**	**0.6**
		3/18/11	4.0 U	0.5 U	0.5 U	0.5 U
		5/11/11	4.0 U	NA	NA	NA
		6/03/11	4.0 U	0.5 U	**4.0**	**0.5**
		7/06/11	4.0 U	0.5 U	**5.9**	**0.7**
		8/03/11	4.0 U	0.5 U	**4.8**	**0.6**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 02 (con't)	9/06/11	NA	0.5 U	**2.4**	**0.9**
		9/09/11	**4.2**	NA	NA	NA
		10/03/11	**4.5**	0.5 U	**2.1**	**1.1**
		11/01/11	**5.1**	0.5 U	**2.0**	**1.0**
		5/23/12	**4.1**	0.5 U	**4.7**	**0.7**
		6/07/12	**4.0**	0.5 U	**5.6**	**0.7**
		7/05/12	4.0 U	0.5 U	**4.7**	**0.6**
		8/02/12	4.0 U	0.5 U	**4.4**	**0.6**
		2/13/13	**4.0**	**0.5**	**0.5**	**0.5**
		5/07/13	NA	0.5 U	**3.8**	**0.5**
		6/10/13	4.0 U	0.5 U	**3.4**	**0.5**
		7/02/13	**4.1**	0.5 U	**4.3**	**0.6**
		8/06/13	4.0 U	0.5 U	0.5 U	0.5 U
		9/03/13	**5.3**	0.5 U	**2.2**	**0.8**
		10/03/13	4.0 U	0.5 U	**1.5**	**0.9**
		5/07/14	NA	0.5 U	**3.1**	**0.9**
		6/04/14	**4.4**	0.5 U	**2.0**	**1.1**
		7/02/14	**4.4**	0.5 U	**1.9**	**1.2**
		9/03/14	**4.4**	**0.5**	**1.5**	**1.1**
	WELL 03	5/06/96	NA	0.5 U	**2.6**	0.5 U
		6/05/96	NA	0.5 U	**2.0**	0.5 U
		7/09/96	NA	0.5 U	**2.1**	0.5 U
		8/06/96	NA	0.5 U	**1.8**	0.5 U
		9/03/96	NA	0.5 U	**1.0**	0.5 U
		10/01/96	NA	0.5 U	**1.0**	0.5 U
		5/05/97	NA	0.5 U	0.5 U	0.5 U
		6/17/97	0.0 U	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/01/97	NA	0.5 U	**1.1**	0.5 U
		8/04/97	NA	0.5 U	**1.0**	0.5 U
		9/02/97	NA	0.5 U	**1.0**	0.5 U
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/06/98	NA	0.5 U	**3.8**	0.5 U
		6/01/98	NA	0.5 U	**2.9**	0.5 U
		7/06/98	NA	0.5 U	**2.1**	0.5 U
		8/03/98	NA	0.5 U	**2.3**	0.5 U
		9/01/98	NA	0.5 U	**1.7**	0.5 U
		5/03/99	NA	0.5 U	**1.7**	0.5 U
		6/01/99	NA	0.5 U	**4.3**	**0.6**
		7/06/99	NA	0.5 U	**2.8**	**0.5**
		7/08/99	**7.3**	NA	NA	NA
		8/02/99	**5.4**	0.5 U	**3.1**	**0.6**
		9/07/99	**6.5**	0.5 U	**2.4**	0.5 U
		12/06/99	**6.7**	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	**3.5**	0.5 U
		6/05/00	0.0 U	0.5 U	**1.4**	0.5 U
		7/05/00	**5.2**	0.5 U	**2.4**	**0.6**
		8/01/00	NA	0.5 U	**2.6**	**0.7**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 03 (con't)	9/05/00	**6.0**	NA	NA	NA
		12/05/00	0.0 U	NA	NA	NA
		3/13/01	**4.1**	NA	NA	NA
		5/01/01	**5.1**	0.5 U	**2.4**	0.5 U
		6/04/01	NA	0.5 U	**3.4**	**0.6**
		7/02/01	NA	0.5 U	**2.5**	0.5 U
		8/06/01	NA	0.5 U	**2.0**	0.5 U
		10/01/01	**6.0**	0.5 U	**2.6**	**0.6**
		4/23/02	4.0 U	NA	NA	NA
		5/06/02	NA	0.5 U	**5.1**	**0.5**
		6/03/02	NA	0.5 U	**6.0**	**0.7**
		7/01/02	NA	0.5 U	**5.5**	**0.8**
		8/05/02	NA	0.5 U	**4.0**	**0.5**
		5/05/03	NA	0.5 U	**4.4**	**0.6**
		6/12/03	NA	0.5 U	**2.2**	0.5 U
		7/14/03	NA	0.5 U	**2.6**	0.5 U
		8/18/03	NA	0.5 U	**1.6**	0.5 U
		5/06/04	NA	0.5 U	**1.1**	0.5 U
		6/08/04	NA	0.5 U	**2.9**	0.5 U
		7/07/04	NA	0.5 U	**2.2**	0.5 U
		8/19/04	NA	0.5 U	**2.8**	**0.9**
		3/09/05	NA	0.5 U	0.5 U	0.5 U
		5/19/05	NA	0.5 U	0.5 U	0.5 U
		6/06/05	NA	0.5 U	0.5 U	0.5 U
		7/06/05	NA	0.5 U	0.5 U	0.5 U
		8/09/05	NA	0.5 U	0.5 U	0.5 U
		6/14/06	NA	0.5 U	**2.1**	0.5 U
		7/05/06	NA	0.5 U	**2.1**	**0.5**
		8/03/06	NA	0.5 U	0.5 U	0.5 U
		9/06/06	NA	0.5 U	**2.5**	**0.6**
		5/08/07	NA	0.5 U	**1.9**	**0.6**
		6/04/07	NA	0.5 U	**1.9**	**0.6**
		8/02/07	NA	0.5 U	**1.5**	**0.6**
		1/08/08	**4.9**	NA	NA	NA
		6/10/08	**4.3**	0.5 U	**1.6**	**0.7**
		7/07/08	NA	0.5 U	**1.7**	**0.6**
		8/05/08	NA	**0.5**	**1.7**	**0.8**
		5/18/09	NA	0.5 U	**2.2**	**1.2**
		6/09/09	**5.4**	0.5 U	**1.9**	**1.0**
		7/07/09	**4.7**	0.5 U	**1.7**	**0.9**
		8/04/09	**5.4**	0.5 U	**1.7**	**0.9**
		6/02/10	**5.6**	0.5 U	**2.1**	**0.9**
		7/07/10	**4.8**	0.5 U	**2.2**	**0.8**
		8/03/10	**5.6**	0.5 U	**1.7**	**0.6**
		9/07/10	4.0 U	NA	NA	NA
		5/11/11	**4.6**	NA	NA	NA
		6/03/11	4.0 U	0.5 U	**1.4**	**0.6**
		7/06/11	4.0 U	0.5 U	**1.6**	**0.6**
		8/03/11	4.0 U	0.5 U	**1.1**	0.5 U
		5/23/12	**4.7**	0.5 U	**1.9**	**1.0**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 03 (con't)	6/07/12	**4.7**	0.5 U	**2.2**	**0.9**
		7/05/12	**4.6**	0.5 U	**1.6**	**0.9**
		8/02/12	**4.6**	0.5 U	**1.5**	**1.0**
		5/07/13	NA	0.5 U	**1.5**	**1.1**
		6/10/13	**4.2**	0.5 U	**1.2**	**1.1**
		7/02/13	**4.9**	0.5 U	**1.6**	**1.2**
		8/06/13	4.0 U	0.5 U	0.5 U	0.5 U
		9/03/13	**4.1**	NA	NA	NA
		5/07/14	NA	0.5 U	**1.8**	**1.1**
		6/04/14	**4.7**	0.5 U	**1.4**	**1.0**
		7/02/14	**4.8**	0.5 U	**1.5**	**1.0**
		9/03/14	**4.7**	NA	NA	NA
	WELL 04	5/06/96	NA	0.5 U	0.5 U	0.5 U
		6/03/96	NA	0.5 U	**10.5**	**1.2**
		7/01/96	NA	0.5 U	**15.4**	**1.8**
		8/05/96	NA	0.5 U	**16.2**	**3.6**
		9/16/96	NA	0.5 U	**17.0**	**2.7**
		5/12/97	NA	0.5 U	**15.8**	**1.7**
		6/10/97	NA	0.5 U	**18.7**	**2.3**
		6/17/97	**5.0**	NA	NA	NA
		6/24/97	0.0 U	NA	NA	NA
		7/07/97	NA	0.5 U	**22.6**	**2.6**
		9/16/97	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/04/98	NA	0.5 U	**1.1**	0.5 U
		6/01/98	NA	0.5 U	**3.7**	0.5 U
		7/06/98	NA	0.5 U	**5.4**	**0.5**
		8/03/98	NA	0.5 U	**6.9**	0.5 U
		9/01/98	NA	0.5 U	**5.5**	**0.5**
		10/05/98	NA	0.5 U	**4.3**	**0.5**
		5/03/99	NA	0.5 U	0.5 U	0.5 U
		6/01/99	NA	0.5 U	**2.5**	0.5 U
		7/08/99	**8.0**	NA	NA	NA
		8/02/99	**6.1**	0.5 U	**5.2**	0.5 U
		9/07/99	**5.3**	0.5 U	**4.3**	**0.6**
		10/06/99	NA	0.5 U	**5.2**	**0.5**
		12/06/99	0.0 U	NA	NA	NA
		3/09/00	0.0 U	NA	NA	NA
		5/01/00	NA	0.5 U	**2.0**	0.5 U
		6/05/00	NA	0.5 U	**2.7**	0.5 U
		7/05/00	0.0 U	0.5 U	**3.1**	0.5 U
		8/01/00	NA	0.5 U	**3.9**	**0.6**
		9/05/00	0.0 U	NA	NA	NA
		10/02/00	NA	0.5 U	**3.0**	**1.0**
		12/05/00	0.0 U	NA	NA	NA
		5/01/01	**4.6**	0.5 U	**0.8**	0.5 U
		6/04/01	NA	0.5 U	**4.0**	**0.5**
		7/02/01	NA	0.5 U	**3.9**	0.5 U
		8/06/01	NA	0.5 U	**4.3**	**0.6**
		9/04/01	NA	0.5 U	**4.5**	**0.7**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 04 (con't)	10/01/01	**6.5**	0.5 U	**5.4**	**0.8**
		5/01/02	NA	0.5 U	0.5 U	0.5 U
		6/03/02	NA	0.5 U	**1.0**	0.5 U
		7/01/02	NA	0.5 U	**1.3**	0.5 U
		8/05/02	NA	0.5 U	**1.4**	0.5 U
		9/03/02	NA	0.5 U	**1.7**	0.5 U
		9/06/02	4.0 U	NA	NA	NA
		10/02/02	NA	0.5 U	**1.5**	0.5 U
		5/05/03	NA	0.5 U	**3.7**	0.5 U
		6/12/03	NA	0.5 U	**3.7**	**0.6**
		7/14/03	NA	0.5 U	**1.8**	0.5 U
		8/18/03	NA	0.5 U	**1.6**	0.5 U
		9/02/03	NA	0.5 U	**1.6**	0.5 U
		5/06/04	NA	0.5 U	0.5 U	0.5 U
		6/08/04	NA	0.5 U	**0.6**	0.5 U
		7/07/04	NA	0.5 U	**0.7**	0.5 U
		8/19/04	NA	0.5 U	**1.0**	**0.5**
		9/07/04	NA	0.5 U	**2.3**	**0.6**
		3/03/05	NA	0.5 U	0.5 U	0.5 U
		5/19/05	NA	0.5 U	0.5 U	0.5 U
		6/06/05	NA	0.5 U	0.5 U	0.5 U
		7/06/05	NA	0.5 U	**0.5**	0.5 U
		8/09/05	NA	0.5 U	0.5 U	0.5 U
		9/06/05	NA	0.5 U	**0.7**	0.5 U
		10/04/05	NA	0.5 U	**0.8**	0.5 U
		6/14/06	NA	0.5 U	**1.0**	0.5 U
		7/05/06	NA	0.5 U	**0.8**	0.5 U
		8/03/06	NA	0.5 U	**1.7**	**0.6**
		9/06/06	NA	0.5 U	**2.2**	**0.7**
		10/02/06	NA	0.5 U	**1.3**	**0.7**
		12/07/06	NA	0.5 U	0.5 U	0.5 U
		5/08/07	NA	0.5 U	**1.0**	0.5 U
		6/04/07	NA	0.5 U	**1.6**	**0.8**
		8/02/07	NA	0.5 U	**1.9**	**1.1**
		9/04/07	NA	0.5 U	**2.3**	**1.1**
		1/08/08	**4.6**	NA	NA	NA
		6/10/08	4.0 U	0.5 U	**2.1**	**0.7**
		7/07/08	NA	0.5 U	**2.3**	**1.0**
		8/05/08	NA	**0.5**	**1.8**	**1.3**
		9/02/08	**4.2**	**0.5**	**1.8**	**1.0**
		10/07/08	**4.0**	**0.5**	**1.9**	**1.1**
		5/18/09	NA	0.5 U	**1.6**	**1.0**
		6/09/09	4.0 U	0.5 U	**1.6**	**0.6**
		7/07/09	**4.0**	0.5 U	**2.2**	**0.7**
		8/04/09	**4.3**	0.5 U	**2.2**	**1.2**
		9/08/09	**4.4**	0.5 U	**2.4**	**1.4**
		10/05/09	**4.4**	NA	NA	NA
		10/26/09	NA	0.5 U	**2.2**	**1.1**
		6/02/10	**5.3**	0.5 U	**2.1**	**1.2**
		7/06/10	**4.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
VALLEY WATER CO. (con't)	WELL 04 (con't)	7/07/10	NA	0.5 U	**2.4**	**1.1**
		12/06/10	NA	0.5 U	**2.2**	**2.6**
		5/11/11	4.0 U	NA	NA	NA
		6/03/11	4.0 U	0.5 U	**1.5**	**1.4**
		7/06/11	4.0 U	0.5 U	**1.7**	**1.5**
		8/03/11	4.0 U	0.5 U	**1.8**	**1.5**
		5/23/12	**4.5**	0.5 U	**1.6**	**2.4**
		6/07/12	**4.3**	0.5 U	**2.0**	**1.8**
		7/02/12	**4.5**	NA	NA	NA
		7/05/12	NA	0.5 U	**1.8**	**1.5**
		8/02/12	**4.4**	0.5 U	**2.0**	**1.6**
		10/02/12	**4.9**	0.5 U	**1.8**	**1.5**
		5/07/13	NA	0.5 U	**1.3**	**1.7**
		6/03/13	4.0 U	NA	NA	NA
		6/10/13	NA	0.5 U	**1.4**	**1.3**
		7/02/13	**4.1**	0.5 U	**2.0**	**1.5**
		8/06/13	4.0 U	0.5 U	0.5 U	0.5 U
		9/03/13	4.6 U	NA	NA	NA
		5/07/14	NA	0.5 U	**1.5**	**2.0**
		6/04/14	**4.0**	0.5 U	**1.3**	**2.1**
		7/02/14	4.0 U	0.5 U	**1.5**	**1.2**
		9/03/14	**4.0**	NA	NA	NA
PASADENA-CITY, WATER DEPT.	ARROYO	1/03/96	NA	**3.2**	0.5 U	**3.6**
		3/07/96	NA	0.5 U	0.5 U	0.5 U
		4/03/96	NA	**2.0**	**0.7**	**1.6**
		4/16/96	NA	**2.6**	0.5 U	**2.4**
		5/01/96	NA	**2.6**	0.5 U	**2.4**
		6/05/96	NA	**3.4**	0.5 U	**2.6**
		7/02/96	NA	**2.5**	0.5 U	**2.2**
		8/01/96	NA	NA	0.5 U	NA
		8/07/96	NA	**3.7**	NA	**3.6**
		9/04/96	NA	**4.7**	**0.5**	**3.8**
		10/02/96	NA	**4.4**	**0.5**	**4.0**
		11/01/96	NA	NA	0.5 U	NA
		11/06/96	NA	**2.5**	NA	**2.8**
		12/01/96	NA	NA	0.5 U	NA
		12/04/96	NA	**3.2**	NA	**3.5**
		1/08/97	NA	**3.0**	**0.6**	**2.9**
		3/01/97	NA	NA	0.5 U	NA
		3/03/97	NA	**3.3**	NA	**2.4**
		3/05/97	NA	**4.1**	NA	**2.9**
		4/02/97	NA	**4.1**	0.5 U	**2.7**
		5/01/97	NA	NA	0.0 U	NA
		5/07/97	NA	**3.6**	NA	**2.2**
		6/04/97	NA	**4.7**	**1.1**	**3.5**
		6/09/97	**46.0**	NA	NA	NA
		6/13/97	**50.0**	NA	NA	NA
		6/19/97	**54.0**	NA	NA	NA
		7/30/97	**110.0**	NA	NA	NA
		8/15/97	**110.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	ARROYO (con't)	8/16/97	**90.0**	NA	NA	NA
		8/20/97	**120.0**	NA	NA	NA
		8/27/97	**130.0**	NA	NA	NA
		9/03/97	**160.0**	NA	NA	NA
		2/02/98	**144.0**	**10.1**	0.5 U	**3.9**
		3/22/11	**76.4**	**0.7**	**0.6**	**1.1**
		3/29/11	**77.8**	**0.6**	**0.6**	**0.9**
		7/07/11	**108.0**	**0.9**	**0.6**	**0.9**
		7/12/11	**75.3**	**1.1**	**0.5**	**0.8**
		7/19/11	**79.5**	**1.5**	**0.5**	**0.8**
		7/26/11	**79.5**	**1.7**	**0.5**	**0.8**
		8/02/11	**77.4**	**2.1**	**0.6**	**0.8**
		8/09/11	**81.6**	**2.2**	**0.5**	**0.8**
		8/16/11	**78.2**	**2.6**	**0.6**	**0.8**
		8/17/11	**76.4**	NA	NA	NA
		8/23/11	**80.1**	**2.8**	**0.5**	**0.8**
		8/30/11	**76.5**	**2.6**	**0.5**	**0.8**
		9/06/11	**77.9**	**3.1**	**0.5**	**0.8**
		9/13/11	**66.8**	**3.1**	**0.5**	**0.8**
		9/20/11	**70.3**	**3.1**	**0.5**	**0.8**
		9/27/11	**58.7**	**3.0**	**0.5**	**0.8**
		10/04/11	**57.0**	**2.8**	0.5 U	0.5 U
		10/11/11	**61.7**	**2.5**	0.5 U	**0.8**
		10/18/11	**57.8**	**2.8**	**0.5**	**0.9**
		10/25/11	**60.2**	**2.8**	**0.6**	**0.9**
		11/01/11	**59.2**	**3.0**	**0.6**	**0.9**
		11/08/11	**55.5**	**2.7**	**0.5**	**0.8**
		11/15/11	**53.5**	**3.1**	**0.6**	**0.9**
		11/22/11	**55.8**	**3.0**	**0.6**	**0.9**
		11/29/11	**52.9**	**2.9**	**0.5**	**0.9**
		12/06/11	**52.4**	**2.8**	0.5 U	**0.8**
		12/13/11	**50.6**	**2.8**	**0.5**	**0.8**
		12/20/11	**53.3**	**2.9**	**0.5**	**0.8**
		12/27/11	**46.9**	**2.7**	0.5 U	**0.8**
		1/03/12	**47.9**	**2.8**	0.5 U	**0.8**
		1/10/12	**50.3**	**2.6**	0.5 U	**0.8**
		1/17/12	**46.5**	**3.9**	**0.6**	**0.9**
		1/24/12	**51.1**	**2.7**	0.5 U	**0.8**
		1/31/12	**46.1**	**2.7**	0.5 U	**0.8**
		2/07/12	**45.2**	**3.6**	0.5 U	**0.6**
		2/15/12	**41.2**	**3.5**	0.5 U	**0.8**
		2/21/12	NA	**2.8**	0.5 U	**0.6**
		2/28/12	**42.2**	**2.8**	0.5 U	**0.7**
		3/06/12	**43.5**	**3.3**	**0.6**	**0.9**
		3/13/12	**43.9**	**3.2**	**0.6**	**0.9**
		3/20/12	**48.3**	**2.5**	0.5 U	**0.7**
		3/27/12	**44.9**	**3.0**	0.5 U	**0.9**
		4/12/12	**48.4**	NA	NA	NA
		6/12/12	**41.6**	**2.9**	0.5 U	**0.8**
		6/19/12	**36.5**	**2.7**	0.5 U	**0.8**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	ARROYO (con't)	6/26/12	**35.6**	**2.8**	0.5 U	**0.7**
		7/03/12	**41.4**	0.5 U	0.5 U	0.5 U
		7/10/12	**39.8**	**3.2**	0.5 U	**0.7**
		7/17/12	**39.4**	**3.5**	0.5 U	**0.8**
		7/24/12	**38.2**	**3.0**	0.5 U	**0.7**
		8/01/12	NA	**2.8**	0.5 U	**0.6**
		8/07/12	**36.8**	**2.7**	0.5 U	**0.6**
		8/14/12	**36.5**	**3.0**	0.5 U	**0.7**
		8/21/12	**35.1**	**3.0**	0.5 U	**0.6**
		8/28/12	**39.9**	**3.8**	0.5 U	**0.7**
		9/18/12	**37.3**	**3.1**	0.5 U	**0.7**
		9/19/12	**35.0**	NA	NA	NA
		9/25/12	**37.9**	**2.7**	0.5 U	**0.6**
		10/02/12	**37.3**	**3.1**	0.5 U	**0.7**
		10/09/12	**39.0**	**3.0**	0.5 U	**0.7**
		10/17/12	**41.4**	**2.8**	0.5 U	**0.6**
		10/23/12	**39.8**	**3.0**	0.5 U	**0.6**
		10/30/12	**41.5**	**2.8**	0.5 U	**0.6**
		11/06/12	**40.6**	**3.7**	0.5 U	**0.8**
		11/13/12	**38.1**	**3.4**	0.5 U	**0.7**
		11/20/12	**40.2**	**4.0**	0.5 U	**0.8**
		11/27/12	**38.7**	**3.8**	0.5 U	**0.7**
		12/04/12	**39.8**	**2.7**	0.5 U	**0.6**
		12/11/12	**43.2**	**2.9**	0.5 U	**0.6**
		12/18/12	**43.2**	**3.0**	0.5 U	**0.6**
		12/24/12	**39.8**	**3.4**	0.5 U	**0.7**
		1/02/13	**40.0**	**3.1**	0.5 U	**0.7**
		1/08/13	**38.1**	**2.8**	0.5 U	**0.6**
		1/15/13	**43.3**	**2.8**	0.5 U	**0.6**
		1/22/13	**37.3**	**2.9**	0.5 U	**0.6**
		1/29/13	**43.7**	**3.2**	0.5 U	**0.7**
		2/13/13	**37.4**	**3.0**	0.5 U	**0.6**
		2/19/13	**41.2**	**3.2**	0.5 U	**0.6**
		2/26/13	**40.3**	**2.8**	0.5 U	**0.6**
		3/05/13	**36.0**	**2.7**	0.5 U	**0.6**
		3/12/13	**39.7**	**2.6**	0.5 U	**0.6**
		3/19/13	**42.1**	**2.4**	0.5 U	**0.6**
		3/26/13	**38.6**	**2.7**	0.5 U	**0.6**
		4/02/13	**43.0**	**2.3**	0.5 U	**0.6**
		4/10/13	**44.6**	**2.2**	0.5 U	**0.6**
		4/16/13	**37.4**	**2.4**	0.5 U	**0.6**
		4/23/13	**35.0**	**2.3**	0.5 U	**0.6**
		4/30/13	**34.6**	**2.0**	0.5 U	**0.5**
		5/07/13	**45.5**	**2.2**	0.5 U	**0.6**
		5/14/13	**31.4**	**1.7**	0.5 U	**0.5**
		5/22/13	**31.7**	**1.9**	0.5 U	**0.6**
		5/28/13	**28.5**	**2.8**	0.5 U	**0.6**
		6/04/13	**29.6**	**2.7**	0.5 U	**0.6**
		6/11/13	**30.2**	**2.1**	0.5 U	**0.6**
		6/18/13	**31.4**	**1.7**	0.5 U	**0.6**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	ARROYO (con't)	6/25/13	**25.7**	**1.7**	0.5 U	**0.6**
		7/02/13	**28.1**	**1.5**	0.5 U	**0.6**
		7/09/13	**27.8**	**1.1**	0.5 U	**0.5**
		7/16/13	**28.2**	**1.7**	0.5 U	**0.6**
		7/23/13	**27.0**	**1.5**	0.5 U	**0.6**
		8/02/13	**28.5**	**1.6**	0.5 U	**0.6**
		8/06/13	**28.7**	**1.7**	0.5 U	**0.7**
		8/13/13	**29.9**	**1.5**	0.5 U	**0.6**
		8/20/13	**26.9**	**2.4**	0.5 U	**0.6**
		8/27/13	**29.6**	**2.3**	0.5 U	**0.6**
		9/03/13	**26.1**	**1.9**	0.5 U	**0.7**
		9/10/13	**28.5**	**1.5**	0.5 U	**0.7**
		9/17/13	**27.2**	**2.0**	0.5 U	**0.7**
		9/24/13	**23.9**	**1.7**	0.5 U	**0.7**
		11/05/13	**28.3**	**1.4**	0.5 U	**0.6**
		11/13/13	**28.9**	**1.8**	0.5 U	**0.6**
		11/19/13	**26.2**	**1.8**	0.5 U	**0.7**
		11/26/13	**23.9**	**1.8**	0.5 U	**0.7**
		12/03/13	**24.4**	**1.6**	0.5 U	**0.6**
		12/10/13	**25.1**	**1.7**	0.5 U	**0.6**
		12/17/13	**24.3**	**1.9**	0.5 U	**0.7**
		12/24/13	**25.1**	**1.7**	0.5 U	**0.7**
		12/31/13	**24.8**	**1.7**	0.5 U	**0.8**
		2/11/14	**25.2**	**1.5**	0.5 U	**0.7**
		2/18/14	**24.8**	**1.6**	0.5 U	**0.7**
		2/25/14	**23.8**	**1.6**	0.5 U	**0.6**
		3/11/14	**23.1**	**1.0**	0.5 U	0.5 U
		3/18/14	**23.8**	**1.4**	0.5 U	**0.5**
		3/25/14	**25.0**	**1.4**	0.5 U	**0.5**
		4/01/14	**25.5**	**1.3**	0.5 U	**0.5**
		4/08/14	**26.0**	**1.3**	0.5 U	**0.6**
		4/15/14	**23.7**	**1.2**	0.5 U	**0.6**
		4/22/14	NA	**1.6**	0.5 U	**0.7**
		4/29/14	NA	**1.4**	0.5 U	**0.6**
		5/20/14	**21.6**	**1.5**	0.5 U	**0.7**
		5/27/14	**18.6**	**1.8**	0.5 U	**0.7**
		6/03/14	**18.1**	**1.5**	0.5 U	**0.7**
		6/10/14	**19.0**	**1.7**	0.5 U	**0.8**
		6/24/14	**19.5**	**1.5**	0.5 U	**0.7**
		7/01/14	**19.5**	**1.6**	0.5 U	**0.8**
		7/08/14	**19.4**	**1.9**	0.5 U	**0.9**
		7/15/14	**19.3**	**1.8**	0.5 U	**0.9**
		7/22/14	**18.4**	**1.1**	0.5 U	**0.7**
		7/29/14	**18.4**	**1.7**	0.5 U	**0.8**
		8/12/14	**17.7**	**1.4**	0.5 U	**0.7**
		8/19/14	**18.8**	**1.5**	0.5 U	**0.7**
		8/26/14	**19.5**	**2.2**	0.5 U	**1.0**
		9/02/14	**18.1**	**1.3**	0.5 U	**0.7**
		9/09/14	**17.6**	**1.2**	0.5 U	**0.8**
		9/16/14	**18.6**	**1.1**	0.5 U	**0.7**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	ARROYO (con't)	9/23/14	**16.6**	**1.2**	0.5 U	**0.8**
		9/30/14	**17.3**	**1.0**	0.5 U	**0.8**
		1/6/15	**17.0**	**1.1**	0.5 U	**1.0**
		1/13/15	**16.3**	**1.2**	0.5 U	**1.2**
		1/20/15	**16.8**	**0.9**	0.5 U	**1.1**
		1/27/15	**16.5**	**0.9**	0.5 U	0.5 U
		2/10/15	**15.3**	**0.9**	0.5 U	**1.1**
		2/17/15	**16.0**	**1.0**	0.5 U	**1.1**
		2/24/15	**15.4**	**1.0**	0.5 U	**1.1**
		3/03/15	**16.0**	**1.0**	0.5 U	**1.1**
		3/10/15	**15.5**	**1.1**	0.5 U	**1.2**
		3/17/15	**15.7**	**1.0**	0.5 U	**1.2**
		3/24/15	**15.1**	**1.0**	0.5 U	**1.3**
		3/31/15	**15.5**	**0.9**	0.5 U	**1.1**
	VENTURA	2/01/96	NA	0.5 U	0.0 U	**0.5 J**
		3/01/96	NA	0.5 U	0.5 U	0.5 U
		5/01/96	NA	0.5 U	**0.6**	NA
		6/01/96	NA	0.5 U	**0.6**	**0.7**
		7/01/96	NA	0.5 U	0.0 U	**0.6**
		8/01/96	NA	0.5 U	NA	NA
		8/07/96	NA	NA	**0.5**	**0.7**
		9/01/96	NA	0.5 U	NA	NA
		9/04/96	NA	NA	**0.6**	**0.8**
		10/01/96	NA	0.5 U	NA	NA
		10/02/96	NA	NA	**0.6**	**0.7**
		11/06/96	NA	0.5 U	0.5 U	0.5 U
		12/01/96	NA	0.5 U	NA	NA
		12/05/96	NA	NA	**0.7**	**0.8**
		1/01/97	NA	0.5 U	0.0 U	NA
		1/08/97	NA	NA	NA	**0.5**
		3/01/97	NA	0.0 U	NA	NA
		3/03/97	NA	NA	NA	**0.7**
		3/05/97	NA	NA	**0.6**	**1.2**
		4/01/97	NA	0.5 U	0.0 U	NA
		4/02/97	NA	NA	NA	**0.5**
		5/01/97	NA	0.5 U	0.0 U	0.5 U
		6/04/97	NA	0.5 U	**0.7**	**0.9**
		6/09/97	0.0 U	NA	NA	NA
		6/13/97	0.0 U	NA	NA	NA
		6/19/97	0.0 U	NA	NA	NA
		7/02/97	NA	0.5 U	0.5 U	0.5 U
		7/03/97	**5.0**	NA	NA	NA
		8/01/97	NA	0.5 U	0.0 U	0.5 U
		8/15/97	0.0 U	NA	NA	NA
		9/01/97	NA	0.5 U	0.0 U	NA
		9/03/97	NA	NA	NA	**0.7**
		9/17/97	0.0 U	NA	NA	NA
		9/22/97	NA	NA	NA	**0.6**
		10/01/97	**4.0**	0.5 U	0.5 U	0.5 U
		11/01/97	NA	0.5 U	0.0 U	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	11/05/97	NA	NA	NA	**0.6**
		12/03/97	NA	NA	NA	**0.9**
		12/18/97	0.0 U	NA	NA	NA
		1/01/98	NA	0.5 U	NA	NA
		1/06/98	**4.0**	NA	**0.5**	**1.0**
		1/14/98	**5.0**	NA	NA	NA
		1/16/98	**4.0**	NA	NA	NA
		1/21/98	**4.0**	NA	NA	NA
		1/28/98	**5.5**	NA	NA	NA
		2/02/98	**5.9**	NA	**0.5**	**0.8**
		2/03/98	NA	0.5 U	**0.6**	**1.1**
		2/19/98	**4.7**	NA	NA	**0.9**
		3/01/98	NA	0.5 U	NA	NA
		3/03/98	0.0 U	NA	NA	**0.6**
		3/11/98	0.0 U	NA	**0.7**	**1.6**
		3/18/98	**5.4**	NA	NA	NA
		3/25/98	**4.9**	NA	NA	NA
		4/01/98	**6.0**	0.5 U	0.0 U	**0.8**
		4/08/98	**4.0**	NA	NA	NA
		4/13/98	0.0 U	NA	NA	NA
		4/19/98	**5.4**	NA	NA	NA
		4/23/98	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/01/98	NA	0.5 U	NA	NA
		5/06/98	NA	NA	**0.6**	**1.1**
		5/07/98	0.0 U	NA	NA	NA
		5/27/98	4.0 U	NA	NA	NA
		6/03/98	0.0 U	NA	**0.7**	**1.3**
		6/10/98	0.0 U	NA	NA	NA
		6/24/98	4.0 U	NA	NA	NA
		7/01/98	0.0 U	0.5 U	0.0 U	**1.0**
		7/08/98	**5.0**	NA	NA	NA
		7/15/98	**5.0**	NA	NA	NA
		8/01/98	4.0 U	0.5 U	**0.5**	**1.0**
		8/03/98	**7.7**	NA	NA	NA
		8/07/98	**6.0**	NA	NA	NA
		8/13/98	**5.0**	NA	NA	NA
		8/19/98	**5.0**	NA	NA	NA
		8/27/98	**4.5**	NA	NA	NA
		9/01/98	4.0 U	0.5 U	**0.6**	**1.2**
		9/07/98	4.0 U	NA	NA	NA
		9/08/98	**6.0**	NA	NA	NA
		9/15/98	**5.0**	NA	NA	NA
		9/23/98	**5.0**	NA	NA	NA
		9/30/98	0.0 U	NA	NA	NA
		10/01/98	0.0 U	NA	NA	NA
		10/07/98	NA	0.5 U	**0.5**	**1.2**
		10/08/98	**5.9**	NA	NA	NA
		10/15/98	0.0 U	NA	NA	NA
		10/23/98	**5.3**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	10/30/98	**4.4**	NA	NA	NA
		11/01/98	NA	0.5 U	**0.5**	**1.1**
		11/02/98	**4.2**	NA	NA	NA
		11/09/98	**4.4**	NA	NA	NA
		11/16/98	**4.6**	NA	NA	NA
		11/23/98	**5.2**	NA	NA	NA
		12/01/98	**6.3**	0.5 U	**0.5**	**1.3**
		12/08/98	0.0 U	NA	NA	NA
		12/15/98	0.0 U	NA	NA	NA
		12/22/98	**4.2**	NA	NA	NA
		12/24/98	**4.0**	NA	NA	NA
		12/29/98	**5.0**	NA	NA	NA
		12/30/98	0.0 U	NA	NA	NA
		1/01/99	NA	0.5 U	**0.5**	**1.1**
		1/06/99	**4.8**	NA	NA	NA
		1/13/99	**5.7**	NA	NA	NA
		1/20/99	0.0 U	NA	NA	NA
		1/27/99	**5.1**	NA	NA	NA
		2/01/99	NA	0.5 U	**0.6**	**1.1**
		2/03/99	**6.2**	NA	NA	NA
		2/10/99	**5.2**	NA	NA	NA
		3/04/99	**2.9**	0.5 U	**0.6**	**1.0**
		3/17/99	0.0 U	NA	NA	NA
		5/01/99	NA	0.5 U	**0.6**	**1.3**
		5/12/99	**3.6**	NA	NA	NA
		5/18/99	**2.7**	NA	NA	NA
		5/26/99	**2.9**	NA	NA	NA
		6/01/99	NA	0.5 U	**0.7**	**1.4**
		6/02/99	**2.7**	NA	NA	NA
		6/09/99	**5.2**	NA	NA	NA
		6/10/99	0.0 U	NA	NA	NA
		6/16/99	**3.4**	NA	NA	NA
		6/23/99	**3.1**	NA	NA	NA
		6/30/99	**3.1**	NA	NA	NA
		7/01/99	NA	0.5 U	**0.6**	**1.1**
		7/07/99	**3.7**	NA	NA	NA
		7/14/99	5.0 U	NA	NA	NA
		7/21/99	5.0 U	NA	NA	NA
		7/28/99	5.0 U	NA	NA	NA
		8/04/99	0.0 U	0.5 U	**0.7**	**1.0**
		8/09/99	**3.6**	NA	NA	NA
		8/11/99	**8.4**	NA	NA	NA
		8/12/99	0.0 U	NA	NA	NA
		8/15/99	0.0 U	NA	NA	NA
		8/18/99	**3.0**	NA	NA	NA
		8/25/99	**3.2**	NA	NA	NA
		8/31/99	0.0 U	NA	NA	NA
		9/01/99	0.0 U	NA	NA	NA
		9/08/99	**8.3**	0.5 U	**0.7**	**1.1**
		9/15/99	0.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	9/30/99	**4.2**	NA	NA	NA
		10/11/99	**5.0**	0.5 U	**0.6**	**0.9**
		11/10/99	NA	0.5 U	**0.7**	**1.0**
		12/01/99	NA	0.5 U	**0.9**	**1.2**
		1/01/00	NA	0.5 U	**0.5**	**0.8**
		1/07/00	4.0 U	NA	NA	NA
		1/13/00	4.0 U	NA	NA	NA
		1/26/00	0.0 U	NA	NA	NA
		2/02/00	0.0 U	NA	NA	NA
		2/10/00	0.0 U	0.5 U	0.5 U	**1.0**
		2/18/00	0.0 U	NA	NA	NA
		2/28/00	0.0 U	NA	NA	NA
		3/02/00	**4.0**	NA	NA	NA
		3/06/00	NA	0.5 U	**1.0**	**1.0**
		3/16/00	4.0 U	NA	NA	NA
		3/23/00	4.0 U	NA	NA	NA
		3/29/00	4.0 U	NA	NA	NA
		4/01/00	4.0 U	NA	NA	NA
		4/07/00	4.0 U	NA	NA	NA
		4/12/00	NA	0.5 U	0.5 U	**0.6**
		4/13/00	4.0 U	NA	NA	NA
		5/01/00	**8.2**	NA	NA	NA
		5/10/00	NA	0.5 U	0.5 U	**0.7**
		6/07/00	NA	0.5 U	**1.0**	**1.0**
		6/08/00	0.0 U	NA	NA	NA
		6/22/00	0.0 U	NA	NA	NA
		7/06/00	0.0 U	NA	NA	NA
		7/12/00	**6.1**	0.5 U	0.5 U	**1.0**
		8/01/00	NA	0.5 U	0.5 U	0.5 U
		8/02/00	**7.0**	NA	NA	NA
		8/10/00	4.0 U	NA	NA	NA
		8/17/00	**3.0**	NA	NA	NA
		8/23/00	**4.0**	NA	NA	NA
		8/30/00	**5.0**	NA	NA	NA
		9/01/00	**4.5**	NA	NA	NA
		9/04/00	NA	0.5 U	**1.0**	**1.0**
		9/07/00	**4.0**	NA	NA	NA
		9/12/00	**4.0**	NA	NA	NA
		9/21/00	**4.0**	NA	NA	NA
		9/28/00	**4.0**	NA	NA	NA
		10/04/00	**5.0**	NA	NA	NA
		10/09/00	NA	0.5 U	**0.5**	**0.7**
		10/11/00	**6.3**	NA	NA	NA
		10/18/00	**3.5**	NA	NA	NA
		10/25/00	**3.5**	NA	NA	NA
		11/02/00	**2.9**	NA	NA	NA
		11/06/00	NA	0.5 U	**0.6**	**0.7**
		11/07/00	**4.7**	NA	NA	NA
		11/15/00	**3.8**	NA	NA	NA
		11/22/00	**4.5**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	11/30/00	**5.2**	NA	NA	NA
		12/07/00	**5.5**	NA	NA	NA
		12/12/00	NA	0.5 U	**0.7**	**0.7**
		12/13/00	**6.5**	NA	NA	NA
		12/21/00	**5.2**	NA	NA	NA
		12/28/00	**6.1**	NA	NA	NA
		1/02/01	NA	0.5 U	**0.6**	**0.7**
		1/04/01	**6.6**	NA	NA	NA
		1/23/01	**6.8**	0.5 U	**0.9**	**0.8**
		2/01/01	**4.6**	NA	NA	NA
		2/07/01	**4.1**	NA	NA	NA
		2/13/01	**4.0 J**	NA	NA	NA
		2/19/01	**3.6 J**	NA	NA	NA
		5/01/01	NA	0.5 U	**0.6**	**0.9**
		5/07/01	**7.2**	NA	NA	NA
		5/22/01	**7.0**	NA	NA	NA
		5/30/01	4.3 U	NA	NA	NA
		6/01/01	NA	0.5 U	**0.5**	**0.6**
		6/05/01	**5.7**	NA	NA	NA
		6/13/01	**5.7**	NA	NA	NA
		6/20/01	**4.8**	NA	NA	NA
		6/26/01	**4.2**	NA	NA	NA
		7/03/01	**5.7**	NA	NA	NA
		7/11/01	**5.0**	0.5 U	**0.5**	**0.7**
		7/18/01	**5.8**	NA	NA	NA
		7/25/01	**6.0**	NA	NA	NA
		8/01/01	**5.0**	NA	NA	NA
		8/08/01	**4.1**	NA	NA	NA
		8/15/01	**5.1**	0.5 U	**0.6**	**0.8**
		8/22/01	**4.9**	NA	NA	NA
		8/29/01	**4.9**	NA	NA	NA
		9/05/01	**5.3**	NA	NA	NA
		9/12/01	**5.0**	0.5 U	0.5 U	**0.6**
		9/19/01	**5.8**	NA	NA	NA
		9/27/01	**5.7**	NA	NA	NA
		10/02/01	NA	0.5 U	0.5 U	**0.5**
		10/03/01	**6.1**	NA	NA	NA
		10/10/01	**5.4**	NA	NA	NA
		10/17/01	**5.3**	NA	NA	NA
		10/24/01	**4.8**	NA	NA	NA
		10/31/01	**5.4**	NA	NA	NA
		11/07/01	**5.8**	0.5 U	**0.5**	**0.6**
		11/13/01	**5.1**	NA	NA	NA
		11/21/01	**5.0**	NA	NA	NA
		11/29/01	**4.9**	NA	NA	NA
		12/05/01	**4.3**	0.5 U	**0.6**	**0.8**
		12/12/01	**4.8**	NA	NA	NA
		12/19/01	**5.0**	NA	NA	NA
		12/26/01	**4.8**	NA	NA	NA
		1/02/02	**6.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	1/09/02	**5.6**	0.5 U	**0.6**	**0.8**
		1/16/02	**5.7**	NA	NA	NA
		4/24/02	**5.6**	0.5 U	**1.3**	**1.1**
		5/15/02	**6.2**	0.5 U	**0.8**	**0.8**
		6/05/02	**6.3**	0.5 U	**0.8**	**0.7**
		7/17/02	**5.0**	0.5 U	**0.9**	**0.7**
		8/14/02	**5.4**	0.5 U	**0.7**	**0.6**
		9/18/02	**7.1**	0.5 U	**0.8**	**0.7**
		10/09/02	**5.8**	0.5 U	**0.6**	**0.6**
		10/11/11	**5.9**	0.5 U	**0.9**	**2.7**
		10/18/11	**4.5**	0.5 U	**0.9**	**2.4**
		10/25/11	**5.1**	0.5 U	**1.0**	**2.4**
		11/01/11	**5.4**	0.5 U	**1.0**	**2.5**
		11/08/11	**4.7**	0.5 U	**0.9**	**2.2**
		11/15/11	**4.4**	0.5 U	**1.0**	**2.5**
		11/22/11	**5.1**	0.5 U	**0.9**	**2.6**
		11/29/11	**5.0**	0.5 U	**0.9**	**2.5**
		12/06/11	**5.4**	0.5 U	**0.8**	**2.4**
		12/13/11	**5.2**	0.5 U	**0.9**	**2.4**
		12/20/11	**5.4**	0.5 U	**0.9**	**2.5**
		12/27/11	**4.8**	0.5 U	**0.9**	**2.4**
		1/03/12	**4.6**	0.5 U	**0.8**	**2.2**
		1/10/12	**5.0**	0.5 U	**0.8**	**2.3**
		1/17/12	**4.9**	0.5 U	**0.9**	**2.4**
		1/24/12	**5.2**	0.5 U	**0.8**	**2.4**
		1/31/12	**4.6**	0.5 U	**0.9**	**2.5**
		2/07/12	**4.6**	0.5 U	**0.8**	**2.6**
		2/15/12	**4.5**	0.5 U	**0.9**	**2.4**
		2/21/12	**4.3**	0.5 U	**1.0**	**2.3**
		2/28/12	**4.4**	0.5 U	**0.7**	**2.1**
		3/06/12	**4.7**	0.5 U	**1.0**	**2.2**
		3/13/12	**4.7**	0.5 U	**1.1**	**2.6**
		3/20/12	**5.3**	0.5 U	**0.8**	**2.2**
		3/27/12	**4.9**	0.5 U	**0.9**	**2.7**
		4/12/12	**5.2**	NA	NA	NA
		6/12/12	**4.4**	0.5 U	**0.8**	**2.7**
		6/19/12	**4.1**	0.5 U	**0.8**	**2.6**
		6/26/12	**4.3**	0.5 U	**0.9**	**2.2**
		7/03/12	**4.5**	0.5 U	**0.9**	**2.5**
		7/10/12	**5.0**	0.5 U	**0.9**	**2.5**
		7/17/12	**4.9**	0.5 U	**0.9**	**2.6**
		7/24/12	**4.9**	0.5 U	**0.8**	**2.5**
		8/01/12	**4.7**	0.5 U	**0.8**	**2.3**
		8/07/12	**4.2**	0.5 U	**0.8**	**2.3**
		8/14/12	**5.0**	0.5 U	**0.9**	**2.5**
		8/21/12	**4.5**	0.5 U	**0.9**	**2.5**
		8/29/12	**4.7**	0.5 U	**0.9**	**2.5**
		9/18/12	**5.1**	0.5 U	**0.8**	**2.5**
		9/19/12	**5.5**	NA	NA	NA
		9/25/12	**5.1**	0.5 U	**0.9**	**2.6**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	VENTURA (con't)	10/30/12	**5.7**	0.5 U	**1.0**	**3.6**
		1/29/13	**5.1**	0.5 U	**1.1**	**4.3**
		4/10/13	**5.5**	0.5 U	**1.0**	**4.2**
		8/14/13	**5.9**	0.5 U	**0.8**	**4.2**
		9/10/13	**5.5**	0.5 U	**1.0**	**4.6**
		11/19/13	**4.2**	0.5 U	**1.0**	**4.3**
		12/19/13	**4.6**	0.5 U	**1.0**	**4.5**
		2/18/14	**5.6**	0.5 U	**1.0**	**4.3**
		2/25/14	**4.8**	0.5 U	**1.0**	**4.4**
		3/11/14	**5.7**	0.5 U	**1.1**	**4.3**
		3/18/14	**6.1**	0.5 U	**1.0**	**4.2**
		3/25/14	**7.7**	0.5 U	**1.0**	**4.4**
		4/01/14	**7.7**	0.5 U	**0.9**	**4.0**
		4/08/14	**6.3**	0.5 U	**0.9**	**4.2**
		4/15/14	**5.7**	NA	NA	NA
		4/22/14	NA	0.5 U	**1.0**	**4.6**
		4/29/14	NA	0.5 U	**0.9**	**4.1**
		7/15/14	**5.1**	0.5 U	**1.3**	**5.2**
		2/17/15	**4.4**	0.5 U	**1.1**	**3.9**
	WELL 52	1/03/96	NA	0.5 U	0.5 U	**3.9**
		3/07/96	NA	0.5 U	0.5 U	**5.3**
		4/03/96	NA	**0.5**	**0.2**	**4.5**
		4/16/96	NA	0.5 U	0.5 U	**3.7**
		5/01/96	NA	0.5 U	0.5 U	**3.2**
		6/05/96	NA	0.5 U	0.5 U	**3.3**
		7/02/96	NA	0.5 U	0.5 U	**2.5**
		8/01/96	NA	NA	0.0 U	NA
		8/07/96	NA	**0.5**	NA	**3.6**
		9/01/96	NA	NA	0.0 U	NA
		9/04/96	NA	**0.7**	NA	**4.4**
		10/01/96	NA	NA	0.0 U	NA
		10/02/96	NA	**0.7**	NA	**4.7**
		1/16/97	**26.0**	NA	NA	NA
		3/01/97	NA	0.5 U	0.0 U	NA
		3/03/97	NA	NA	NA	**5.8**
		3/05/97	NA	NA	NA	**7.3**
		4/01/97	NA	0.5 U	0.0 U	NA
		4/02/97	NA	NA	NA	**4.1**
		5/01/97	NA	0.5 U	0.0 U	NA
		5/07/97	NA	NA	NA	**3.1**
		6/04/97	NA	0.5 U	0.5 U	**4.6**
		6/09/97	**6.0**	NA	NA	NA
		6/13/97	**6.0**	NA	NA	NA
		6/19/97	**7.0**	NA	NA	NA
		7/01/97	NA	0.5 U	0.0 U	NA
		7/02/97	NA	NA	NA	**3.4**
		7/03/97	**10.0**	NA	NA	NA
		8/01/97	NA	0.5 U	0.0 U	NA
		8/06/97	**10.0**	NA	NA	**2.0**
		8/15/97	**11.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	9/01/97	NA	NA	0.0 U	NA
		9/03/97	NA	**0.8**	NA	**3.5**
		9/04/97	**15.0**	NA	NA	NA
		9/10/97	**16.0**	NA	NA	NA
		9/17/97	**15.0**	NA	NA	NA
		9/20/97	**15.0**	NA	NA	NA
		9/22/97	NA	**1.2**	NA	**4.3**
		9/30/97	**16.0**	NA	NA	NA
		10/01/97	**8.0**	**0.7**	0.0 U	**3.4**
		10/10/97	**14.0**	NA	NA	NA
		10/20/97	**16.0**	NA	NA	NA
		11/01/97	**18.0**	NA	NA	NA
		11/05/97	NA	**1.3**	0.5 U	**3.9**
		12/01/97	**22.0**	NA	0.0 U	NA
		12/04/97	**7.0**	NA	NA	NA
		12/08/97	NA	**0.8**	NA	**5.8**
		12/14/97	**7.0**	NA	NA	NA
		12/18/97	**19.0**	NA	NA	NA
		12/24/97	**22.0**	NA	NA	NA
		1/01/98	**19.0**	NA	0.0 U	NA
		1/06/98	**26.0**	**0.7**	NA	**4.7**
		1/07/98	**22.0**	NA	NA	NA
		1/14/98	**27.0**	NA	NA	NA
		1/16/98	**26.0**	NA	NA	NA
		1/19/98	**7.0**	NA	NA	NA
		1/21/98	**7.0**	NA	NA	NA
		1/25/98	**27.0**	NA	NA	NA
		1/28/98	**31.3**	NA	NA	NA
		2/01/98	**31.3**	NA	NA	NA
		2/03/98	NA	**2.1**	0.5 U	**3.1**
		3/01/98	**24.5**	NA	0.0 U	NA
		3/04/98	**7.8**	**0.6**	NA	**5.3**
		3/07/98	**7.8**	NA	NA	NA
		3/11/98	**8.4**	**1.7**	NA	**4.5**
		3/13/98	**8.4**	NA	NA	NA
		3/18/98	**24.0**	NA	NA	NA
		3/19/98	**24.0**	NA	NA	NA
		3/25/98	**24.5**	NA	NA	NA
		4/01/98	**20.7**	**1.0**	0.0 U	**3.2**
		4/07/98	**20.7**	NA	NA	NA
		4/08/98	**22.0**	NA	NA	NA
		4/13/98	**22.0**	NA	NA	NA
		4/16/98	**23.0**	NA	NA	NA
		4/19/98	**23.0**	NA	NA	NA
		4/23/98	**18.0**	NA	NA	NA
		4/30/98	**15.0**	NA	NA	NA
		5/01/98	**18.0**	NA	0.0 U	NA
		5/06/98	NA	**1.3**	NA	**3.6**
		5/07/98	**16.0**	NA	NA	NA
		5/13/98	**17.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	5/19/98	**17.0**	NA	NA	NA
		5/25/98	**16.0**	NA	NA	NA
		5/27/98	**16.0**	NA	NA	NA
		6/01/98	**16.0**	NA	NA	0.5 U
		6/03/98	**17.0**	**1.5**	**3.8**	NA
		6/07/98	**17.0**	NA	NA	NA
		6/10/98	**12.0**	NA	NA	NA
		6/13/98	**12.0**	NA	NA	NA
		6/19/98	**17.0**	NA	NA	NA
		6/24/98	**15.0**	NA	NA	NA
		6/25/98	**15.0**	NA	NA	NA
		7/01/98	**13.0**	**1.3**	0.0 U	**3.1**
		7/07/98	**19.0**	NA	NA	NA
		7/08/98	**19.0**	NA	NA	NA
		7/13/98	**22.0**	NA	NA	NA
		7/15/98	**22.0**	NA	NA	NA
		7/19/98	**22.0**	NA	NA	NA
		8/01/98	**20.0**	**1.6**	0.0 U	**3.5**
		8/03/98	**15.8**	NA	NA	NA
		8/07/98	**24.0**	NA	NA	NA
		8/13/98	**25.0**	NA	NA	NA
		8/19/98	**25.0**	NA	NA	NA
		8/27/98	**25.0**	NA	NA	NA
		9/01/98	**15.0**	**1.6**	NA	**3.3**
		9/07/98	**15.0**	NA	NA	NA
		9/08/98	**22.0**	NA	NA	NA
		9/13/98	**22.0**	NA	NA	NA
		9/15/98	**23.0**	NA	NA	NA
		9/19/98	**23.0**	NA	NA	NA
		9/23/98	**28.0**	NA	NA	NA
		9/30/98	**27.0**	NA	NA	NA
		10/01/98	**27.0**	NA	NA	NA
		10/07/98	**22.8**	**1.5**	0.5 U	**3.0**
		10/08/98	**22.8**	NA	NA	NA
		10/13/98	**20.7**	NA	NA	NA
		10/15/98	**20.7**	NA	NA	NA
		10/19/98	**22.6**	NA	NA	NA
		10/23/98	**22.6**	NA	NA	NA
		10/25/98	**16.8**	NA	NA	NA
		10/30/98	**16.8**	NA	NA	NA
		11/01/98	**21.6**	1.6 U	0.0 U	**2.7**
		11/02/98	**21.6**	NA	NA	NA
		11/07/98	**19.0**	NA	NA	NA
		11/09/98	**19.0**	NA	NA	NA
		11/13/98	**19.8**	NA	NA	NA
		11/16/98	**19.8**	NA	NA	NA
		11/19/98	**20.2**	NA	NA	NA
		11/23/98	**20.2**	NA	NA	NA
		12/01/98	**25.3**	**2.3**	0.0 U	**3.7**
		12/08/98	0.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	12/15/98	0.0 U	NA	NA	NA
		12/19/98	**16.0**	NA	NA	NA
		12/22/98	**16.0**	NA	NA	NA
		12/29/98	0.0 U	NA	NA	NA
		1/06/99	0.0 U	NA	NA	NA
		1/07/99	**27.9**	NA	NA	NA
		1/13/99	**27.9**	NA	NA	NA
		1/19/99	**20.3**	NA	NA	NA
		1/20/99	**18.9**	NA	NA	NA
		1/27/99	**20.3**	NA	NA	NA
		2/01/99	NA	**2.1**	0.0 U	**3.1**
		2/03/99	**25.3**	NA	NA	NA
		2/07/99	**25.7**	NA	NA	NA
		2/10/99	**25.7**	NA	NA	NA
		3/04/99	**18.0**	**2.2**	0.5 U	**3.4**
		3/17/99	**18.6**	NA	NA	NA
		4/14/99	**3.0 J**	NA	NA	NA
		5/01/99	NA	**1.2**	0.0 U	**2.0**
		5/12/99	**13.9**	NA	NA	NA
		5/18/99	**18.4**	NA	NA	NA
		5/26/99	**22.9**	NA	NA	NA
		6/01/99	NA	**3.0**	**0.5**	**3.7**
		6/02/99	**23.0**	NA	NA	NA
		6/09/99	**26.4**	NA	NA	NA
		6/10/99	**23.4**	NA	NA	NA
		6/16/99	**27.3**	NA	NA	NA
		6/23/99	**26.0**	NA	NA	NA
		6/30/99	**17.2**	NA	NA	NA
		7/01/99	**33.5**	**2.5**	0.0 U	**3.2**
		7/07/99	**24.4**	NA	NA	NA
		7/14/99	**23.5**	NA	NA	NA
		7/21/99	21.3 U	NA	NA	NA
		7/28/99	**27.3**	NA	NA	NA
		8/04/99	**23.6**	**2.3**	0.5 U	**3.4**
		8/09/99	**24.8**	NA	NA	NA
		8/11/99	**25.2**	NA	NA	NA
		8/12/99	**24.3**	NA	NA	NA
		8/15/99	**21.2**	NA	NA	NA
		8/18/99	**21.0**	NA	NA	NA
		8/19/99	**27.3**	NA	NA	NA
		8/25/99	**23.3**	NA	NA	NA
		8/31/99	**27.3**	NA	NA	NA
		9/01/99	**19.6**	NA	NA	NA
		9/07/99	**24.8**	NA	NA	NA
		9/08/99	**24.8**	**2.3**	**0.6**	**3.5**
		9/15/99	**21.2**	NA	NA	NA
		9/25/99	**24.6**	NA	NA	NA
		9/30/99	**26.5**	NA	NA	NA
		10/01/99	**23.4**	NA	NA	NA
		10/07/99	**30.9**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	10/11/99	**22.5**	**1.9**	0.5 U	**2.9**
		10/13/99	**26.1**	NA	NA	NA
		10/19/99	**28.0**	NA	NA	NA
		11/01/99	**24.7**	NA	NA	NA
		11/10/99	NA	**2.3**	0.5 U	**3.2**
		11/13/99	**24.0**	NA	NA	NA
		11/19/99	**20.1**	NA	NA	NA
		12/01/99	NA	**2.3**	**0.6**	**3.9**
		12/07/99	**24.3**	NA	NA	NA
		12/13/99	**29.1**	NA	NA	NA
		12/19/99	**33.5**	NA	NA	NA
		12/25/99	**24.3**	NA	NA	NA
		1/01/00	**27.4**	**2.1**	0.0 U	**3.3**
		1/07/00	**23.5**	NA	NA	NA
		1/13/00	**21.5**	NA	NA	NA
		1/26/00	**24.9**	NA	NA	NA
		2/02/00	**22.6**	NA	NA	NA
		2/10/00	**25.8**	**2.0**	0.5 U	**3.0**
		2/18/00	**25.7**	NA	NA	NA
		2/28/00	**19.8**	NA	NA	NA
		3/02/00	**30.0**	NA	NA	NA
		3/06/00	NA	**2.0**	0.5 U	**3.0**
		3/07/00	**26.9**	NA	NA	NA
		3/16/00	**20.0**	NA	NA	NA
		3/23/00	**19.0**	NA	NA	NA
		3/29/00	**20.0**	NA	NA	NA
		4/01/00	**21.7**	NA	NA	NA
		4/07/00	**22.1**	NA	NA	NA
		4/12/00	NA	**4.4**	0.5 U	**3.1**
		4/13/00	**21.9**	NA	NA	NA
		4/19/00	**27.0**	NA	NA	NA
		5/01/00	**21.7**	NA	NA	NA
		5/07/00	**29.8**	NA	NA	NA
		5/10/00	NA	**3.2**	0.5 U	**3.3**
		6/07/00	NA	**3.0**	**1.0**	**2.0**
		6/08/00	**21.1**	NA	NA	NA
		6/14/00	**22.7**	NA	NA	NA
		6/22/00	**23.7**	NA	NA	NA
		7/06/00	**16.5**	NA	NA	NA
		7/12/00	**33.5**	**3.0**	0.5 U	**3.0**
		7/13/00	**27.0**	NA	NA	NA
		7/19/00	**38.8**	NA	NA	NA
		8/01/00	**28.9**	**3.0**	0.5 U	**3.0**
		8/02/00	**16.0**	NA	NA	NA
		8/07/00	**28.5**	NA	NA	NA
		8/10/00	23.0 U	NA	NA	NA
		8/13/00	**25.6**	NA	NA	NA
		8/17/00	**23.0**	NA	NA	NA
		8/19/00	**19.6**	NA	NA	NA
		8/23/00	**24.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	8/24/00	**24.0**	NA	NA	NA
		8/30/00	**29.0**	NA	NA	NA
		9/01/00	**28.9**	NA	NA	NA
		9/04/00	NA	**2.0**	0.5 U	**3.0**
		9/07/00	**29.0**	NA	NA	NA
		9/12/00	**26.0**	NA	NA	NA
		9/21/00	**20.0**	NA	NA	NA
		9/28/00	**20.0**	NA	NA	NA
		10/04/00	**30.3**	NA	NA	NA
		10/09/00	NA	**2.8**	0.5 U	**3.4**
		10/11/00	**27.1**	NA	NA	NA
		10/18/00	**20.5**	NA	NA	NA
		10/25/00	**23.1**	NA	NA	NA
		11/02/00	**16.9**	NA	NA	NA
		11/06/00	NA	**3.0**	0.5 U	**3.2**
		11/09/00	**26.0**	NA	NA	NA
		11/15/00	**22.7**	NA	NA	NA
		11/22/00	**24.2**	NA	NA	NA
		11/30/00	**27.1**	NA	NA	NA
		12/07/00	**24.1**	NA	NA	NA
		12/12/00	NA	0.5 U	**1.7**	**1.8**
		12/13/00	**27.4**	NA	NA	NA
		12/21/00	**23.0**	NA	NA	NA
		12/28/00	**26.9**	NA	NA	NA
		1/02/01	NA	**2.5**	**0.5**	**3.5**
		1/04/01	**30.0**	NA	NA	NA
		1/23/01	**24.4**	NA	NA	NA
		2/01/01	**28.9**	NA	NA	NA
		2/07/01	**28.5**	NA	NA	NA
		2/13/01	**25.6**	NA	NA	NA
		2/19/01	**19.6**	NA	NA	NA
		3/01/01	NA	**1.9**	**2.9**	0.5 U
		3/14/01	**17.3**	NA	NA	NA
		3/21/01	**20.8**	NA	NA	NA
		3/29/01	**19.8**	NA	NA	NA
		4/01/01	NA	**3.2**	**0.7**	**3.6**
		4/04/01	**26.7**	NA	NA	NA
		4/07/01	**35.1**	NA	NA	NA
		5/01/01	NA	**2.6**	0.0 U	**2.8**
		5/22/01	**34.7**	NA	NA	NA
		5/30/01	32.7 U	NA	NA	NA
		6/01/01	NA	**2.6**	0.0 U	**2.6**
		6/05/01	**34.9**	NA	NA	NA
		6/13/01	**33.7**	NA	NA	NA
		6/20/01	**33.3**	NA	NA	NA
		6/26/01	**30.1**	NA	NA	NA
		7/03/01	**31.4**	NA	NA	NA
		7/11/01	**33.3**	**3.2**	0.5 U	**3.1**
		7/18/01	**30.4**	NA	NA	NA
		7/25/01	**27.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	8/01/01	25.5 U	NA	NA	NA
		8/08/01	**24.1**	NA	NA	NA
		8/15/01	**22.4**	**3.2**	0.5 U	**3.3**
		8/22/01	**22.6**	NA	NA	NA
		8/29/01	**22.0**	NA	NA	NA
		9/05/01	**23.7**	NA	NA	NA
		9/12/01	**22.5**	**2.6**	0.5 U	**3.0**
		9/19/01	**23.1**	NA	NA	NA
		9/27/01	**26.4**	NA	NA	NA
		10/02/01	NA	**1.7**	0.5 U	**1.9**
		10/03/01	**27.5**	NA	NA	NA
		10/10/01	**27.0**	NA	NA	NA
		10/17/01	**22.5**	NA	NA	NA
		10/24/01	**22.6**	NA	NA	NA
		10/31/01	**25.0**	NA	NA	NA
		11/07/01	**27.1**	**1.7**	0.5 U	**1.9**
		11/13/01	**22.7**	NA	NA	NA
		11/21/01	**22.6**	NA	NA	NA
		11/29/01	**22.4**	NA	NA	NA
		12/05/01	**21.4**	**1.8**	0.5 U	**2.8**
		12/12/01	**21.6**	NA	NA	NA
		12/19/01	**22.3**	NA	NA	NA
		12/26/01	**20.8**	NA	NA	NA
		1/02/02	**26.0**	NA	NA	NA
		1/09/02	**23.2**	**2.3**	0.5 U	**2.8**
		1/16/02	**23.3**	NA	NA	NA
		4/24/02	**15.0**	**1.2**	**1.0**	**3.4**
		5/15/02	**16.2**	**1.6**	**0.9**	**3.0**
		6/01/02	NA	**1.2**	**0.9**	**2.5**
		6/05/02	**14.7**	**1.2**	**0.9**	**2.5**
		7/01/02	NA	**0.7**	**1.0**	**2.5**
		7/02/02	**11.9**	NA	NA	NA
		7/17/02	**11.9**	**0.7**	**1.0**	**2.5**
		8/01/02	NA	0.5 U	**1.0**	**2.5**
		8/02/02	**12.4**	NA	NA	NA
		8/14/02	**12.4**	**1.0**	**1.0**	**2.5**
		9/01/02	NA	**0.6**	**0.8**	**1.6**
		9/18/02	**12.2**	**1.2**	**1.2**	**2.6**
		10/09/02	**10.5**	**0.6**	**0.8**	**1.6**
		3/22/11	**15.8**	0.5 U	**0.8**	**0.9**
		3/29/11	**16.8**	0.5 U	**0.6**	**0.7**
		10/02/12	**6.7**	0.5 U	0.5 U	**0.6**
		10/09/12	**7.2**	0.5 U	0.5 U	**0.6**
		10/11/12	**7.4**	NA	NA	NA
		10/17/12	**6.9**	0.5 U	0.5 U	**0.6**
		10/23/12	**7.8**	0.5 U	0.5 U	**0.6**
		10/30/12	**6.8**	0.5 U	0.5 U	**0.6**
		11/06/12	**8.1**	0.5 U	0.5 U	**0.8**
		11/13/12	**7.6**	0.5 U	0.5 U	**0.8**
		11/20/12	**7.5**	0.5 U	**0.5**	**0.9**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	11/27/12	7.2	3.8	0.5	1.0
		12/04/12	7.6	0.5 U	0.5 U	0.9
		12/11/12	9.7	0.5 U	0.5 U	0.9
		12/18/12	7.3	0.5 U	0.5 U	1.0
		12/24/12	7.9	0.5 U	0.5 U	1.1
		1/02/13	8.4	0.5 U	0.5	1.2
		1/08/13	7.2	0.5 U	0.5 U	1.1
		1/15/13	7.5	0.5 U	0.5 U	1.0
		1/22/13	8.2	0.5 U	0.5	1.5
		2/13/13	8.2	0.5 U	0.5 U	1.3
		2/19/13	9.0	0.5 U	0.5	1.3
		2/26/13	8.4	0.5 U	0.5 U	1.3
		3/05/13	7.5	0.5 U	0.5 U	1.2
		3/12/13	6.0	0.5 U	0.5 U	1.3
		3/19/13	11.4	0.5 U	0.5 U	1.3
		3/26/13	6.3	0.5 U	0.5 U	1.4
		4/02/13	9.7	0.5 U	0.5	1.4
		4/10/13	10.1	0.5 U	0.5 U	1.4
		8/14/13	7.5	0.5 U	0.8	4.2
		9/10/13	8.0	0.5 U	0.7	2.4
		9/17/13	7.7	0.5 U	0.6	2.2
		9/24/13	6.9	0.5 U	0.6	2.2
		11/05/13	6.8	0.5 U	0.5 U	1.7
		11/13/13	6.5	0.5 U	0.6	2.1
		11/19/13	6.3	0.5 U	0.6	2.1
		11/26/13	5.8	0.5 U	0.6	2.1
		12/03/13	6.3	0.5 U	0.6	2.0
		12/10/13	6.0	0.5 U	0.6	2.1
		12/17/13	5.7	0.5 U	0.7	2.3
		12/24/13	6.1	0.5 U	0.7	2.3
		12/31/13	5.6	0.5 U	0.6	2.1
		2/11/14	7.3	0.5 U	0.7	2.5
		2/18/14	5.9	0.5 U	0.6	2.3
		2/25/14	6.1	0.5 U	0.6	2.2
		3/11/14	6.4	0.5 U	0.6	2.4
		3/18/14	6.7	0.5 U	0.6	2.3
		3/25/14	7.0	0.5 U	0.6	2.3
		4/01/14	6.9	0.5 U	0.6	2.2
		4/08/14	8.2	0.5 U	0.6	2.2
		4/15/14	7.0	0.5 U	0.6	2.3
		4/22/14	7.0	0.5 U	0.7	2.6
		4/29/14	NA	0.5 U	0.7	2.6
		5/20/14	5.5	0.5 U	0.6	3.1
		5/27/14	4.5	0.5 U	0.6	2.7
		6/03/14	5.2	0.5 U	0.6	2.7
		6/10/14	5.1	0.5 U	0.7	3.0
		6/24/14	NA	0.5 U	0.7	2.8
		7/01/14	5.3	0.5 U	0.7	3.3
		7/08/14	5.5	0.5 U	0.8	3.5
		7/15/14	5.7	0.5 U	0.8	3.7

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WELL 52 (con't)	7/22/14	**5.8**	0.5 U	**0.7**	**2.8**
		7/29/14	**4.9**	0.5 U	**0.8**	**3.4**
		8/12/14	**5.3**	0.5 U	0.5 U	**1.9**
		8/19/14	**5.2**	0.5 U	**0.7**	**3.0**
		8/26/14	**5.2**	0.5 U	**0.8**	**3.8**
		9/02/14	**5.2**	0.5 U	**0.7**	**3.0**
		2/10/15	**5.2**	0.5 U	**0.9**	**6.1**
	WINDSOR	1/03/96	NA	0.5 U	0.5 U	**0.7**
		3/07/96	NA	0.5 U	0.5 U	0.5 U
		4/03/96	NA	0.5 U	**0.7**	**0.9**
		4/16/96	NA	0.5 U	**0.9**	**0.9**
		5/01/96	NA	0.5 U	**0.8**	**1.1**
		6/05/96	NA	0.5 U	**1.0**	**0.8**
		6/19/96	NA	0.5 U	0.5 U	0.5 U
		7/02/96	NA	0.5 U	0.5 U	0.5 U
		8/01/96	NA	0.5 U	NA	NA
		8/07/96	NA	NA	**0.8**	**0.8**
		9/01/96	NA	0.5 U	NA	NA
		9/04/96	NA	NA	**1.1**	**0.9**
		10/01/96	NA	0.5 U	NA	NA
		10/02/96	NA	NA	**1.0**	**0.9**
		11/06/96	NA	0.5 U	0.5 U	0.5 U
		12/01/96	NA	0.5 U	0.0 U	NA
		12/04/96	NA	NA	NA	**0.8**
		1/01/97	NA	0.5 U	NA	NA
		1/08/97	NA	NA	**0.6**	**0.8**
		3/01/97	NA	0.5 U	0.0 U	NA
		3/03/97	NA	NA	NA	**0.8**
		3/05/97	NA	NA	**1.0**	**1.2**
		4/01/97	NA	0.5 U	NA	NA
		4/02/97	NA	NA	**0.8**	**0.9**
		5/07/97	NA	0.5 U	0.5 U	0.5 U
		6/01/97	NA	0.5 U	NA	NA
		6/04/97	NA	NA	**1.1**	**1.0**
		6/13/97	0.0 U	NA	NA	NA
		6/19/97	0.0 U	NA	NA	NA
		7/01/97	NA	0.5 U	0.0 U	0.5 U
		7/03/97	0.0 U	NA	NA	NA
		8/01/97	NA	0.5 U	NA	0.5 U
		8/06/97	NA	NA	**0.6**	NA
		9/03/97	NA	NA	**1.0**	**0.7**
		9/17/97	0.0 U	NA	NA	NA
		9/22/97	NA	0.5 U	0.5 U	0.5 U
		10/01/97	NA	0.5 U	**0.6**	0.5 U
		11/01/97	NA	0.5 U	NA	NA
		11/05/97	NA	NA	**0.8**	**0.6**
		12/01/97	NA	0.5 U	NA	NA
		12/03/97	NA	NA	**1.1**	**1.1**
		12/18/97	0.0 U	NA	NA	NA
		12/24/97	**4.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	1/01/98	NA	0.5 U	NA	NA
		1/06/98	0.0 U	NA	NA	NA
		1/07/98	NA	NA	**0.7**	**0.8**
		1/14/98	0.0 U	NA	NA	NA
		1/16/98	0.0 U	NA	NA	NA
		1/21/98	0.0 U	NA	NA	NA
		2/03/98	NA	0.5 U	**1.1**	**1.2**
		4/01/98	NA	0.5 U	NA	0.5 U
		4/13/98	0.0 U	NA	**0.7**	NA
		4/16/98	0.0 U	NA	NA	NA
		4/23/98	0.0 U	NA	NA	NA
		4/30/98	0.0 U	NA	NA	NA
		5/01/98	NA	0.5 U	NA	0.5 U
		5/06/98	NA	NA	**1.0**	NA
		5/07/98	0.0 U	NA	NA	NA
		5/13/98	0.0 U	NA	**1.1**	NA
		5/27/98	0.0 U	NA	NA	NA
		6/01/98	NA	0.5 U	NA	NA
		6/03/98	0.0 U	NA	**1.3**	**0.5**
		6/10/98	0.0 U	NA	NA	NA
		6/24/98	0.0 U	NA	NA	NA
		7/01/98	0.0 U	0.5 U	**0.8**	**0.6**
		7/08/98	0.0 U	NA	NA	NA
		7/15/98	**3.0**	NA	NA	NA
		8/01/98	NA	0.5 U	**1.0**	**0.7**
		8/03/98	**10.7**	NA	NA	NA
		8/27/98	**2.7**	NA	NA	NA
		9/01/98	0.0 U	0.5 U	**1.2**	**0.9**
		9/08/98	0.0 U	NA	NA	NA
		9/15/98	0.0 U	NA	NA	NA
		9/23/98	0.0 U	NA	NA	NA
		9/30/98	0.0 U	NA	NA	NA
		10/01/98	0.0 U	NA	NA	NA
		10/07/98	NA	0.5 U	**1.2**	**1.0**
		10/08/98	0.0 U	NA	NA	NA
		10/15/98	0.0 U	NA	NA	NA
		10/23/98	0.0 U	NA	NA	NA
		10/30/98	0.0 U	NA	NA	NA
		11/01/98	NA	0.5 U	**1.0**	**1.0**
		11/02/98	0.0 U	NA	NA	NA
		11/09/98	0.0 U	NA	NA	NA
		11/16/98	0.0 U	NA	NA	NA
		11/23/98	0.0 U	NA	NA	NA
		12/01/98	0.0 U	0.5 U	**1.0**	**1.1**
		12/08/98	0.0 U	NA	NA	NA
		12/15/98	0.0 U	NA	NA	NA
		12/22/98	0.0 U	NA	NA	NA
		12/29/98	0.0 U	NA	NA	NA
		12/30/98	0.0 U	NA	NA	NA
		1/01/99	NA	0.5 U	**0.8**	**0.7**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	1/06/99	0.0 U	NA	NA	NA
		1/13/99	**4.3**	NA	NA	NA
		1/20/99	0.0 U	NA	NA	NA
		1/27/99	**4.1**	NA	NA	NA
		2/01/99	NA	0.5 U	**1.1**	**1.2**
		2/03/99	**5.1**	NA	NA	NA
		2/10/99	0.0 U	NA	NA	NA
		3/04/99	**2.6**	0.5 U	**1.5**	**1.3**
		3/17/99	0.0 U	NA	NA	NA
		5/01/99	NA	0.5 U	**1.5**	**1.8**
		5/12/99	**3.3**	NA	NA	NA
		5/18/99	**2.6**	NA	NA	NA
		5/26/99	**2.0**	NA	NA	NA
		6/01/99	NA	0.5 U	**1.2**	**1.3**
		6/02/99	**3.9**	NA	NA	NA
		6/09/99	0.0 U	NA	NA	NA
		6/10/99	0.0 U	NA	NA	NA
		6/16/99	**2.8**	NA	NA	NA
		6/23/99	**4.9**	NA	NA	NA
		6/30/99	5.0 U	NA	NA	NA
		7/01/99	4.0 U	0.5 U	**1.2**	**1.2**
		7/07/99	**1.9**	NA	NA	NA
		7/14/99	4.0 U	NA	NA	NA
		7/21/99	4.0 U	NA	NA	NA
		7/28/99	4.0 U	NA	NA	NA
		8/04/99	0.0 U	0.5 U	**0.9**	**1.0**
		8/09/99	**3.6**	NA	NA	NA
		8/11/99	0.0 U	NA	NA	NA
		8/12/99	0.0 U	NA	NA	NA
		8/15/99	0.0 U	NA	NA	NA
		8/18/99	0.0 U	NA	NA	NA
		8/25/99	0.0 U	NA	NA	NA
		8/31/99	0.0 U	NA	NA	NA
		9/01/99	0.0 U	NA	NA	NA
		9/08/99	0.0 U	0.5 U	**1.6**	**1.4**
		9/15/99	0.0 U	NA	NA	NA
		9/25/99	4.0 U	NA	NA	NA
		9/30/99	0.0 U	NA	NA	NA
		10/01/99	4.0 U	NA	NA	NA
		10/07/99	4.0 U	NA	NA	NA
		10/11/99	**2.9**	0.5 U	**1.2**	**1.1**
		10/19/99	4.0 U	NA	NA	NA
		11/01/99	4.0 U	NA	NA	NA
		11/07/99	4.0 U	NA	NA	NA
		11/10/99	NA	0.5 U	**1.3**	**1.3**
		11/13/99	4.0 U	NA	NA	NA
		11/19/99	4.0 U	NA	NA	NA
		12/01/99	4.0 U	0.5 U	**1.8**	**1.7**
		12/07/99	4.0 U	NA	NA	NA
		1/01/00	NA	0.5 U	**1.3**	**1.3**

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	1/26/00	0.0 U	NA	NA	NA
		2/02/00	0.0 U	NA	NA	NA
		2/10/00	0.0 U	0.5 U	**1.0**	**1.0**
		2/18/00	0.0 U	NA	NA	NA
		2/28/00	0.0 U	NA	NA	NA
		3/02/00	0.0 U	NA	NA	NA
		3/06/00	NA	0.5 U	**1.0**	**1.0**
		3/16/00	0.0 U	NA	NA	NA
		3/23/00	0.0 U	NA	NA	NA
		4/12/00	NA	0.5 U	0.5 U	**0.6**
		5/01/00	0.0 U	NA	NA	NA
		5/10/00	NA	0.5 U	**1.3**	**1.3**
		6/07/00	NA	0.5 U	**1.0**	**1.0**
		6/08/00	0.0 U	NA	NA	NA
		6/14/00	0.0 U	NA	NA	NA
		6/22/00	0.0 U	NA	NA	NA
		7/06/00	0.0 U	NA	NA	NA
		7/12/00	**5.4**	0.5 U	**1.0**	**1.0**
		8/01/00	NA	0.5 U	**1.0**	**1.0**
		8/02/00	6.0 U	NA	NA	NA
		8/10/00	7.0 U	NA	NA	NA
		8/17/00	**4.0**	NA	NA	NA
		8/23/00	0.0 U	NA	NA	NA
		8/30/00	**4.0**	NA	NA	NA
		9/01/00	4.0 U	NA	NA	NA
		9/04/00	NA	0.5 U	**1.0**	**2.0**
		9/07/00	**5.0**	NA	NA	NA
		9/12/00	**3.0**	NA	NA	NA
		9/21/00	**3.0**	NA	NA	NA
		9/28/00	0.0 U	NA	NA	NA
		10/04/00	**5.7**	NA	NA	NA
		10/09/00	NA	0.5 U	**1.5**	**1.7**
		10/11/00	**5.3**	NA	NA	NA
		10/18/00	**3.5**	NA	NA	NA
		10/25/00	**3.8**	NA	NA	NA
		11/02/00	**3.9**	NA	NA	NA
		11/06/00	NA	0.5 U	**1.5**	**1.6**
		11/09/00	**4.9**	NA	NA	NA
		11/13/00	**4.0**	NA	NA	NA
		11/22/00	**4.5**	NA	NA	NA
		11/30/00	**6.3**	NA	NA	NA
		12/07/00	**6.1**	NA	NA	NA
		12/12/00	NA	**2.3**	**0.5**	**3.3**
		12/13/00	**6.2**	NA	NA	NA
		12/21/00	**5.6**	NA	NA	NA
		12/28/00	**7.4**	NA	NA	NA
		1/02/01	NA	0.5 U	**1.5**	**1.6**
		1/04/01	**8.6**	NA	NA	NA
		1/23/01	**5.2**	0.5 U	**0.8**	**1.1**
		2/01/01	4.0 U	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	2/07/01	**4.8**	NA	NA	NA
		2/13/01	**3.2 J**	NA	NA	NA
		2/19/01	**3.1 J**	NA	NA	NA
		3/01/01	NA	0.5 U	**1.4**	**1.8**
		3/14/01	**6.0**	NA	NA	NA
		3/21/01	**5.6**	NA	NA	NA
		3/29/01	**4.9**	NA	NA	NA
		4/01/01	NA	0.5 U	**1.6**	**1.9**
		4/04/01	**5.9**	NA	NA	NA
		4/12/01	**5.8**	NA	NA	NA
		4/18/01	**5.5**	NA	NA	NA
		4/25/01	**5.7**	NA	NA	NA
		5/01/01	NA	0.5 U	**1.5**	**1.8**
		5/02/01	**5.8**	NA	NA	NA
		5/09/01	**6.5**	NA	NA	NA
		5/16/01	**6.0**	NA	NA	NA
		5/22/01	**5.7**	NA	NA	NA
		5/30/01	**4.1**	NA	NA	NA
		6/01/01	NA	0.5 U	**1.1**	**1.2**
		6/05/01	**5.1**	NA	NA	NA
		6/13/01	**4.7**	NA	NA	NA
		6/20/01	**4.3**	NA	NA	NA
		6/26/01	**3.7**	NA	NA	NA
		7/03/01	**3.9**	NA	NA	NA
		7/11/01	**5.9**	0.5 U	**1.2**	**1.4**
		7/18/01	**5.5**	NA	NA	NA
		7/25/01	**3.9**	NA	NA	NA
		8/01/01	**4.8**	NA	NA	NA
		8/08/01	**4.7**	NA	NA	NA
		8/15/01	**4.4**	0.5 U	**1.2**	**1.5**
		8/22/01	**4.8**	NA	NA	NA
		8/29/01	**4.8**	NA	NA	NA
		9/05/01	0.0 U	NA	NA	NA
		9/11/01	NA	0.5 U	**1.2**	**1.5**
		9/12/01	**5.2**	NA	NA	NA
		9/19/01	0.0 U	NA	NA	NA
		9/27/01	**6.4**	NA	NA	NA
		10/02/01	NA	0.5 U	**1.1**	**1.0**
		10/03/01	**4.5**	NA	NA	NA
		10/10/01	**4.7**	NA	NA	NA
		10/17/01	**4.1**	NA	NA	NA
		10/24/01	**4.6**	NA	NA	NA
		10/31/01	**4.9**	NA	NA	NA
		11/07/01	**5.1**	0.5 U	**1.1**	**1.1**
		11/13/01	**4.0**	NA	NA	NA
		11/21/01	**4.0**	NA	NA	NA
		11/29/01	**4.8**	NA	NA	NA
		12/05/01	**3.9**	0.5 U	**1.6**	**1.6**
		12/12/01	**4.1**	NA	NA	NA
		12/19/01	**4.0**	NA	NA	NA

Purveyor	Well Name	Sample Date	Perchlorate	Carbon Tetrachloride	PCE	TCE
PASADENA-CITY, WATER DEPT. (con't)	WINDSOR (con't)	12/26/01	**4.0**	NA	NA	NA
		1/02/02	**5.6**	NA	NA	NA
		1/09/02	**4.9**	0.5 U	**1.7**	**1.6**
		1/16/02	**4.8**	NA	NA	NA
		4/24/02	**5.8**	0.5 U	**2.6**	**2.4**
		5/15/02	**5.5**	0.5 U	**2.2**	**1.9**
		6/05/02	**5.7**	0.5 U	**2.2**	**1.6**
		7/17/02	**4.3**	0.5 U	**1.4**	**1.7**
		8/14/02	**4.8**	0.5 U	**1.3**	**1.4**
		9/18/02	**5.4**	0.5 U	**1.7**	**1.8**
		10/09/02	**4.7**	0.5 U	**1.3**	**1.2**
		7/09/13	4.0 U	NA	NA	NA
		7/23/13	NA	0.5 U	0.5 U	0.5 U
California Maximum Contaminant Level (MCL)			6.0	0.5	5.0	5.0
EPA Region IX Maximum Contaminant Level			NE	5.0	5.0	5.0

Notes

NA	Not analyzed
NE	Not established
Source	State Water Resources Control Board - Division of Drinking Water
	Drinking Water Data, May 2015
U	Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.