APPENDIX A

SOIL VAPOR DATA VALIDATION REPORT
FOURTEENTH PERIODIC SAMPLING EVENT

LABORATORY DATA CONSULTANTS, INC.
7750 El Camino Real, Suite 2L Carlsbad, CA 92009 Phone: 760/634-0437 Fax: 760/634-0439

Geofon, Inc.
22632 Golden Springs Drive, Suite 270
Diamond Bar, CA 91765
ATTN: Mr. Leo Williamson

July 15, 2003

SUBJECT: NASA JPL, DO #01, Data Validation

Dear Mr. Williamson,

Enclosed is the final validation report for the fraction listed below. This SDG was received on July 7, 2003. Attachment 1 is a summary of the samples that were reviewed for each analysis.

LDC Project # 10529:

SDG #	Fraction
GF052103-L6	Volatiles

The data validation was performed under EPA Level III guidelines. The analyses were validated using the following documents, as applicable to each method:

- USEPA, Contract Laboratory Program National Functional Guidelines for Organic Data Review, October 1999
- EPA SW 846, Third Edition, Test Methods for Evaluating Solid Waste, update 1, July 1992; update IIA, August 1993; update II, September 1994; update IIB, January 1995; update III, December 1996

Please feel free to contact us if you have any questions.

Sincerely,

ERauto

Erlinda T. Rauto
Operations Manager/Senior Chemist

\\LDCSERVER\Validation\LOGIN\Geofon\JPL\10529COV.wpd

Attachment 1

LDC #10529 (Geofon, Inc.-Diamond Bar / NASA Jet Propulsion Laboratory, DO#001)

LDC	SDG#	DATE REC'D	DATE DUE	VOA (8260B)																																	
Matrix	Air/Soil			A	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S
A	GF052103-L6	7/7/03	7/28/03	10	0																																
Total	B			10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Shaded cells indicate Level IV validation (all other cels are Level III validation).

10529ST.wpd

NASA JPL
Data Validation Reports
LDC# 10529

Volatiles

LDC

Laboratory Data Consultants, Inc.
Data Validation Report

Project/Site Name: NASA JPL

Collection Date: May 21, 2003

LDC Report Date: July 11, 2003

Matrix: Vapor

Parameters: Volatiles

Validation Level: EPA Level III

Laboratory: HP Labs

Sample Delivery Group (SDG): GF052103-L6

Sample Identification

SVW37-VPJ-001
SVW36-VPB-002
SVW36-VPC-003
SVW33-VPD-004
SVW33-VPE-005
SVW33-VPF-006
SVW32-VPH-007
SVW4-VPB-008
SVW4-VPD-009
SVW4-VPD-010DUP

Introduction

This data review covers 10 vapor samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA SW 846 Method 8260B for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.

J Indicates an estimated value.

R Quality control indicates the data is not usable.

N Presumptive evidence of presence of the constituent.

UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.

A Indicates the finding is based upon technical validation criteria.

P Indicates the finding is related to a protocol/contractual deviation.

None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

I. Technical Holding Times

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

II. GC/MS Instrument Performance Check

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

III. Initial Calibration

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 30.0% for all compounds.

IV. Continuing Calibration

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 25.0% .

V. Blanks

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks.

VI. Surrogate Spikes

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

VII. Matrix Spike/Matrix Spike Duplicates

The laboratory has indicated that there were no matrix spike (MS) and matrix spike duplicate (MSD) analyses specified for the samples in this SDG, and therefore matrix spike and matrix spike duplicate analyses were not performed for this SDG.

VIII. Laboratory Control Samples (LCS)

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

IX. Regional Quality Assurance and Quality Control

Not applicable.

X. Internal Standards

Internal standards data were not provided and therefore not reviewed.

XI. Target Compound Identifications

Raw data were not reviewed for this SDG.

XII. Compound Quantitation and CRQLs

Raw data were not reviewed for this SDG.

XIII. Tentatively Identified Compounds (TICs)

Raw data were not reviewed for this SDG.

XIV. System Performance

Raw data were not reviewed for this SDG.

XV. Overall Assessment of Data

Data flags have been summarized at the end of the report.

XVI. Field Duplicates

Samples SVW4-VPD-009 and SVW4-VPD-010DUP were identified as field duplicates. No volatiles were detected in any of the samples.

XVII. Field Blanks

No field blanks were identified in this SDG.

NASA JPL
Volatiles - Data Qualification Summary - SDG GF052103-L6

No Sample Data Qualified in this SDG

NASA JPL
Volatiles - Laboratory Blank Data Qualification Summary - SDG GF052103-L6

No Sample Data Qualified in this SDG

GEOFON PROJECT # 04-4428.10
JET PROPULSION LABORATORY
4800 OAK GROVE DRIVE
PASADENA, CA

HP Labs Project #GF052103-L6
INSTRUMENT: AGILENT 6850 GC / 5973 MASS SPECTROMETER
VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8260) ANALYSES OF SOIL VAPOR
SOIL VAPOR DATA IN UG/L-VAPOR

	AMBIENT BLANK	SVW37-VPJ-001	SVW36-VPB-002	SVW36-VPC-003	SVW33-VPD-004	SVW33-VPE-005	SVW33-VPF-006	SVW32-VPH-007	SVW4-VPB-008	SVW4-VPD-009	SVW4-VPC-010 DUP
DATE	05/21/03	05/21/03	05/21/03	05/21/03	05/21/03	05/21/03	05/21/03	05/21/03	05/21/03	05/21/03	05/21/03
ANALYSIS TIME	6:06	7:32	7:57	8:23	8:50	9:16	9:43	10:09	10:34	11:00	11:26
SAMPLING DEPTH (feet)	--	185	35	55	85	105	120	155	20	56	56
VOLUME WITHDRAWN (cc)	--	800	200	280	400	480	540	680	140	284	344
VOLUME INJECTED	20	20	20	20	20	20	20	20	20	20	20
DILUTION FACTOR	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
CARBON TETRACHLORIDE	nd	nd	nd	nd	nd	16	22	nd	nd	nd	nd
CHLOROETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
CHLOROFORM	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,2-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1-DICHLORO ETHENE	nd	nd	nd	nd	nd	2.0	3.1	nd	nd	nd	nd
CIS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TRANS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
DICHLOROMETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TETRACHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1,1,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1,2,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1,1-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd	1.3	nd	nd	nd	nd
1,1,2-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TRICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd	5.1	nd	nd
VINYL CHLORIDE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TRICHLOROFLUOROMETHANE (FR11)	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
DICHLORODIFLUOROMETHANE (FR12)	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	nd	nd	nd	nd	2.3	nd	nd	nd	nd	nd
BENZENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
CHLOROBENZENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
ETHYLBENZENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TOLUENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
m&p-XYLENES	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
o-XYLENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
SURROGATES (75-125% RECOVERY)											
DIBROMODIFLUOROMETHANE	110%	113%	108%	108%	120%	123%	116%	108%	118%	125%	122%
1,2-DICHLOROETHANE-d4	109%	109%	111%	109%	125%	120%	125%	109%	117%	125%	123%
4 BROMOFLUORO BENZENE	104%	104%	93%	94%	103%	106%	97%	93%	94%	97%	95%

ND INDICATES NOT DETECTED AT A DETECTION LIMIT OF 1.0 UG/L-VAPOR FOR EACH COMPOUND
ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY #1561
ANALYSES PERFORMED BY: MARK BURKE
DATA REVIEWED BY: TAMARA DAVIS

7/14/03

LDC #: 10529A1
SDG #: GF052103-L6
Laboratory: HP Labs

VALIDATION COMPLETENESS WORKSHEET
Level III

Date: 7/9/03
Page: 1 of 1
Reviewer: [illegible]
2nd Reviewer: [illegible]

METHOD: GC/MS Volatiles (EPA SW 846 Method 8260B)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

	Validation Area		Comments
I.	Technical holding times	A	Sampling dates: 5/21/03
II.	GC/MS Instrument performance check	A	
III.	Initial calibration	A	% RSD ≤ 30
IV.	Continuing calibration	A	% D ≤ 25
V.	Blanks	A	
VI.	Surrogate spikes	A	
VII.	Matrix spike/Matrix spike duplicates	N	client specified
VIII.	Laboratory control samples	A	
IX.	Regional Quality Assurance and Quality Control	N	
X.	Internal standards	N	Not provided by client, not provided
XI.	Target compound identification	N	
XII.	Compound quantitation/CRQLs	N	
XIII.	Tentatively identified compounds (TICs)	N	
XIV.	System performance	N	
XV.	Overall assessment of data	A	
XVI.	Field duplicates	ND	9 + 10
XVII.	Field blanks	N	

Note: A = Acceptable; N = Not provided/applicable; SW = See worksheet; ND = No compounds detected; R = Rinsate; FB = Field blank; D = Duplicate; TB = Trip blank; EB = Equipment blank

Validated Samples:

vapor

1	SVW37-VPJ-001	11	Ambient Blank 5/21/03			31	
2	SVW36-VPB-002	12		22		32	
3	SVW36-VPC-003	13		23		33	
4	SVW33-VPD-004	14		24		34	
5	SVW33-VPE-005	15		25		35	
6	SVW33-VPF-006	16		26		36	
7	SVW32-VPH-007	17		27		37	
8	SVW4-VPB-008	18		28		38	
9	SVW4-VPD-009	19		29		39	
10	SVW4-VPD-010DUP	20		30		40	